

DEPARTMENT OF TRANSPORTATION



COAST GUARD



OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND

MARCH 1971-DECEMBER 1972



Approved for public release;
Distribution United and

OCEANOGRAPHIC REPORT No. CG 373-70



OCEANOGRAPHIC REPERT.

US CG-373-70

apr-Jun 72,

©CEANOGRAPHY OF
THE GRAND BANKS REGION OF
NEWFOUNDLAND
MARCH 1971 - DECEMBER 1972.

Robert W. Scobie
Richard H. Schultz



13 d6p.

United States Coast Guard
Oceanographic Unit
Washington, D.C.

Approved for public release;
Distribution Unlimited

086 470

mt




USCGC EVERGREEN (WAGO 295)

ABSTRACT

Results of oceanographic surveys off the Grand Banks of Newfoundland from April through June 1972 in support of International Ice Patrol and twelve occupations of Standard Sections A1-A4 are discussed. Analysis includes vertical temperature and salinity profiles for each section as well as dynamic-topographic charts for each Ice Patrol survey. Normal dynamic topography charts of the Grand Banks region are updated. Results are similar to those obtained by Soule (1964). Finally there is a discussion of the oceanographic and meteorological conditions which caused more icebergs to drift south of 48 N in 1972 than in any previous year in Ice Patrol history. These conditions include iceberg supply, wind, currents, waves/sea ice, sea temperatures, air temperatures, and precipitation. It is concluded that the single most important factor effecting these conditions is the location and intensity of the Icelandic low.

(1964 -- A) 605 320).



Editor's note: Reference to a product or comment with respect to it in this publication does not indicate, or permit any person to hold out by republication in whole, or in part or otherwise, that the product has been endorsed, authorized, or approved by the Coast Guard.

TABLE OF CONTENTS

Title Page	
Abstract	
Table of Contents	
List of Illustrations List of Tables	
Introduction	
Oceanographic Operations	
Itinerary	
Other Occupations of Standard Sections	
Instrumentation and Methods	
International Ice Patrol Cruises	
Occupation of Standard Sections	
Updating the Normal Dynamic Topography Charts	
Background	
Use	
Update	
General Comments	
1972 Dynamic Topography Surveys	
1972 Iceberg Studies	
Discussion of 1972 Ice Conditions	
Iceberg Supply	
Winds	
Currents	
Waves/Sea Ice	
Sea Temperatures	
Air Temperatures	
Precipitation	
Conclusions	
References	
Illustrations	
Appendix A—Oceanographic Data	
LIST OF ILLUSTRATIONS	
Figure	
1. Standard International Ice Patrol Sections	
2. Temperature (°C) profile for Section A1, CGC SPENCER, 21-22 September 1972	
3. Salinity (°/00) profile for Section A1, CGC SPENCER, 21-22 September 1972	

LIST OF ILLUSTRATIONS—Continued

Fig	ure
4	. Temperature (°C) profile for Section A1, CGC SHERMAN,
:	20–22 November 1972
•	November 1972 3. Temperature (°C) profile for Section A2, CGC GALLATIN, 18-19 March 1971
7	18-19 March 1971 7. Salinity (°/00) profile for Section A2, CGC GALLATIN, 18-19 March 1971
	March 1971 3. Temperature (°C) profile for Section A2, CGC CAMPBELL, 14-16 July 1971
8	9. Salinity (°/oo) profile for Section A2, CGC CAMPBELL, 14-16
10	July 1971 D. Temperature (°C) profile for Section A-2, CGC CHASE, 27-29 August 1971
11	August 1971 1. Salinity (°/ ₀₀) profile for Section A2, CGC CHASE, 27–29 August 1971
12	August 1971 2. Temperature (°C) profile for Section A2, CGC DALLAS, 9-10 November 1971
13	November 1971 3. Salinity (°/ ₀₀) profile for Section A2, CGC DALLAS, 9–10 November 1971
	November 1971 4. Temperature (°C) profile for Section A2, CGC SHERMAN, 20-22 March 1972
	5. Salinity (°/oo) profile for Section A2, CGC SHERMAN, 20-22 March 1972
16	3. Temperature (°C) profile for Section A2, CGC SHERMAN, 5-7
1	August 1972 7. Salinity (°/00) profile for Section A2, CGC SHERMAN, 5-7 August 1972
18	8. Temperature (°C) profile for Section A2, CGC GALLATIN, 31 December 1972—1 January 1973
19	9. Salinity (°/ ₀₀) profile for Section A2, GALLATIN, 31 December 1972—1 January 1973
	D. Temperature (°C) profile for Section A3, CGC HAMILTON, 8-10 September 1972
2	1. Salinity (°/ ₀₀) profile for Section A3, CGC HAMILTON, 8-10 September 1972
25	2. Temperature (°C) profile for Section A4, CGC DALLAS, 7-9 March 1971
28	3. Temperature (°C) profile for Section A4, CGC GALLATIN, 5-8 January 1972
2	4. Salinity (°/00) profile for Section A4, CGC GALLATIN, 5-8 January 1972
2	5. Temperature (°C) profile for Section A2, CGC EVERGREEN 7-9 April 1972
20	3. Salinity (°/00) profile for Section A2, CGC EVERGREEN, 7-9 April 1972

Figu	LIST OF ILLUSTRATIONS—Continued
	Temperature (°C) profile for Section A3, CGC EVERGREEN,
	12 April 1972
28.	Salinity (°/₀₀) profile for Section A3, CGC EVERGREEN, 12 April 1972
29.	Temperature (°C) profile for Section A4, CGC EVERGREEN. 18 April 1972
30.	Salinity (°/ ₀₀) profile for Section A4, CGC EVERGREEN, 18 April 1972
31.	Temperature (°C) profile for Section A4, CGC EVERGREEN 9-10 May 1972
32.	Salinity (°/ _{oo}) profile for Section A4, CGC EVERGREEN, 9-10 May 1972
33.	Temperature (°C) profile for Section A3, CGC EVERGREEN. 13-14 May 1972
34.	Salinity (°/ _{oo}) profile for Section A3, CGC EVERGREEN 13-14 May 1972
35.	Temperature (°C) profile for Section A4, CGC EVERGREEN. 7 June 1972
36.	Salinity (°/ ₀₀) profile for Section A4, CGC EVERGREEN, 7 June 1972
37.	Temperature (°C) profile for Section A3, CGC EVERGREEN, 16 June 1972
38.	Salinity (°/ ₀₀) profile for Section A3, CGC EVERGREEN, 16 June 1972
39.	Temperature (°C) profile for Section A2, CGC EVERGREEN.
40.	Salinity (°/ ₀₀) profile for Section A2, CGC EVERGREEN, 18 June 1972
41.	Normal dynamic topography (dynamic meters) of sea surface relative to 1000 decibars for April
42.	Standard deviations for April normal dynamic topography chart
	Data distribution for April normal dynamic topography chart
44.	Normal dynamic topography (dynamic meters) of sea surface relative to 1000 decibars for May
45.	Standard deviations for May normal dynamic topography chart
	Data distribution for May normal dynamic topography chart
	Normal dynamic topography (dynamic meters) of sea surface relative to 1000 decibars for June
	Standard deviations for June normal dynamic topography chart
	Data distribution for June normal dynamic topography chart
	Normal dynamic topography (dynamic meters) of sea surface relative to 1000 decibars for July
	Standard deviations for July normal dynamic topography chart
	Data distribution for July normal dynamic topography chart
53.	Sea surface dynamic topography (dynamic meters) relative to 1000 decibars for April 1972
	DARG OPCIDATS FOR A DEH 1972

	LIST OF ILLUSTRATIONS—Continued
'igui	
	Sea surface dynamic topography (dynamic meters) relative to 1000 decibars for May 1972
55.	Sea surface dynamic topography (dynamic meters) relative to 1000 decibars for June 1972
56.	Iceberg drift and wind progressive vector diagram 5-11, May 1972
57.	Iceberg drift and wind progressive vector diagram, 8-15 June 1972
58.	Sea surface dynamic topography (dynamic meters) relative to 1000 decibars near the June 1972 Iceberg Drift Study
59.	Number of icebergs annually drifting south of 48°N (1900-1972)
60.	Icebergs sightings by preseason reconnaissance flights
61.	Four low pressure systems typical of winter 1971-1972 conditions _
62.	Surface pressure anomaly for January 1972 (after Sanderson, 1972a)
63.	Standard Russian Sections (after Burmakin)
64.	Current profile on Grand Banks-Flemish Cap Section (after Hill et al.)
65.	Current profile on Section A2
66.	Normal sea ice compared to January 1972 (after Sanderson, 1972b)
67.	Normal sea ice compared to May 1972 (after Sanderson, 1972c)
	Sea surface temperatures (°C) March 1972 (after Royal Met. Office, 1972a)
	Sea surface temperatures (°C) June 1972 (after Royal Met. Office, 1972b)
70.	Air temperature anomaly (°C) for February 1972 (after Sanderson, 1972b)
71.	Air temperature anomaly (°C) for May 1972 (after Sanderson, 1972c)
	LIST OF TABLES
able	
	Ten year averages of icebergs drifting south of 48°N
2.	1972 air temperature (°C) at selected locations compared with normals
	IIVI III GIS

OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND

March 1971—December 1972

Robert W. Scobie ¹

INTRODUCTION

The iceberg threat to North Atlantic shipping was more severe in 1972 than in any other year in International Ice Patrol (IIP) history. The ice season officially extended from 29 February to 4 September-the longest ever. During that period, a record ·1587 icebergs were reported south of 48°N. This surpassed the previous high of 1320 icebergs sighted in 1929. In 1972 icebergs were reported as far east as 47°02'N, 36°59'W and as far south as 39°57'N, 45°06'W. For the first time since 1959, conditions were severe enough to require a surface patrol to standby the southernmost iceberg. This duty was shared by several Coast Guard cutters from 25 April until 25 July when icebergs were no longer a threat below 43°N.

Oceanographic Operations

During the months of April, May, and June, when the iceberg threat was greatest, three oceanographic cruises were conducted to the area immediately eastward of the Grand Banks of Newfoundland by the USCGC EVERGREEN (WAGO-295). The purpose of these cruises was two-fold. First, it was to provide Commander, International Ice Patrol (CIIP) with real-time oceanographic data for predicting iceberg drift in the North Atlantic Ocean. Second, it was to support U.S. Coast Guard oceanographic research programs. The crew of CGC EVERGREEN was augmented with a field party of scientists and technicians from the U.S. Coast Guard Oceanographic Unit (CG OCEANOU) on each of these cruises.

Itinerary

On 3 April the CGC EVERGREEN departed its homeport of Boston, Massachusetts on a 21-day cruise which included a one day port call at St. John's Newfoundland. The oceanographic work conducted on this cruise consisted of 72 STD stations taken along 7 standard Ice Patrol sections extending from A2 to A4 (fig. 1). Several casts were taken at other than the desired position because of locally heavy concentrations of icebergs.

During the second cruise of 17 days, which began on 5 May, 53 STD stations were occupied on six standard sections from A4 to A2B. The final CGC EVERGREEN cruise of the season commenced on 3 June. After completing section A4 and part of section A3C, a large dead-in-thewater contact appeared on the radar. Proceeding slowly through thick fog, CGC EVER-GREEN was able to identify the contact as a large tabular iceberg located at 42°42'N, 49°20' W. Commander International Ice Patrol then ordered CGC EVERGREEN to standby this iceberg and assume full duties of surface patrol vessel. Thus from 7 June until 15 June, oceanographic work was confined to the area around the iceberg. During this period STD casts, XBT casts, and photographs of the iceberg were taken. After being relieved of this responsibility, an abbreviated survey along 4 sections from A3B to A2 was conducted. Of the 54 STD casts taken during this cruise, 16 were taken near the large iceberg. The CGC EVERGREEN returned to Boston on 22 June.

¹U.S. Coast Guard Oceanographic Unit, Bldg. 159–E, Navy Yard Annex, Washington, D.C. 20590.

Other Occupations of Standard Sections

Twelve other occupations of Coast Guard standard sections A1-A4 are listed in Appendix A. These were conducted by Coast Guard cutters traveling to or from ocean station patrols. The 1971 occupations are included as they have not previously been reported in the CG-373 Series.

INSTRUMENTATION AND METHODS

International Ice Patrol Cruises

Data from all 179 oceanographic stations taken during the three 1972 Ice Patrol cruises aboard CGC EVERGREEN were obtained using a Plessey Environmental Systems, Model 9040, S/T/D Environmental Profiling System (STD). The Plessey Environmental Systems, Model 8114A, Digital Data Logger (DDL) was used to record these data on magnetic tape. However, as CGC EVERGREEN did not have the on board computer capability to process DDL tapes. it was necessary to read the STD analog traces and to transmit the data including quality control temperatures and salinities to CG OCEANOU for real-time processing. This processing was accomplished with a Honeywell DDP-516 computer utilizing the programs described by Hislop (1973). Following the Ice Patrol season, the DDL tapes were processed on the Control Data Corporation (CDC) 3300 computer using the procedures described by Rosebrook (1974).

A Niskin bottle, equipped with two protected and two unprotected deep sea reversing thermometers, was attached immediately above the underwater sensing unit on all deep stations for quality control. Conductivity ratios of these samples were determined on board CGC EVER-GREEN using a portable inductive salinometer and were converted to salinities using formulae published in the International Oceanographic Tables (1966). Temperatures were also processed on board CGC EVERGREEN with a Dietzgen Model 7410-PA programmable calculator with programs developed at CG OCEANOU. Dynamic heights in shallow water were calculated using the modified Helland-Hansen method described by Kollmeyer et al., (1967).

Occupation of Standard Sections

Data from the 12 occupations of standard sections A1-A4 reported here were obtained from either STD or Nansen casts depending on how each ship was outfitted. The cast procedures outlined in the Manual for Oceanographic Operations (CG-410) were followed during these occupations. Station data were processed using conventional CG OCEANOU procedures. Vertical temperature and salinity profiles for these occupations are presented as Figures 2 through 24. Similar profiles for all IIP occupations of A2, A3, and A4 are also presented (figs. 25 through 38).

UPDATING THE NORMAL DYNAMIC TOPOGRAPHY CHARTS

Background

Floyd M. Soule, who was a prominent member of International Ice Patrol for a period spanning more than 30 years, published the original normal dynamic topography charts of the Grand Banks area (Soule, 1964). These charts were developed primarily for use by Commander, International Ice Patrol (CIIP). Before explaining how they were updated, the evolution and use of these charts will be reviewed.

The 15 April 1912 sinking of the luxury liner Titanic following her collision with an iceberg at 41°16'N, 50°14'W, some 300 miles south of Newfoundland, prompted international shipping interests to demand that an organization be formed to continually advise the mariner of the iceberg danger. The result of this outcry was the establishment of the International Ice Patrol by the International Convention for the Safety of Life At Sea (SOLAS) in 1913. This service, financed by SOLAS member nations and operated by the U.S. Coast Guard, is designed to advise the mariner of any iceberg danger, as well as to conduct oceanographic research, in the area of the Grand Banks. The oceanographic conditions in this area are very complex as it is the confluence region of the cold southerly flowing Labrador Current and the warm northerly flowing North Atlantic Current.

During the first few years of Ice Patrol, the emphasis was placed on ice observation and advisories. As a result, the oceanographic data collected was quite sparse and of only limited value. However, as oceanographic techniques and equipment improved, it became apparent that oceanographic operations could be valuable to CIIP. For the first time in 1931 an Ice Patrol vessel was devoted to oceanographic research, and by 1934 data were being collected in a systematic and concentrated manner.

That year, two significant changes in IIP operations occurred. First the Wenner Salinity Bridge replaced the tedious titration method

previously used to determine salinity. This greatly improved the accuracy and ease with which salinity samples could be determined (Soule and Hoyle, 1935). This instrument was used exclusively through the 1961 ice season. Then after two years of comparative testing, it was phased out and replaced by commercially produced portable inductive salinometers. The second change in 1934 was the replacement of the Jacobsen and Jensen method of determining dynamic heights in shallow water with the Helland-Hansen method (Soule and Hoyle, 1935). This method is still used, although it has been slightly modified for adaption to computer usage (Kollmeyer, et al., 1967).

Since 1934 only one other major change in the collection and processing of data has been made. In 1966, the STD replaced the Nansen bottle as the primary sampling device. However, Nansen bottles equipped with deep sea reversing thermometers continue to be used to quality control STD data.

Use

Every year that IIP has been conducted since 1934, at least some time has been spent surveying the northeastern, eastern, and southern slopes of the Grand Banks. As the general oceanic circulation in this area is similar from year to year, Soule felt that monthly normal dynamic topography charts would be of use to CIIP. They definitely have been. At times during the peak of the ice season (April-July), when no data are being collected, CIIP utilizes the normal charts as an aid in predicting iceberg drift.

Update

Soule's normal charts were based on 22 years of data collected from 1934–1941 and 1949–1961; IIP was suspended during World War II. For this first revision of the normal charts, data from 1962 through 1972 were added to the original data base. The data used in this revision consist of

- April—Forty-three surveys (no data from 1969)
- May—Forty-five surveys (no data from 1955 and 1969)
- June—Twenty-nine surveys (no data from 1941, 1951, 1957, 1963, 1965, 1966, 1969–1971)
- July—(no data prior to WW II nor from 1949, 1950, 1954, 1958, 1959, 1965, 1966, 1968–1972).

The July chart is somewhat abbreviated covering only a small area east of Cape Bonavista. From 1934 through 1972, no other areas were surveyed during July.

Data for the revised charts were processed exactly in the same manner as described by Soule (1964). Briefly, dynamic height values, dynamic height of the sea surface relative to the 1000 decibar surface, for each survey were computed at twenty minute intervals of latitude and longitude in the area surveyed. The dynamic heights at each interval were averaged for each month with equal weight given to each year rather than each survey. These average values were used to develop the monthly normal charts (figs. 41, 44, 47, 50). A standard deviation was computed at each interval. All locations with at least five surveys were used to contour a field of standard deviation for each month (figs. 42, 45, 48, 51). Finally a chart for each month (figs. 43, 46, 49, 52) was prepared which indicates data distribution and computed results at each interval according to the following format:

Individual	Years				
Surveys	Represented				
Standard	Average Dynamic Height of the				
Deviation in	Sea Surface Relative to the				
Dynamic Milli-	1,000 Decibar Surface in				
meters	Dynamic Meters minus 970.00				

General Comments

The Labrador and North Atlantic Currents, as well as a region of low dynamic topography between them, are clearly present on the April,

May, and June normal charts. Using information from recent Canadian Hydrographic Service charts, it is clear that the bottom topography affects the flow of both currents. The steepest gradients of the Labrador Current closely parallel the bottom contours along the eastern slope of the Grand Banks implying that the Grand Banks acts as a lateral boundary of this current. The flow of the North Atlantic Current is influenced as it passes over and around the northern end of the Newfoundland Ridge which is located south of the Tail of the Bank.

Current direction can be inferred quite realistically from the normal charts as being parallel to the isopleths of dynamic heights. However, geostrophic speeds are not as easily determined. Due to the averaging process, speeds calculated by taking measurements perpendicular to the isopleths of dynamic height are lower than those that actually exist in the Labrador Current. Thus the current as calculated from the normal charts only approaches a maximum of 40 cm/sec in a few extreme cases in the core of the Labrador Current. Whereas experiments such as those conducted by International Ice Patrol (direct measurement by parachute drogues) in 1966 (Wolford, 1969) indicate the speed of the Labrador Current actually varies from 50 to over 100 cm/sec. Thus when using the normal charts, one must be careful not to underestimate the current speed.

The fact that these revised charts closely resemble Soule's adds validity to the assumption that the general circulation in this area is basically the same from year to year. This is especially true for the core of the Labrador Current and the dynamic "trough" to the east of this current. Standard deviations are greatest near 41°N, 50°W and 42.5°N, 46°W. These are the areas which contain meanders of the North Atlantic Current. Annual changes combined with steep gradients result in standard deviations being as high as 20 centimeters in May.

1972 DYNAMIC TOPOGRAPHY SURVEYS

As has been the practice of IIP for many years, the 1000 decibar surface was used as a reference level in calculating dynamic heights from the 1972 data. Experiments as recent as 1970 (Ettle and Wolford, 1972) have shown that this level is suitable for IIP work. Thus, it is

possible to compare the dynamic topography of each 1972 survey (figs. 53, 54, and 55) directly with past surveys and the monthly normal charts. Such comparisons appear in later sections.

1972 ICEBERG STUDIES

Three icebergs were tracked by Coast Guard cutters, while acting as the surface patrol vessel, during the 1972 ice season. From 5 to 11 May, the CGC VIGOROUS (WMEC-627) tracked a medium iceberg using celestial fixes as the primary means of navigation. The May 1972 oceanographic survey (fig. 54) did not cover the area where this iceberg was drifting. However, from the May normal chart (fig. 44) and the May 1972 survey it is apparent that this iceberg was located well into the North Atlantic Current when it was being studied. This iceberg, drifting an average of more than 30 nmi per day, was predominantly effected by the North Atlantic Current (fig. 56). Only during the early part of the study period did the wind, which averaged 17 kns from 224°T (fig. 56), have any significant effect on the iceberg's drift.

CGC EVERGREEN tracked two icebergs—a large tabular iceberg from 8 to 15 June and a small iceberg from 9 to 13 June. Due to heavy fog, Loran A, with an accuracy of 3–5 miles, was used for positioning during this study. These icebergs drifted around in the same general area during the study period (fig. 57). These drifts were in great contrast to the one in May. During this study four sets of four STD stations were taken around the large iceberg. The general flow of the current in this area was southerly

(fig. 58), although not nearly as constant as in the core of the Labrador Current which existed farther to the north. From the iceberg drift, it appears that the effect on these icebergs from the southerly flowing current was to a great degree offset by the effect of the wind (fig. 57), which averaged 14 kns from 188°T during the large iceberg study and 195°T at 19 kns during the small iceberg study.

Four expendable bathythermograph (XBT) sections were conducted at two-day intervals. Each section, consisting of 10 XBTS, was on a constant bearing from the large iceberg ranging from 10 to 500 yards from the iceberg. The purpose of this experiment was to check for horizontal temperature gradients, previously mentioned by Kollmeyer et al, 1966, along each section. However, no gradient was apparent on any of these sections.

From photographs taken around an iceberg, mass determinations of that iceberg can be made. It was hoped that this could be accomplished several times during the drift study of the large iceberg, for such a study could yield information on the rate of deterioration of the iceberg. However, due to poor visibility, a good set of photographs was obtained only at the end of the drift study. At that time it was determined that the iceberg had a mass of approximately 3×10^9 kgs.

DISCUSSION OF 1972 ICE CONDITIONS

Although the number of icebergs which annually drift south of 48°N (fig. 59) fluctuates considerably, this number generally declined during the 40 years prior to 1972 (Table 1). In

Table 1—Yearly Average Number of the Icebergs South of 48°N

Years	Average # of Icebergs
1932-1941	419.1
1942-1951	418.1
1952-1961	251.6
1962-1971	146.3

fact, during that entire period, only in 1945 did this number exceed 1000. Why then did this trend come to such an abrupt end in 1972? Primarily it was a result of substantial changes in oceanographic and meteorological conditions during late 1971 and early 1972. These conditions directly affected the following factors that in turn determine the iceberg count on the Grand Banks:

- · Supply of icebergs
- Wind
- Current
- Waves/Sea Ice
- Sea Temperature
- Air Temperature
- Precipitation

Iceberg Supply

Most of the icebergs which eventually reach the Grand Banks are calved from glaciers along the west coast of Greenland. Determining the annual iceberg production of these glaciers is a difficult task complicated by the remoteness of this vast region. One census will not result in an accurate count as icebergs may survive for several years in the survey area. To obtain an accurate production figure, it is necessary to conduct several censuses over a period of years while taking into account such factors as melting and

calving of icebergs. Since such studies have not been undertaken, it is not surprising that estimates of annual iceberg production vary greatly. Wolford (1972) reports several estimates of iceberg production ranging from 7,500 to 40,000 and suggests that the ligher value is more realistic. Using even the most conservative estimates, the annual supply of icebergs is substantial enough to support heavy ice seasons on the Grand Banks.

Each year IIP conducts iceberg reconnaissance flights from Newfoundland northward along the Canadian coast to estimate the severity of the upcoming ice season. A January 1972 flight covered the coastal area to Cape Dyer and a February 1972 flight terminated at Cape Chidley. Past experience indicated that only icebergs located south of these points at these respective months will reach the Grand Banks during the following ice season. The result of these 1972 flights was surprisingly low iceberg counts (fig. 60).

This apparent contradiction can be explained. The majority of iceberg drift studies conducted by IIP found icebergs advancing southward 3 to 6 miles per day. However, in some instances, advances in excess of 20 miles per day have been noted (Wolford, 1972). Under ideal conditions, as was the case in 1972, it is not unreasonable to assume that icebergs can maintain a speed of advance of 0.5 knots over a long period of time. At this rate, icebergs that were in Baffin Bay in January could reach the Grand Banks during the ice season. With the supply of icebergs in Baffiin Bay estimated to be more than 40,000 at any one time (Sanderson and Davis, 1972), only a small fraction of these icebergs is needed to greatly increase the severity of the ice season. This is what is believed to have happened in 1972.

Winds

Icebergs are transported to the Grand Banks by a complex combination of wind and current. The wind acts directly on the subaerial portion of the iceberg and indirectly on the submerged portion through the force which it imparts on the ocean surface. The prevailing winds along the eastern Canadian coast are from the northwest, which are the most favorable for transporting icebergs toward the Grand Banks. Winds from any other direction tend to impede the advance of the icebergs. Obviously the advance of icebergs would be blocked by winds from the south. Easterly winds cause the icebergs to drift toward the Canadian coast where they ground and deteriorate. Westerly winds force icebergs out of the Labrador Current into the Labrador Sea, slowing the icebergs' southern progress and exposing the icebergs to warmer water of the Labrador Sea and wave action. As Wolford (1972) points out, winds in this region are dependent on the location and intensity of the Icelandic Low. This term applies to an area where lows form and intensify rather than one particular low pressure system. Northwesterly winds increase as this low deepens. Normally this low is weak during the summer and intensifies during the winter.

Due to severe low pressure systems (fig. 61), which traversed this region during the winter of 1971-1972, the Icelandic Low was more intense than normal for every month from December 1971 through June 1972 with the exception of April 1972, when conditions were close to normal. During these months, a mean surface pressure anomaly existed as shown in January (fig. 60). Since wind anomaly is related to lines of equal pressure anomaly as winds are to isobars, Buys-Ballot's Law may be applied in determining direction of wind anomaly. During the winter of 1971-1972, the prevailing northwesterly winds were reinforced by the deeper than normal Icelandic Low. These winds were extremely favorable for iceberg drift southward along the Canadian coast.

Currents

The Baffinland and Labrador Currents transport icebergs southward toward the Grand Banks. These currents, which move much slower than the wind and are less variable, act on most of the iceberg's surface area. A well developed current system is a necessary but not sufficient condition for a heavy ice year. The Labrador Current was well developed in 1957 (Dinsmore

et al., 1958), 1958 (Dinsmore et al., 1960), and 1959 (Budinger et al., 1960), but only 1957 and 1959 were heavy ice years. In 1958 other critical factors, including warmer than normal sea surface temperatures, were unfavorable and a light year resulted. At no time has there been a heavy ice season when the Labrador Current was not well developed.

Current data along the Labrador coast are very scarce, especially in the winter months. Russian scientists conducted the only survey in this area during the winter of 1971–1972. From their 8–9 November occupation of section 8–A (fig. 63), the volume transport of the Labrador Current was determined to be 6.5 Sv; which is 30% greater than normal. Later in the same cruise, section 6–A (14–15 December) and section 3–A (24–25 December), both of which are farther south, were also occupied. Volume transport was only 1.1 Sv across section 6–A and 6.8 Sv which is normal, across section 3–A (Kudlo, 1973).

On 21–22 March, CGC SHERMAN (WHEC–720) occupied section A–2 (figs. 14 and 15), and the volume transport was determined to be 2.16 Sv southward and 1.07 Sv eastward. This indicated that the southerly transport had nearly doubled since the December occupation of 6–A. It should be noted that the east-west portion of A–2 is very similar to the Russian section 6–A and the British Grand Banks-Flemish Cap section (Hill et al., 1974).

During a two week period in April, each of these sections was occupied. As part of an IIP survey, section A-2 was occupied on 7-9 April (figs. 25 and 26). The southward flow was 3.71 Sv while the eastward flow was 1.70 Sv. On 10 April, the southerly flow across section 6-A was 3.03 Sv (Kudlo, 1973). Hill et al. (1974) calculated the southerly flow to be 5.27 Sv from a 17-18 April occupation of the Flemish Cap-Grand Banks section. Two factors may have been responsible for the wide range in these transport values. First, as has been noted by Morgan (1969) and other IIP authors, the volume transport of the Labrador Current may undergo large changes over a short period of time. Second, much subjectivity is required in using the geostrophic method of determining currents especially in extrapolating values in shallow water and in selecting a reference level. As the Flemish Channel is very narrow and requires much extrapolation, it is felt that in this case the second reason is the primary cause of the variation in the transport values. In addition, Hill et al. (1974) modified their geostrophic values with data from current meters located along the Grand Banks-Flemish Cap section. Although the British value is much greater than the Coast Guard's, their current profiles (fig. 64 and 65) are similar. In both cases the core of the Labrador Current is just to the east of the continental slope and an anomalous northward flow is just to the west of Flemish Cap. Comparing these data with available historical data. the Russian value is slightly greater than their normal (Kudlo, 1973) and the Coast Guard figure is higher than the running average which was terminated in 1964 (Kollmeyer et al., 1965). Thus it can be said that the Labrador Current was well developed in the first part of April.

The dynamic heights from the above occupation of section A-2 and those from the remainder of the three cruises conducted for HP were contoured and are shown in figures 53, 54, and 55. The Labrador Current was well developed as far south as the Tail of the Bank through June with currents in excess of 50 cm/sec being found in the core. The volume transports generally increased through May before slackening in June. Such condition are extremely conductive to icebergs, southward drift,

While the flow of the Labrador Current was steady during this period, large fluctuations occurred in the North Atlantic Current and the dynamic trough region. The April dynamic topography was similar to the normal (fig. 41). However, by the May survey, conditions had changed dramatically and did not resemble either the April 1972 chart or the May normal (fig. 44). The dynamic trough had expanded and contained two distinct sections. The lower portion of the trough was adjacent to the Labrador Current as expected, but just to the east was a slightly higher portion of the trough which was dynamically flat. The temperature in this part of the trough was much higher than in the lower portion indicating that it may have been formed as a result of an eddy/meander separating from the North Atlantic Current. Another unusual condition existed south of the Tail of the Bank where the flow of the Labrador Current was abruptly blocked by a meander of the North Atlantic Current indicated by the presence

of warm saline water (figs. 31 and 32). Since the June survey was abbreviated, it is impossible to determine if these conditions had returned to normal at that time.

Waves/Sea Ice

There are two ways that iceberg drift is affected by sea ice. First, surface waves are rapidly dampened as they travel under this ice which reduces the eroding effect of these waves on icebergs. Second, large amounts of sea ice will keep the icebergs from drifting into bays and inlets along the coast (Schell, 1961). The presence of sea ice is an indication that the iceberg is in cold water where no deterioration will occur. From December through June, the sea ice extended farther south and east than normal (Sanderson, 1972a, Sanderson, 1972b, and Sanderson, 1972c). The greatest departure from the normal occurred in January (fig. 66), and even as late as May, sea ice remained off the coast of Newfoundland (fig. 67). Thus during the winter of 1971-1972, heavy ice conditions were such as to reduce the mortality of icebergs drifting southward along the eastern Canadian coast.

Sea Temperatures

It is obvious that with increased sea temperatures, more iceberg melting will occur. But for the entire first half of 1972 the water in the area of interest was colder than normal. It is clear from Sanderson (1972b), and Sanderson (1972c) that the average sea surface temperatures were below normal along the Labrador and eastern Newfoundland coasts for the first six months of 1972. Specific temperatures as much as 11°C colder than normal were reported in the Grand Banks area (Bailey, 1973). This unseasonably cold condition caused the 0°C sea surface isotherm to remain south of Newfoundland throughout March (fig. 68) (Royal Met. off., 1972a), and even as late as June this isotherm extended as far south as northern Newfoundland (fig. 69) (Royal Met. off., 1972b).

Colder than normal conditions also were found at depth. Burmakin (1973) noted that temperatures along sections 8-A, 7-A, 6-A, 4-A, and 3-A were between normal and 2.2°C below normal at various times from November through May in the upper 200 meters. Several IIP sections also indicate these cold conditions. The vertical temperature profile from the 7-8 April

occupation of Section A-2 gives an indication of the early extent of the Labrador Current (fig. 25). The 0°C isotherm extended to about 150 meters for nearly the entire section. The minimum water temperature was less than -1.6°C. The 0°C isotherm is significant as little iceberg melting will occur below this temperature. This cold core extended at least to the Tail of the Bank as can be seen in the vertical temperature profile from the 18-19 April occupation of section A-4. Here the 0°C isotherm extends below 150 meters, but the minimum temperature was just less than −1.2°C. As was previously noted, conditions had changed dramatically across this section by the 9-10 May occupation (fig. 31). However, from the vertical temperature profile of the 13-14 May occupation of section A-3, (fig. 33) one can see that the core of the Labrador Current was present although restricted closer to continental slope. Temperatures less than -1.0°C were reported and the 0°C isotherm was found deeper than 200 meters. By mid-June surface water temperature along Section Λ -3 had increased, but a cold core with temperature less than -1.4°C was reported, and the 0°C isotherm extended to 250 meters (fig. 37).

Colder than normal conditions continued through July and August. Each year the Fisheries Research Board of Canada and Memorial University of Newfoundland conduct sections across the Labrador Current from southern Labrador to the Tail of the Bank. Through 2 August below average temperatures were recorded to as far south as Flemish Cap. Even toward the end of August, temperatures less than -1.7° C were recorded in the Labrador Current near the Tail of the Bank (Templeman, 1973). Thus the generally colder than average water conditions tended to reduce iceberg mortality through melting in 1972.

Air Temperatures

Melting of the subaerial portion of iceberg is directly related to the air temperature. From

December through June, air temperatures along the coast of Labrador and Newfoundland were below normal. Monthly average temperatures were most anomalous during the first part of this period as for instance in February when the average temperature was 4°C below normal (fig. 70). Temperatures approached normal as the year progressed, but even as late as May (fig. 71) temperatures were still 2°C below normal. Temperatures recorded in the spring at four stations along the eastern Canadian coast (Table 2) were typical of these low values. It was not until June that temperatures increased to above normal and were high enough to cause substantial melting. Another indication of these conditions are frost degree day accumulations. From seven of the reporting stations in western Greenland and eastern Canada, it can be seen that record accumulations existed in each case (U.S. NAV-OCEANO, 1972). Thus melting due to air temperature was also less than normal in 1972.

Precipitation

As has been noted by Wolford (1972) and other authors, iceberg deterioration is accelerated during the passing of a storm and its associated front. It was further concluded that this is caused by increased rains as well as the increased winds that accompany such storms. Wolford (1972) also presents an example demonstrating the huge heat transfer that can result from such rain. This rapid heat transfer causes increased melting as well as increased internal stresses that may cause the iceberg to calve.

It has been noted that the number of storms passing through the region of interest was greater than normal during the winter of 1971–1972 and the spring of 1972. However, due to the colder than normal conditions which prevailed, according to the weather log from October 1971 through July 1972 at the representative stations at Goose Bay, Newfoundland, Gander, Newfoundland, and St. John's (Torbay),

Table 2.—Monthly Average Air Temperature and Deviation From Average In °C

	APRIL		MAY		JUNE	
	AVE	DEV	AVE	DEV	AVE	DEV
HOPEDALE	-9.5	-4.4	-1.1	-2.8	5.0	-2.2
CARTWRIGHT	-7.2	-4.4	-0.6	-3.9	7.8	-1.1
ST. ANTHONY	-4.4	-3.3	0.0	-3.3	6.7	-1.1
ST. JOHN'S	0.0	-1.1	5.0	-0.6	15.0	4.4

Newfoundland (U.S. Dept. of Commerce, 1972) more snowfall and less rainfall than normal resulted. This snowfall resulted in a sharp increase in snow cover between 1970 and 1971 (Kukla and Kukla, 1974), and an increased snow cover also in 1972. The cold temperature of

snow prohibits iceberg melting and in addition a layer of snow on an iceberg will insulate it from solar radiation which will also help reduce melting. Thus during the 1972 ice season, precipitation in the form of snow caused less iceberg deterioration than normal.

CONCLUSIONS

The record number of icebergs drifting into the North Atlantic Ocean in 1972 was a result of all critical meteorological and oceanographic being favorable for such drift prior to and during the ice season. The single most important factor in this record year was the increased intensity of the Icelandic Low. This resulted in the favorable northwesterly winds carrying colder than normal air temperatures, which in turn helped produce greater ice cover, lower sea temperatures, and less rainfall. Although the change in the Icelandic Low was the single most important change from the previous season it is noted that each condition discussed here is necessary for a record year. A change in any one would have caused a reduced iceberg county.

ACKNOWLEDGMENT

The author would like to recognize the efforts of the Commanding Officer, Officers, and Crew of the USCGC EVERGREEN whose cooperation and diligence were instrumental to the success of the oceanographic operations. In addition we would like to thank the following CG Oceanographic Unit personnel who participated in the collection of the data contained herein: IIP-1-72—LT A. ROSEBROOK (Field Party Chief), LT M. TRAMMEL, MST1 S. HISLOP, MST3 M. LOVE, HST3 J. SMALL, MST3 M. SHOUL, MST3 G. GREILICH, and MR. M. T. LEIDIGH (student trainee); IIP-2-72—DR. T. WOLFORD (Field Party Chief), MR. L. HANNON, MST1 A. FILO, MST3 G. POLUBINSKY, MST3 G. ADAMS, MST3 J. SCHNEIDER; IIP-3-72—LDCR R. ETTLE (Field Party Chief), LT A. LITTEKEN, MST2 B. PETERS, MST2 C. DUVALL, ET2 W. KRUG, MST3 A. BOEHM, MST3 J. SCHNEIDER.

REFERENCES

- Bailey, W. B. (1973) ICNAF Convention Area Oceanographic Summary 1972. ICNAF Annual Meeting—June 1973, ICNAF Res. Doc. 73/113, Ser. No. 3077. 5 pp.
- Budinger, T. F., R. P. Dinsmore, P. A. Morrill, and F. M. Soule (1960) Report of the International Ice Observation and Ice Patrol Service in the North Atlantic Ocean—Season of 1959. U.S. Coast Guard Bulletin No. 45. p. 101–103.
- Burmakin, V. V. (1973) Water Temperature in Labrador and Newfoundland areas at the end of 1971 and 1972. ICNAF Annual Meeting—June 1973. ICNAF Res. Doc. 73/43, Serial No. 2982. 8 pp.
- Dinsmore, R. P., R. M. Morse, and F. M. Soule (1958) Report of the International Ice Observation and Ice Patrol Service in the North Atlantic Ocean—Season of 1957. U.S. Coast Guard Bulletin No. 43. p. 84–85.
- Dinsmore, R. P., R. M. Morse, and F. M. Soule (1960) Report of the International Ice Observation and Ice Patrol Service in the North Atlantic Ocean—Season of 1958. U.S. Coast Guard Bulletin No. 44. p. 34–36.
- Ettle, R. E. and T. C. Wolford (1972) Oceanography of the Grand Banks Region and the Labrador Sea in 1970. April-October 1970. U.S. Coast Guard Oceanographic Report No. 56, CG 373-56. p. 3-4.
- Hill, H. W., P. G. W. Jones, J. W. Ramster, and A. R. Folkard (1974) The Current System East of Newfoundland Grand Bank. ICNAF Environmental Symposium. 20 May 1974. Ser. No. 3290. 29 pp.
- Hislop, A. S. (1973) Coast Guard Oceanographic Unit DDP-516 Programs. U.S. Coast Guard Unpublished Manuscript Series No. 73-2. 26 pp.
- International Oceanographic Tables (1966) National Institute of Oceanography of Great Britain and UNESCO. 118 pp.
- Kollmeyer, R. C., R. M. O'Hagan, R. M. Morse, D. A. McGill, and N. Corwin (1965) Oceanography of the Grand Banks Region and the Labrador Sea in 1964. U.S. Coast Guard Oceanographic Report No. 10, CG 373-10. 284 pp.
- Kollmeyer, R. C., T. C. Wolford, and R. M. Morse (1966) Oceanography of the Grand Banks Region of Newfoundland in 1965. U.S. Coast Guard Oceanographic Report No. 11, CG 373-11. p. 41-52.
- Kollmeyer, R. C., D. A. McGill, and N. Corwin (1967) Oceanography of the Labrador Sea in the Vicinity of Hudson Strait in 1965. U.S. Coast Guard Oceanographic Report No. 12, CG 373-12. p. 3-5.

- Kudlo, B. P. (1973) Water Circulation in the ICNAF
 Area in 1971–1972. ICNAF Res. Doc. 73/42. Ser. No. 2981. 12 pp.
- Kukla, G. J. and H. J. Kukla (1974) Increased Surface Albedo in the Northern Hemisphere, Science, Vol. 183. No. 4126, 22 Feb. 1974. p. 709-714.
- Morgan, C. W. (1969) Oceanography of the Grand
 Banks Region of Newfoundland in 1967. U.S. Coast
 Guard Oceanographic Report No. 19, CG 373-19, p. 5.
- Rosebrook, A. D. (1974) Oceanography of the Grand Banks Region of Newfoundland. April-August 1971. U.S. Coast Guard Oceanographic Report No. 60. CG 373-60. p. 3-5.
- Royal Meteorological Office (1972a) Ice at the End of March 1972 Chart.
- Royal Meteorological Office (1972b) Ice at the End of June 1972 Chart.
- Sanderson, R. M. (1972a) Ice Conditions in Areas Adjacent to the North Atlantic Ocean from October to December 1971. The Marine Observer, Vol. XLII, No. 236. April 1972. p. 83–87.
- Sanderson, R. M. (1972b) Ice Conditions in Areas Adjacent to the North Atlantic Ocean from January to March 1972. The Marine Observer, Vol. XLII, No. 237t July 1972. p. 130-134.
- Sanderson, R. M. (1972c) Ice Conditions in Areas Adjacent to the North Atlantic Ocean from April to June 1972. The Marine Observer, Vol. XLII, No. 238, October 1972. p. 187–190.
- Sanderson, R. M. and G. P. Davis (1972) Ice Conditions through the Northwest Passage. The Marine Observer, April 1972. p. 69–80.
- Schell, I. I. (1961) On the Iceberg Severity Off Newfoundland and its Prediction. Journal of Glaciology. Vol. 4, No. 32. p. 161–172.
- Soule, F. M. and R. M. Hoyle (1935) Report of the International Ice Observation and Ice Patrol Service in the North Atlantic Ocean—Season of 1934. U.S. Coast Guard Bulletin No. 24. 88 pp.
- Soule, F. M. (1964) The Normal Topography of the Labrador Current and its Environs in the Vicinity of the Grand Banks of Newfoundland during the Iceberg Season. Woods Hole Oceanographic Institution, Ref. No. 64-36. AD 605 3 2-6
- Templeman, W. (1973) Temperatures and Salinities in the Eastern Newfoundland Area in 1972. ICNAF Annual Meeting—June 1973. ICNAF Res. Doc. 73/50, Ser. No. 3022. 7 pp.

- U.S. Coast Guard (1971) Manual for Oceanographic Operations, CG-410. p. C1-C33.
- U.S. Department of Commerce (1972) Daily Weather Summary August 1971–July 1972, St. John's NFLD, Goose, NFLD, Gander NFLD.
- U.S. Naval Oceanographic Office 1972) Seasonal Outlook 1972—Eastern Arctic Ice. Spec. Pub. SP-60 (72) 12 pp.
- Wolford, T. C. (1969) Oceanography of the Grand Banks Region and the Labrador Sea in 1966. U.S. Coast Guard Oceanographic Report No. 13, CG 373-13. p. 20-25.
- Wolford, T. C. (1972) Iceberg Drift. A Dissertation Submitted to Catholic University of America as partial fulfillment of the requirements for the Degree of Ph.D. 265 pp.




FIGURE 1. Standard International Ice Patrol Sections.




Figure 2. Vertical temperature (°C) profile for section A1 occupied by CGC SPENCER, 21-22 September 1972.




Figure 3. Vertical salinity (°/00) profile for section A1 occupied by CGC SPENCER, 21-22 September 1972.




Figure 4. Vertical temperature (°C) profile for section A1 occupied by CGC SHERMAN 20–22 November 1972.




FIGURE 5. Vertical salinity (°/o,) profile for section A1 occupied by CGC SHERMAN, 20-22 November 1972.




FIGURE 6. Vertical temperature (°C) profile for section A2 occupied by CGC GALLATIN, 18-19 March 1971.




FIGURE 7. Vertical salinity (°/00) profile for section A2 occupied by CGC GALLATIN, 18-19 March 1971.




Figure 8. Vertical temperature (°C) profile for section A2 occupied by CGC CAMPBELL, 14—16 July 1971.




FIGURE 9. Vertical salinity (°/00) profile for section A2 occupied by CGC CAMPBELL, 14-16 July 1971.




Figure 10. Vertical temperature (°C) profile for section $\Lambda 2$ occupied by CGC CHASE, 27–29 August 1971.




Figure 11. Vertical salinity (°/₀₀) profile for section A2 occupied by CGC CHASE, 27-29 August 1971.




Figure 12. Vertical temperature (°C) profile for section A2 occupied by CGC DALLAS, 9–10 November 1971.




Figure 13. Vertical salinity (°/00) profile for section A2 occupied by CGC DALLAS, 9-10 November 1971.




Figure 14. Vertical temperature (°C) profile for section A2 occupied by CGC SHERMAN, 20–22 March 1972.




Figure 15. Vertical salinity ($^{\circ}/_{\circ \circ}$) profile for section A2 occupied by CGC SHERMAN, 20-22 March 1972.




Figure 16. Vertical temperature (°C) profile for section A2 occupied by CGC SHERMAN, 5-7 August 1972.




Figure 17. Vertical salinity (°/ $_{oo}$) profile for section A2 occupied by CGC SHERMAN, 5–7 August 1972.




Figure 18. Vertical temperature (°C) profile for section A2 occupied by CGC GALLATIN, 31 December 1972-1 January 1973.




Figure 19. Vertical salinity (°/00) profile for section A2 occupied by CGC GALLATIN, 31 December 1972-1 January 1973.





Figure 20. Vertical temperature (°C) profile for section A3 occupied by CGC HAMILTON, 8–10 September 1972.



1, 8-





Figure 21. Vertical salinity ($^{\circ}/_{\circ\circ}$) profile for section A3 occupied by CGC HAMILTON, 8–10 September 1972.



3–10

31




FIGURE 22. Vertical temperature (°C) profile for section A4 occupied by CGC DALLAS, 7-9 March 1971.





Figure 23. Vertical temperature (°C) profile for section A4 occupied by CGC GALLATIN, 5-8 January 1972.



5-8





Figure 24. Vertical salinity (°/ $_{00}$) profile for section A4 occupied by CGC GALLATIN, 5–8 January 1972.



8 Jan-

V




Figure 25. Vertical temperature (°C) profile for section A2 occupied by CGC EVERGREEN, 7-9 April 1972.




Figure 26. Vertical salinity (°/ $_{00}$) profile for section A2 occupied by CGC EVERGREEN, 7–9 April 1972.




FIGURE 27. Vertical temperature (°C) profile for section A3 occupied by CGC EVERGREEN, 12

April 1972.




FIGURE 28. Vertical salinity (°/ $_{oo}$) profile for section A3 occupied by CGC EVERGREEN, 12 April 1972.




Figure 29. Vertical temperature (°C) profile for section A4 occupied by CGC EVERGREEN, 18 April 1972.




Figure 30. Vertical salinity (°/ $_{00}$) profile for section $\Lambda4$ occupied by CGC EVERGREEN, 18 April 1972.




Figure 31. Vertical temperature (°C) profile for section A4 occupied by CGC EVERGREEN, 9–10 May 1972.




Figure 32. Vertical salinity (°/ $_{00}$) profile for section $\Lambda4$ occupie dby CGC EVERGREEN, 9–10 May 1972.




Figure 33. Vertical temperature (°C) profile for section A3 occupied by CGC EVERGREEN, 13–14 May 1972.




Figure 34. Vertical salinity ($^{\circ}/_{\circ\circ}$) profile for section A3 occupied by CGC EVERGREEN, 13-14 May 1972.




Figure 35. Vertical temperature (°C) profile for section A4 occupied by CGC EVERGREEN, 7 June 1972.




Figure 36. Vertical salinity ($^{\circ}/_{\circ\circ}$) profile for section A4 occupied by CGC EVERGREEN, 7 June 1972.




FIGURE 37. Vertical temperature (°C) profile for section A3 occupied by CGC EVER-GREEN, 16 June 1972.

FIGURE 38. Vertical salinity (°/₀₀) profile for section Λ3 occupied by CGC EVERGREEN, 16 June 1972.




FIGURE 39. Vertical temperature (°C) profile for section A2 occupied by CGC EVER-GREEN, 18 June 1972.

FIGURE 40. Vertical salinity (°/₀₀) profile for section A2 occupied by CGC EVERGREEN, 18 June 1972.

MONTHLY NORMAL DYNAMIC TOPOGRAPHY FOR APRIL




Figure 41. April monthly normal dynamic topography (dynamic meters) of the sea surface relative to the 1,000 decibar surface. Contour interval is 2 dynamic centimeters.




Figure 42. Field of standard deviation of dynamic height of the individual surveys from the April normal. Contour level is 1 dynamic centimeter.




FIGURE 43. Numerical digest of data pertinent to the April normal dynamic topography.

MONTHLY NORMAL DYNAMIC TOPOGRAPHY FOR MAY




FIGURE 44. May monthly normal dynamic topography (dynamic meters of the sea surface relative to the 1,000 decibar surface. Contour interval is 2 dynamic centimeters.




FIGURE 45. Field of standard deviation of dynamic height of the individual surveys from the May normal. Contour level is 1 dynamic centimeter.




FIGURE 46. Numerical digest of data pertinent to the May normal dynamic topography.

MONTHLY NORMAL DYNAMIC TOPOGRAPHY FOR JUNE




Figure 47. June monthly normal dynamic topography (dynamic meters) of the sea surface relative to the 1,000 decibar surface. Contour interval is 2 dynamic centimeters.




Figure 48. Field of standard deviation of dynamic height of the individual surveys from the June normal. Contour level is 1 dynamic centimeter.




FIGURE 49. Numerical digest of data pertinent to the June normal dynamic topography.




Figure 50. July monthly normal dynamic topography (dynamic meters) of the sea surface relative to the 1,000 decibar surface. Contour interval is 2 dynamic centimeters.




FIGURE 51. Field of standard deviation of dynamic height of the individual surveys from the July normal. Contour level is 1 dynamic centimeter.




FIGURE 52. Numerical digest of data pertinent to the July normal dynamic topography.




FIGURE 53. Sea surface dynamic topography (dynamic meters) relative to the 1,000 decibar level, CGC EVERGREEN 7-18 April 1972. Contour level is 2 dynamic centimeters.




Figure 54. Sea surface dynamic topography (dynamic meters) relative to the 1,000 decibar level, CGC EVERGREEN 9-14 May 1972. Contour level is 2 dynamic centimeters.





Figure 55. Sea surface dynamic topography (dynamic meters) relative to the 1,000 decibar level, CGC EVERGREEN 7-18 June 1972. Contour level is 2 dynamic centimeters.






Figure 56. a. Drift of iceberg tracked from 5 to 11 May 1972 (Observations commenced 0500Z 5 May—sample interval 12 hours). b. Progressive vector diagram of winds in vicinity of study iceberg (Observations commenced 0000Z 5 May—sample interval 12 hours).




FIGURE 57. a. Drift of iceberg tracked from 8 to 15 June 1972 (Observations commenced 1200Z 8 June—sample interval 12 hours). b. Drift of iceberg tracked from 9 to 13 June 1972 (Observations commenced 1200Z 9 June—sample interval 12 hours). c. Progressive vector diagram of winds in the vicinity of the study icebergs (Observations commenced 1200Z 8 June—sample interval 12 hours).




Figure 58. Sea surface dynamic topography (dynamic meters) relative to the 1,000 decibar level, CGC EVERGREEN 8-15 June 1972. Contour level is 2 dynamic centimeters.




Figure 59. Number of icebergs per year which drifted south of 48°N (1900-1972).




FIGURE 60. Icebergs sighted by January 1972 and February 1972 preseason reconnaissance flights.




FIGURE 61. Four low pressure systems typical of conditions which existed during the winter of 1971–1972. a. 3 December 1971. b. 6 January 1972. c. 2 February 1972. d. 3 March 1972. Contour interval is 4 decibars.




Figure 62. Surface pressure anomaly for January 1972 (after Sanderson, 1972). Contour interval 2 decibars.




FIGURE 63. Standard Russian oceanographic sections near Newfoundland (after Burmakin).




Figure 64. Vertical current (cm/sec) profile for the 17-18 April 1972 occupation of the Grand Banks-Flemish Cap Section (after Hill et al.). Positive numbers represent northerly flow.




Figure 65. Vertical current (cm/sec) profile for the 7-9 April 1972 occupation of section A2. Positive numbers represent southerly flow.




Figure 66. Normal sea ice edge compared with January 1972 sea ice edge (after Sanderson, 1972 b).




FIGURE 67. Normal sea ice edge compared with May 1972 sea ice edge (after Sanderson, 1972 c).




Figure 68. Mean sea surface temperatures (°C) for March 1972 (after Royal Meteorological Office, 1972 a).




Figure 69. Mean sea surface temperature (°C) for June 1972 (after Royal Meteorological Office, 1972 b).




Figure 70. Air temperature anomaly for February 1972 (after Sanderson, 1972 B). Contour intervals 2 °C.




Figure 71. Air temperature anomaly for May 1972 (after Sanderson, 1972 c). Contour intervals 2 $^{\circ}$ C.

APPENDIX A

OCEANOGRAPHIC DATA

Cruises Listed Page Table CGC SHERMAN November 1972 80 I. CGC SPENCER September 1972 85 II. CGC GALLATIN March 1971 _____ 89 III. 95 CGC CAMPBELL July 1971 IV. V. CGC CHASE August 1971 101 CGC DALLAS November 1971 107 VI. CGC SHERMAN March 1972 114 VII. CGC SHERMAN August 1972 120 VIII. CGC GALLATIN December 1972 127 IX. X. CGC HAMILTON September 1972 132 XI. CGC DALLAS March 1971 -----139 CGC GALLATIN January 1972 _____ 151 XII. XIII. CGC EVERGREEN April-June 1972 158 **Codes Utilized** To facilitate use of the oceanographic station data listing, entry headings which are not self-explanatory are described below. Latitude _____Degrees and minutes of latitude. Longitude _____Degrees and minutes of longitude. Depth to bottom _____Uncorrected soundings in meters. Wave observations: DIR. ____Rounded to nearest multiple of 10 degrees. HGT. _____Increments of 1/2 meter. Sum of 5 meters plus increments of 1/2 meters if 50 is added to direction. PER. _____If numerals 2 through 9 are entered, period in seconds is either twice the numeric entry or 2X (numeric entry) +1. 0=20 or 21 sec. 1= over 21 seconds. X=calm or not determined. SEA ----Sea state according to WMO Code 3700. Height CodeHeight Code2.5-4m 5 0 0m 6 4-6m 1 0-0.1m7 6-9m $0.1 - 0.5 \mathrm{m}$ 9-14m 3 0.5 - 1.25 m

1.25-2.5m

>14m

Weather CodeWeather	according to	WMO	Code 4501.
---------------------	--------------	-----	------------

Code			
0	Clear	5	Drizzle
1	Partly cloudy	6	Rain
2	Cont. layers of clouds	7	Snow and rain and snow mixed
3	Blowing snow,	8	Shower(s)
4	sandstorm, etc. Fog, haze, dust	9	Thunder- storm(s)

Cloud Code

Type	Cloud type ac	cording to WMO	Code 0500.
------	---------------	----------------	------------

Code	Type	Code	Type
0	Cirrus	5	Nimbostratus
1	Cirrocumulus	6	Stratocumulus
2	Cirrostratus	7	Stratus
3	Altocumulus	8	Cumulus
4	Altostratus	9	Cumulonimbus

X Clouds not visible due to darkness, fog, or other analogous phenomena

Amount _____Cloud amount in eighths. Entry of the numeral 9 indicates cloud amount could not be estimated.

Wind

Dir.	Rounded	to	nearest	multiple of	10	degrees.
------	---------	----	---------	-------------	----	----------

Speed _____Wind speed in knots.

Barometer ____Barometric pressure given in tens, units, and tenths of millibars.

Vis. Code _____Visibility according to WMO Code 4300.

Code	Visibility	Code	Visibility
0	Less than 50m	5	2–4km
1	50-200 m	6	4-10km
2	200 – 500 m	7	10-20km
3	500–1000m	8	20-50km
4	1-2km	9	50km or more

Dyn. Ht. _____Dynamic height in dynamic meters with respect to 1000 decibar reference surface.

Messenger time _____Entered in hours and tenths of an hour. Indicates the starting time for lowering the STD sensor.

Depth -----Depth to nearest meter.

Temp. _____Temperature to hundredths of a degree Celsius.

Sal. _____Salinity to hundredths of a part per thousand.

Sig-t ____Sigma-t value.

Table I.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 11–13 November 1972, Prepared from NODC Listing No. 31–2136.

CONSEC 0001 LAT 55 14.9N LONG 052 55.7W	MONT	1972 H 11 11 18.8	BUTDP 03017 SHIP 1H DATA USE 1 AREA 05	BARO	TEMP 00.6 BULB -01.4 METR 1029.2 D T/A 6/6		GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	13	TRACE			5 5	SQ 1407 QUARE 3 QUARE 42 QUARE 52
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P34	TOT P	NO2	N03	\$103	РН
18.8	STD	00000	00.54	33.482	26.88	00.000	1449.7							
10.0	STO	00010	00.54	33.50	26.38	00.012	1450.0							
18.8	085	00020	00.63	33.51	26.89	00.024	1450.4							
	STO	00030	00.92	33.50	26.91	00.035	1452.0							
18.8	085 STD	00044	01.27	33.650	26.97	00.057	1453.9							
18.8	085	00066	01.44	33.828	27.10	00.083	1455.7							
18.8	STO	00075	01.50	33.85	27.11		1456.6							
	510	00100	01.81	34.05	21.42	00.105	1457.8							
18.8	085	00133	02.37	34.373	27.46		1461.2							
18.8	JBS	00150	02.75	34.47	27.51	00.140	1463.3							
	STO	00200	03.54	34.67	27.59	00.168	1467.8							
18.8	085	00250	03.98	34.75	27.61	00.194	1470.6							
	STO	00300	04.16	34.82	27.65	00.219	1472.2							
18.8	STD	00400	04.24	34.880	27.69	00.265	1473.8							
19.8	STD	00459	04.24	34.910	27.71	00.310	1475.3							
18.8	085	100551	04.19	34.906	21.12		1476.4							
	\$10 \$10	00600	04.13	34.91	27.72	00.354	1477.2							
18.8	085	00736	04.09	34.914	27.73		1479.3							
	STD	00800	04.05	34.92	21.13	00.443	1480.2							
18.8	OBS	00927	03.98	34.918	27.74		1482.0							
18.81	STD	01500	03.69	34.930	21.78		1488.9							
	STD	02000	03.41	34.94	27.82		1493.5							
20.5	UBS	102103	03.07	34.945	27.86		1498.1							
20.5	STD	02500	02.87	34.94	27.87		1504.0							
20.5	OBS	T02710	02.26	34.919	27.91		1505.0							
20.5	OBS	102007	02.09	34.713	21.12		.,,,,,							

					•••••	• • • • • • •								
REFID 31 2136	YEAR	1972	BUTDP 02469	AIR	TEMP 00.0	DIR H	UT PER	WIND-DIR	05		NANSEN	CAST		SQ 1407
CONSEC 0002	MONT	H 11	SHIP 1H DATA USE 1	BARC	TEMP 00.0 BULB -01.8 METR 1029.3	DIR H 06 SEA	OT PER	WIND-SPD WIND-FOR	13	TRACE	E DIR TIUN		5 5	SQUARE 42
CONSEC 0002	MONT	H 11	SHIP 1H	BARC	TEMP 00.0	DIR H	OT PER	WIND-SPD	13	TRACE	DIR		5 5	SQUARE 3
CONSEC 0002	MONT DAY HOUR	H 11	SHIP 1H DATA USE 1	BARC	TEMP 00.0 BULB -01.8 METR 1029.3	DIR H 06 SEA	OT PER	WIND-SPD WIND-FOR	13	TRACE	E DIR TIUN		5 5	SQUARE 42
CONSEC 0002 LAT 55 07 M LUNG 053 10 M	MONT DAY HOUR LVLTYP STD	DEPTH 00000	SHIP 1H DATA USE 1 AREA 05	SAL	TEMP 00.0 BULB -01.8 METR 1029.3 D T/A 6/8 SIGMA-T	DIR H O6 SEA CL/TR	SND VEL	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 N LUNG 053 10 H	MONT DAY HOUR LVLTYP STD GBS STD	DEPTH 00000 00010	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.26	SAL 33.64 33.645 33.68	TEMP 00.0 BULB -01.8 METR 1029.3 D T/A 6/8 SIGMA-T 26.98 26.98 26.99	DIR H 06 SEA CL/TR DYNOPTH 00.000	SND VEL 1452.2 1452.2 1453.3	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 N LUNG 053 10 N CASTNUM/TIME	MONT DAY HOUR LVLTYP STD OBS STD STD	DEPTH 00000 00000 00010 00020	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41	SAL 33.64 33.645 33.68 33.71	TEMP 00.0 BULB -01.8 METH 1029.3 D T/A 6/8 SIGMA-T 26.98 26.98 25.99 27.00	DIR H 06 SEA CL/TR DYNOPTH 00.000	SNO VEL 1452.2 1452.2 1453.3 1454.2	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 N LUNG 053 10 N CASTNUM/TIME 23.3	MONT DAY HOUR LVLTYP STD OBS STD OBS STD	DEPTH 00000 00010 00020 00025 00030	SHIP IH DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54	SAL 33.64 33.645 33.645 33.71 33.728 33.75	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 27.00 27.01 27.01 27.02	DIR H 06 SEA CL/TR DYNOPTH 00.000	SND VEL 1452.2 2452.2 1453.3 1454.6 1455.0	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 N LUNG 053 10 N CASTNUM/TIME	MONTO DAY HOUR LVLTYP STD OBS STD STD OBS STD OBS	DEPTH 00000 00010 00020 00025 00030 00046	SHIP IH DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54 01.65	SAL 33.64 33.64 33.645 33.645 33.71 33.728 33.728 33.73 33.802 33.802	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 25.99 27.00 27.01 27.02 27.02	DIR H	SND VEL 1452.2 1452.2 1453.3 1454.2 1455.0 1455.3	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 N LUNG 053 10 N CASTNUM/TIME 23.3	MONT DAY HOUR STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00010 00010 00025 00030 00046 00050	SHIP IH DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54 01.65 01.52	SAL 33.64 33.64 33.65 33.71 33.72 33.80 33.81 33.875	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 26.99 27.00 27.01 27.02 27.06 27.07 27.07 27.07	DIR H 06 SEA CL/TR DYNOPTH 00.000 00.011 00.022 00.032	SNO VEL 1452-2 1452-2 1453-3 1454-6 1455-0 1455-3 1455-7 1455-8	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 M LUNG 053 10 M CASTNUM/TIME 23.3 23.3	LVLTYP STD OBS	H 11 11 23.3 DEPTH 00000 00010 00010 00025 00030 00046 00050 00071 00075	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.41 01.48 01.55 01.57 01.52 01.57	SAL 33.64 33.64 33.65 33.71 33.72 33.75 33.802 33.875 33.875 33.875	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 27.00 27.01 27.02 27.06 27.07 27.13 27.17 27.13	DIR H J6 SEA CL/TR DYNDPTH 00.000 00.011 00.022 00.032 00.053 00.076	SND VEL 1452-2 1452-2 1453-3 1454-6 1455-3 1455-3 1455-1 1455-1 1455-1	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 M LUNG 053 10 M CASTNUM/TIME 23.3 23.3 23.3	MONT DAY HOUR LYLTYP STD OBS STD	DEPTH 00000 00000 00010 00020 00025 00030 00046 00050 00071 00075 00092	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54 01.55 01.59 01.57 01.82 02.00	SAL 33.64 33.64 33.71 33.72 33.80 33.71 33.87 33.81 33.87 34.140 34.21	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 26.99 27.00 27.01 27.02 27.02 27.02 27.03 27.17 27.13 27.17	DIR H 36 SEA CL/TR DYNDPTH 00.000 00.011 00.022 00.032 00.053 00.076 00.097	SNO VEL 1452 - 2 1452 - 2 1453 - 3 1454 - 2 1455 - 0 1455 - 1 1457 - 0 1457 - 0 1457 - 0 1457 - 0	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 M LUNG 053 10 M CASTNUM/TIME 23.3 23.3 23.3	LVLTYP STD OBS	DEPTH 000 00 00000 00010 00010 00020 00025 00030 00071 00075 00090 00100 00125 00130	SHIP IH DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54 01.65 01.59 01.52 01.57 01.82 02.00 02.53 02.81	SAL 33.64 33.64 33.71 33.72 33.81 33.87 33.87 33.87 34.440 34.41 34.507	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.99 27.00 27.01 27.02 27.06 27.07 27.13 27.17 27.13 27.17 27.13 27.17 27.32 27.48 27.53	DIR H 36 SEA CL/TR DYNDPTH 00.000 00.011 00.022 00.032 00.053 00.076 00.097 00.114	SNO VEL 1452-2 1452-2 1452-2 1455-3 1454-2 1455-0 1455-1 1457-0 1455-1 1457-0 1450-1 1450-1 1450-1	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 M LUNG 053 10 M CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3	LVLTYP STD OBS STD	DEPTH 00000 00000 00010 00020 00025 00030 00071 00075 00092 00130 00125 00139 00150	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.41 01.48 01.54 01.55 01.59 01.52 01.57 01.82 02.00 02.53 02.81 03.05	SAL 33.64 33.64 33.728 33.71 33.728 33.81 33.87 33.93 34.141 34.507	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26-98 26-99 27-00 27-01 27-02 27-06 27-07 27-13 27-17 27-13 27-17 27-13 27-17 27-13 27-17 27-13 27-15 27-15 27-15	DIR H 36 SEA CL/TR DYNDPTH 00.000 00.011 00.022 00.032 00.053 00.076 00.097	SNO VEL 1452-2 1452-2 1453-3 1455-3 1455-3 1455-1 1455-0 1458-8 1456-1 1457-0 1458-8 1466-4	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3	MONT DAY HOUR LYLTYP STD OBS STD	DEPTH 00000 00010 00020 00020 00025 00030 00071 00075 00092 00150 00150 100150	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.41 01.48 01.54 01.65 01.99 01.52 02.00 02.53 02.81 03.05 03.68	SAL 33.64 33.64 33.71 33.75 33.802 33.81 33.873 34.140 34.57 34.731 34.731	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26-98 26-98 27-00 27-01 27-02 27-07 27-13 27-17 27-32 27-36 27-63 27-64	DIR H 36 SEA COLOR OF SEA COLOR	SND VEL 1452-2 1452-2 1453-3 1455-3 1455-3 1455-6 1455-0 1458-8 1450-1 1451-8 1461-8 1464-1	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 M LUNG 053 10 M CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3	MONT DAY HOUR STD OBS	DEPTH 000 00 00000 00010 00025 00030 00071 00075 00092 00109 00100 00125 00139 00150 00071 00150 00070 00125	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.55 01.59 01.52 01.57 01.82 02.00 02.53 02.81 03.05 03.68	SAL 33.64 33.64 33.68 33.71 33.728 33.802 33.81 33.875 33.803 34.14 34.507 34.51 34.51 34.51 34.73 34.73	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26-98 26-98 27-00 27-01 27-02 27-07 27-13 27-17 27-32 27-64 27-64 27-64 27-67	DIR H 36 SEA SEA DYNOPTH 00.000 00.011 00.002 00.032 00.053 00.076 00.097 00.114 00.128 00.154 00.178	SND VEL 1452-2 1452-2 1452-2 1454-6 1454-6 1455-3 1455-3 1455-1 1456-8 1456-1 1457-0 1458-8 1468-1 1468-1 1468-1 1468-1 1468-1 1468-1	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3	MONT DAY HOUR STD OBS STD	DEPTH 000000 00010 00025 00030 00075 00075 00075 00105 00125 01139 00150 00250 00250 00250 00250 00250	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.55 01.59 01.52 01.57 01.82 02.00 02.53 02.81 03.05 03.68 03.81 04.12 04.23	SAL 33.64 33.64 33.64 33.71 33.728 33.81 33.802 33.81 33.875 33.93 34.140 34.21 34.507 34.731 34.78 34.88 34.8862 34.8862	TEMP 00.0 BUL8 -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.99 27.01 27.02 27.06 27.01 27.13 27.17 27.32 27.36 27.48 27.53 27.64 27.63 27.64 27.66 27.67 27.68	DIR H 36 SEA COLOR OF SEA COLOR	SND VEL 1452.2 1452.2 1452.2 1455.3 1454.2 1455.0 1455.0 1455.4 1455.4 1456.1 1456.1 1456.4 1466.4 1466.4 1466.7 1466.7	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3 23	MONT DAY HOUR STD OBS	DEPTH 000000 00010 00025 00030 00075 00075 00075 00075 00105 00105 00125 00139 00150 00250 00250 00250 00250 00300	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.55 01.99 01.52 01.57 01.82 02.00 02.53 02.81 03.05 03.68 03.68 03.68 04.12 04.23 04.23	SAL 33.64 33.645 33.645 33.67 33.728 33.81 33.87 33.87 33.87 33.87 34.140 34.21 34.57 34.731 34.64 34.83 34.86 34.87 34.88	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 26.99 27.01 27.02 27.06 27.07 27.13 27.17 27.32 27.30 27.48 27.53 27.64 27.63 27.64 27.63 27.64 27.68 27.70	DIR H 36 SEA SEA DYNOPTH 00.000 00.011 00.002 00.032 00.053 00.076 00.097 00.114 00.128 00.154 00.178	SND VEL 1452-2 1452-3 1454-2 1455-3 1455-1 1455-6 1455-7 1458-8 1456-1 1457-8 1458-8 1461-8 1461-8 1461-8 1461-1 1461-1 1461-1 1461-1 1471-3 1472-2 1472-2 1472-2 1472-3	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3	MONT DAY HOUR LVLTYP STD OBS	DEPTH 000 00 00000 00010 00025 00030 00071 00075 00092 00105 00100 0015	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.59 01.59 01.57 01.65 02.59 02.00 02.53 02.81 03.08 03.41 04.12 04.23 04.22 04.22	SAL 33.64 33.64 33.64 33.67 33.72 33.72 33.75 33.80 33.81 33.87 34.76 34.73 34.75 34.88 34.76 34.88 34.76 34.89 34.89 34.90	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.99 27.00 27.01 27.02 27.06 27.07 27.13 27.17 27.32 27.36 27.48 27.56 27.64 27.66 27.67 27.68 27.67 27.68 27.70	DIR H J6 SEA SEA COUNTY OU-000 OU-J11 OU-022 OU-032 OU-053 OU-077 OU-114 OU-128 OU-154 OU-178 OU-201	SNO VEL 1452-2 1452-2 1452-2 1453-3 1454-2 1455-0 1455-1 1457-0 1455-8 1460-1 1460-1 1460-1 1460-1 1473-7	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3 23	MONT DAY HOUR STD OBS	DEPTH 000 00 00000 00010 00010 00025 00030 00071 00075 00071 00075 00092 00150 00150 00150 00150 0025	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54 01.65 01.57 01.69 02.53 02.00 02.53 02.81 03.61 04.12 04.23 04.22 04.22 04.22 04.22	SAL 33.64 33.64 33.64 33.68 33.71 33.72 33.81 33.87 33.81 34.87 34.76 34.83 34.87 34.88 34.89 34.90 34.90 34.90	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.99 27.00 27.01 27.02 27.06 27.07 27.13 27.17 27.32 27.36 27.48 27.56 27.63 27.64 27.67 27.68 27.68 27.68 27.71 27.71 27.71	DIR H	SNO VEL 1452-2 1452-2 1452-2 1453-3 1454-2 1455-0 1455-0 1455-7 1455-1 1457-8 1456-1 1457-8 1468-1 1468-1 1468-7 1468-7 1468-7 1473-8 1473-7 1473-8 1473-7 1473-8	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3 23	MONT DAY HOUR LVLTYP STD OBS	DEPTH 000 00 000 00 000 00 000 10 000 20 000 25 000 30 000 71 000 75 000 92 001 50 000 71 000 50 000 71 000 50 00	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.54 01.65 01.57 01.69 02.53 02.00 02.53 02.81 03.01 04.12 04.23 04.22 04.22 04.22 04.22 04.22 04.22 04.21	SAL 33.64 33.645 33.68 33.71 33.728 33.802 33.81 33.875 34.802 34.87 34.903 34.903 34.903 34.903 34.903	TEMP 00.0 BUL8 -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.99 27.00 27.01 27.02 21.06 27.07 27.13 27.17 27.32 27.36 27.64 27.63 27.64 27.66 27.67 27.68 27.68 27.68 27.70 27.71 27.71 27.71 27.71 27.71	DIR H J6 SEA SEA COUNTY OU-000 OU-JII OU-022 OU-032 OU-053 OU-07 OU-114 OU-128 OU-154 OU-178 OU-201 OU-245	SNO VEL 1452-2 1452-2 1452-2 1453-3 1454-2 1455-0 1455-1 1456-8 1456-1 1456-8 1466-9 1466-7 1466-9 1471-3 1472-2 1472-2 1473-7 1471-3 1473-9 1476-9	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3 23	MONT DAY HOUR TOAY HOUR STD OBS STD OB	DEPTH 000000 00010 00025 00025 00075 00075 00010 00025 00010 00075 000100 00075 000100 00075 000100 00075 000100 00075	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.40 01.49 01.55 01.59 01.52 02.59 02.59 02.81 03.05 03.68 03.68 04.12 04.23 04.22 04.22 04.22 04.22 04.21 04.17 04.17	WET BARC GLOU SAL 33.64 33.64 33.71 33.72 33.87 33.81 33.87 33.87 34.21 34.21 34.57 34.73 34.74 34.73 34.87	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.98 26.99 27.01 27.02 27.03 27.13 27.17 27.32 27.30 27.48 27.56 27.64 27.67 27.67 27.67 27.67 27.67 27.71 27.71 27.71 27.71 27.71 27.71 27.71 27.71 27.71 27.71	DIR H 36 SEA CL/TR DYNOPTH 00.000 00.JII 00.022 00.033 00.076 00.097 00.114 00.128 00.154 00.178 00.201 00.245 00.290 00.334 00.379	SNO VEL 1452.2 1452.2 1452.2 1453.3 1455.0 1455.0 1455.1 1456.1 1455.1 1456.1 1457.0 1458.8 1401.4 1464.7 1468.2 1472.6 1472.6 1473.3 1473.9 1470.7 1471.4	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3 23	MONT DAY HOUR LVLT YP STD OBS STD	DEPTH 000000 00010 00025 00030 00025 00030 00071 00075 00139 00150 00125 00139 00150 00250	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.48 01.55 01.59 01.52 02.53 02.81 03.05 03.68 03.68 04.12 04.23 04.22 04.21 04.17 04.17 04.12 04.03 03.88	SAL 33.64 33.64 33.64 33.67 33.71 33.72 33.81 33.87 33.81 33.87 34.140 34.57 34.73 34.61 34.90 34.91 34.91 34.91 34.91	TEMP 00.0 BULB -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26-98 26-99 27-01 27-02 27-06 27-07 27-13 27-17 27-32 27-36 27-64 27-64 27-64 27-64 27-64 27-67 27-68 27-71	DIR H	SNO VEL 1452-2 1452-2 1452-3 1454-6 1455-3 1455-7 1458-8 1455-1 1458-8 1450-1 1470-2 1471-3 1470-7 1470-	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53
CONSEC 0002 LAT 55 07 h LUNG 053 10 h CASTNUM/TIME 23.3 23.3 23.3 23.3 23.3 23.3 23.3 23	MONT DAY HOUR LVLTYP STD OBS	DEPTH 00000 00000 00010 00010 00020 00025 00030 00071 00070 00150 00150 00150 00150 00250 00250 00278 00300 00260 00400 00460 00400 00466	SHIP 1H DATA USE 1 AREA 05 TEMP 01.06 01.06 01.26 01.41 01.49 01.55 01.59 01.57 01.82 02.00 02.53 02.81 03.05 03.68 03.61 04.12 04.23 04.22 04.22 04.22 04.22 04.22 04.22 04.21 04.17 04.14	SAL 33.64 33.64 33.64 33.72 33.72 33.73 33.81 33.87 33.81 34.90 34.90 34.90 34.90 34.90 34.90 34.90 34.90 34.91 34.91	TEMP 00.0 BUL8 -01.8 METH 1029-3 D T/A 6/8 SIGMA-T 26.98 26.99 27.00 27.01 27.02 27.06 27.07 27.13 27.17 27.32 27.48 27.63 27.64 27.63 27.64 27.66 27.67 27.17 27.71 27.71 27.71 27.71 27.71 27.71 27.71 27.71 27.71 27.71	DIR H	SNO VEL 1452-2 1452-2 1453-3 1454-2 1455-0 1455-0 1455-1 1456-1 1455-1 1456-1 1457-0 1466-7 1466-7 1466-7 1471-3 1472-2 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-3 1471-4 1471-3	WIND-SPD WIND-FOR WEATHER	13 . x7	DURAT ORIG	E DIR TIUN Al 009		5 S 2 S 1 S	SQUARE 3 SQUARE 42 SQUARE 53

Table I.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 11–13 November 1972, Prepared from NODC Listing No. 31–2136.—Continued

EFID 31 ONSEC AT 54 ONG 053	0003 59 N	DAY	1972 1 11 12 01.5	BOTOP 01765 SHIP IH DATA USE 1 AREA 05	AIR I WET B BARON CLOUG	ETR 1029-4	O6 SEA	ST PER	WIND-DIR WIND-5°D WIND-FOR WEATHER		TRACE		CASI	5	SQUAR SQUAR SQUAR	E 42
CASTNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	UXYG	P04	TOT P	NO2	NO3	\$103	РН	
		STD	00000	- 0.52	33.01	26.54	00.000	1444.1								
	01.5	STD	00000	- 0.52	33.009	26.54	00.014	1446.2								
		STD	00020	00.07	33.35	26.80	00.027	1447.6								
	01.5	OBS	00026	00.14	33.416	26.84	00.040	1448.2								
	01.5	085	00049	- 0.01	33.493	26.91		1448.0								
		STD	00050	- 0.01	33.50	26.92	00.063	1448.0								
	01.5	STD	00075	00.17	33.659	27.03	00.091	1449.4								
	01.5	085	00098	00.48	33.819	27.15		1451.5								
		STD	00100	00.55	33.84	27.16	00.115	1451.9								
	01.5	STD 085	00125	01.40	34.247	27.29	00.136	1456.4								
		STD	00150	02.10	34.27	27.40	00.155	1460.2								
	01.5	085	T00197	03.07	34.551	27.54	00.186	1465.5								
		STD	00250	03.12	34.72	27.61	00.213	1469.5								
	01.5	085	00295	04.08	34.809	27.65		1471.8								
	01.5	STD	00300 100393	04.08	34.860	21.65	00.238	1471.9								
	01.5	STD	00400	04.07	34.86	27.69	00.285	1473.6								
	01.5	OBS	00492	04.16	34.897	27.71		1475.5								
	01.5	STD	00500	04.16	34.90	27.71	00.329	1475.6								
	01.5	STD	00600	04.12	34.91	27.72	00. 374	1477.2								
	Carlo Carlo	STD	00700	03.99	34.90	27.73	00.418	1478.2								
	01.5	OBS	T00791 00800	03.89	34.891	27.73	00.463	1479.3								
		STD	00900	03.81	34.89	27.74	00.507	1480.8								
	01.5	085	100992	03.76	34.897	27.75		1482-1								
	01.5	085	T01508	03.68	34.933	27.79		1490.5								
							•••••••									
UNSEC	0004 54 N	MONT	1972 H 11 12	BUTDP 00960 SHIP 1H DATA USE 1	BARO	TEMP 00-2 BULB -01-5 METR 1030-5	DIR I	FGT PER	WIND-DIR WIND-SPO WIND-FOR	14	TRAC	NANSEN E DIR TION		5	EN SQ SQUA SQUA	RE
UNSEC S4	0004 54 N	MONT	н 11	SHIP IH	BARO	BULB -01.5	DIR 1	FGT PER	WIND-SPO	14	TRAC	E DIR		5	SQUA	RE
CUNSEC	0004 54 N .34 W	MONT DAY HOUR	H 11 12 07.2 DEPTH	SHIP IH DATA USE I AREA 05	BARG CLOU	BULB -01.5 METR 1030.5 U T/A 6/8 SIGMA-T	DIR 1 04 SEA CL/T6	FGT PER 3 2 8 SND VEL	WIND-SPO WIND-FOR WEATHER	14	TRAC	F DIR TION AL OO		5	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H	MONT DAY HOUR LVLTYP STD	H 11 12 07.2 DEPTH 00000	SHIP 1H DATA USE 1 AREA 05	SAL	BULB -01.5 METR 1030.5 U T/A 6/8 SIGMA-T	DIR 1 04 SEA CL/TE	FGT PER 3 2 4 SND VEL 1448.9	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 W	MONT DAY HOUR LVLTYP STD UBS STD	H 11 12 07-2 DEPTH 00000 00000 00010	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 00.68 - 0.67	BARG CLOU	BULB -01.5 METR 1030.5 U T/A 6/8 SIGMA-T	DIR 1 04 SEA CL/T6	FGT PER 3 2 8 SND VEL	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC AT 54 ONG 053	0004 54 N .34 N /TIME	MONT DAY HOUR LVLTYP STD UBS STD STD	H 11 12 07-2 DEPTH 00000 00010 00010	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 00.68 - 0.67 - 0.50	SAL 32.45 32.45 32.68 32.86	BULB -01-5 METR 1030-5 D T/A 6/8 SIGMA-T 20-04 26-04 26-26 26-43	DIR 104 SEA CL/TE	SND VEL 1448.9 1445.9 1445.9	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H	MONT DAY HOUR LVLTYP STD UBS STD STD OBS	H 11 12 07.2 DEPTH 00000 00010 00010 00020 00023	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 - 0.67 - 0.50 - 0.57	SAL 32.45 32.45 32.45 32.68 32.86 32.909	BULB -01-5 METR 1030-5 U T/A 6/8 SIGMA-T 20-04 26-04 26-26 26-43 26-47	DIR 1 04 SEA CL/16 UYNOPTH 00-000 03-019 00-036	SND VEL 1448.9 1446.3 1444.3	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC AT 54 ONG 053	0004 54 N .34 N /TIME	MONT DAY HUUR LVLTYP STD UBS STD STD OBS	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 - 0.67 - 0.50 - 0.57 - 0.41 - 0.17	SAL 32.45 32.45 32.68 32.86 32.90 32.90 33.139	BULB -01-5 METR 1030-5 D T/A 6/8 SIGMA-T 20-04 26-04 26-26 26-43	DIR 1 04 5ta CL/16 UYNOPTH 00-000 03-019 00-036	SND VEL SND VEL 1448.9 1445.9 1445.1 1445.1	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N 7TIME 07.2 07.2	MONT DAY HUUR LVLTYP STD UBS STD OBS STD OBS STD	H 11 12 07-2 DEPTH 00000 00000 00010 00020 00023 00030 00045 00050	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 00.68 - 0.07 - 0.57 - 0.41 - 0.17 - 0.11	SAL 32.45 32.45 32.455 32.68 32.86 32.90 32.90 33.139 33.13	BULB -01-5 METR 1030-5 U T/A 6/8 SIGMA-T 20-04 26-26 26-43 26-47 26-53 20-64 26-66	DIR 1 04 SEA CL/16 UYNOPTH 00-000 03-019 00-036	SND VEL 1448.9 1446.9 1446.3 1446.1 1446.1 1446.7 1446.7	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC AT 54 ONG 053	0004 54 N .34 H /TIME 07.2	MONT DAY HUUR LVLTYP STD UBS STD STD OBS	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045	TEMP 00.68 00.68 00.50 00.61 00.61 00.61 00.61 00.61 00.61 00.61 00.61	SAL 32.45 32.45 32.68 32.86 32.90 32.90 33.139	BULB -01-5 METR 1030-5 U T/A 6/8 SIGMA-T 20-04 26-04 26-26 26-43 26-47 26-53 26-64 26-66 26-73	DIR : 04 SEA CL/16 UYNOPTH 00.000 03.019 00.036 00.051	SND VEL SND VEL 1448.9 1445.9 1445.1 1446.1 1446.1 1440.7	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N 7TIME 07.2 07.2	MONT DAY HUUR LVLTYP STD UBS STD UBS STD UBS STD UBS STD UBS STD UBS UBS	H 11 12 07-2 DEPTH 00000 00000 00010 00023 00030 00045 00068 00075	SHIP 1H DATA USE 1 AREA 05 TEMP 00.6d 00.6d 00.68 - 0.67 - 0.50 - 0.57 - 0.41 - 0.17 - 0.11 - 0.08 - 0.22 - 0.44	SAL 32.45 32.45 32.45 32.86 32.86 32.90 33.139 33.17 33.264 33.357	BULB -01-5 METR 10 30-5 SIGMA-T 20-04 26-14 26-14 26-17 26-53 26-64 26-64 26-64 26-65 26-67 26-75 26-75 26-75 26-75 26-75 26-75 26-82	DIR 1 04 SEA CL/16 UYNOPTH 00-000 00-036 00-051 00-080	SND VEL 1448.9 1445.9 1445.9 1446.1 1449.7 1447.1	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H /TIME 07-2 07-2 07-2	MONT DAY HUUR LVLTYP STD UBS STD STD UBS STD	H 11 12 07 • 2 DEPTH 00000 00010 00020 00023 00045 00050 00068 00075 00091 00100	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 -0.07 -0.50 -0.57 -0.41 -0.17 -0.11 -0.08 -0.22 -0.44 -0.29	SAL 32.45 32.45 32.68 32.86 32.90 33.13 33.17 33.17 33.28	BULB -01-5 METR 10 300-5 U T/A 0/8 SIGMA-T 20-04 26-04 26-26 26-43 26-47 26-53 20-64 26-73 20-82 26-82	DIR 1 04 SEA CL/16	SND VEL 1448.9 1446.9 1446.3 1446.1 1446.1 1447.0 1447.0 1447.0 1447.0 1447.0	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H /TIME 07-2 07-2 07-2 07-2	MONT DAY HOUR LVLTYP STD UBS	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 00075 00068 00075 00068 00075 000100 00125	SHIP 1H DATA USE 1 AREA 05 TEMP 00.6d 00.6d 00.68 - 0.67 - 0.50 - 0.57 - 0.41 - 0.17 - 0.11 - 0.08 - 0.22 - 0.44	SAL 32.45 32.45 32.68 32.86 32.90 32.99 33.17 33.264 33.357 33.45 33.357	BULB -01-5 METR 10 30-5 SIGMA-T 20-04 26-14 26-14 26-17 26-53 26-64 26-64 26-64 26-65 26-67 26-75 26-75 26-75 26-75 26-75 26-75 26-82	DIR 1 04 SEA CL/16 UYNOPTH 00-000 00-036 00-051 00-080	SND VEL 1448.9 1445.9 1445.9 1446.1 1449.7 1447.1	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H /TIME 07.2 07.2 07.2 07.2	MONT DAY HOUR STD UBS STD UBS STD UBS STD UBS STD UBS STD UBS STD UBS STD UBS STD UBS STD UBS STD	DEPTH 00000 00000 00010 00010 00020 00015 00045 00055 00068 00075 00091 00100 00125 00137 00150	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 00.68 - 0.67 - 0.59 - 0.57 - 0.41 - 0.11 - 0.08 - 0.22 - 0.44 - 0.29 00.15	SAL 32.45 32.455 32.68 32.86 32.909 33.139 33.137 33.264 33.357 33.67	BULB -01-5 METR 10 30-5 U T/A 0/8 SIGMA-T 20-04 26-14 26-14 26-14 26-15 26-15 26-15 20-64 26-16 26-18 26-17 26-15 26-18 27-18	DIR 1 04 SEA CL/16 SEA CL/16 O4	SND VEL 1448.9 1445.9 1445.9 1446.1 1440.7 1447.1 1447.0 1447.1 1447.5 1447.5 1447.5	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H /TIME 07-2 07-2 07-2 07-2	MONT DAY HOUR STD UBS STD UB STD UBS STD OB STD OB STD OB STD UBS STD OB OB STD OB OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB	H 11 12 07-2 DEPTH 00000 00000 00010 00020 00023 00035 00045 00050 00068 00075 00050 00105 001050 01050	SHIP 1H DATA USE 1 AREA 05 TEMP 00.6d 00.68 - 0.07 - 0.57 - 0.41 - 0.17 - 0.11 - 0.08 - 0.22 - 0.44 - 0.29 00.15	SAL 32.45 32.45 32.45 32.66 32.99 33.13 33.26 33.37 33.765 33.85 34.089	BULB -01-5 METR 10 30-5 SIGMA-T 20-04 26-04 26-04 26-43 26-47 26-53 26-64 26-66 26-73 20-75 20-82 26-89 27-05	DIR 10 04 SEA CL/TH SEA CL/TH 00.000 03.019 00.036 00.051 00.083 00.114 00.145 00.172 00.196	SND VEL 1448.9 1446.9 1446.3 1446.1 1440.7 1447.0 1447.0 1447.1 1440.9 1447.1 1450.2	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H /TIME 07.2 07.2 07.2 07.2	MONT DAY HOUR STD UBS STD STD UBS STD UBS STD UBS STD UBS STD STD STD STD STD STD STD STD STD ST	H 11 12 07-2 DEPTH 00000 00010 00010 00020 00023 00030 00045 00050 00068 00075 00091 00100 00125 00137 00108	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 -0.69 -0.57 -0.41 -0.11 -0.08 -0.22 -0.44 -0.29 -0.15 00.62 01.37 01.72	WET BARC CLOU SAL 32.45 32.45 32.68 32.86 32.86 33.13 33.17 33.28 33.357 33.67 33.67 33.67 33.67 33.67	BULB -01-5 METR 10 30-5 U T/A 5/8 SIGMA-T 20.04 26.26 26.47 26.53 26.64 26.73 26.65 26.73 20.82 26.89 27.05	DIR 10 04 15 16 16 16 16 16 16 16 16 16 16 16 16 16	SND VEL 1448.9 1445.9 1445.9 1444.1 1440.7 1447.0 1447.0 1447.1 1447.0 1447.1 1447.2	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	2	SQUA SQUA	RE
CUNSEC LAT 54 LONG 053	0004 54 N .34 H /TIME 07.2 07.2 07.2 07.2	MONT DAY HOUR STD UBS	H 11 12 07-2 DEPTH 00000 00010 00020 00020 00025 00030 00045 00050 00150 00150 00150 00150 00150 00150 00150	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 00.68 -0.07 -0.59 -0.57 -0.41 -0.11 -0.08 -0.22 -0.24 -0.29 00.15	SAL 32.45 32.455 32.68 32.86 32.99 33.139 33.17 33.28 33.357 33.65 33.65 33.67 33.45 34.68 34.48	BULB -01-5 METR 10 30-5 U T/A 5/8 SIGMA-T 20.04 26-14 26-12 26-13 26-13 26-13 26-16 26-17 26-15 26-18 27-18 27-16 27-16 27-16 27-16 27-16 27-16	DIR 10 04 55 A CL/18 55 A CL/18 55 A CL/18 55 A CL/18 50 - 00 00 00 00 00 00 00 00 00 00 114 50 00 172 50	SND VEL 1448.9 1446.9 1446.1 1440.7 1447.0 1447.0 1447.1 1445.5 1450.2	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
CUNSEC LAT 54 LONG 053	07.2 07.2 07.2 07.2 07.2 07.2	MONT DAY HOUR STD UBS STD	H 11 12 07-2 DEPTH 00000 00010 00010 00023 00035 00055 00055 00137 00150 00128 00250 00250 00250 00250 00282 003030	SHIP 1H DATA USE 1 AREA 05 TEMP 00.6d 00.6d 00.68 - 0.67 - 0.59 - 0.57 - 0.41 - 0.17 - 0.11 - 0.08 - 0.22 - 0.44 - 0.29 00.15 00.62 01.37 01.72 02.91 03.46	WET BARG CLOU SAL 32.45 32.455 32.08 32.909 33.139 33.17 33.264 33.28 33.28 33.765 33.85 4.089 34.18 34.639 34.639	BULB -01-5 METR 10 30-5 SIGMA-T 20-04 26-14 26-14 26-15 26-17 26-15 26-17 27-18 27-16 27-16 27-16	DIR 10 04 15 16 16 16 16 16 16 16 16 16 16 16 16 16	SND VEL 1448.9 1446.9 1446.9 1445.1 1446.1 1446.1 1446.1 1446.2 1457.1 1457.1 1458.2 1458.3 1458.1 1468.7	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
ONSEC LAT 54. ONG 053 CASTNUM	07.2 07.2 07.2 07.2 07.2 07.2 07.2	MONT DAY HOUR STD UBS	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 00075 00150 00108 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 00.68 -0.67 -0.50 -0.57 -0.41 -0.11 -0.08 -0.22 -0.44 -0.29 00.15 00.62 01.37 01.72 02.91 03.66 03.62 04.40	WET BARC CLOU SAL 32.455 32.455 32.08 32.86 32.90 33.139 33.17 33.264 33.357 33.67 33.67 33.67 33.67 33.67 33.67 33.67 33.67 33.67 33.67 33.67 33.67 33.67	BULB -01-5 METR 10 30-5 U T/A 6/8 SIGMA-T 20-04 26-26 26-47 26-53 26-64 26-73 26-65 26-73 20-82 26-89 27-05	DIR 10 04 55 A CL/18 55 A CL/18 55 A CL/18 55 A CL/18 50 - 00 00 00 00 00 00 00 00 00 00 114 50 00 172 50	SND VEL 1448.9 1446.9 1446.1 1446.1 1447.0 1447.1 1447.0 1447.1 1447.1 1447.1 1459.2 1453.0 1459.2	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
ONSEC LAT 54. ONG 053 CASTNUM	07.2 07.2 07.2 07.2 07.2 07.2	MONT DAY HUUR LVLTYP UBS STD	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 00075 00051 00100 00125 00137 00100 00250 00250 00250 00250 00250 00250 00260 00250 00260 00260 00260 00260 00260 00260 00260 00260 00260 00260 00260 00260	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 -0.67 -0.50 -0.57 -0.41 -0.11 -0.08 -0.22 -0.44 -0.29 -0.15 00.62 -0.49 -0.17 -0.11 -0.08 -0.22 -0.44 -0.29 -0.44 -0.29 -0.44 -0.29 -0.44 -0.29 -0.44 -0.29 -0.44 -0.49 -0.49 -0.49 -0.41	SAL SAL 32.455 32.455 32.08 32.86 32.909 33.139 33.17 33.264 33.357 33.67 33.765 33.07 33.468 34.409 34.69 34.69 34.69 34.69	BULB -01-5 METR 10 30-5 U T/A 6/8 SIGMA-T 20-04 26-26 26-47 26-53 20-64 26-73 20-68 26-73 20-75 20-82 27-05 21-17 27-36 27-56 27-66 27-66 27-67 27-69	DIR 10 04 55A CL/16 55A CL	SND VEL 1448.9 1446.9 1446.1 1446.1 1447.0 1447.1 1447.0 1453.0 1457.3 1459.2 1453.1 1459.2 1453.1 1459.3	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
ONSEC LAT 54. ONG 053 CASTNUM	07.2 07.2 07.2 07.2 07.2 07.2 07.2 07.2	MONT DAY HOUR STD UBS STD	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00045 00050 00068 00075 00100 00100 00100 00100 00250 00137 00150 00250 00250 00250 00268	SHIP 1H DATA USE 1 AREA 05 TEMP 00.6d 00.68 - 0.67 - 0.50 - 0.57 - 0.41 - 0.17 - 0.11 - 0.08 - 0.22 - 0.44 - 0.29 00.15 00.62 01.37 01.72 02.91 03.46 03.46 03.46 03.42 04.22	WET BARC CLOU SAL 32.455 32.68 32.86 32.90 33.13 33.26 33.35 33.67 33.65 33.85 34.08 34.48 34.49 34.63 34.63 34.64 34.880 34.88	BULB -01-5 METR 10 30-5 U T/A 0-/8 SIGMA-T 20-04 26-04 26-26 26-43 26-47 26-53 26-64 26-65 26-67 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 27-66 27-66 27-66	DIR 10 04 55A CL/16 55A CL	SND VEL 1448.9 1446.9 1446.9 1445.1 1445.1 1446.1 1446.1 1446.1 1446.2 1457.3 1459.2 1457.3 1459.2 1473.6 1473.6	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
ONSEC LAT 54. ONG 053 CASTNUM	07.2 07.2 07.2 07.2 07.2 07.2 07.2	MONT DAY HUUR LVLTYP UBS STD	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 00075 00051 00100 00125 00137 00100 00250 00250 00250 00250 00250 00250 00260 00250 00260 00260 00260 00260 00260 00260 00260 00260 00260 00260 00260 00260	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 -0.67 -0.50 -0.57 -0.41 -0.11 -0.08 -0.22 -0.44 -0.29 -0.15 00.62 01.37 01.72 02.91 03.66 03.62 04.09 04.14 04.22 04.20 04.16	SAL SAL 32.45 32.455 32.68 32.86 32.90 33.139 33.17 33.264 33.357 33.65 33.67 33.65 34.69 34.69 34.88 34.88 34.88	BULB -01-5 METR 10 30-5 U T/A -6/8 SIGMA-T 20-04 26-26 26-47 26-53 20-64 26-73 20-65 26-73 20-75 20-82 27-05 27-31 27-36 27-67 27-69 27-69 27-69 27-69 27-69 27-69 27-69 27-69	DIR 1 04 SEA CL/16 04.000 00.019 00.036 00.051 00.114 00.145 00.172 00.196 00.237 00.271 00.299 00.349 00.396	SND VEL 1448.9 1446.9 1446.9 1446.1 1447.0 1447.1 1447.0 1447.1 1447.1 1447.1 1447.1 1447.1 1447.2 1459.2 1453.0 1459.2 1453.1 1459.2 1453.1 1459.2 1453.1	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
ZONSEC AT 54 AT 053 CASTNUM	0004 54 N .34 H /TIME 07-2 07-2 07-2 07-2 07-2 07-2 07-2	MONT DAY HUUR LVLTYP UBS STD	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 000750 001	TEMP 1H DATA USE 1 AREA 05 05 TEMP 00.68 - 0.67 - 0.50 - 0.57 - 0.41 - 0.11 - 0.08 - 0.22 - 0.44 - 0.29 00.15 00.62 01.72 02.91 03.66 03.62 04.09 04.14 04.12 04.13 04.10	SAL SAL 32.45 32.455 32.68 32.86 32.90 33.139 33.17 33.264 33.357 33.65 33.67 33.65 34.69 34.69 34.69 34.88 34.88 34.89 34.89 34.89	BULB -01-5 METR 10 30-5 U T/A 0-/8 SIGMA-T 20-04 26-04 26-26 26-43 26-47 26-53 26-64 26-65 26-67 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 27-66 27-66 27-66	DIR 10 04 55A CL/16 55A CL	SND VEL 1448.9 1446.9 1446.3 1446.1 1440.7 1447.0 1447.0 1447.1 1447.0 1457.3 1459.2 1453.0 1457.3 1459.2 1453.0 1473.6 1473.6 1473.6 1473.6	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
ZONSEC AT 54 AT 053 CASTNUM	07.2 07.2 07.2 07.2 07.2 07.2 07.2 07.2	MONT DAY HUUR STD UBS	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 00075 00150 00100 00100 00200	SHIP 1H DATA USE 1 AREA 05 TEMP 00.68 -0.69 -0.57 -0.41 -0.11 -0.08 -0.22 -0.44 -0.29 -0.15 00.62 01.37 01.72 02.91 03.62 04.14 04.22 04.19 04.14 04.22 04.19 04.11 04.10	SAL 32.455 32.455 32.68 32.909 33.139 33.17 33.264 33.357 33.455 34.089 34.488 34.493 34.69 34.4888 34.4895 34.91 34.91	BULB -01-5 METR 10 30-5 U T/A 0/8 SIGMA-T 20-04 26-14 26-14 26-14 26-15 26-15 26-17 26-15 26-17 26-17 27-16 27-16 27-16 27-16 27-16 27-17 27-73 27-73	DIR 10 04 15 16 16 16 16 16 16 16 16 16 16 16 16 16	SND VEL 1448.9 1445.9 1445.9 1444.1 1440.7 1447.0 1447.0 1447.1 1447.3 1447.3 1459.2 1453.0 1457.3 1459.2 1458.7 1468.7 1470.8	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE
CASTNUM	0004 54 N .34 H /TIME 07-2 07-2 07-2 07-2 07-2 07-2 07-2	MONT DAY HUUR LVLTYP UBS STD	H 11 12 07-2 DEPTH 00000 00010 00020 00023 00030 00045 00050 00068 000750 001	TEMP 1H DATA USE 1 AREA 05 05 TEMP 00.68 - 0.67 - 0.50 - 0.57 - 0.41 - 0.11 - 0.08 - 0.22 - 0.44 - 0.29 00.15 00.62 01.72 02.91 03.66 03.62 04.09 04.14 04.12 04.13 04.10	SAL SAL 32.45 32.455 32.68 32.86 32.90 33.139 33.17 33.264 33.357 33.65 33.67 33.65 34.69 34.69 34.69 34.88 34.88 34.89 34.89 34.89	BULB -01-5 METR 10 300-5 U T/A 6/8 SIGMA-T 20.04 26.04 26.26 26.43 26.47 26.53 20.64 26.73 20.75 20.82 27.05 27.31 27.36 27.36 27.36 27.36 27.36 27.46 27.46 27.46 27.46 27.47 27.31 27.36 27.46 27.47 27.31 27.36	DIR 1 04 5EA CL/16 04-000 00.019 00.036 00.051 00.083 00.114 00.145 00.172 00.193 00.271 00.299 00.349 00.396	SND VEL 1448.9 1446.9 1446.3 1446.1 1440.7 1447.0 1447.0 1447.1 1447.0 1457.3 1459.2 1453.0 1457.3 1459.2 1453.0 1473.6 1473.6 1473.6 1473.6	WIND-SPO WIND-FOR WEATHER	14 x2	DURA ORIG	F DIR TION AL OO	9	1	SQUA	RE

Table 1.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 11–13 November 1972, Prepared from NODC Listing No. 31–2136.—Continued

REFIO 31 2136 CONSEC 0005 LAT 54 45 N LONG 053 51 H	MONT	1972 1 11 12 09.3	SHIP IH DATA USE 1 AREA 05	BAROMI	EMP 03.0 UL6 -91.5 ETR 1029.1 T/A 6/8	OLATE	GT PER	WIND-PIR WIND-SPD WIND-FUR WEATHER	12	TRAC	NANSEN E DIK TION AL CO		2	N SQ 1407 SQUARE 1 SQUARE 42 SQUARE 43
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	UXYG	P 34	ror e	NG2	N03	5133	Рн
09-3	STD	00000	- 0.61	32.54	26.17	00.000	1443.0							
0,.,	STD	00010	- 0.58	32.54	26.17	00.019	1443.4							
09.3	STD	00020	- 0.55 - 0.54	32.55	26.18	03.037	1443.7							
01.5	STD	00030	- 0.53	32.64	26.25	00.055	1444.0							
09.3	310	00050	- 0.48	32.882	26.44	00.089	1445.0							
	STD	00075	- 0.34	32.96	20.50	03.128	1446 . 1							
09.3	385	00075	- 0.34	32.959	26.50	00.166	1446.1							
04.3	085	00100	- 0.20	33.069	26.58		1447.3							
09.3	STD	00125	- 0.02	33.17	26.65	00.201	1448.7							
0,.,	STD	00150	00.15	33.29	26.74	00.235	1+50.1							
09.3	STD	00200 100204	00.51	33.640	26.98	00.295	1453.0							
	STD	00250	01.40	34.03	21.25	00.343	1458.8							
09.3	JBS	100299	01.01	34.536	27.54		1466.9							
					*****	••••••								
HEFID 31 2136	YEAR	1972	BOTOP 00238	AIR T			GT PER	WIND-DIR			NANSEN	CAST		50 1407
CONSEC COOK		H 11	SHIP 1H DATA USE 1	WET B	ULB -00.4 ETR 1029.0	SEA	3 3	WIND-SPD WIND-FOR	08		E DIR			QUARE 1
LUNG 054 06		15.8	AREA 05	CLOUD	T/A 6/8	CL/TR		WEATHER			A1 00	9	1 5	QUARE 44
CASTNUM/TIME		DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH		OXYG	P34	TOT P	NO2	NO3	\$103	РН
15.8	285	00000	- 0.51 - 0.57	32.525	26.16	00.000	1443.2							
.,	STD	00010	- 0.58	32.53	26.16	00.019	1443.4							
15.6	UBS	00020	- 0.58	32.54	26.17	00.037	1443.5							
	SID	00030	- 0.58	32.55	26.18	00.050	1443.7							
15.8	OBS	00049	- 0.57 - 0.56	32.572	26.20	00.092	1444.1							
15.8	OBS	30074	- 0.33	32.800	26.37		1445.9							
15.8	OBS	00075	- 0.33 - 0.35	32.81	26.37	00.136	1446.0							
	STO	00100	- 0.37	32.94	26.49	00.176	1446.4							
15.8	085	00125	- 0.83	33.118	26.57	00.214	1444.5							
	STD	00150	- 0.98 - 0.55	33.12	26.65	00.249	1444.6							
15.8	085	100211	- 0.46	33.451	26.90	00.3.4	1448.5							

KEFID 31 2136		1972	8010P 00205	AIR TI			UT PER	HIND-DIR			NANSEN	CAST	TEN	SQUARE 1
CUNSEL 0007		11	SHIP IH	BAKOM	ULB 00.1 ETR 1029.1	UB SEA	3 2	WIND-FUR	05	DURA	E DIR			SQUARE 44
LUNG 054 25 W		17.5	AREA JS	CLOUD	1/4 6/8	CL/TR		WEA THER	X2	URIG	A1 00	9	1 5	QUARE 44
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNOPTH	SND VEL	DXYG	PJ4	TOT P	NUZ	NO3	\$103	РН
	STC	00000	- 0.60	32.56	20.18	00.303	1443.1							
17.5	JBS	00000	- 0.60	32.558	26.18		1443.1							
	012	00010	- 0.50	32.59	26.19	00.018	1443.4							
17.5	118 5	U0025	- 0.55	32.602	26.22		1443.3							
	STU	00030	- 0.55	32.63	20.32	00.055	1444.0							
17.5	385	00353	- 0.54	32.733	26.32		1444.5							
17.5	STD	00075	- 0.41	32.90	26.45	00-131	1445.7							
	STO	20100	- 0.37	33.00	26.54	00.16+	1440.4							
17.5	280	00101	- 0.31	33.009	26.65	00.206	1447.1							
	STU	00150	- 0.35	33.28	26.76	03.234	1447.3							
17.5	085	100161	- 0.35	33.440	25.76		1447.6							

Table I.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 11–13 November 1972, Prepared from NODC Listing No. 31–2136.—Continued

REFID 31 2136 CUNSEC 0008 LAT 54 19 N LING 054 40 H	MONTH	11	BOTUP ODERS SHIP IH DATA USE I AREA OS	BARCHI	EMP 00.6 ULB -01.5 EFR 1028.7 T/4 6/8	OIR H 11 SEA CL/TR	GT PER	AINO-DIR AINO-SPO AINO-FER AEATHER	US	INST (A) TRACE DI DURATION UKIG A)		TEN SJ 1407 5 SQUARE 1 2 SJUARE 44 1 SQUARE 44
CASTNUM/TIME	LVLTYP D	EPTH	TEMP	SAL	SIGMA-T	UYNUPTH	SND VEL	DXYG	P:4	TOT P A	102 403	S133 PH
	STO O	0000	- 0.40	32.41	26.06	00.000	1443.9					
18.9	085 0	0000	- 0.40	32.414	26.06		1443.9					
		0010	- 0.43	32.42	26.07	00.323	1444.0					
18.9		0020	- 0.41	32.45	26.11	00.039	1444.2					
	510 0	0030	- 0.43	32.52	25.15	00.054	1+44.3					
		0050	- 0.56	32.08	26.28	00.094	1444.5					
18.9	085 0	0075	- 0.56	32.678	26.28	03.136	1444.3					
18.9	JBS 0	0075	- 0.81	32.828	26.41		1443.8					
		0100	- 0.30	33.00	26.53	00.176	1466.8					
18.9		0100	- 0.30	33.005	26.65	00.212	1446.1					
	510 0	0150	- 0.84	33.22	20.72	03.240	1445.4					
18.9	085 0	0158	- 0.93	35.231	26.74		1445 .1					

KEF13 31 2136	YEAR 19	12	BUTUP 00172	AIR TE	MP 01.2	ata v						
CONSEC 0009	MUNTH	11	SHIP IH	WET bt	JL6 -00.4	11	GT PER	#140-01K		TRACE DI	SEN CAST	TEN SO 1407 5 SQUARE 1
LAT 54 12 N	HEUR 20	12	DATA USE 1	BARGHE	TR 1029.0	SEA		AIND-FOR		DURATION		2 SQUARE 44
EUNO 034 53 W	HLUK 20	.,	AREA 05	CLOUD	T/A 6/6	CL/TR		WEA THER	XS	ORIG AL	C03	1 SQUARE 44
CASTNUM/TIME	LVLTYP DI	EPTH	TEMP	SAL	SIGMA-T	DYNOPTH	CND Wat	DAYG		TOT P		
		20.22						UATO	- 14	TOT P	UZ NO3	S103 PH
20.3		0000	00.02	32.534	26.14	Cu. 000	1446.0					
	STO O	0010	00-13	32.55	26.15	00.017	1440.7					
20.3		0025	00.21	32.56	20.15	00.334	1447.2					
27.3		0030		32.567	26.16	00.056	1447.4					
		0050	03.19	32.57	20.16	00.093	1447.0					
20.3		0050		32.575	26.16		1441.6					
20.3		0075	- 0.97	32.910	26.48	00.136	1443.1					
		0000	- 1.10	33.02	26.58	00.174	1443.1					
20.3	005 00	0100		55.025	25.58	905.00	1443.1					
20.3	UBS 00	0147	- 1.24	33.215	20.14	00.204	1443.5					
4EF10 31 2136	YEAR 19	72	SUTUP 00157	ALR TE		018 F	ST PER	#IND-DIK	0.	INST NAM	SEN CAST	TEN SU 1407
CONSEC 0010		11	SHIP IH	4ET 60	ULB -01.6	SEA	3 5	HIND-SPO	07	TRACE DI		5 SQUARE 2
LING 055 10 W	HOUR 21		AKEA C5	CLUUD	1/4 6/5	CLITH		WEATHER	xe	ORIG AL		2 SQUARE 44 1 SQUARE 45
												• • • • • • • • • • • • • • • • • • • •
CASTNUM/TIME	LAFLAD D	EPTH	TEMP	SAL	51644-1	DYNOPIH	SND VEL	DXYG	P)4	TOT P N	102 NO3	5103 PH
		0000	- 0.33	32.41	20.06	00.000	1444.2					
21.4		0010	- 0.33	32.413	26.06	00.020	1444.2					
		0020	- 0.30	32.42	25.06	00.037	1444.7					
21.8		0025	- 0.28	32.431	20.07		1444.8					
		00 50	- 0.25	32.43	20.07	00.054	1445.2					
21.8	1185	0050	- 0.15	32.506	20.12		1 .40 .0			,		
21.8		0075	- 0.37	32.76	20.34	00.142	1445.7					
21.0	STO O	0100	- 0.71	32.94	26.34	00.182	1445.7					
21.8	085 0	0100		32.941								
21.8		0125	- 1.16	33.07	25.64	09.514	1441.3					
21.0	200											
					******	*******	•					

Table I.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 11–13 November 1972, Prepared from NODC Listing No. 31–2136.—Continued

	0011 57.5N	YEAR MONTH DAY	11	SHIP	USE			ETR 102		DIR H		AIND-DIR AIND-SPD AIND-FOR AEAINER	01	DUR	E OL	a		1	SUUARI SUUARI SUUARI	E 24
UNG 055	31.0	HOUR	23.1	AREA		05	CLUUD	1/4	6/8	CLIIK		aca inca								
CASTNUM	/1 IME	LVLTYP	DEPTH		TEMP	5	AL	SIGMA-		DYNOPIH	SNU VEL	UXYG	P)4	101	P 14	isc.	NO3	SIU	S PH	
		912	00000	-	0.45	34	.02	25.14		00.000	1443.1									
	23.7	UBS	00000	-	0.45	30	.020	25.74			1445.1									
		510	00010	-	0.48	3,	. 46	25.44		00.022	1443.4									
		510	20020	-	0.51	5.	. + 3	26.08		00.042	1443.7									
	23.7	085	00025	-	0.53	3.	.493	20.13			1445.5									
		STO	00030	-	0.56	3.	.49	20.13	•	00.061	1445.7									
		STD	00050	-	0.60	3.	.52	26.15		00.098	1443.7									
	23.7	085	000 50	-	0.60	3,	.516	23.15	,		1443.7									
		STO	00075	-	0.52	3.	.58	26.20)	00.145	1444.8									
	23.7	UBS	00075	-	0.52	3.	. 381	20.20)		1444.8									
		STO	001 00		0.54	3.	. 80	26.38	•	00.164	1445 . 2									
	23.7	385	00100	-	0.59	3.	.605	26.36	3		1445.2									
		STO	00125	-	0.57	3	.09	26.61	1	60.220	1446.1									
	23.1	08.5	00143	-	0.49	3	.339	26.81	1		1447.1									

ALFID 31 2136 CONSEC 0012 LAT 53 47 N LUNG 055 40 M	MONT	1972 H 11 13	SHIP LH DATA USE 1 AREA 05	BARL		31 Se A	31 PFK	WIND-DIR WIND-SPD WIND-FUR WEATHER	06	TRACE		S SQUARE 24 2 SQUARE 24 1 SQUARE 35
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-1	DYNUPIH	SNU VEL	GKY G	P)4	tgt P	NO2 NO3	5103 PH
	Sto	00000	00.06	31.39	25.21	00.000	1444.5					
01.1	DBS	00000	00.06	31.378	25.21		1444.5					
01.1	510	00010	00.05	31.76	25.56	30.320	1445.2					
	510	00020	00.04	32.04	25.14	00.050	1445.1					
01.1	085	00025	00.04	32.144	25.83		1445.9					
01.1	STO	00030	- 0.11	12.19	25.87	370.00	1945.0					
	510	00050	- 0.33	32.56	25.98	00.114	1444.4					
01.1	1135	00050	- 0.33	34.314	25.98	-	1444.9					
01.1	510	00075	- 0.27	32 . 34	26.00	00.164	1445.0					
21.1	185	000/5	- 0.21	32.344	26.00		1445.0					
01.1	510	00100	- 0.33	32.38	20.03	00.214	1445.8					
91.1	1165	U01 00	- 0.33	32.316	25.03		1445.8					
01.1			- 0.34	32.43	26.67	00.205	1446					
21.1	005	00125	- 0.34	32.480	20.11		1446.5					
01.1	116.5	00140	0. 34	200								
					*****	•• •• •••	•					

Table II.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SPENCER, 21–22 September 1972, Prepared from NODC Listing No. 31–2135.

SEFID 31 2135 CUNSEC 0001 LAT 53 47 N CUNC 055 40 6	MUNT	1972	BUTUP CULDE SHIP SC DATA USE AREA USE	AET B	ULB 63.9 ETR 1018.7	SLA CL/TR		MIND-DIR MIND-SPD MIND-FUR MEATHER	14	TRACE			5 2	N SQ 14 SQUARE SQUARE SQUARE	24
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	HISCAYU	SAL VEL	axyG	P)4	TOT P	NO2	NO3	\$103	Рн	
10.0	OBS	00021	03.23	31.500	25.11		1459.1								
18.0	S10	000 43	03.11	31.52	25.12		1458.5								
18.0	\$10 UBS	00050	- 0.11	32.401	20.06		1453.2								
18.0	STO	30075	- 0.86	32.47	20.12		1442.9								
10.0	STU	00100	- 1.32	32.73	26.35		1441.6								
10.0	688	00125	- 1.57	32.858	26.46		1441.1								

REFID 31 2135 CONSEC 0002 LAT 53 55 N LUNG 055 25 W	MUNT	1972 1 09 21 19.7	SHIP SC DATA USE I DATA USE I	WET 8	ULB 02.2		T PER	AIND-DIR AIND-SPD AIND-FER NEATHER	14	TRACE		TEN SO 1407 5 SQUARE 2 2 SQUARE 24 1 SQUARE 15
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-1	UYNDETH	SND VEL	OXY G	P 14	tot P	NG2 NG3	\$103 PH
	510	00000	03.84	31.06	25.17	60,000	1401.7					
19.7	085	00000	05.64	31.563	25.17		1401.7					
	510	00010	03.67	31.66	25.19	00,028	1461.1					
	510	000020	03.00	31.12	25.25	00,050	1460.7					
19.7	085	00026	33.40	11.785	25.31		1460.4					
	510	00000	02.20	31.84	25.40	200,002	1455.3					
19.7	085	00048	- 1.47	34.189	25.91		1439.3					
	510	00050	- 1.48	32.21	25.98	151.00	1439.4					
	SID	30075	- 1.58	32.97	20.54	211.00	1440.5					
19.7	085	00076	- 1.58	32.980	20.50		1440.4					
19.7	085	000 98	- 1.58	33.055	20.62		1440.5					
	510	00100	- 1.50	33.06	20.62	00.208	1440.9					
	STO	00125	- 1.54	33.17	16.71	00.242	1441.0					
19.7	085	00148	- 1.48	13.296	16.01	***	1442.5					
					•••••							

		DAY	1972 90 21 21.4	SHIP SC DATA USE L AREA US	at T p	ULB C1.7		OT PER	AINO-DIR AINO-SPO AINO-FUR AEAIHER	1+	THACE			2	N SU I SJUARE SJUARE SJUARE	2
CASTALFIT	ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-1	OVILPIN	SNO VEL	JAY G	P.14	TCT P	MUZ	NES	5103	РН	
		STO	00000	04.09	31.01	25.11	60.000	1406.5								
21	. 4	UBS	00000	34.05	31.011	25.11	60.000									
21	.4	JUS	00000	04.03	31.010	25.11		1466.5								
		STU	00010	03.93	31.63			1465.0								
		510	00020	02.92		25.14	00.000	1402.2								
		STU	00030		31.83	25.39	00.056	1458.5								
- 1	. 4	085	00032	01.88	32.00	25.04	00.080	1454.2								
		510		01.67	32.095	25.65		1455.3								
**	.4		00053	- 0./1	32.06	20.27	60.122	1445.0								
۷۱		ues	00000	- 1.44	32.850	25.45		1440.0								
		510	00075	- 1.50	32.91	20.50	00.103	1446.6								
21	. 4	085	00083	- 1.52	32.444	20.52		1440.1								
		510	00100	- 1.51	33.03	20.55	03.200	1441.2								
		STO	00125	- 1.49	33.18	26.71	00.235	1441.7								
21	. 4	085	00134	- 1.48	33.239	26.76		1442.2								

Table II.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SPENCER, 21–22 September 1972, Prepared from NODC Listing No. 31–2135.—Continued

KEFID 31 2135 CUNSEC 0004 LAT 54 21 N LONG 054 57 W	MUNTH	1972 - 09 - 21 - 23-0	BOTOP DOLTO SHIP SC DATA USE I AREA 05	AIR T MET S BARCH CLOUD	ULB 01.7 ETH 1010.0	32 SEA	UT PER	WIND-DIR WIND-SPD WIND-FUR WEATHER	14	TRAC	NANSEN E DIR TIUN AL OU		TEN SQ 5 SQUAR 2 SQUAR 1 SQUAR	RE 44
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIUMA-I	UYNDPTH	SND VEL	JXY G	P 14	tat P	NO2	NOS	\$103 PH	
	510	000 00	03.67	31.69	25.21	00.000	1461.0							
23.0	UBS	00000	03.67	31.694	25.21	03.328	1461.0							
	STO	00010	03.66	31.69	25.22	00.055	1401.3							
23.0	JBS	00023	03.65	31.695	25.22		1401.3							
	STO	00030	01.57	32.10	25.75	00.080	1453.0							
23.0	STD	00045	- 1.41	32.86	26.46	00.119	1440.4							
23.0	OBS	00073	- 1.56	32.966	20.54		1440.4							
	\$10	00075	- 1.56	32.96	26.55	00.157	1440.5							
23.0	085	00100	- 1.47 - 1.43	33.080	26.65	00.143	1441.6							
	STD	00125	- 1.16	33.24	26.76	00.226	1443.5							
23.0	085	00145	- 0.83	33.357	20.84		1445.0							
					*****	******								
REFID 31 2435 CONSEC 0005		1972	BUTDP DOIBS	AIR T	EMP 03.3	DIR F	31 PER	MIND-DIR MIND-SPD	52	I VST	NANSEN	CAST	TEN SU 5 SQUAR	
LAT 54 20 N	UAY	22	DATA USE 1	BARCM	ETR 1010.0	SEA		AIND-FUR		DURAT	NEI		2 SQUAR	£ 44
LONG 054 20 W	HOUR	6.00	AREA 05	CLUUD	1/4 3/6	CL/TH		MEA THER	XI	CKIO	A1 008		1 SOUAR	E 44
CASINUM/TIME		DEPTH	TEMP	SAL	SIGMA-T	HTQUAYE	SNO VEL	UXYG	PJ4	ICT P	NOZ	1433	5103 PH	
99.8	STD	00000	02.98	31.70	25.28	- 01.000	1458.3							
00.8	510	00010	02.98	31.702	25.28	00.326	1458.3							
	510	00020		32.10	25.75	00.049	1450.7							
	STU	00030	00.24	32.38	20.01	00.070	1+47.3							
6.00	085 SID	00032	- 1.35	32.420	20.35	00-107	1440.6							
00.8	OBS	00052	- 1.44	32.159	20.37	00.107	1440.3							
	STD	00075	- 1.49	32.40	26.45	00.147	1440.7							
00.8	UBS	00017	- 1.49 - 1.40	32.908	20.49		1440.7							
****	STO	00100	- 1.44	33.03	20.59	00.185	1441.5							
00.8	ST0 085	00142	- 1.16	33.17	26.7C	00.220	1443.4							
00.8	083	00142	- 0.83	33.283	26.78		1445.4							
					*****	********								
REF10 31 213		R 1972	80 TOP 0020		TEMP 02.		FGT PER	#IND-U1		INST	NANSEN	CAST	TEN SQ	1407
LAT 54 25		1H 09	SHIP SC DATA USE	I BARG	BULB CZ. METR 1014.		X X	WIND-SP			EUIR		5 SQUA 2 SQUA	RE 1
LUNG 054 22	· HOU	R 02.1	AREA O	CLC	O T/A 3/	3 CL/T	R	WEATHER			A1 00	8	1 SQUA	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	UXYG	PU4	ror e	NO2	NC3	\$103 PH	
	\$10	00000	02.43	31.87	25.46	00.000								
02.7		00000	02.43	31.866	23.46		1455.9							
02.1	STL	00010	02.41	31.875	25.51	00.025	1455.7							
	STU	00020	01.97	32.04	23.63	00.049	1454.4							
02.7	STD	00027	01.55	32.115	25.72	00.072	1452.8							
	STO	00050	- 1.11	32.14	26.06	60.114								
02.7	085	00054	- 1.35	32.454	20.12		1440 .4							
02.9	S10	00075	- 1.44	32.91	20.50	00.158								
02.4	510	00103	- 1.44	32.927	26.55	00.195	1441.0							
	STO	U0125	- 0.85	33.17	26.68	CU-231	1445.0							
02.9		00126	- 0.82	33.171	26.69		1445.0							
02.9	STU	100175	- 0.64	33.32	26.8C 26.93	00.263								
02.4	003	100115	- 0.55	33.408	20.93		1447.6							
					****	••••••	••							

Table II.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SPENCER, 21–22 September 1972, Prepared from NODC Listing No. 31–2135.—Continued

REFIU 31 2135 CUNSEC GOO7 LAT 54 31 N LLNG U54 05 M	YEAR 1972 MONTH 09 DAY 22 HOUR 05.2	BUTDP 00238 SHIP SC DATA USE 1 AREA US	AIR TEMP 05.6 WET BULB 05.0 BAROMETR 1012.3 CLUUD T/A 3/3	DIR HUT PER 33 2 2 SEA CL/TR	WIND-DIR 33 WIND-SPD 13 WIND-FUR WEATHER X1	INST NAMSEN CAST TRACE DIR DURATION GRIG AL 008	TEN SQ 1407 5 SQUARE 1 2 SQUARE 44 1 SQUARE 44
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-I	DYNDPTH SND VEL	JXYG P34	TOT P NO2 NO3	\$103 PH
05.2	STD 00000 UBS 00000	00.84	32.55 20.11 32.554 20.11	CU-QCU 1449.9 1449.9			
	STD 00010		32.56 26.16 32.56 26.15	00.019 1446.3			
	STD 30030	- 1.08	32.56 26.21	00.056 1441.4			
05.2	STU 00050		32.560 26.22	00-091 1440-1			
05.2	UBS 00062	- 1.50	32.784 26.39	1440-2			
05.2	STD 00075		32.06 20.46	00.132 1440.6			
	510 00100	- 1.42	33.30 26.57	00-170 1441-5			
05.2	STD 00125		33.054 26.61 33.13 26.67	1442.0			
	510 00150	- 1.25	33.27 20.78	GU.239 1443.0 1443.9			
05.2	085 90159 570 90200		33.322 26.82	00.297 1447.9			
05.2	08S T00208		33.643 27.05	1449.0			
			*****	********			
REF10 31 2135	YEAR 1972	BOTOP 00293	AIR TEMP 05.0	UIR HOT PER	AIND-DIR 33	INST NANSEN CAST	TEN 50 1407
CONSEC 0008	MONTH 09	SHIP SC	WET BULB C4.4		WIND-SPD 10	TRACE DIR DURATION	5 SQUARE 1 2 SQUARE 42
LONG 053 54 W	DAY 22 HOUR 07.0	DATA USE 1 AREA 05	CLOUD T/A 3/5	SEA CL/TR	WEATHER XI	GRIG AL USB	1 SQUARE 43
CASTNUM/TIME			SAL SIUMA-T	DYNOPTH SND VEL	JXYG P34	TOT P NOZ NO3	S103 PH
	STD 00000		32.83 26.34	00-000 1450-3 1450-3			
07.0	STD 00010	01.23	32.834 20.34 32.84 26.32	00.017 1452.0			
	STD 00020	01.57	32.87 26.32 32.92 20.34	00.034 [455.5			
07.0	STD 00030 085 00037		32,976 26.36	1456 - 8			
	STD 00050		33.15 26.55 33.251 26.67	00-083 1454-3			
07.0	OBS 00061 STD 00075	- 0.37	33.28 26.76	00.118 1446.4			
07.0	OBS 00089		33, 334 26.63 33,41 26.88	00.149 1444.0			
07.0	UBS 00112	- 0.96	33.481 26.94	1444-6			
	STD 00125		33.53 ?6.98 33.65 27.06	00-177 1445.5			
07.0	085 00164	- 0.27	33.722 27.11	1449.0			
07.0	STO 00200		33.91 27.23 34.026 27.30	00.249 1452.8			
	STD 00250	02.25	34.31 27.47 34.576 27.55	00.286 1462.6			
07.0	083 ,00287	03.16		********			
KEF10 31 2135	YEAR 1972	BUTOP UJS46			MIND-DIN 35	INST NANSEN CAST	TEN SU 1407
LAT 54 56		SHIP SC	WET BULB CS.		WIND-SPD 13	TRACE DIR DURATION	5 SQUARE 1 2 SQUARE 42
LUNG 053 41		AREA O			MEATHER XI	URIG AL 008	1 SQUARE 43
CASTNUM/TIME			SAL SIGMA-T	DYNUPTH SAC VEL	GXYG PJ4	TOT P NUZ NUS	SIU3 PH
10.1	STD 0000	0 03.19	33.26 26.50 33.261 26.50	1461.1			
	STD 0001		33.27 20.51 33.28 26.52	00.015 1461.2			
10-1	085 0002	5 03.19	33.283 26.52	1461.5			
	STD 0003		33.36 26.60	00.046 1461.2			
10.1	UBS 0005	1 02.64	13.031 26.85	1460.0			
10.1	STD 0007		33.78 27.12 33.792 27.13	00.100 1451.2 1450.8			
	510 0010	0 00.58	33.92 21.23	00.122 1452.1			
10.1	010 012		35.937 27.24 34.08 27.33	00.142 1455.0		¥	
10.1	STU 0015		34.25 27.41 34.258 27.42	00.160 1458.5			
	STD 0020	03.20	34.58 27.55	00.191 1466.2			
10.1	OBS 10020 STD 0025	0 04.06	34.621 27.57 34.17 27.62	00.216 1470.9			
10.1	085 0026	04.16	34.791 27.62	1471.5			
10-1	085 0030		34.84 27.65 34.850 27.66	00.243 1472.d 1473.1			
	STD 0040	0 04.31	34.89 27.68	00.290 1474.0			
10-1	STD 0050		34.890 27.69 34.90 27.70	00.336 1476.1			
10-1	STD 0060	04.21	34.91 27.71	00.381 1477.5			
10.1	\$10 0070		34.909 27.72 34.91 27.73	00.426 1478.8			
10.1	STD 0080	0 03.58	34.92 21.75	00.476 1474.1			
10.1	33 0082	03.74		1480.2			
			*****	*********			

Table II.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SPENCER, 21–22 September 1972, Prepared from NODC Listing No. 31–2135.—Continued

REFID 31 2135 CONSEL 0010 LAI 54 58 N	YEAR MCIVT	1972 H 09 22	SHIP SC DATA USE 1	AIK I		DIR H	GT PER	MIND-DIR MIND-SPE MIND-FCF	10	THACE	LUN	AST	5	N SU 14 SUUAKE SUUAKE	42
LONG 053 22 N	HUUS	13.0	AREA 05	LL GUD	T/A 6/5	CL/TK		MEATHER	X1	URIG	41 008		1	SQUARE	43
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SNU VEL	GXYG	214	TOT P	NO2	NG3	5133	РН	
	510	00000	04.23	33.41	26.52	00.000	1400.7								
13.0	OBS	00000	04.23	33.410	20.52		1465.1								
	STU	00010	04.24	33.41	26.52	00.015	1465.9								
13.0	OBS	00018	04.24	33.410	20.52		1466.0								
	STD	00020	04.24	33.41	26.52	00.030	1460.1								
	STD	00030	04.24	35.41	20.52	00.040	1400.2								
13.0	085	00037	04.24	53.407	26.52		1466.3								
	510	00050	02.28	33.65	26.85	03.373	1458.0								
13.0	085	00060	01.42	33.026	27.10		1455.1								
	STO	00075	01.39	34.01	27.30	03.097	1455.0								
13.0	UBS	00080	01.38	34.145	27.45		1455.7								
	\$10	00100	02.08	34.32	27.45	03.115	1454.5								
13.0	085	00123	02.82	34.500	27.52		1463.2								
	STU	00125	02.90	34.51	27.53	00.130	1463.0								
	STO	00150	03.67	34.67	27.56	00.144	1467.5								
13.0	085	100100	04.00	34.737	27.6C		1469.2								
	STD	00200	04.19	34.80	27.63	00.173	1470.7								
11.0	1185	00210	04.22	34.813	27.04		1471.0								
	STO	00250	04.20	34.85	27.66	00.194	1471.9								
13.0	UBS	100254	04.20	34.854	27.00		1471.9								
	STO	00300	04.30	34.88	27.68	00.217	1472.9								
13.0	DBS	00342	04.31	34.398	27.65		1473.7								
	STO	00400	04.25	34.70	21.70	00.262	1474.4								
	STU	00500		34.90	27.71	03.300	1475.7								
13.0	085	100518		34.098	21.71		1475.9								
	STD	00600		34.70	21.12	00.351	1477.1								
	310	00700		34.70	21.12	00.396	1478.4								
13.0	UBS	100701	04.03	34.898	21.12		1478.4								
	STO	00800	03.93	34.90	27.14	00.441	1479.7								
13.0	UbS	100681	03.86	34.903	21.75		1480.7								
13.0	OBS	101348	03.74	34.429	27.78		1488.1								

KEFID 31 2135	YEAR	1974	BUTDP 02400	AIR I	EMP 03.6	DIR H	UT PER	WIND-DIR	17	INST	NANSEN	CAST	TE	N SQ 140	07
CONSEC COLL		n 09	SHIP SC	MET 8	ULB 01.7	34	3 2	WIND-SPD	10	TRALE	DIR		5	SQUARE	3
14T 55 06 N	DAY	22	DATA USE 1	BARCA	ETR 1004.6	SEA		MIND-FLR		DURAT	ION		2	SQUARE 4	42
LUNG 053 10 W		15.1	APEA 05	CLUU) T/A 6/8	CL/1F		WEA THER	X2	ORIG	A1 008		1	SQUARE S	53
		A STATE OF					***			*** 0		NO3	5103	РН	
CASTAUMALINE	LALLAN	DEPTH	TEMP	SAL	SIGMA-T	DANDSIH	SND VEL	OXYG	PJ4	TOT P	NOZ	NUS	3103	PH	
	STO	00000	04.53	15.01	26.60	00.000	1468.9								
16.1	UB 5	00000	04.93	33.007	26.6C		1468.7								
	STO	00010	04.92	33.04	26.03	00.014	1469.1								
	SID	00020	04.92	33.67	26.66	00.028	1464.2								
	510	00030	04.91	33.69	26.67	00.042	1469.4								
10.1	CBS	00030	04.91	33.694	20.67		1469.4								
	STO	00050	04.71	33.71	26.71	C0.070	1468.7								
16.1	085	00055	04.47	33.712	26.14		1468.0								
	STO	00075	01.75	34.36	27.26	00.097	1457.1								
16.1	GBS	00085	01.39	34.226	27.42		1455.9								
	STO	00100	02.72	34.50	27.53	00.114	1462.4								
16.1	08.5	00110	03.40	34.640	27.58		1465.5								
	510	00125	03.04	34.70	27.00	00.128	1467.3								
	STD	00150	03.96	34.77	27.63	00.140	1463.8								
10.1	UBS	00165	04.10	34.803	21.64		1469.1								
	STU	00200	64.30	34.85	27.06	00.164	1471.2								
10.1	JBS	100220	04.33	34. 355	27.56		1471 - 7								

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19 March 1971, Prepared from NODC Listing No. 31–8263.

REFID 31 8263 CUNSEC 0001 LAT 47 00 N LONG 048 00 W	YFAR 1971 MUNTH 03 DAY 18 HGUR 05.0	HIP 3L ATA USE 1 REA 05	MET BULB 01.6 HARGMETR 1010.5 CLUUD T/A	DIR HGT PER 21 2 3 SEA CL/TH	MIND-SPU ZS MIND-SPU ZS MIND-FOR WEATHER K+	INST STO RECORDER TRACE DIR D DURATION 00-1 ORIG AZ 043	TEN SU 1306 5 SUUARE 4 2 SUUARE 68 1 SUUARE 78
CASTNUM/TIM	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SNU VEL	DXYG PD4	TOT P NOZ NUS	SID3 PH
05.8	\$1D 00000 085 00000 \$1D 00010 085 00010 085 00020 085 00030 \$1D 00050 \$1D 00050 085 00050 \$1D 00050 085 00050 \$1D 00050	- 1.05 - 1.05 - 1.06 - 1.06 - 1.07 - 1.08 - 1.08 - 1.10 - 1.10 - 0.62 - 0.74 - 0.28	32.97 26.53 32.97 26.53 32.97 26.53 32.97 26.53 32.98 26.59 32.98 26.59 32.97 26.53 32.97 26.53 32.97 26.53 32.97 26.55 33.17 26.68 33.17 26.68 33.23 26.73	00.000 1441.6 00.015 1441.7 1441.7 1441.7 1441.9 1441.9 1441.9 1441.9 1442.0 1442.0 1442.2 1442.2 1442.2 1445.1 1445.1 1447.5 1447.5			
	085 00100 085 00110	- 0.28 - 0.05	33.44 20.88 33.49 20.91	1440.8			
	085 00122	00.15	33.60 26.99	1450.3			
REFID 31 8263 CUNSEC 0002 LAT 47 00 N LUNG 047 44 W	YEAR 1971 MUNTH 03 DAY 18 HOUR 07.5	BOTOP 33179 SHIP 3L DATA USE 1 AREA US	BAROMETR 1010.5	21 4 3	WIND-DIR 21 WIND-SPD 25 WIND-FOR WEATHER X4	INST STD RECORDER TRACE DIR D DURATION 90.0 GRIG A2 043	5 SQUARE 4
CASTNUMITIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SNU VEL	OXYG P34	TOT P NOZ NO3	S103 PH
REFID 31 8263 CONSEC 0003 LAT 47 00 N LGNG 047 30 N	STD 00000 UBS 00010 STD 00010 STD 00010 STD 00010 STD 00020 STD 00030 STD 00050 UBS 00150	- 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.94 - 1.02 - 0.84 - 0.97 - 0.78 - 0.11 - 1.11 - 0.20 - 0.14 -	AIR TEMP WET BULB BAROMETH 1010-6	00.000 1442.1 1442.3 00.014 1442.3 00.029 1442.4 1442.7 1442.7 1442.7 1442.0 1443.0 1443.9 00.109 1442.9 1447.5 1446.2 00.140 1448.2 1443.2 00.167 1451.1 100.193 1452.1	MINO-DIR ZI MINO-SPD 13 MINO-FIR MEATHER XY	INST STU WECORDER TAGE DIR OURATION 03-2 CRIG AZ 043	TEN SJ 1306
CASTMUM/TIME 08-5	STD 00000 00000 STD 000100 STD 00020 STD 00030 STD 00050 STD 00100 STD 00100 STD 00100 STD 00100 STD 00100 STD 00150 0	TEMP - 0.98 - 0.58 - 0.98 - 0.98 - 1.03 - 1.03 - 1.30 - 1.30 - 1.30 - 1.30 - 1.26 - 0.67 - 1.63 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95 - 0.95	SAL SIUMA-T 32.99 20.55 32.99 26.55 32.99 26.55 33.00 26.55 33.01 26.56 33.01 26.56 33.10 26.64 33.10 26.64 33.10 26.64 33.12 26.66 33.29 26.78 33.32 26.88 33.46 26.93 33.46 26.93 33.46 26.93 33.46 27.16 33.87 27.16 33.87 27.16	DYNOPTH SND VEL 00.000 1442.0 1442.0 00.015 1442.1 1442.1 00.029 1442.3 00.044 1442.2 1442.2 00.073 1441.4 1441.4 00.107 1445.1 1445.1 1440.4 00.165 1454.0 00.190 1456.0 00.190 1456.8	OXYG PJ4	TCT P NOZ NU3	SIU3 PH

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

REFID 31 8263 CUNSEC 0004 LAT 46 58 N	MONTA DAY	1971	SHIP 3L DATA USE 1	MET :		21	OT PER	AIND-DIR AIND-SPD AIND-FOR	19	TRAC	T STU RE LE DIR ATION	CORDER 00.1	
LUNG 047 11 W		10.2	AREA 05		0 1/4	CL/TE		MEA THEY	X4	URIC	5 AZ 04	3	1 SQUAKE 67
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P34	rur i	P NO2	NO 3	S133 PH
10.2	510	00000	- 1.36	33.08	26.63	00.000	1440.3						
	STO	60010	- 1.37	33.08	20.63	0.3.314	1440 -4						
	STO	00050	- 1.37	33.08	20.63	00.024	1440.6						
	31D	00020	- 1.37 - 1.37	33.08	20.63	00.042	1440.6						
	185	03033	- 1.37	33.08	26.63		1440.7						
	STD	00038	- 1.54	33.19	26.12	00.069	1440.7						
	UBS	00060	- 1.50	33.35	25.17		1440.7						
	UBS	00065	- 0.21	33.41	20.36		1447 .2 1446 . d						
	280	00071	- 0.20	33.48	20.91		1447.4						
	310	00075	- 0.29	33.+1	26.91	00.199	1447.1						
	UBS	00080	- 0.44	33.46	20.91		1440.4						
	OBS	30043	- 0.01	33.53	21.02		1448.8						
	DRS	00100	00.50 00.50	33.09	21.04	00.127	1451.7						
	UBS	00108	- 0.25	33.03	27.03	00 161	1448.3						
	085	00125	00.61	33.81	27.13	00.151	1452.5						
	STU 085	00150	01.11	33.92	21.19	00.174	1455.3						
	STD	00200	01.94	34.26	21.41	00.214	1460.3						
	260	00200	01.94	34.26	27.56		1466.3						
	STD	00250	03.29	34.61	21.51	00.244	1467.4						
	STD	00300	03.72	34.70	21.60	00.271	1470.2						
	085	00300	03.72	34.70 34.73	27.60		1470.2						
					*****	** ******							
KEFIU 31 8263 CUNSEC 0005	YEAR MUNTH		SHIP 3L	AIK I		DIR H	F PER	MIND-DIR			E DIR	ORDER	TEN SQ 1306 5 SQUARE 4
LAT 47 00 N	HOUR	18	AREA 05	GARUM CL OUD		SEA CL/TR		WEATHER	×4		TION AZ 043	00.3	2 SQUARE 66 1 SQUARE 76
2010 010 77 1	HOOK			02.000		027111							
CAL THE M (T 1 M)													
CASTNUM/TIME		DEPTH	TEMP	SAL	SIGMA-T	UYNDPTH	SNU VEL	UXYG	PJ4	TOT P	NOZ	NO3	\$103 PH
	510	00000	- 1.34	33.24	26.76	00.000	1440.0 1440.6	UXYG	PJ4	TOT P	NOZ	NO3	2103 PH
11.7	310 380 310	00000 00000 00010	- 1.34 - 1.34 - 1.34	33.24 33.24 33.24	26.76 26.76 26.76		1440.6 1440.6 1440.8	UXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	\$10 085 \$10 085 \$10	00000 00000 00010 00010	- 1.34 - 1.34 - 1.34 - 1.39	33.24 35.24 35.24 33.24 33.24	26.16 26.16 26.16 26.16 26.76	90.000	1440.6 1440.8 1440.8 1440.4	UXYG	P)4	TGT P	NOZ	NO3	\$103 PH
	\$10 085 \$10 085	00000 00000 00010 00010	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.36	33.24 33.24 33.24 33.24	26.76 26.76 26.76 26.76	90.000	1440.6 1440.8 1440.8 1440.4 1440.9 1440.9	UXYG	4)4	TGT P	NO2	N03	S103 PH
	\$10 085 \$10 085 \$10 085 \$10 085	00000 00000 00010 00010 00020 00020 00030	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.36	33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24	20.16 20.16 20.16 20.16 20.16 20.16 20.16	00.000	1440.6 1440.8 1440.8 1440.4 1440.9 1440.9 1441.0	UXYG	4)4	TGT P	NOZ	N03	S103 PH
	\$10 085 \$10 085 \$10 085 \$10 085 \$10	000 00 000 00 000 10 000 10 000 20 000 20 000 30 000 40 000 50	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.40 - 1.09	33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24	20.76 20.76 20.76 26.76 26.76 20.76 20.76 20.76 20.76 20.80 20.80	00.000	1440.6 1440.6 1440.8 1440.4 1440.7 1440.7 1440.9 1441.0 1441.0 1441.1	UXYG	P)4	TGT P	NOZ	NO3	S103 PH
	SID OBS SID UBS SID OBS OBS SID OBS OBS	00000 00000 00010 00010 00020 00020 00030 60030 00040 000550 00055	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.99	33.24 35.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.40 33.40 33.40	26.76 26.76 26.76 26.76 26.76 26.76 20.76 20.76 20.30 26.48 20.68 20.68	00.000 00.012 00.025 00.038	1440.0 1440.6 1440.8 1440.4 1440.9 1440.9 1441.0 1441.0 1441.1 1442.8 1442.8	UXYG	P)4	TGT P	NOZ	NO3	S103 PH
	SID OBS SID OBS SID OBS OBS SID OBS SID OBS SID	00000 00000 00010 00010 00020 00020 00030 60030 00040 00050 00050	- 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21	33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.40 35.40 35.40	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.40 20.60 20.60 20.60 20.60 20.60 20.60	00.000 00.012 00.025 00.036	1440.0 1440.6 1440.8 1440.9 1440.9 1446.9 1441.0 1441.1 1442.8	UXYG	P)4	TOT P	NOZ	NO3	S103 PH
	SID 085 SID 08 SID SID 08 SID	00000 00000 00010 00010 00020 00020 00030 60030 00040 00055 00055 00075 00075	- 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09	33.24 35.24 35.24 33.24 33.24 33.24 33.24 33.29 33.40 35.40 35.59 35.59 33.59 33.59	20.16 20.16 20.16 20.16 20.16 20.16 20.16 20.16 20.30 20.30 20.30 20.30 21.00 21.00 21.13	00.000 00.012 00.025 00.038	1440.6 1440.8 1440.8 1440.9 1440.9 1441.0 1441.0 1441.1 1442.8 1442.8 1442.6 1447.6 1447.6	UXYG	P)4	TOT P	NOZ	NO3	S103 PH
	SID 085 SID 0	00000 00000 00010 00010 00010 00020 00030 00040 00050 00050 00050 00075 00075	- 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.0.63 - 0.0.93	33.24 35.24 35.24 35.24 33.24 33.24 33.24 33.24 33.40 33.40 33.40 33.40 33.40 33.59 33.59 33.81 33.81	20.76 20.76 26.76 26.76 26.76 20.76 20.76 20.30 24.38 20.38 26.97 27.00 27.13 27.13 27.13	00.000 00.012 00.025 00.038 00.063	1440.0 1440.6 1440.8 1440.9 1440.9 1446.9 1441.0 1441.0 1441.1 1442.8 1442.6 1447.6 1447.6 1447.6 1452.2 1452.2	JXYG	PJ4	TOT P	NO2	NO3	S103 PH
	SID DBS SID DBS SID DBS SID DBS SID DBS SID DBS SID DBS SID DBS SID DBS SID DBS SID DBS OBS OBS OBS OBS OBS OBS OBS OBS OBS O	00000 00000 00010 00010 00020 00020 00030 00040 00050 00055 00075 00075 00075 00100 00100	- 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.47 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.063 - 0.93 - 0.93 - 0.063	33.24 35.24 35.24 33.24 33.24 33.24 33.29 33.40 33.40 35.40 35.50 35	20.16 20.76 26.76 26.76 20.76 20.76 20.76 20.30 20	00.000 00.012 00.025 00.038 00.063 00.091	1440.6 1440.8 1440.8 1440.9 1440.9 1440.9 1441.0 1441.0 1441.0 1442.8 1442.8 1442.6 1447.6 1447.6	JXYG	PJ4	TGT P	NOZ	NO3	S103 PH
	\$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085	00000 00010 00010 000120 00020 00030 00030 00050 00050 00055 00075 00075 00075 00110 00110 00115 00115	- 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21	33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.59 33.59 33.59 33.59 33.51 33.61 33.61 33.61	26.76 26.76 26.76 26.76 26.76 20.76 20.76 20.30 26.48 20.48 20.48 21.10 27.10 27.13 27.13 27.15 27.29 27.35	00.000 00.012 03.025 00.038 00.063 00.110	1440.6 1440.8 1440.8 1440.4 1440.9 1440.9 1441.0 1441.1 1441.1 1441.1 1441.1 1441.6 1441.6 1441.6 1441.6 1441.6 1452.2 1452.2 1452.3 1456.5	JXYG	PJ4	TGT P	NOZ	NO3	S103 PH
	\$10 085 \$10 085 \$10 085 \$10 085 085 310 310 310 310 310 310 310 310 310 310	00000 00000 00010 00010 00020 00020 00030 00030 00040 00055 00075 00075 00100 00110 00115 00125 00150	- 1.34 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.40 - 0.63 - 0.63 - 0.60 - 0.61 - 0.93 -	33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.49 33.59 33.59 33.51 33.61 33.61 33.61 34.14 34.23 34.23	20.76 20.76 20.76 26.76 26.76 20.76 20.76 20.30 20.40 20.40 20.40 21.00 27.13 27.13 27.15 27.35 27.35 27.36 27.36	00.000 00.012 00.025 00.036 00.063 00.191 00.115	1440.0 1440.8 1440.8 1440.9 1440.9 1441.0 1441.0 1441.1 1442.8 1441.0 1447.0 1447.0 1447.0 1447.0 1452.2 1452.2 1452.3 1452.3 1452.3 1452.3	JXYG	P34	TGT P	NOZ	NO3	S103 PH
	\$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085	000 00 000 00 000 10 000 10 000 20 000 20 000 20 000 50 000 50 000 50 000 50 000 50 000 50 001 10 001 10 001 15 001 25 001 50 001 50 00	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.21 - 0.14 - 0.63 - 0.60 -	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.40 33.59 33.59 33.51 33.61 34.23 34.23 34.23 34.23	20.76 20.76 20.76 26.76 26.76 20.76 20.76 20.30 20.40 20.40 20.40 20.40 21.13 27.13 27.15 27.35 27.35 27.36	00.000 00.012 00.025 00.036 00.063 00.191 00.110	1440.0 1440.8 1440.8 1440.9 1440.9 1441.0 1441.0 1441.0 1441.1 1442.8 1447.0 1447.0 1447.0 1447.0 1452.2 1452.2 1452.3 1450.5 1450.5 1450.5 1450.5 1450.5 1450.5 1450.5	JXYG	PJ4	TGT P	NOZ	NO3	S103 PH
	\$10 085 085 085 085 085 085 085 085 085 08	000 00 000 00 000 10 000 10 000 20 000 20 000 30 000 40 000 50 000 50 000 75 000 75 000 110 001 115 001 125 001 25 001 20 001 20 001 20 001 20 002 20 002 20	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 00.63 00.93 60.66 01.41 01.42 01.42 01.42 03.24 03.24 03.24	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.59 33.59 33.59 33.59 33.59 33.61 34.12 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 26.48 20.97 27.00 27.13 27.13 27.13 27.13 27.35 27.36 27.36 27.56 27.58 27.58	00.000 00.012 00.025 00.036 00.063 00.191 00.115	1440.0 1440.6 1440.6 1440.4 1440.9 1441.0 1441.0 1441.1 1441.0 1441.6 1441.6 1441.6 1452.2 1452.2 1452.3 1452.3 1452.3 1452.3 1452.3 1452.3 1452.3 1452.3 1452.3 1452.3 1452.3	JXYG	PJ4	TGT P	NOZ	NO3	S103 PH
	\$10 085 \$10 08 08 08 08 08 08 08 08 08 08 08 08 08	000 00 000 00 000 10 000 10 000 10 000 20 000 30 000 40 000 50 000 75 000 75 001 10 001 10 001 15 001 25 001 25 001 20 001 20 00	- 1.34 - 1.39 - 1.39 - 1.39 - 1.34 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.63 - 0.63 - 0.66 - 01.41 - 01.96 - 01.96 - 03.24 - 03.77 - 03.79 - 03.79	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.59 33.59 33.59 33.51 33.61 33.61 33.63 33.61 33.63 33.61 33.63 33.61 33.63 33.64 33.64 33.69 34.69 36 36 36 36 36 36 36 36 36 36 36 36 36	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 26.48 20.48 20.97 27.00 27.13 27.13 27.13 27.13 27.29 27.36 27.36 27.36 27.36 27.36 27.56 27.56 27.56 27.57 27.59 27.59 27.59 27.59 27.59 27.59	00.000 00.012 00.025 00.036 00.063 00.191 00.110	1440.0 1440.6 1440.6 1440.4 1440.4 1440.9 1441.0 1441.0 1441.1 1442.6 1442.6 1442.6 1447.6 1452.2 1452.2 1452.3 1456.3 14	JXYG	P34	TGT P	NOZ	NO3	S103 PH
	\$10 085 085 085 085 085 085 085 085 085 08	00000 00000 00010 00010 00020 00020 00030 00040 00050 00055 00075 00100 00110 00115 00125 00150 00250 00250 00250 00250 00250 00250 00250 00250 00250	- 1.34 - 1.39 - 1.39 - 1.39 - 1.34 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.59 - 0.21 - 0.21 - 0.21 - 0.63 - 0.66 - 01.41 - 01.96 - 03.24 - 03.79 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 03.99 - 04.35	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.59 33.59 33.59 33.59 33.59 33.61 34.12 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 26.48 20.48 20.48 20.97 27.00 27.13 27.13 27.15 27.29 27.35 27.36 27	00.000 00.012 00.025 00.036 00.063 00.091 00.110 00.137 00.155 00.186 00.213	1440.0 1440.6 1440.6 1440.4 1440.4 1440.9 1441.0 1441.0 1441.1 1442.8 1442.6 1447.6 1452.2 1452.2 1452.2 1452.2 1452.3 1456.3	JXYG	P34	TOT P	NOZ	NO3	S103 PH
	\$10 085 085 085 085 085 085 085 085 085 08	000 00 000 00 000 10 000 10 000 20 000 20 000 30 000 40 000 50 000 55 000 75 001 15 001 15 001 15 001 15 001 50 001 50 00	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.21 - 0.141 - 01.96 - 01.41 - 01.96 - 03.24 - 03.77 - 03.79 - 03.90 - 03.90	33.24 33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.59 33.59 33.51 33.61 34.61	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.30 20.30 27.00 27.00 27.00 27.13 27.13 27.15 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36	00.000 00.012 00.025 00.038 00.091 00.110 00.137 00.155 00.186 00.213	1440.0 1440.6 1440.6 1440.4 1440.4 1440.9 1441.0 1441.0 1441.0 1441.0 1442.6 1442.6 1442.6 1447.6 1452.2 1452.2 1452.2 1452.3 1456.3 14	JXYG	P34	TOT P	NOZ	NO3	S103 PH
	\$10 085 085 085 085 085 085 085 085 085 08	000 00 000 00 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 001 10 001 15 001 50 001 50 002 50 002 50 002 50 003 50 00	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.69 -	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.50 33.50 33.61	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.30 20.30 20.30 21.13 27.15 27.15 27.15 27.35 27.35 27.35 27.36 27.56 27.56 27.56 27.56 27.56 27.56 27.56 27.56 27.56 27.60 27.00 27	00.000 00.012 00.025 00.038 00.063 00.110 00.137 00.155 00.186 00.213 00.234	1440.0 1440.6 1440.6 1440.6 1440.7 1440.7 1441.0 1441.0 1441.1 1442.8 1442.9 1441.6 1442.7 1452.2 1452.2 1452.3 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	\$10 085 085 085 085 085 085 085 085 085 08	000 00 000 00 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 001 10 001 15 001 15 002 00 002 50 002 50 002 50 003 50 004 00 004 00 004 00 005 005	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.21 - 0.63 -	33.24 35.24 35.24 35.24 33.24 33.24 33.24 33.29 33.40 35.40 35.50 35.50 35.50 35.50 35.61 35.61 35.61 35.61 35.61 36	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.30 20.30 20.30 21.13 27.15 27.29 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.36 27.56 27.56 27.50 27.60 27	00.000 00.012 00.025 00.038 00.063 00.110 00.137 00.155 00.180 00.213 00.233 00.291 00.341	1440.0 1440.6 1440.6 1440.4 1440.9 1441.0 1441.0 1441.0 1441.1 1442.8 1440.9 1447.6 1452.2 1452.2 1452.2 1452.3 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	\$10 085 085 085 085 085 085 085 085 085 08	00000 00000 00010 00010 00020 00020 00030 00040 00050 00055 00075 00100 00110 00110 00110 00150 00250 00250 00250 00250 00250 00250 00250 00250 00250 00250 00250 00250 00250 00250 00250	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.59 - 0.21 - 0.21 - 0.63 - 0.93 - 0.66 - 0.93 -	33.24 33.24 33.24 33.24 33.24 33.24 33.40 33.40 33.40 33.59 33.59 33.59 33.51 33.65 34.01 34.14 34.23 34.02 34.02 34.03 35.03 36.03 36.03 36.03 36.03 36.03 36.03 36.03 36.03 36	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.30 20.30 20.30 21.30 27.13 27.13 27.13 27.13 27.13 27.13 27.13 27.13 27.13 27.15 27.36 27	00.000 00.012 00.025 00.038 00.063 00.110 00.137 00.155 00.186 00.213 00.234	1440.0 1440.6 1440.6 1440.6 1440.7 1440.9 1441.0 1441.0 1441.1 1441.6 1440.9 1441.6 1452.2 1452.3 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	\$10 085 \$10 08	00000 00000 00010 00010 00010 00020 00020 00050 00055 00075 00100 00110 00115 00125 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100	- 1.34 - 1.39 - 1.39 - 1.34 - 1.39 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.21 - 0.21 -	33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.40 33.40 33.41 33.41 34.12 34.23 34.12 34.13 34.24 34.24 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.70 20.30 21.00 21.00 21.00 21.00 21.05 21.13 21.13 21.13 21.13 21.15 21.29 21.35 21.35 21.35 21.36 21.36 21.36 21.66 21.66 21.66	00.000 00.012 00.025 00.038 00.063 00.110 00.137 00.155 00.180 00.213 00.233 00.291 00.341	1440.0 1440.6 1440.6 1440.7 1440.7 1440.9 1441.0 1441.1 1441.8 1442.2 1451.8 1442.2 1451.8 1452.2 1452.2 1450.6 1451.8 1450.7 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	SID OBS SID OB	00000 00000 00010 00010 00010 00020 00020 00050 00055 00075 00100 00110 00115 00125 00100 00100 00100 00100 00100 00400 00400 00400 00400 00400 00400 00400 00400 00400 00400 00400 00400	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 1.09 - 0.21 -	33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.59 33.59 33.59 33.51 33.61 34.73 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.30 20.30 27.00 27.00 27.00 27.13 27.13 27.13 27.15 27.35 27.35 27.35 27.35 27.35 27.35 27.36	00.000 00.012 00.025 00.038 00.063 00.137 00.137 00.155 00.186 00.213 00.233 00.291 00.390 00.390	1440.0 1440.6 1440.6 1440.6 1440.7 1440.7 1440.9 1441.0 1441.1 1440.9 1441.6 1447.6 1447.6 1447.6 1447.6 1452.2 1452.2 1452.2 1452.2 1452.3 1450.9 1460.4 140.9 147.6 147.6 147.7 147.7 147.7 147.7 1477.3 1478.9 1478.9	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	SID OBS SID OB	000 00 000 00 000 10 00	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.36 - 1.36 - 1.36 - 1.30 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 -	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.50 33.50 33.51 33.51 33.51 33.51 33.51 33.61 33.61 33.61 34.62 34.73 34.62 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 20.30 21.30 27.13 27.13 27.13 27.15 27.29 27.35 27.36 27.37 27.77 27.77 27.77	00.000 00.012 00.025 00.033 00.063 00.191 00.117 00.157 00.186 00.213 00.233 00.291 00.390 00.390 00.439	1440.0 1440.6 1440.6 1440.6 1440.7 1440.7 1441.0 1441.1 1441.6 1441.6 1441.6 1441.7 1452.2 1452.2 1452.2 1452.2 1452.2 1452.3 1450.7 1450.7 1450.7 1471.0 1471.0 1471.7 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	SED 085 SED 08	00000 00000 00010 00010 00010 00020 00030 00040 00050 00055 00075 00100 00110 00115 00150 00250	- 1.34 - 1.34 - 1.34 - 1.34 - 1.34 - 1.35 - 1.36 - 1.36 - 1.40 - 1.09 - 1.09 - 1.09 - 0.21 - 0.21 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.63 - 0.64 - 0.65 -	33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.40 33.59 33.59 33.51 33.65 33.61 33.65 33.61 34.73 34.74 34.73 34.73 34.73 34.73 34.73 34.73 34.73 34.73 34.73 34.74 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.70 27.00 27.13 27.13 27.13 27.13 27.15 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.36 27.37 27.37 27.37 27.37 27.38	00.000 00.012 00.025 00.033 00.053 00.191 00.117 00.157 00.186 00.213 00.291 00.390 00.390 00.487 00.487	1440.0 1440.6 1440.6 1440.6 1440.7 1440.9 1441.0 1441.0 1441.1 1442.8 1442.2 1440.9 1447.6 1452.2 1452.3 1450.9 1451.0 1452.0 1451.0 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH
	SED 085 SED 08	000 00 000 00 000 10 00	- 1.34 - 1.39 - 1.39 - 1.39 - 1.39 - 1.30 - 1.30 - 1.30 - 1.40 - 1.59 - 0.21 - 0.21 - 0.21 - 0.63 - 0.63 - 0.66 - 0.7 -	33.24 33.24 33.24 33.24 33.24 33.24 33.29 33.40 33.40 33.50 33.50 33.51 33.51 33.51 33.51 33.51 33.61 33.61 33.61 34.62 34.73 34.62 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34.63 34.73 34	20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.76 20.30 27.00 27.13 27.13 27.13 27.15 27.36 27.36 27.36 27.36 27.36 27.56 27.56 27.56 27.56 27.56 27.60 27.00 27.00 27.01 27.01 27.72 27.72 27.72 27.72	00.000 00.012 00.025 00.033 00.053 00.191 00.117 00.157 00.186 00.213 00.291 00.390 00.390 00.487 00.487	1440.0 1440.6 1440.6 1440.6 1440.7 1440.9 1441.0 1441.0 1441.1 1442.8 1442.2 1440.9 1447.6 1452.2 1452.3 1450.9 1451.0 14	JXYG	PJ4	TOT P	NOZ	NO3	S103 PH

1	AD-A03		COAST OCEANO JUN 76	GRAPHY	OF THE	GRAND	C OČEAI BANKS I CHULTZ	NOGRAPH REGION	IC UNIT	OUNDLAN	ND MARC	F/G 8/ H 19E	12 TC(U)	
		2 of 4 ADA035402					II.					Ting .		
	1		111111111111111111111111111111111111111										10	110
	700 1810 1810	110										- TII) -		Nu Nu
	10							1110						
	T		T		W	W				Thu				1110
			7000		OCCUPANT OF									




Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

CONSEC 0006 LAT 47 00 N LONG 046 40 b	YEAR MONTH DAY HOUR	18	SHIP 3L DATA USE 1 AREA 05	MET S BARGE CLOU	SULA 03.4 METH 1010.7	SEA CL/TR	T PEK	#IND-DIR #IND-SPD #IND-FOR #EATHER		DURAT		00.3	2	N SO I SOUARE SJUARE SJUARE	6
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	HTTOPTH	SNU VEL	JXYG	Pu4	TGT P	1402	:403	5633	Рн	
	STD	00000	- 1.10	33.30	26.80	00.300	1441.8								
15.3	S10	00010	- 1.10	33.30	26.80	00.012	1441.8								
	285	00010	- 1.10	33.30	26.80		1442.0								
	085	00020	- 1.10	33.31	26.81	00.025	1442.2								
	510	00030	- 1.09	35.33	20.32	00.037	1442.4								
	365	00030	- 1.09	33.33	27.11	00.054	1442.4								
	085	00050	- 0.44	33.71	27.11	00.081	1452.6								
	UBS	00075	00.16	33.97	21.25	00.081	1452.0								
	310	00100	01.36	34.08	21.30	00.101	1455.8								
	510	00125	02.41	34.38	27.46	03.119	1461.3								
	385	00125	03.14	34.38	27.52	00.134	1461.3								
	085	00150	03.16	34.53	21.52		1465.1								
	S10 085	00200	03.91	34.73	27.60	00.162	1469.4								
	STD	00250	04.15	34.79	21.63	03.187	1471.3								
	STD	00300	04.15	34.79	21.66	00.212	1471.3								
	065	00300	04.30	34.86	27.66		1473.1								
	STD	00400	04.56	34.92	27.68	00.259	1475.7								
	STD	00500	04.50	34.93	21.10	00.105	1477.1								
	STD	00500	04.50	34.93	21.10	00.350	1477.1								
	085	00600	04.40	34.94	21.12		1478.4								
	STO	00700	04.23	34.93	27.73	00.396	1479.3								
	STD	00800	04.12	34.93	21.74	00.440	1480.5								
	085 STD	00800	04-12	34.93	21.14	00.485	1480.5								
	085	01000	04-01	34.93	21.75	03.530	1481.7								
	085	01000	03.91	34.92	21.15	03.529	1482.9								
	085	01100	03.80	34.92	21.76	00.574	1484.1								
	003	01100	03.00	34.72											
					•••••	•••••									
REFID 31 826		R 1971	BOTOP 0073	0 418	TEPP 03.	9 DIR	HUT PER	WIND-DI	R 14	INS	STO RE	CORDER	,	EN SQ	1 306
LAT 47 00		TH 03	SHIP 3L DATA USE		JULB 03.	3 18	2 2	WIND-FU	D 23	TRAC	EDIR	00.4	5	SQUAR	E 4
LUNG 046 31		K 18.3			DUD T/A	CL/T	K	WEA THER		ORIO				SQUAR	
CASTNUM/TIME															
	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXYG	P.14	tor	NO2	NOS	SIGN	ОН	
		DEPTH	TEMP	SAL 33.51	SIGMA-T	DYNUPTH CO-000		OXYG	PJ4	tor	NO2	NO3	\$103	РН	
18.3	STD	00000	- 0.27 - 0.27	33.51	20.94	co. 000	1446.0	OXY G	PJ4	tor s	NO2	NO3	\$103	РН	
18.3	STD (185 STD	00000 00000 00010	- 0.21 - 0.21 - 0.21	33.51 33.51 33.53	20.94 26.94 26.95		1446.0 1446.0 1446.2	OXY G	PJ4	tor	NO2	NO3	\$103	РН	
16.3	STD OBS STD OBS STD	00000 00000 00010 00010	- 0.21 - 0.21 - 0.21 - 0.21 - 0.27	33.51 33.51 33.53 33.53 33.69	20.94 26.94 26.95 26.95 27.04	co. 000	1446.0 1446.2 1446.2 1450.5	OXY G	PJ4	tor	NO2	N03	\$103	РН	
18.3	STD OBS STD OBS	00000 01000 01000 05000	- 0.21 - 0.21 - 0.21 - 0.21 - 0.21 00.59	33.51 33.53 33.53 33.69 33.69	20.94 26.94 26.95 26.95 27.04 27.04	00.000 00.011 00.021	1446.0 1446.2 1446.2 1450.5 1450.5	. OXYG	PJ4	tor	NO2	N03	\$103	PH	
10.3	STD OBS STD OBS STD OBS STD OBS	00000 00010 00010 00020 00020 00030	- 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.59 - 00.81	33.51 33.53 33.53 33.69 33.69 33.77	20.94 26.94 26.95 26.95 27.04 27.09 27.09	00.001 00.021 00.031	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8	. OXYG	PJ4	tor	P NO2	N03	\$103	PH	
18.3	STD (185 STD (185 STD (185 STD	00000 00010 00010 00020 00020	- 0.27 - 0.27 - 0.27 - 0.27 - 0.59 00.59 00.59	33.51 33.53 33.53 33.69 33.69	20.94 26.94 26.95 26.95 27.04 27.09 27.09	00.000 00.011 00.021	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8 1451.8	OXY G	PJ4	tor	P NO2	NO3	\$103	PH	
18.3	STD OBS STD OBS STD OBS STD OBS STD	C0000 00000 00010 00010 00020 00030 00030 00050 00050	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.59 - 00.81 - 02.01 - 02.01	33.51 33.53 33.53 33.69 33.69 33.77 33.77 33.96 34.22	20.94 26.95 26.95 27.04 27.09 27.09 27.16 27.16	00.001 00.021 00.031	1446.0 1446.0 1446.2 1446.2 1450.5 1451.8 1451.8 1457.7 1457.7	OXY G	PJ4	tor 6	P NOZ	NO3	\$103	РН	
18.3	STD OBS OBS OBS	C0000 00000 00010 00010 00020 00030 00030 00050 00050 00075	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 00.59 - 00.59 - 00.81 - 02.01 - 02.01 - 02.66 - 02.66 - 03.06	33.51 33.53 33.53 33.69 33.69 33.77 33.77 33.96 34.22 34.22 34.30	20.94 26.95 26.95 27.04 27.09 27.09 27.16	00.000 00.011 00.021 00.031	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8 1451.8 1457.7	OXY G	PJ4	tor	P NOZ	NO3	\$103	PH	
18.3	STD OBS OBS	C0000 00000 00010 00010 00020 00030 00030 00050 00050 00075 00075	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 0.81 - 0.81 - 0.81 - 0.201 - 0.201	33.51 33.53 33.53 33.69 33.69 33.77 33.77 33.96 34.22 34.22 34.22 34.30	20.94 26.94 26.95 20.95 27.04 27.09 27.16 27.16 27.32 27.32 27.34	00.000 00.011 00.021 00.031 00.050	1446.0 1446.2 1446.2 1450.5 1451.8 1451.8 1457.7 1461.3 1461.3 1461.3	OXY G	PJ4	tor	NO2	N03	\$103	РН	
18.3	STD OBS	C0000 00000 00010 00010 00020 00030 00030 00050 60675 00075 00085 00085 00085	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.59 - 00.81 - 00.81 - 02.01 - 02.01 - 02.66 - 02.66 - 02.66 - 02.56 - 02.76	33.51 33.53 33.53 33.69 33.69 33.77 33.77 33.96 34.22 34.22 34.30	20.94 26.95 26.95 27.04 27.09 27.16 27.16 27.16 27.32 27.32 27.32 27.35	00.000 00.011 00.021 00.031 00.050 00.072	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8 1451.7 1457.7 1461.3 1461.3 1461.3	OXYG	PJ4	tor	P NO2	N03	\$103	РН	
16.3	STD OBS	C0000 00000 00010 00010 00020 00020 00030 00050 00050 00050 00050 00050 00087	- 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 0.81 - 0.01 - 0.01 - 0.2.01 - 0.2.66 - 0.2.66 - 0.3.06 - 0.2.76 - 0.2.76 - 0.2.76 - 0.2.76 - 0.2.76 - 0.2.76 - 0.3.51	33.51 33.53 33.53 33.69 33.69 33.77 33.77 33.96 34.22 34.22 34.23 34.26 34.26	20.94 20.95 20.95 21.04 27.09 27.10 27.16 27.16 27.32 27.32 27.32 27.35 27.35 27.45	00.000 00.011 00.021 00.031 00.050	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8 1457.7 1457.7 1461.3 1461.3 1461.1	OXYG	PJ4	tor	NO2	N03	\$103	PH	
16.3	\$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085	00000 00000 00010 00010 00020 00030 00030 00050 00050 00050 00050 00050 00050 00050 00050	- 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 0.81 - 0.01 - 0.01 - 0.2.01 - 0.2.66 - 0.2.66 - 0.2.66 - 0.2.76 - 0.2.76 - 0.2.76 - 0.3.51 - 0.3.51 - 0.3.51 - 0.3.51 - 0.3.51 - 0.3.51	33.51 33.53 33.53 33.59 33.69 33.77 33.76 34.22 34.23 34.26 34.28 34.28 34.28 34.28 34.28	20.94 20.95 20.95 21.04 27.09 27.10 27.16 27.16 27.32 27.35 27.35 27.45 27.45	00.000 00.011 00.021 00.031 00.050 00.072	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8 1457.7 1461.3 1461.3 1461.1 1462.2 1462.2 1466.2	OXYG	PJ4	tor	NO2	N03	\$103	PH	
16.3	\$10 (BS \$10 UBS \$10 UBS \$10 (BS \$10 (BS \$10 UB	00000 00010 00010 00020 00020 00030 00050 00050 00075 00075 00075 00075 000100 00100 00125 00125	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.81 - 02.01 - 02.01 - 02.06 - 02.66 - 03.06 - 02.76 - 02.76 - 03.51 - 03.92 - 03.92	33.51 33.53 33.53 33.53 33.69 33.69 33.77 33.96 34.22 34.22 34.23 34.26 34.28 34.28 34.28 34.28	20.94 20.94 26.95 26.95 27.04 27.09 27.16 27.16 27.32 27.34 27.35 27.35 27.35 27.35 27.45 27.58	00.000 00.011 00.021 00.031 00.050 00.072	1446.0 1446.2 1446.2 1450.5 1450.5 1451.8 1451.8 1457.7 1461.3 1461.3 1461.1 1462.2 1462.2 1466.2	OXYG	PJ4	TOT !	NO2	NO3	\$103	PH	
18.3	\$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085 \$10 085	00000 00000 00010 00010 00020 00030 00050 00050 00050 00050 00100 00100 00125 00125 00150 00125	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.81 - 00.81 - 02.01 - 02.01 - 02.66 - 02.66 - 02.66 - 02.66 - 02.76 - 02.76 - 03.51 - 03.51 - 03.92 - 04.33 - 04.33 - 04.33	33.51 33.53 33.53 33.53 33.69 33.69 33.77 33.76 33.96 34.22 34.30 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.30	20.94 20.94 26.95 26.95 27.04 27.09 27.16 27.16 27.32 27.34 27.35 27.35 27.49 27.49 27.49	00.000 00.311 00.021 00.031 00.050 00.072 00.107 00.122	146.0 1446.0 1446.2 1450.5 1451.8 1451.8 1457.7 1457.7 1461.3 1461.3 1462.2 1462.2 1466.2 1468.6 1471.3	OXYG	PJ4	TOT !	NO2	NO3	\$103	РН	
18.3	STD OBS STD UBS STD UBS STD OBS	00000 00010 00010 00010 00020 00030 00030 00050 00075 00075 00087 00100 00100 00125 00125 00150 00150	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 0.81 - 0.01 - 0.01 - 0.2.01 - 0.2.66 - 0.2.66 - 0.2.66 - 0.2.66 - 0.2.76 - 0.2.76 - 0.2.76 - 0.3.92 - 0.3.92 - 0.3.92 - 0.3.92 - 0.3.92 - 0.4.33 - 0.4.33 - 0.4.43	33.51 33.53 33.53 33.53 33.69 33.77 33.76 33.96 34.22 34.23 34.26 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28	20.94 20.94 20.95 21.04 27.09 27.10 27.16 27.32 27.32 27.35 27.35 27.46 27.46 27.58 27.46 27.64	00.000 00.011 00.021 00.031 00.050 00.072	1446.0 1446.2 1446.2 1450.5 1451.8 1451.8 1457.7 1461.3 1461.3 1461.3 1462.2 1466.2 1466.2 1466.8 1411.3 1471.7	OXYG	PJ4	tor :	NO2	NO3	\$103	РН	
18.3	STD OBS STD OB	00000 00000 00010 00010 00020 00030 00050 00050 00050 00050 00050 00100 00100 00125 00150 00150 00200 00250 00250	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.37 - 0.81 - 0.01 - 0.01 - 0.01 - 0.02 - 0.02 - 0.03 - 0.03	33.51 33.53 33.53 33.53 33.69 33.77 33.76 33.96 34.22 34.23 34.26 34.28 34.28 34.28 34.28 34.38 34.87 34.87	20.94 20.94 26.95 20.95 21.04 21.09 27.16 21.32 21.32 21.35 21.35 21.49 21.58 21.58 21.64 21.64 21.66	00.000 00.311 00.021 00.031 00.050 00.072 00.107 00.122	146.0 146.2 146.2 1450.5 1451.8 1451.8 1457.7 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1471.7 1472.7 1472.7	OXYG	PJ4	101	P NGZ	NO3	\$103	РН	
16.3	\$10 085 085 085 085 085 085 085 085 085 08	00000 00010 00010 00010 00020 00030 00030 00050 00050 00050 00050 00100 00100 00125 00150 00150 00200 00200 00200 00200 00200 00300	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.81 - 02.01 - 02.01 - 02.06 - 02.66 - 02.66 - 02.76 - 02.76 - 02.76 - 03.51 - 03.51 - 03.51 - 03.92 - 04.33 - 04.45 - 04.56	33.51 33.53 33.53 33.69 33.69 33.77 33.96 34.22 34.20 34.26 34.28 34.28 34.28 34.28 34.28 34.28 34.34 34.34 34.34 34.34 34.87 34.87	20.94 20.95 20.95 21.04 27.09 27.10 27.16 21.32 27.32 27.35 27.35 27.45 27.49 27.46 27.66 27.66 27.66 27.66	00.000 00.311 00.021 00.050 00.072 00.107 00.122 00.147 00.171 00.194	146.0 1446.0 1446.2 1450.5 1450.5 1451.8 1451.8 1451.7 1461.3 1461.3 1462.2 1462.2 1466.2 1468.6 1471.3 1471.7 1471.7 1471.7	OXYG	PJ4	101	P NOZ	NO3	\$103	РН	
16.3	STD OBS	00000 00010 00010 00010 00020 00030 00050 00050 00050 00050 00050 00100 00100 00125 00150 00150 00200 00200 00200 00200 00250 00250 00300 00300 00300	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.81 - 02.01 - 02.01 - 02.06 - 02.66 - 02.66 - 02.76 - 02.76 - 02.76 - 03.51 - 04.33 - 04.33 - 04.35 - 04.45 - 04.45 - 04.45 - 04.45	33.51 33.53 33.53 33.69 33.69 33.77 33.96 34.22 34.23 34.23 34.24 34.24 34.24 34.24 34.34 34.34 34.34 34.34 34.34 34.34 34.34 34.34 34.34 34.34 34.34 34.34	20.94 20.95 20.95 21.04 27.09 27.10 27.16 21.32 27.35 27.35 27.45 27.45 27.66	00.000 00.311 00.021 00.031 00.050 00.072 00.107 00.122 00.147 00.171 00.194	146.0 1446.0 1446.2 1450.5 1450.5 1450.3 1451.8 1451.8 1451.8 1461.3 1461.3 1462.2 1462.2 1466.2 1468.6 148	OXYG	PJ4	TOT	P NOZ	NO3	\$103	PH	
16.3	STD (185 STD) (1	00000 00000 00010 00010 00020 00030 00050 00050 00050 00050 00100 00100 00100 00100 00100 00100 00100 00100 00200 00200 00200 00200 00300 00300 00400 00400	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.29 - 00.81 - 02.01 - 02.01 - 02.66 - 03.06 - 02.76 - 02.76 - 03.51 - 03.92 - 03.92 - 04.33 - 04.45 - 04.45	33.51 33.53 33.53 33.69 33.69 33.67 33.77 33.96 34.22 34.30 34.26 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.30	20.94 20.94 20.95 21.04 21.09 21.10 21.16 21.32 21.32 21.35 21.35 21.45 21.45 21.46 21.66 21.66 21.66 21.66 21.66 21.66 21.68 21.68 21.68 21.68 21.68 21.68 21.68 21.70 21.70	00.000 00.311 00.021 00.050 00.072 00.107 00.122 00.147 00.171 00.194	146.0 146.2 146.2 1450.5 1451.8 1451.8 1457.7 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1471.7 1472.7 1472.7 1472.7 1472.7 1472.7 1472.7 1472.7 1472.7	OXYG	PJ4	TOT	NO2	NO3	\$103	РН	
18.3	\$10 085 085 085 085 085 085 085 085 085 08	00000 00000 00010 00010 00020 00030 00050 00050 00050 00050 00050 00050 00050	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.29 - 00.81 - 02.01 - 02.01 - 02.66 - 03.06 -	33.51 33.53 33.53 33.69 33.69 33.67 33.77 33.96 34.22 34.30 34.26 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.28 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30 34.30	20.94 20.94 20.95 21.04 21.09 21.10 21.32 21.32 21.34 21.35 21.35 21.45 21.45 21.46 21.66 21.66 21.66 21.66 21.66 21.68 21.68 21.70 21.77 21.77	00.000 00.311 00.021 00.031 00.050 00.072 00.107 00.122 00.147 00.171 00.194	146.0 146.2 146.2 1456.5 1451.8 1457.7 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1461.3 1471.7 1471.7 1471.7 1471.7 1471.7 1471.0 1471.6	OXYG	PJ4	TOT 1	NO2	NO3	\$103	PH	
18.3	STD OBS	00000 00000 00010 00010 00020 00030 00050 00050 00050 00050 00050 00050 00050	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 00.81 - 02.01 - 02.01 - 02.66 - 02.66 - 02.66 - 02.76 - 02.76 - 02.76 - 02.76 - 03.51 - 04.33 - 04.33 - 04.35 - 04.45 - 04.45	33.51 33.53 33.53 33.69 33.69 33.77 33.96 34.22 34.23 34.23 34.24 34.26 34.26 34.27 34.34 34.54 34.54 34.54 34.54 34.54 34.54 34.54 34.54 34.54 34.54 34.54	20.94 20.94 20.95 21.04 27.09 27.16 27.16 27.32 27.34 27.35 27.45 27.45 27.64 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66	00.000 00.311 00.021 00.031 00.050 00.072 00.107 00.122 00.147 00.171 00.194 00.239 00.283	146.0 1446.0 1446.2 1450.5 1450.5 1450.3 1451.8 1457.7 1461.3 1463.3 1461.1 1462.2 1462.2 1466.2 1468.6 1488.6	OXYG	PJ4	TOT	NO2	NO3	\$103	PH	
18.3	STD 085 STD	00000 00000 00010 00010 00020 00030 00050 00050 00050 00050 00150 00150 00150 00250 00250 00250 00250 00300 00300 00300 00400 00500 00660	- 0.27 - 0.27 - 0.27 - 0.27 - 0.27 - 0.59 - 0.81 - 0.01 - 02.01 - 02.66 - 02.66 - 02.66 - 02.66 - 02.76 - 02.76 - 02.76 - 02.76 - 03.51 - 04.33 - 04.33 - 04.35 - 04.45 -	33.51 33.53 33.53 33.69 33.69 33.77 33.96 34.22 34.23 34.23 34.24 34.24 34.24 34.24 34.24 34.24 34.24 34.34	20.94 20.94 20.95 21.04 27.09 27.10 27.16 27.32 27.36 27.35 27.35 27.35 27.49 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66	00.000 00.311 00.021 00.031 00.050 00.072 00.107 00.122 00.147 00.171 00.194 00.239 00.283	146.0 146.0 146.2 1450.5 1451.8 1451.8 1451.7 1461.3 1461.3 1461.3 1461.1 1462.2 1466.2 1468.6 1408.6 141.3 1471.7 1472.7 1472.7 1472.7 1475.2 1476.1 1477.2 1476.1 1477.2 1476.1	OXYG	PJ4	TOT	NO2	NO3	\$103	PH	

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

REF19 31 8263 CUNSEC 0008 LAT 47 90 N LJNG U46 10 H		SHIP 3L DATA USE 1 AREA 05	AIR TEMP 04.3 WET HULB 04.0 BARGMETR 1006.8 CLUB 1/4	DIR HGT PER 16 2 3 SEA CL/TR	WING-DIR 15 WIND-SPD 22 WIND-FUR WEATHER X4	INST STU RECORDER TRACE DIR D DURATION 00.2 URIG A2 043	
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-I	DYNDPTH SND VEL	OXYG P34	TOT P NO2 NO3	5103 PH
20.5	\$10 00000 BH\$ 00000 \$10 00010 \$10 00020 BB\$ 00010 \$10 00020 \$10 00030 \$10 00030 \$10 00050 BB\$ 00050 BB\$ 00050 BB\$ 00050 BB\$ 00050 BB\$ 00050	01.03 01.03 01.03 01.05 01.05 01.00 01.00 01.40 01.40 01.17 01.16	33.75 27.02 33.75 27.02 33.75 27.02 33.75 27.02 33.75 27.02 33.75 27.02 33.73 27.01 33.73 27.01 33.73 27.01 33.75 27.03 33.75 27.03 33.75 27.03 33.75 27.03 34.75 27.03 34.75 27.25 34.05 27.25	00-000 1454.9 1454.9 00-010 1455.1 00-021 1455.3 1455.3 00-031 1455.2 1455.0 1455.0 1455.0 1455.1 00-075 1457.1			
REFID 31 8263 CONSEC 0009 LAT 47 G2 N LUNG 045 45 M	YEAR 1971 MONTH 03 DAY 19 HOUR 00-0	BUTUP GOZBO SHIP 3L DATA USE 1 AREA 05	AIR TEMP 07.0 MET BULB 06.7 AAROMETR 1063.5 CLGUD T/A 5/8	DIR HGT PER 14 2 3 SEA CL/TR	WIND-DIR 14 WIND-SPD 25 WIND-FUR WEATHER X6	INST NAMSEN CAST TRACE DIR DURATION ORIG AZ 043	TEN SQ 1306 5 SQUARE 4 2 SQUARE 64 1 SQUARE 75
CASTNUM/T IME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNDPTH SND VEL	UXYG P34	TOT P NUZ NOS	S103 PH
00.0 00.0 00.0 00.0 00.0	\$1D 00000 08\$ 00000 \$1D 00010 \$1D 00020 08\$ 00045 \$1D 00050 08\$ 00045 \$1D 00050 08\$ 00049 \$1D 00050 \$1D 00100 \$1D 00100 \$1D 00125 08\$ 00134 \$1D 00150 08\$ 10150	02.65 02.65 02.52 02.33 02.23 02.03 01.99 01.88 01.81 01.71 01.60 02.27	33.78 26.97 33.783 26.97 33.772 26.97 33.75 26.97 33.75 26.97 33.76 26.99 33.780 27.03 33.80 27.03 33.80 27.07 33.83 27.07 33.83 27.07 33.87 27.11 33.97 27.12 34.19 27.33 34.19 27.33 34.19 27.33 34.697 27.54	00-J00 1459-4 1459-4 00-J11 1459-0 1458-6 1458-6 1458-1 1457-5 0J-U54 1457-4 1457-3 0U-J79 1457-3 1457-3 0U-104 1457-4 00-127 1457-5 00-148 1460-8 1470-5			
KEFID 31 8263 CUNSEC 0010 L4T 47 20 N LUNG 045 50 W	YEAR 1971 MUNTH 03 DAY 19 HOUR 04.7	SHIP SE DATA USE L AREA US	AIR TEMP 05.8 WET BULB 06.8 BARGHETR 0999.4 CLUUD T/A	OIR HGT PER 18 5 3 SEA CL/TR	MIND-DIR LE WIND-SPD 25 MIND-FOR WEATHER 44	INST STO RECURDER TRACE DIR DURATION 00-1 URIG AZ 043	TEN SQ 1306 5 SQUARE 4 2 SQUARE 64 1 SQUARE 75
CASINUM/TIME	CVLTYP DEPTH STD 00000 085 00010 085 00010 085 00020 085 00020 085 00030 085 00030 085 00070 085 00070 085 00070 085 00100 085 00100 085 00100 085 00100 085 00150 085 00150 085 00150 085 00150 085 00150 085 00150 085 00150 085 00200 085 00200 085 00200 085 00220 085 00220 085 00220 085 00220 085 00220 085 00220 085 00220 0	TEMP 01.93 01.97 01.97 01.97 01.97 02.10 02.10 02.10 02.10 02.20 03.21 03.29 03.71 04.34 04.34 04.37 04.37	SAL SIGMA-T 33.83 27.06 33.83 27.06 33.83 27.06 33.85 27.06 34.85 27.08 35.85 27.08 35.91 27.11 35.94 27.13 35.94 27.13 35.94 27.13 35.94 27.13 35.94 27.13 35.94 27.28 34.04 27.28 34.24 27.34 34.26 27.35 34.27 27.36 34.27 27.36 34.28 27.39 34.29 27.39 34.20 27.52 34.76 27.56 34.76 27.56 34.76 27.56 34.76 27.66 34.90 27.65	DYNUPTH SND VEL 00.000 1456.6 1456.6 00.010 1456.7 1450.7 1450.9 1450.9 1457.7 1450.9 1457.7 00.049 1458.3 1458.3 1458.3 00.070 1460.7 00.088 1464.7 1464.7 00.104 1467.2 1467.2 00.118 1470.4 1471.2 00.143 1471.5 1471.7	JXYG P14	TOT P NO2 NU3	S103 PH

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

REFID 31 8263 CONSEC 0011 LAT 47 40 N LONG 045 50 W	MONT	1971 H 03 19 07.4	BOTOP G0330 SHIP 3L DATA USE 1 AREA 05	BARC	TEMP 05.6 BULB 05.2 DAFTR 0996.9		GT PER	HIND-DIR HIND-SPU HIND-FOR HEATHER	25	DURAT	10N	00.1	2	N SU 130 SUUARE SUUARE 6 SUUARE 7	4
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPIH	SNE VEL	DXYG	PJ4	101 P	NUZ	N03	\$103	Pri	
	STO	00000	92.31	33.92	27.10	00.000	1458.1								
07.4	UBS	00000	02.31	13.92	27.10	00.000	1450.1								
	STO	00010	92.29	33.42	27.11	00.009	1458.2								
	UBS	00010	02.29	33.92	27.11	00.00,	1458.2								
	510	00020	02.48	33.92	27.11	00.019	1458.3								
	085	00020	02.28	33.92	27.11		1458.3								
	STO	00030	02.26	33.92	27.11	00.029	1458.4								
	085	00030	02.20	33.92	27.11		1458.4								
	STO	00050	02.02	33.95	27.15	03.047	1457.7								
	085	00050	02.02	33.95	27.15	-	1457.7								
	085	00065	02.01	33.95	27.15		1457.9								
	STO	00075	01.64	33.93	27.16	00.070	1456 .4								
	OBS	00075	01.64	33.93	27.16		1456.4								
	STO	00100	01.82	34.04	21.24	00.092	1457.8								
	DBS	00100	01.82	34.04	21.24		1457.8								
	510	00125	01.98	34.10	21.27	00.115	1459.0								
	085	00125	01.98	34.10	21.27		1459.0								
	STD	00150	02.52	34.30	21.39	00.132	1462.0								
	UBS	00150	02.52	34.50	27.39		1462.0								
	OBS	00155	02.41	34.34	27.43		1461.7								
	Jes	00168	03.66	34.66	21.57		1467.7								
	OBS	00185	04.19	34.79	27.62		1470.4								
	STO	00200	04.46	34.04	27.63	00.162	1471.9								
	OBS	00200	04.46	34.34	27.63		1471.9								
	085	00225	04.61	34.90	21.66		1473.0								
	510	00250	04.41	34.88	27.67	03.186	1472.5								
	UBS	00250	04-41	34.88	27.67		1472.5								
	085	30285	04.27	34.91	27.71		1472.6								
					•••••	******									

REFID CONSEC LAT LONG	48	001 00 50	MUNT N DAY	1971 H 03 19 10.0	SHIP 3L DATA USE 1 AREA 05	BARON	OLB 03.0		GI PER	WIND-DIK WIND-SPD WIND-FER WEATHER	25	TRACE		00.2	TEN SU 13 5 SQUARE 2 SQUARE 1 SQUARE	84
CAS	TNUM.	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNL VEL	UXYG	P34	101 P	NOZ	NO3	\$103 PH	
			STD	00000	01.39	33.42	27.17	00.000	1454.1							
		10.0	085	00000	01.39	33.92	27.17		1454.1							
			STD	00010	01.38	33.92	21.17	00.309	1454.2							
			OBS	00010	01.38	33.42	27.17		1454.2							
			510	00020	01.38	35.92	27.17	00.018	1454.4							
			UBS	00020	01.50	33.92	27.17		1454.4							
			STD	00030	01.38	33.43	27.18	150.00	1454.5							
			085	00030	01.38	33.95	21.18		1454.5							
			385	00038	01.39	33.99	21.23		1454.8							
			STD	00050	01.68	34.03	27.24	00.344	1456.3							
			285	00050	01.68	34.03	21.24		1456.3							
			STD	00075	01.90	34.10	21.28	00.065	1458.1							
			OBS	00075	01.96	34.10	27.28		1458 -1							
			STO	00100	01.94	34.13	21.30	00.084	1458.5							
			OBS	00100	01.94	34.13	21.30		1458.5							
			STO	00125	03.66	34.67	27.58	00.101	1467.0							
			085	00125	03.66	34.67	27.58		1467.0							
			STO	00150	04.11	34.80	27.64	00.113	1469.5							
			UBS	00150	04.11	34.00	27.04		1469.5							
			085	00160	04.28	34.82	27.63		1470.4							
			UBS	00175	04.11	34.80	27.64		1469.9							
			SID	00200	04.17	34.85	21.67	00.137	1470.7							
			085	00500	04.17	34.85	21.67		1470.7							
			STD	00250	04.33	34.91	27.76	00.159	1472.2							
			085	00250	04.33	34.91	27.70		1472.2							
			510	00300	04.44	34.94	27.71	00.180								
			085	00300	04.44	34.94	21.71		1473.6							
			510	00400	04.27	34.95	21.74	00.222	1474.5							
			OBS	00400	04.21	34.95	27.74		1474.5							
			\$10	00500	04.13	34.95	27.75	202.90	1475.5							
			285	00500	04.13	34.95	27.75	06.66	1475.6							
			STO	00,00	04.05	34.96	21.77	00.302	1476.9							
			OBS	00600	04.05	34.76	27.77	000 301	1476.9							
			085	00623	04.07	34.96	27.77		1477.3							
			085	00655	04.06	34.96	27.77		1477.9							
				00000	04.00	,,,,,										
							*****	*******								

Table 171.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18-19
March 1971, Prepared from NODC Listing No. 31-8263.—Continued

REFID 31 8.6 CONSEC 0G. LAT 48 20 1 LUNG 045 50	MONT DAY	1971 H 03 19	BOTOP 00951 SHIP 3L DATA USE 1 AREA 65	HAR	TEMP 04.8 BULH 04.3 METR 0993.3	DIR H	GT PER	MIND-DIR MIND-SPD MIND-FJR WEATHER	24	DURAT	STD REC	00.3	5	N SQ 13 SQUARE SQUARE SQUARE	84
CASTNUMITIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-F	DYNDPTH	SND VEL	DXYG	P)4	TOT P	NOZ	NO3	5103	РН	
	510	00000	01.13	33.90	27.18	00.000	1452.9								
13.4	885	00000	01.13	33.90	27.18		1452.7								
	085	00010	01.13	33.90	27.18	00.009	1453.1								
	\$10	00020	01.12	33. 90	27.16	00.018	1453.2								
	085	00020	01.12	33. 10	27.18		1453.2								
	STU	00030	01-12	33.89	21.17	00.327	1453.3								
	085 \$10	00030	01.12	33.95	21.17	00.044	1453.3								
	ORS	00050	01.06	33.15	21.22		1455.5								
	\$10	00075	01.25	34.04	21.28	00.065	1454.9								
	200	00075	01.25	34.24	27.26	00.084	1454.9								
	385	00100	01.81	34.24	27.40	00.004	1458.0								
	510	00125	02.66	34.33	27.40	00.101	1462.3								
	285	00125	02.66	34.33	27.40	00.117	1462 . 3								
	085	00150	03.16	34.54	21.53	00.117	1465.1								
	510	00200	03.96	34.78	27.64	00-144	1469.7								
	085	00200	03.96	34.78	27.64	00 147	1469.7								
	310	00250	04.41	34.88	27.67	00-167	1472.5								
	510	00300	04.50	34.92	27.65	00.190	1473.8								
	085	00300	04.50	34.92	27.69		1473.8								
1	085	00400	04.49	34.95	21.12	00.234	1475.4								
	510	00500	04.34	34.95	27.73	00.277	1476.5								
	085	00500	04.34	34.45	21.13		1476.5								
	085	00600	04.21	34.94	21.14	00.320	1477.6								
	510	00700	04.04	34.93	27.75	00.362	1478.5								
	365	00700	04.04	34.71	27.75		1478.5								
	095	00800	03.97	34.93	27.16	00.405	1479.9								
	093	00000	03.71	34.73											
					*****	*******	•								
RSF10 31 8263		1971	50 TUP 01174	AIR			GT PER	#IND-DIR			NANSEN	CAST		N SQ 13	
CUNSEC 0014	MONT	H Q3	SHIP 3L	WET	HUL8 00.6	22		WIND-SPD		TRACE	DIR	CAST	5	SQUARE	4
	MONT	H 03		BARU						TRACE	DIR		5 2		4 84
CUNSEC 0014	MONT	H 03	SHIP 3L DATA USE 1	BARU	HULB 00.6 METR 0994.0	SEA		WIND-SPD WIND-FOR	27	TRACE	ION		5 2	SQUARE	4 84
CUNSEC 0014	MONT GAY HOUR	H 03	SHIP 3L DATA USE 1	BARU	HULB 00.6 METR 0994.0	SEA	3 3	WIND-SPD WIND-FOR	27	TRACE	ION		5 2	SQUARE	4 84
CUNSEC 0014 LAT 48 35 N LUNG 045 50	MONTE LAY HOUR LVLTYP	19 18.9 DEPTH	SHIP 3L DATA USE 1 AREA 05	SAL	HULB 00.6 METR 0994.0 D T/A 7/8 SIGMA-T 27.01	SEA CL/TR	3 3 SND VEL 1449.9	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CUNSEC 0014 LAT 48 35 N LUNG 045 50	LVLTYP STD OBS	03 19 18.9 DEPTH	SHIP 3L DATA USE 1 AREA 05 JEMP 00.55 00.55	WET BARU CLOU SAL 33.66 33.656	00.6 METR 0994.0 7/8 7/8 SIGMA-T	SEA CL/TR DYNDPTH 00-000	3 3 SND VEL 1449.9 1447.7	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CUNSEC 0014 LAT 48 35 N LUNG 045 50 W CASTNUM/TIME	LVLTYP STD OBS STD	DEPTH 00000 00000 00010	SHIP 3L DATA USE 1 AREA 05 1EMP 00.55 00.55	WET BARG CLOU SAL 33.66 33.656 33.08	00.6 METR 0994.0 7/8 7/8 SIGMA-T 27.01 27.01 27.01 27.03	22 SEA CL/TR DYNDPTH 00.000 00.010	SND VEL 1449.9 1447.7 1450.4	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CUNSEC 0014 LAT 48 35 N LUNG 045 50 W CASTNUM/TIME	LVLTYP STD OBS	00000 00010 00020 00028	SMIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71	SAL 33.66 33.65 33.08 33.71 33.728	HULD 00.6 METR 0994.0 D T/A 7/B SIGMA-T 27.01 27.01 27.03 27.05 27.06	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020	SND VEL 1449.9 1447.9 1450.4 1451.2	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME	MONTO LAY HOUR LVLTYP STD OBS STD STD OBS STD STD OBS	DEPTH 00000 00000 00010 00020 00028 00030	SHIP 3L DATA USE 1 AREA 05 1EMP 00.55 00.55 00.61 00.66 00.71	SAL 33.66 33.656 33.71 33.728 33.78	BULB 00.6 METR 0994.0 D T/A 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.06 27.10	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-030	SND VEL 1449.9 1447.9 1450.4 1451.2 1451.2	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9	MONTO LAY HOUR LVLTYP STD OBS STD STD UBS STD STD STD STD	DEPTH 00000 00000 00010 00020 00028 00030 00050	SMIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71	SAL 33.66 33.65 33.08 33.71 33.728	HULD 00.6 METR 0994.0 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.06 27.10 27.31	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020	SND VEL 1449.9 1447.9 1450.4 1451.2	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME	MONTO LAY HOUR LVLTYP STD OBS STD STD OBS STD STD OBS	DEPTH 00000 00000 00010 00020 000128 00030 00054 00075	SMIP 3L DATA USE 1 AREA 05 TEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74	SAL 33.66 33.656 33.71 33.728 33.78 34.12 34.163 34.17	HULd 00.6 METR 0994.0 D 1/A 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.05 27.06 27.10 27.31	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-030	SND VEL 1449-9 1449-9 1450-4 1451-2 1451-8 1456-d	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9	MONTO CAY HOUR LVLTYP STD OBS STD STD UBS STD UBS STD OBS	DEPTH 00000 00000 00010 00020 00028 00030 00054 00075	5HIP 3L DATA USE 1 AREA 05 1EMP 00-55 00-55 00-61 00-60 00-71 00-81 01-74 02-88 02-90	WET BARU CLOU SAL 33.06 33.656 33.08 33.71 33.72 33.72 34.12 34.16 34.17 34.17	HULG 00.6 METR 0995-0 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.10 27.11 27.27 27.26	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-030 00-048 00-068	SND VEL 1449.9 1447.9 1450.4 1451.2 1451.8 1460.d	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9	MONTE CAY HOUR LVLTYP STD OBS STD STD STD STD STD STD OBS STD OBS	# 03 19 18.9 DEPTH 00000 00010 00020 00028 00030 00054 00075 00082 00100	SMIP 3L DATA USE 1 AREA 05 TEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74	MET BARU CLOU SAL 33.06 33.05 33.07 33.71 33.72 33.78 34.12 34.16 34.17 34.17 34.17 34.17	HULd 00.6 METR 0994.0 D 1/A 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.05 27.06 27.10 27.31	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-030 00-048	SND VEL 1449-9 1449-9 1450-4 1451-2 1451-8 1456-d	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9	MONTE CAY HOUR LVLTYP STD OBS STD STD STD STD STD STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00000 00010 00020 00028 00030 00054 00075 00082 00100 00108 00109	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.20 03.56	MET BARU CLOU SAL 33.66 33.656 33.08 33.71 33.72 34.12 34.163 34.17 34.17 34.530 34.530	HULd 00.c METR 0994.0 D 1/A 7/8 SIGMA-T 27.01 27.01 27.05 27.05 27.06 27.10 27.27 * 27.26 27.24 27.26	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068 00-086 00-101	SND VEL 1449-9 1449-9 1450-4 1451-2 1451-8 1456-d 1461-3 1462-4 1466-6	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9	LVLTYP STD OBS STD STD STD STD STD STD OBS STD OBS STD OBS STD OBS STD OBS	# 03 19 18.9 DEPTH 00000 00000 00010 00020 00028 00030 00050	SHIP 3L DATA USE 1 AREA 05 FEMP 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.20 03.87	MET BARU CLOU SAL 33.06 33.06 33.07 33.72 33.72 34.12 34.16 34.17 34.17 34.17 34.17 34.17 34.53 34.62	HULG 00.6 METR 0994-0 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.06 27.10 47.31 27.27 27.26 27.44 27.55 27.60	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068	SND VEL 1449-9 1449-9 1450-4 1450-9 1451-2 1451-8 1456-d 1461-3 1462-4 1464-3	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9	LVLTYP STD OBS STD STD UBS STD STD UBS STD STD STD STD STD STD STD STD OBS STD OBS	# 03 19 18.9 DEPTH 00.00 00000 00010 00020 00028 00030 00054 00075 00075 00008 00103 00103 00103 00103	SHIP 3L DATA USE 1 AREA 05 1EMP 00-55 00-55 00-61 00-66 00-71 00-81 01-74 02-68 02-90 03-20 03-56 03-87 04-00	MET BARU CLOU SAL 33.06 33.05 33.01 33.728 33.71 34.12 34.167 34.174 34.44 34.530 34.62 34.78	HULd 00.c METR 0999-0 D 1/A 7/8 SIGMA-T 27-01 27-03 27-05 27-06 27-10 27-27 27-26 27-26 27-26 27-27 27-26 27-26 27-26	22 SEA CL/TR DYNDPTH 00.000 00.010 00.020 00.030 00.048 00.068 00.086	SND VEL 1449-9 1447-9 1450-4 1451-8 1451-8 1451-8 1461-3 1464-3 1464-3	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9	LVLTYP STD OBS STD UBS	DEPTH 03000 00010 00020 00010 00020 00054 00075 000054 00103 00108 00125 00100 00163 00200 00061	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.20 03.56 03.87 04.00 04.28 04.38	SAL 33.66 33.656 33.658 33.71 33.728 34.163 34.17 34.163 34.17 34.62 34.768 34.878	HULd 00.c METR 0999-0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 27.31 27.27 27.26 27.44 27.55 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068 00-086 00-115 00-139	SND VEL 1449-9 1447-9 1450-4 1450-4 1450-3 1451-2 1451-8 1462-4 1464-3 1466-6 1468-9 1469-2 1471-9	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9	MONT: I LAVE TYP STD OBS STD UBS	DEPTH 00300 00600 00600 00010 00020 00028 00030 00054 00075 00108 00108 00108 00108 00108 00108 00108 00108 00108 00108 00108	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.20 03.56 03.87 04.00 04.28 04.34 04.44	MET BARU CLOU SAL 33.06 33.05 33.71 33.72 33.78 34.12 34.16 34.17 34.44 34.53 34.17 34.46 34.87 34.87 34.87 34.87	HULG 00.c D 7/8 V990 D 7/8 7/8 SIGMA-T 27.01 27.01 27.03 27.05 27.06 27.10 27.27 27.26 27.44 27.55 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068 00-101 00-115 00-139	SND VEL 1449-9 1449-9 1450-4 1451-2 1451-8 1461-3 1462-4 1464-3 1464-3 1464-3 1464-3 1464-3 1464-1 1471-1 1471-1	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 N LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9	MONT: I GAY I HOUR STD OBS STD UBS	DEPTH 00000 00000 00010 00020 00010 00020 00030 00054 00075 00100 00110 00120 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100	SHIP 3L DATA USE 1 AREA 05 IEMP 00-55 00-55 00-61 00-66 00-71 00-81 01-74 02-68 02-90 03-20 03-56 03-87 04-00 04-28 04-33 04-44 04-48	MET BAROU SAL 33.065 33.05 33.71 33.72 34.12 34.163 34.17 34.174 34.530 34.62 34.768 34.878 34.889 34.92	HULd 00.c HETR 0994.0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 47.31 27.27 27.26 27.44 27.55 27.62 27.62 27.62 27.62 27.62 27.62 27.62 27.65	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068 00-086 00-115 00-139	SND VEL 1449-9 1447-9 1450-4 1450-4 1450-3 1451-2 1451-8 1462-4 1464-3 1466-6 1468-9 1469-2 1471-9	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9	MONTI GAY I HOUR LVLTYP STD OBS STO UBS STO UBS STD OBS	DEPTH 00000 00000 00010 00000 00010 00020 00028 00030 00050 000100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100	SHIP 3L DATA USE 1 AREA 05 IEMP 00-55 00-55 00-61 00-66 00-71 00-81 01-74 02-68 02-90 03-20 03-56 03-87 04-00 04-28 04-34 04-44 04-49 04-49	SAL 33.656 33.08 33.71 33.728 34.12 34.17 34.17 34.17 34.18 34.85 34.88 34.88 34.89 34.87 34.92 34.92 34.92	HULd 00.c HETR 0994.0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 27.31 27.27 27.26 27.44 27.55 27.60 27.62 27.62 27.62 27.65 27.67 27.65 27.67 27.65 27.67 27.67 27.67 27.67 27.67 27.67 27.67 27.67 27.67 27.71	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068 00-101 00-115 00-139	SND VEL 1449-9 1449-9 1450-4 1450-3 1451-8 1450-8 1460-6 1460-2 1471-9 1471-7 1471-7 1471-7 1471-7 1471-2 1471-2	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 N LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9	MONTING LANGUAGE LANG	DEPTH 00300 00600 00010 00000 00010 00020 00028 00035 00075 00082 00103 00108 00128 00100 00108 00109 00109 00109 00109 00100	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.20 03.56 03.87 04.00 04.28 04.34 04.44 04.49 04.49	MET dARU CLOU SAL 33.06 33.08 33.71 33.72 34.12 34.16 34.17 34.17 34.17 34.17 34.17 34.85 34.87 34.85 34.87 34.87 34.87	HULG 00.6 BETR 0999-0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 27.27 27.26 27.44 27.55 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.60 27.67 27.67 27.67 27.76	00-000 00-010 00-010 00-020 00-020 00-048 00-068 00-086 00-101 00-115 00-129 00-184	SND VEL 1449-9 1449-9 1450-4 1451-2 1451-2 1451-3 1466-6 1461-3 1466-6 1468-4 1461-1 1471-7 1473-7 1473-7 1473-7 1473-6	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9	MONT: I GAY I HOUR STD OBS STD UBS STD	DEPTH 00300 00600 00010 00020 00018 00030 00050 00018 00103 00050 00108 00103 00108 00103 00108 00103 00108 00103 00108 00103 00108	SHIP 3L DATA USE 1 AREA 05 IEMP 00-55 00-55 00-61 00-66 00-71 00-81 01-74 02-68 02-90 03-20 03-56 03-87 04-00 04-28 04-34 04-49	SAL 33.66 33.65 33.08 33.71 33.728 33.78 34.12 34.72 34.72 34.76 34.99 34.99 34.99 34.99 34.94 34.99 34.88	HULd 00.4 METR 0999-0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 47.31 27.27 27.26 27.44 27.55 27.60 27.62 27.62 27.62 27.65 27.67 27.65 27.67 27.67 27.67 27.67 27.67 27.67 27.77 27.77	22 SEA CL/TR DYNDPTH 00-000 00-010 00-020 00-048 00-068 00-101 00-115 00-139	3 3 SND VEL 1449-9 1450-4 1450-3 1451-8 1456-3 1462-4 1464-3 1464-3 1464-3 1464-3 1464-3 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9 1471-9	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 N LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9 18.9	MONTING LANGUAGE LANG	DEPTH 00300 00600 00010 00000 00010 00020 00028 00035 00075 00082 00103 00108 00128 00100 00108 00109 00109 00109 00109 00100	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.20 03.56 03.87 04.00 04.28 04.34 04.44 04.49 04.49	SAL 33.66 33.65 33.08 33.71 33.728 33.72 33.728 34.12 34.17 34.17 34.17 34.17 34.53 34.17 34.53 34.17 34.53 34.17	HULG 00.6 HETR 0999.0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 27.31 27.27 27.26 27.44 27.55 27.60 27.62 27.62 27.62 27.65 27.67 27.65 27.76 27.77 27.65	00-000 00-010 00-010 00-020 00-020 00-048 00-068 00-086 00-101 00-115 00-129 00-184	SND VEL 1449-9 1449-9 1450-4 1450-3 1451-8 1456-6 1461-3 1466-6 1464-3 1469-2 1471-9 1471-7 1473-7 1473-6 1473-6 1473-6 1473-6 1473-7 1473-6 1473-7 1473-6 1473-7 1473-6 1473-7 1473-6 1473-7 1473-6 1473-7 1473-6 1473-7 1473-6 1473-7	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9	MONTI GAY I HOUR I HOUR STO OBS STO UBS	DEPTH 00300 00600 00010 00020 00020 00020 00020 00020 00050 00050 00050 00050 00050 000500 000500 000500	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.56 03.87 04.00 04.28 04.33 04.44 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49 04.49	MET dARW CLOU SAL 33.06 0 33.06 33.07 1 33.728 34.17 34.12 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.44 34.53 0 34.76 8 34.85 34.76 8 34.86 34.87 3	HULG 00.6 HETR 0999.0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 27.31 27.27 27.26 27.44 27.55 27.60 27.62 27.62 27.62 27.65 27.67 27.65 27.76 27.77 27.65	00-010 00-010 00-020 00-030 00-048 00-088 00-101 00-115 00-184 00-229 00-272 00-315	SND VEL 1449-9 1450-4 1450-9 1451-2 1451-8 1456-6 1461-3 1466-6 1468-4 1464-3 147-7 1473-7 1473-7 1473-7 1473-6 1473-6	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9 18.9 18.9	MONTI GAY I HOUR I HOUR STD OBS STD STD STD OBS	# 03 19 18-9 DEPTH 00000 00010 00020 00028 00030 00050 00010 00108 00125 00100 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 00125 00100 001	SHIP 3L DATA USE 1 AREA 05 IEMP 00-55 00-55 00-61 00-60 00-71 00-81 01-74 02-68 02-90 03-20 03-56 04-00 04-28 04-34 04-49 04-99	SAL 33.66 33.696 33.08 33.71 33.728 33.72 34.12 34.17	HULd 00.4 HETR 0994.0 D 1/4 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 47.31 27.27 27.26 27.44 27.55 27.60 27.60 27.60 27.62 27.62 27.62 27.65 27.67 27.67 27.67 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72	00-101 00-101 00-020 00-030 00-048 00-088 00-101 00-115 00-139 00-129 00-129 00-129 00-129	3 3 SND VEL 1449-9 1450-4 1450-3 1451-2 1451-8 1456-6 1461-3 1464-3 1464-3 1464-3 1464-3 1471-1 1471-1 1471-7 1473-7 1473-7 1473-7 1473-6 1473-6 1473-7 1473-7 1473-6 1473-6 1473-7	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9 18.9 18.9 18.9	MONTI GAY I HOUR I HOUR STD OBS	DEPTH 00300 00600 00010 00020 00020 00020 00020 00020 00050 00050 00050 00050 00050 000500 000500 000500	SHIP 3L DATA USE 1 AREA 05 IEMP 00.55 00.55 00.61 00.66 00.71 00.81 01.74 02.68 02.90 03.56 03.87 04.00 04.28 04.33 04.44 04.49 04.49 04.49 04.49 04.49 04.49 04.49 03.97	SAL 33.66 33.696 33.08 33.71 33.728 33.728 33.728 34.12 34.17 34.44 34.93 34.17 34.85 34.17 34.86 34.87 34.87 34.88 34.88 34.88 34.88 34.88	HULd 00.4 HETR 0994.0 D 1/4 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 47.31 27.27 27.26 27.44 27.55 27.60 27.60 27.60 27.62 27.62 27.62 27.62 27.62 27.62 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.75 27.76	00-101 00-101 00-020 00-030 00-048 00-088 00-101 00-115 00-139 00-164 00-164 00-164 00-164 00-164	3 3 SND VEL 1449-9 1450-4 1450-3 1451-2 1451-8 1456-6 1461-3 1464-3 1464-3 1464-3 1464-3 1471-1 1471-1 1471-7 1473-7	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9 18.9 18.9	MONT: I GAY I HOUR STD OBS STD UBS	DEPTH 00000 00010 00000 00010 00020 00028 00030 00054 00075 00108 00109 00163 00200 1700217 00200 00325 00400 00400 00400 00400 00700 00600	SHIP 3L DATA USE 1 AREA 05 IEMP 00-55 00-55 00-61 00-66 00-71 00-81 01-74 02-68 02-90 03-20 03-56 03-87 04-00 04-28 04-34 04-44 04-49 04-49 04-49 04-49 04-49 04-49 03-79 03-87 03-87 03-87	SAL 33.650 33.08 33.71 33.728 34.163 34.17	HULG 00.6 HETR 0999-0 D 1/A 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 27.31 27.27 * 27.24 27.55 27.62 27.62 27.62 27.62 27.65 27.62 27.62 27.62 27.62 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.76 27.76 27.76 27.76	00-015 00-229 00-229 00-230 00-048 00-068 00-186 00-186 00-187 00-187 00-187 00-187 00-229 00-272 00-315 00-460 00-460	SND VEL 1449-9 1449-9 1450-4 1450-8 1451-8 1450-8 1466-0 1461-3 1466-0 1468-2 1471-9 1471-7 1480-9	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84
CONSEC 0014 LAT 48 35 M LUNG 045 50 M CASTNUM/TIME 18.9 18.9 18.9 18.9 18.9 18.9 18.9 18.9	A MONTI. I LAVE TYP STD OBS	# 03 19 18-9 DEPTH 00000 00010 00020 00020 00020 00030 00050 00050 00050 00100 001	SHIP 3L DATA USE 1 AREA 05 IEMP 00-55 00-55 00-61 00-66 00-71 00-81 01-74 02-68 02-90 03-20 03-56 04-38 04-38 04-38 04-49 04-99 04-99 04-99 04-03 03-99 04-03 03-99 04-03 03-99 04-03 03-99	SAL 33.66 33.696 33.08 33.71 33.728 33.728 33.728 34.12 34.17 34.44 34.93 34.17 34.85 34.17 34.86 34.87 34.87 34.88 34.88 34.88 34.88 34.88	HULd 00.4 HETR 0994.0 D 1/4 7/8 SIGMA-T 27.01 27.03 27.05 27.06 27.10 47.31 27.27 27.26 27.44 27.55 27.60 27.60 27.60 27.62 27.62 27.62 27.62 27.62 27.62 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.75 27.76	00-101 00-101 00-020 00-030 00-048 00-088 00-101 00-115 00-139 00-164 00-164 00-164 00-164 00-164	3 3 SND VEL 1449-9 1450-4 1450-3 1451-2 1451-8 1456-6 1461-3 1464-3 1464-3 1464-3 1464-3 1471-1 1471-1 1471-7 1473-7	WIND-SPD WIND-FOR WEATHER	27 X4	TRACE DURAT ORIG	DIR ION A2 C43		2	SQUARE SQUARE SQUARE	4 84

Table IV.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CAMPBELL, 14–16 July 1971, Prepared from NODC Listing No. 31–1887.

	31 1887 0001 48 38 N 45 51 W	DAY	1971 H 07 14 19.7	SHIP CM DATA USE 1 AREA 05	MET BUI BAROME CLOUD	8 09.4 R 1015.5	DIR HGT PER 18 4 2 SEA CL/TR	WIND-DIR WIND-SPD WIND-FOR WEATHER	10	DURA	NANSEN E DIR TION A2 04		5 5	SQ 1306 SQUARE 4 SQUARE 84 SQUARE 85
CASTN	UM/T IME	LVLTYP	DEPTH	TEMP	SAL	IGMA-T	DYNOPTH SND VEL	OXYG	P04	TOT P	NO2	NO3	5103	РН
	19.7	STD	00000	07.95										
	14.1	085 STD	00010	07.95 06.46										
		STD	00020	05.22										
		STO	00030	04.22										
	19.7	OBS	00033	03.97										
	19.7	085	00050	03.05										
	••••	STO	00075	03.00										
	19.7	085	00099	03.52										
		STD	00100	03.52										
	19.7	085	00131	03.49										
		STD	00150	03.66										
	19.7	085	00190	03.84										
	19.7	STD	00200 100249	03.79										
	17.1	STD	00250	03.65										
		STD	00300	03.81										
	19.7	085	00364	03.98										
	19.7	STD	004 00	04.09										
	.,	STD	00500	04.12										
	19.7	085	00594	03.95										
		STD	00600	03.96										
	19.7	085	T00708	04.05										
REFID CONSEC LAT LONG	31 188 000 48 20 45 50	MONT	1971 H 07 14 1 23-1	BOTOP 01024 SHIP CM DATA USE 1 AREA 05	AIR TE MET BU BAROME CLOUD	TR 1017.8	DIR HGT PER 18 1 3 SEA CL/TR	HIND-DIR HIND-SPD HIND-FOR HEATHER	10	TRAC	NANSEN E DIR TION A2 04		5 2	N SQ 1306 SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	48 20	MONT W DAY W HOUR	H 07	SHIP CH DATA USE 1	BAROME CLOUD	TR 1017.8	18 1 3 SEA	WIND-SPD WIND-FOR	10	TRAC	E DIR		5 2	SQUARE 4
CONSEC LAT LONG	000 48 20 945 50 4047 TIME	MONT N DAY N HOUR LVLTYP	07 14 23-1 DEPTH	SHIP CM DATA USE 1 AREA 05	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPD WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	48 20 0 45 50	MONT N DAY HOUR LVLTYP STD OBS	DEPTH 00000 00000	SHIP CM DATA USE 1 AREA 05	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPD WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 945 50 4047 TIME	MONT N DAY N HOUR LVLTYP	DEPTH 00000 00000	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPD WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000: 48 20 ()45 50 ()45 50 (EVLTYP STD OBS STD STD STD STD	DEPTH 00000 00000 00010 00020 00030	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPD WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 945 50 4047 TIME	MONT N DAY N HOUR LVLTYP STD OBS STD STD STD STD OBS	0000 0000 0000 0000 0000 0000 0000 0000 0000	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPD WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 945 50 945 50 946 946 946 946 946 946 946 946 946 946	LVLTYP STD OBS STD STD STD STD STD STD STD STD STD ST	DEPTH 00000 00000 00010 00020 00030 00030 00050	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.24	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 045 50 045 50 045 50 045 50 045 50 045 50 045 50 045 50 045 50 045 50	LVLTYP STD OBS STD STD STD STD STD STD STD STD STD ST	DEPTH OCOCO OCOC OCOCO OCOCO OCOCO OCOCO OCOCO OCOCO OCOC OCOCO OCOC OCOCO OCOC OCO	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 945 50 945 50 946 946 946 946 946 946 946 946 946 946	LVLTYP STD OBS STD STD OBS STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00010 00020 00030 00030 00050 00060 00075 00089	SHIP CM DATA USE 1 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.68	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 1 45 50 1 4UM/TIME 23.1 23.1 23.1	LVLTYP STD OBS STD STD OBS	DEPTH 00000 00000 00010 00020 00030 00030 00050 00050 00075	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.98	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 045 50 045 50 045 50 045 50 045 50 045 50 045 50 045 50 045 50 045 50	LYLTYP STD OBS	DEPTH 00000 00000 00010 00020 00030 00050 00050 00050 000100 00119 00125	SHIP CM DATA USE 1 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.68	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 145 5	LVLTYP STD OBS	DEPTH 00000 00000 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.08 01.97 02.22 02.66 02.85	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 1 45 50 1 4UM/TIME 23.1 23.1 23.1	LVLTYP STD OBS	DEPTH 00000 00000 00010 00020 00030 00030 00050 00050 00050 00100 001125 00150 00175	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.97 02.22 02.66 02.85 03.50 04.03	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 145 50 1 445 50 1 446 50 1 446/TIME 23.1 23.1 23.1 23.1 23.1	LVLTYP STD OBS STD STD OBS	DEPTH 00000 00000 00000 00010 00020 00030 00050 00060 00075 00089 00100 00100 00100 00100 001070 00179	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.97 02.22 02.66 02.35 03.50 04.03	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 145 5	LYLTYP STD OBS	DEPTH 00000 00000 00010 00030 00030 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.97 02.22 02.66 02.85 03.50 04.03	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 1 45 50 1 445 50 1 446 50 1 446 50 1 23.1 23.1 23.1 23.1 23.1 23.1	WONTY WOOD WOOD WOOD WOOD WOOD WOOD WOOD WOO	DEPTH OGNOO 00010 00020 00030 00050 00010 00010 00010 00100 00119 00125 00150 00175 00200 T00228	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.48 01.97 02.22 02.66 02.85 03.50 04.03 04.18 04.34 04.34	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 145 50 1 445 50 1 4um/TIME 23.1 23.1 23.1 23.1 23.1	WONTY LYLTYP STD OBS STD STD OBS	DEPTH O0000 00000 00010 00020 00030 00030 00050 00050 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.88 01.97 02.22 02.66 02.85 03.50 04.03 04.18 04.38 04.38 04.47	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000. 48 20 1 45 50 1 445 50 1 446 50 1 446 50 1 23.1 23.1 23.1 23.1 23.1 23.1	WONTY LYLTYP STD OBS STD STD OBS	DEPTH O0000 00010 00020 00030 00050	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.98 01.98 01.98 01.98 04.18 04.38 04.47 04.43	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 945 50 4um/TIME 23.1 23.1 23.1 23.1 23.1 23.1 23.1 23.1	WONTY WOOD WOOD WOOD WOOD WOOD WOOD WOOD WOO	DEPTH 00000 00010 00020 00030 00050 00050 00050 00010 00119 00125 00150 00175 00170 00175 00170 00175	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.97 02.22 02.66 02.65 03.50 04.03 04.18 04.34 04.35 04.47	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000.48 20 10.45 50 10	WONTY LYLTYP STD OBS STD STD OBS	DEPTH 00000 00010 00020 00030 00050 00050 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00000 00000 00000 00000	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.98 01.98 01.98 01.98 04.03 04.18 04.38 04.47 04.43 04.45	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000 48 20 945 50 4um/TIME 23.1 23.1 23.1 23.1 23.1 23.1 23.1 23.1	WONTY WOOD WOOD WOOD WOOD WOOD WOOD WOOD WOO	DEPTH 00000 00010 00020 00030 00050 00050 00010 00109 00125 00150 00179 00200 0037 00200 0037 00400 0037	SHIP CM DATA USE 1 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.97 02.22 02.66 02.85 03.50 04.03 04.18 04.34 04.34 04.35	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000.48 20 10.45 50 10	WONTY WOOD WOOD WOOD WOOD WOOD WOOD WOOD WOO	DEPTH 00000 00010 00020 00030 00030 00050 00050 00050 00150 00150 00150 00179 00100 00179 00200 00300 00300 00500	SHIP CM DATA USE 1 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.97 02.22 02.66 02.85 03.50 04.03 04.13	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000.48 20 10.45 50 10	WONTY A HOUP STO OBS	DEPTH 00000 00010 00020 00030 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050	SHIP CM DATA USE 1 AREA 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.97 02.22 02.66 02.85 03.50 04.03 04.18 04.34 04.34 04.36 04.47 04.36 04.47 04.36 04.47	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85
CONSEC LAT LONG	000.48 20 10.45 50 10	WONTY WOOD WOOD WOOD WOOD WOOD WOOD WOOD WOO	DEPTH 00000 00010 00020 00030 00030 00050 00050 00050 00150 00150 00150 00179 00100 00179 00200 00300 00300 00500	SHIP CM DATA USE 1 05 TEMP 07.67 07.67 04.80 02.65 01.24 01.28 01.38 01.68 01.97 02.22 02.66 02.85 03.50 04.03 04.13	BAROME CLOUD	LB 08.9 TR 1017.8 T/A X/9	18 1 3 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	10 X6	TRAC DURA OR IG	E DIR TION A2 04	9	5 2 1	SQUARE 4 SQUARE 84 SQUARE 85

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

REFID 31 CONSEC LAT 48 LONG 045	0003 04 N	DAY	1971 H 07 15	SHIP CM DATA USE L AREA 05				GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER		TRAC	NANSEN E DIR TION A2 04		5 2	N SQ 1306 SQUARE 4 SQUARE 84 SQUARE 85
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	\$103	РН
		STD	00000	07.30	32.45	25-39	00.000	1476.9							
	02.0	SFO	00000	07.30	32.450	25.39	00.022	1476.9							
		STD	00020	02.46	33.28	26.58	00.039	1458.3							
	02-0	STO	00025	01.65	33.434	26.77	00.052	1455.0							
		STO	00050	- 0.04	33.84	27.19	00.073	1448.3							
	02.0	STO	00050	01.62	33.841	27.19	00.094	1448.3							
	02.0	STO	00075	01.62	34.090	27.29		1456.6							
	02.0	085	00100	01.94	34.29	27.43	00-112	1458.7							
		STO	00125	02.48	34.44	27.51	00.128	1464.3							
	02.0	085	00151	02.97	34.578	27.57		1464.4							
		STO	00200	03.61	34-71	27.62	00.168	1468.1							
		STO	00300	04.40	34.89	27.68	00.215	1473.3							
	02.0	STD	00305	04.42	34.900	27.68	00.259	1473.5							
	02.0	085	00408	04.47	34.941	27.71		1475.5							
	02.0	085	00500	04.67	34.95	27.69	00-305	1477.8							
	02.0	085	100546	04.34	34.934	27.72		1477.2							
						*****	••••••	•							
REFID 31	1887	YEAR	1971	80 TOP 00384	AIR T	EMP 07.1	DIR HO	T PER	dino-Dir	25	INST	NANSEN	CAST	TEN	50 1306
CONSEC	0004	MONT	H 07	SHIP CM	WET B		25 2	3	WEND-SPD	10	TRACE	OIR	-	5 54	QUARE 4
	40 N	HOUR	05.8	DATA USE 1 AREA 05	CLOUD		SEA CL/TR		MIND-FOR MEATHER	X4	DURAT	A2 049			QUARE 64
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TOT P	NOZ	NO3	5103	РН
		STD	00000	07.26											
	05.8	STD	00000	07.26											
		STO	00020	03.58											
	05.8	STD	00030	02-26											
	05.8	STO	00050	00.69											
	03.0	STO	00072	00.42											
		STD	00100	01.08											
	05.8	STD	00145	02.22											
	05.8	OBS	00195	02.36											
	05.8	OBS	00200	03.71											
							* * * * * * * * * * * * * * * * * * * *								
REFID 31	1887	YEAR	1971	80TDP 00278	AIR	TEMP 19.0	DIR	IGT PER	WIND-DIR	26	INST	NANSEN	CAST	TE	N SQ 1306
CONSEC 47	0005	MON	TH 07	SHIP CH DATA USE 1		BUL8 12.0		2 2	WIND-SPD WIND-FOR		TRAC	E DIR		5	SQUARE 4
	5 55 W		R 08.2	AREA 05		D T/A 6/8			WEATHER	X2		A2 04	9		SQUARE 75
				TEMP	SAL										
CASINO	, i the	LVLTYP	DEPTH		SAL	SIGMA-T	UTNUPTH	SND VEL	OXYG	P04	TOT P	NOS	N03	\$103	РН
	08.2	085	00000	07.78											
		STO	00010	05.34											
	08.2	OBS	00025	02.65											
		STO	00030	02.00											
	08.2	OBS	00050	00.73											
	08.2	510 085	00075	02.12											
	08.2	510	00100	03.13											
	20.2	STD	00125	03.87											
	08.2	085	00150	04-28											
		STO	00200	04.06											
	08.2	510	00202	04.05											
	08.2	085	100259	04.52											
						*****	******								

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18-19
March 1971, Prepared from NODC Listing No. 31-8263.—Continued

REFID 31 1887 CONSEC 0006 LAT 47 00 N LONG 045 50 W	YEAR 1971 MONTH 07 DAY 15 HOUR 10-5	BOTOP 00279 SHIP CM DATA USE 1 AREA 05	AIR TEMP II-0 MET BULB 08.8 BAROMETR 1025-1 CLOUD T/A 6/8	DIR HGT PER 26 2 2 SEA CL/TR	WIND-DIR 14 WIND-SPD 05 WIND-FOR WEATHER X2	INST MANSEN CAST TRACE DIR DURATION ORIG A2 049	TEN SQ 1306 5 SQUARE 4 2 SQUARE 64 1 SQUARE 75
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-I	DYNOPTH SND VEL	OXYG PD4	TOT P NO2 NO3	S103 PH
10.5 10.5 10.5 10.5 10.5	\$10 00000 085 00000 \$10 00010 \$10 00020 085 00024 \$10 00030 085 00048 \$10 00050 085 00071 \$10 00075 \$10 00105 \$10 00105 \$10 00105 \$10 00125 \$10 00150 \$10 00150	07.83 07.83 06.65 05.56 05.15 04.44 02.97 02.94 02.57 02.43 02.10 02.35 03.44 04.10					
10.5	085 100249	04.48	•••••	•••••			
REFID 31 1887 CUNSEC 0007 LAT 47 02 N LONG 046 09 W	YEAR 1971 MONTH 07 DAY 15 HOUR 12.5	BOTOP 00314 SHIP CM DATA USE 1 AREA 05	AIR TEMP 10.1 MET BULB 09.1 BAROMETR 1025.6 CLGUO T/A 6/8	DIR HGT PER 23 2 2 SEA CL/TK	WIND-DIR 23 WIND-SPD 06 WIND-FOR WEATHER X2	INST NANSEN CAST TRACE DIR DURATION ORIG A2 049	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 76
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNDPTH SND VEL	DXYG P34	TOT P NO2 NO3	S103 PH
12.5 12.5 12.5 12.5 12.5 12.5	STD O00000	08. +8 05. +8 07. 06 05. +6 04. 77 03. 11 00. 03 00. 06 00. 38 00. 60 01. 83 02. +3 02. +3 02. +4 04. +60 04. 58 04. +5 04. +3					
			*****	******			
REFID 31 1887 CONSEC 0008 LAT 46 58 N LONG 046 29 M	MONTH 07 DAY 15	BOTDP 00336 SHIP CM DATA USE 1 AREA 05	AIR TEMP 10-1 HET BULB 09-1 BAROMETR 1026-7 CLOUD T/A X/9	DIR HGT PER 22 1 2 SEA CL/TR	WIND-DIR 22 WIND-SPO 07 WIND-FOR WEATHER X4	INST NANSEN CAST TRACE OIR DURATION ORIG AZ 049	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 66
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNDPTH SND VEL	OXYG PO4	TOT P NG2 NO3	\$103 PH
14.3 14.3 14.3 14.3 14.3	STD 00000 0BS 00000 STD 00010 STD 00020 0BS 00024 STD 00030 0BS 00048 STD 00050 0BS 00075 STD 00050 STD 00100 STD 00125 STD 00100 STD 00125 STD 00150	07.89 07.31 06.16 03.54 03.55 - 0.10 - 0.07 00.49 00.61 01.66 02.05 04.18 05.41 05.37 05.05 04.73	32.25 25.16 32.29 25.26 32.29 25.26 32.43 25.52 32.513 25.67 32.78 26.09 33.393 26.84 33.780 27.12 33.68 27.14 34.067 27.27 34.14 27.30 34.791 27.48 34.791 27.48 34.791 27.49 34.62 27.55 34.862 27.64	00.000 1478.9 1476.9 00.027 1476.9 00.053 1472.6 1470.3 00.075 1462.4 1447.4 00.106 1447.6 00.133 1451.7 1457.1 00.155 1459.0 00.173 1469.0 00.189 1474.7 00.219 1474.3 00.246 1473.5			

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

REFID 31 1887	YEAR	1971	801DP 00984	ALR TE		DIR F	GT PER	MIND-DIR			NANSEN	CAST		N SQ 130	
CONSEC 0009	MONT	H 07	SHIP CM	MET BU	JLB 08.5	SEA		WIND-SPD WIND-FOR	06	DURA	E DIR		2		66
LONG 046 45 M		17.2	AREA 05	CLOUD		CL/TR		HEATHER	X4		A2 04	9		SQUARE T	76
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TOT P	NOZ	NO3	\$103	PH	
	STD	00000	07.62	32.27	25.21	00.000	1477.9								
17.2	085	00000	07.62	32.268	25.21		1477.9								
	STD	00010	07.34	32.31	25.28	00.027	1477.0								
	STD	00020	06.75 05.85	32.36	25.40	00.053	1471.5								
17.2	085	00030	05.85	32.406	25.55		1471-5								
	STD	00050	02.34	33.49	26.76	00.116	1458.5								
17.2	STD	00060	01.26	33.833	27.11	00.143	1454.4								
17.2	085	000 90	00.73	34.032	27.31	00.143	1452.8								
	STD	00100	00.45	34.14	27.41	00.163	1451.8								
17.2	085	00120	00.36	34-333	27.57		1452.0								
	STD	00125	00.75	34.37	27.58	00.178	1461.6								
17.2	085	00174	03.33	34.627	27.58		1466.4								
	STD	00200	03.48	34.66	27.59	00.217	1467.5								
17.2	085	00229	03.64	34.702	27.61		1468.7								
	STD	00250	03.75	34.73	27.62	00.242	1469.6								
17.2	STD 085	00300	03.98	34.80	27.65	00.267	1472.7								
••••	STD	00400	04-30	34.88	27.68	00.314	1474.6								
17.2	OBS	T00448	04-38	34.906	27.69		1475.7								
	STD	00500	04.37	34.92	27.70	00.360	1476.5								
17.2	085 STD	00557	04.34	34.919	27.71	00-406	1477.9								
17.2	085	100667	04.26	34.896	27.70	***************************************	1478.8								
	STO	00700	04.23	34.90	27.70	00.452	1479.3								
	STD	00800	04.12	34.91	27.73	00.499	1480.5								
17.2	280 210	00900	04.00	34.922	27.75	00.544	1481.4								
17.2	085	00995	03.61	34.933	27.77	00.344	1482.4								
REFID 31 1887		1971	801DP 01159	AIR TE	MP 08.5	DIR H	GT PER	WIND-DIR	15	INST	NANSEN	CAST	TE	N 50 120	
CONSEC 0010	MONT	H 07	SHIP CH	WET BU	JLB 07 .8	13	GT PER	WIND-DIR WIND-SPD	15 10	TRACE	NANSEN E DIR	CAST	5	N SQ L30	4
	MONT	H 07	SHIP CH DATA USE 1	BARDHE	MB 07.8 TR 1026.2	SEA	2 4	WIND-SPD WIND-FOR	10	DURAT	DIR		2	SQUARE 6	4
CONSEC 0010	MONT	H 07	SHIP CH	WET BU	MB 07.8 TR 1026.2	13	2 4	WIND-SPD WIND-FOR	15 10 X1	DURAT	DIR		2	SQUARE	4
CONSEC 0010	MONT DAY HOUR	H 07	SHIP CH DATA USE 1	BARDHE	MB 07.8 TR 1026.2	SEA	2 4	WIND-SPD WIND-FOR	10	DURAT	DIR		2	SQUARE 6	4
CONSEC 0010 LAT 47 00 M LONG 047 00 M	MONT DAY HOUR	DEPTH	SHIP CH DATA USE 1 AREA 05	BARDME CLOUD	JLB 07-8 TR 1026-2 T/A 8/5	SEA CL/TR	2 4 SNO VEL	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CONSEC 0010 LAT 47 00 M LONG 047 00 M	LVLTYP STD OBS	DEPTH 00000 00000	SHIP CM DATA USE 1 AREA 05	SAL 32.17 32.167	JLB 07-8 TR 1026-2 T/A 8/5 SIGMA-T 25.06 25.06	SEA CL/TR OYNOPTH	SNO VEL 1479.5 1479.5	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CONSEC 0010 LAT 47 00 M LONG 047 00 M	MONT DAY HOUR LVLTYP STD OBS STD	DEPTH 00000 00010	SHIP CH DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89	SAL 32.17 32.167 32.39	JLB 07.8 TR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.06	13 SEA CL/TR OYNOPTH 00.000	SND VEL 1479.5 1479.5 1467.2	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LOMG 047 00 M CASTNUM/TIME	MONT DAY HOUR LVLTYP STD OBS STD STD	H 07 15 20-1 DEPTH 00000 00010 00020	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43	SAL 32.17 32.167 32.39 32.63	JLB 07.8 TR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.06 25.65 26.07	SEA CL/TR OYNOPTH	SND VEL 1479.5 1479.5 1467.2 1457.2	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CONSEC 0010 LAT 47 00 M LONG 047 00 M	MONT DAY HOUR LVLTYP STD OBS STD	H 07 15 20-1 DEPTH 00000 00000 00010 00020 00026 00030	SHIP CH DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89	SAL 32.17 32.167 32.63 32.778	JLB 07-8 TR 1026-2 T/A 8/5 SIGMA-T 25-06 25-05 26-07 26-26	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047	SNO VEL 1479.5 1479.5 1467.2 1457.2 1452.5 1450.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1	MONT DAY HOUR LVLTYP STD OBS STD STD OBS STD STD STD STD	H 07 15 20-1 DEPTH 00000 00010 00020 00026 00030 00050	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55	MET BL BARONE CLOUD SAL 32.17 32.167 32.39 32.63 32.778 32.778 33.42	MB 07.8 TR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.05 26.07 26.26 26.26 26.88	13 SEA CL/TR OYNOPTH 00.000	SNO VEL 1479.5 1479.5 1467.2 1457.2 1452.5 1450.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LOMG 047 00 M CASTNUM/TIME	MONT DAY HOUR STD OBS STD OBS STD OBS STD OBS	H 07 15 20-1 DEPTH 00000 00000 00010 00020 00020 00030 00050	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-58	MET BL BARDHE CLOUD SAL 32.17 32.167 32.39 32.63 32.778 32.92 33.42 33.441	JLB 07.8 TR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.06 25.05 26.07 26.26 26.40 26.88 26.90	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047 00.065 00.093	SNO VEL 1479.5 1479.5 1467.2 1457.2 1450.8 1445.4	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1	MONT DAY HOUR LVLTYP STD OBS STD STD OBS STD STD STD STD	H 07 15 20-1 DEPTH 00000 00010 00020 00026 00030 00050	TEMP 08-08 08-08 08-08 04-89 02-43 01-30 00.85 - 0.55 - 0.55 - 0.19	MET BL BARONE CLOUD SAL 32.17 32.167 32.39 32.63 32.778 32.778 33.42 33.42 33.42 33.42	JLB 07.8 ETR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.05 26.07 26.26 26.40 26.88 26.90 27.03	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047	SNO VEL 1479-5 1467-2 1457-2 1457-2 1452-5 1450-8 1445-4 1445-3	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1	MONT DAY HOUR LVLTYP STD OBS STD STD STD STD OBS STD STD OBS STD OBS STD OBS STD	H 07 15 20-1 DEPTH 00000 00000 00010 00020 00026 00030 00051 00075 00077	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00.85 - 0.55 - 0.55 - 0.19 - 0.16 00.26	MET BU BARDHE CLOUD SAL 32.17 32.167 32.39 32.63 32.778 32.92 33.42 33.62 33.638 33.80	JLB 07.8 TR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.06 25.05 26.07 26.26 26.40 26.88 26.90	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047 00.065 00.093	SNO VEL 1479.5 1479.5 1467.2 1457.2 1450.8 1445.4 1445.3 1447.7	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CONSEC 47 00 N LAT 47 00 N LONG 047 00 N CASTNUM/TIME 20.1 20.1	LVLTYP STD OBS	DEPTH O0000 00010 00020 00020 00030 00050 00051 00077 00100 00103	SHIP CH DATA USE 1 AREA 05 TEMP 08-08 08-08 04-09 02-43 01-30 00-85 - 0-58 - 0-19 - 0-16 00-26 00-32	SAL 32.17 32.167 32.39 32.63 32.778 32.63 32.92 33.42 33.42 33.638 33.80 33.824	M.B 07.8 ETR 1026.2 T/A 8/5 SIGNA-T 25.06 25.05 26.07 26.26 20.40 26.88 26.90 27.03 27.04 27.15	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047 00.065 00.093 00.121	SNO VEL 1479.5 1479.5 1467.2 1457.2 1452.5 1450.8 1445.3 1447.7 1447.9 1450.5	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1	MONT HOUR HOUR STD OBS STD	DEPTH 00000 00010 00020 00026 00030 00050 00051 00077 00100 00125	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00.85 - 0.55 - 0.58 - 0.19 - 0.10 00.26 00.32 00.88	SAL 32.17 32.167 32.39 32.63 32.778 32.92 33.42 33.42 33.62 33.80 33.824 33.96	M.B 07.8 TR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.05 26.07 26.26 26.40 26.88 26.90 27.03 27.04 27.15 27.16	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047 00.065 00.093 00.121 00.146	SNO VEL 1479.5 1479.5 1467.2 1457.2 1452.5 1452.6 1445.4 1447.7 1447.9 1450.8 1450.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1 20.1 20.1 20.1	LVLTYP STD OBS	DEPTH 00000 00010 00020 00026 00030 00050 00051 00077 00100 00125	TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55 - 0-56 0-19 - 0-16 00-22 00-88 01-47	SAL 22.17 32.167 32.39 32.63 32.778 32.92 33.442 33.638 33.824 33.96 34.12	M.B 07.8 ETR 1026.2 T/A 8/5 SIGNA-T 25.06 25.06 25.05 26.07 26.26 26.40 26.88 26.90 27.03 27.03 27.15 27.16 27.24	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047 00.065 00.093 00.121	SNO VEL 1479.5 1479.5 1479.5 1467.2 1457.2 1452.5 1450.8 1447.7 1447.7 1447.7 1447.5 1450.8 1450.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1	LVLTYP STD OBS	DEPTH 00000 00000 00010 00020 00020 00030 00051 00075 00100 00100 00150 00150 00154	TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55 - 0-19 - 0-16 00-26 00-32 00-88 01-47 01-56 02-52	MET 8L BAROME CLOUD SAL 32.17 32.167 32.39 32.63 32.778 32.92 33.461 33.462 33.630 33.824 33.804 33.824 34.149 34.149	M.B 07.8 ETR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.05 26.07 26.26 26.40 26.88 26.90 27.03 27.03 27.04 27.15 27.16 27.24 27.33 27.35 27.51	13 SEA CL/TR OYNOPTH 00.000 00.026 00.047 00.065 00.093 00.121 00.146	SNO VEL 1479.5 1479.5 1467.2 1457.2 1452.5 1452.6 1445.4 1447.7 1447.9 1450.8 1450.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1 20.1 20.1 20.1	MONT MOUNT M	DEPTH 00000 00010 00020 00020 00051 00075 000100 00103 00125 00154 00200 T100205	SHIP CH DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55 - 0-58 - 0-19 - 0-16 00-26 00-32 00-38 01-47 01-56 02-52	MET 8L BARDME CLOUD SAL 32.17 32.167 32.43 32.63 32.778 33.42 33.42 33.62 33.80 33.80 33.80 33.80 33.80 33.4149 34.45	M.B 07.8 FR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.26 26.26 26.26 27.03 27.03 27.15 27.16 27.24 27.35 27.51 27.51 27.51	13 SEA CL/TR OYNOPTH 00.000 00.047 00.065 00.093 00.121 00.146 00.188 00.222	SNO VEL 1479-5 1467-2 1457-2 1457-2 1457-2 1450-8 1445-4 1445-3 1447-7 1447-9 1450-8 1450-8 1453-9 1457-7 1457-7 1463-6	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1	MONT DAY DAY HOUR STD OBS STD OB STD OBS STD OB OB STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB OB STD OB OB OB STD OB OB OB OB OB OB OB OB OB OB OB OB OB	DEPTH 00000 00010 00026 00030 00051 00077 00100 00150 00150 00150 00150 00150 00150 00150 00150 00150	TEMP 08-08 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55 - 0-19 - 0-16 00-26 00-32 00-88 01-97 01-56 02-52 02-61 03-27	MET 8L BAROME CL OUO SAL 32.17 32.167 32.39 32.63 33.42 33.461 33.462 33.638 33.80 33.82.63 34.45 34.47 34.475 34.475	M.B 07.8 ETR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 25.05 26.07 26.26 26.90 27.03 27.04 27.15 27.16 27.24 27.35 27.59	13 SEA CL/TR OYNOPTH 00.000 00.026 00.045 00.093 00.121 00.146 00.188 00.222	SNO VEL 1479.5 1479.5 1467.2 1457.2 1452.5 1450.8 1445.7 1447.7 1447.9 1447.9 1450.8 1450.8 1450.8 1450.8 1450.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
COMSEC 0010 LAT 47 00 M LONG 047 00 M CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1	MONT DAY DAY DAY OBS STD OBS OBS STD OB STD OB	DEPTH 00000 00010 00020 00020 00030 00051 00077 00100 00154 00205 00250 00300 00300	TEMP 08-08 08-08 08-08 04-89 02-43 01-30 00.85 - 0.55 - 0.55 - 0.19 - 0.16 00.26 00.32 00.88 01.47 01.56 02-52 02-61 03-27 03-77 03-77	MET 8L BARDME CLOUD SAL 32.17 32.167 32.43 32.63 32.778 33.42 33.42 33.62 33.80 33.80 33.80 33.80 33.80 33.4149 34.45	M.B 07.8 FR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.26 26.26 27.03 27.04 27.15 27.15 27.15 27.59 27.59	13 SEA CL/TR OYNOPTH 00.000 00.047 00.065 00.093 00.121 00.146 00.188 00.222	SNO VEL 1479-5 1467-2 1467-2 1467-2 1457-2 1450-8 1445-4 1446-3 1447-7 1447-7 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1450-9 1450-	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY DAY HOUR STD OBS STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB	DEPTH OCOLO OC	SHIP CH DATA USE 1 05 TEMP 08-08 08-08 08-08 04-89 02-43 01-30 00-85 - 0-58 - 0-19 - 0-16 00-26 00-32 00-88 01-97 01-56 02-52 02-52 02-52 03-27 03-27 03-27	MET BL BARDME CLOUD SAL 32.17 32.167 32.39 32.42 33.42 33.42 33.62 33.40 33.80 34.12 34.149 34.45 34.47 34.47 34.47 34.47 34.47 34.47	M.B 07-8 FR 1026-2 T/A 8/5 SIGMA-T 25-06 25-05 26-07 26-26 26-07 26-26 26-88 26-90 27-03 27-04 27-15 27-15 27-15 27-15 27-15 27-15 27-15 27-15 27-15 27-15 27-16 27-64 27-64 27-64 27-64	13 SEA CL/TR OYNOPTH 00.000 00.026 00.045 00.093 00.121 00.146 00.188 00.222	SNO VEL 1479-5 1467-2 1467-2 1457-2 1457-2 1452-8 1445-4 1445-9 1450-8 1447-7 1450-5 1450-8 1457-7 1463-6 1467-5 1470-8 1470-8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY DAY DAY OBS STD OBS OBS STD OB STD OB	DEPTH 00000 00010 00026 00050 00051 00077 00100 00150 00150 00250 00300 00150 00250 00300 00300 00300	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00.85 - 0.55 - 0.55 - 0.19 - 0.16 00.26 00.32 00.88 01.47 01.56 02-52 02-61 03-27 03-77 03-77 03-77 03-82 03-99 04-00	MET 8L BAROME CL OUO SAL 32.17 32.167 32.39 32.63 32.778 32.92 33.441 33.462 33.638 33.824 34.45	M.B 07.8 ETR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 25.05 26.07 26.26 20.40 20.40 27.15 27.16 27.24 27.33 27.35 27.35 27.51 27.52 27.51 27.54 27.55 27.51 27.64 27.67	13 SEA CL/TR 0YN0PTH 00.000 00.047 00.047 00.065 00.093 00.121 00.146 00.188 00.222 00.275 00.323	SNO VEL 1479-5 1467-2 1457-2 1457-2 1452-5 1450-8 1445-4 1445-7 1447-9 1450-8 1450-	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY DAY HOUR STD OBS STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB OB STD OB STD OB OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB STD OB	DEPTH OCO 00 OO 10 OO 20 OO 20 OO 50 OO 10 O	SHIP CH DATA USE 1 05 TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-58 - 0-19 00-26 00-32 00-89 01-47 01-56 02-52 02-61 03-27 03-77 03-87 03-77	MET BL BARDME CLOUD SAL 32.17 32.167 32.39 32.42 33.42 33.42 33.42 33.42 33.42 33.42 34.12 34.149 34.15 34.17 34.1	M.B 07.8 FR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.40 26.88 26.90 27.03 27.04 27.15 27.16 27.24 27.33 27.25 27.59 27.59 27.64 27.64 27.64 27.65 27.64 27.67 27.67 27.69	13 SEA CL/TR 0YN0PTH 00.000 00.026 00.045 00.093 00.121 00.146 00.188 00.222 00.275	SNO VEL 1479-5 1467-5 1467-2 1457-2 1457-2 1457-2 1452-5 1450-8 1445-3 1447-7 1450-1 1450-8 1457-7 1463-6 1467-5 1473-5 1473-5	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY HOUR STD OBS STD	DEPTH OCOLO OC	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00.85 - 0.55 - 0.55 - 0.19 - 0.16 00.26 00.32 00.88 01.47 01.56 02-52 02-61 03-27 03-77 03-77 03-77 03-82 03-99 04-00	MET 8L BAROME CL OUO SAL 32.17 32.167 32.39 32.63 32.778 32.92 33.441 33.462 33.638 33.824 34.45	M.B 07.8 ETR 1026.2 T/A 8/5 SIGMA-T 25.06 25.06 25.05 26.07 26.26 20.40 20.40 27.15 27.16 27.24 27.33 27.35 27.35 27.51 27.59 27.64 27.64 27.67 27.69 27.69	13 SEA CL/TR 0YN0PTH 00.000 00.047 00.045 00.093 00.121 00.146 00.188 00.222 00.275 00.323 00.370	SNO VEL 1479-5 1467-5 1467-2 1457-2 1457-2 1452-5 1450-8 1445-3 1447-7 1463-9 1450-8 1450-8 1450-8 1450-8 1470-9 1470-8 1470-9 1470-8 1470-9 1470-	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY HOUR STD OBS	DEPTH O0000 00010 00026 00030 00050 00051 00077 00100 00150 00154 00200 T100205 00250 00301 00400 00500 00500 00500	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55 - 0-19 - 0-16 00-26 00-32 00-88 01-47 01-56 02-52 02-61 03-27 03-87 03-99 04-00 04-15 04-16	MET BL BARDME CLOUO SAL 32.17 32.167 32.39 32.63 32.77 33.42 33.42 33.42 33.42 33.42 33.43 33.82 33.82 33.82 33.82 34.12	M.B 07.8 FR 10 26.2 T/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.40 26.88 20.90 27.15 27.15 27.16 27.24 27.33 27.35 27.51 27.52 27.52 27.52 27.64 27.67 27.69 27.70	13 SEA CL/TR 0YN0PTH 00.000 00.047 00.047 00.065 00.093 00.121 00.146 00.188 00.222 00.275 00.323	SNO VEL 1479-5 1467-5 1467-2 1457-2 1457-2 1457-2 1452-5 1450-8 1445-3 1447-7 1450-1 1450-8 1457-7 1463-6 1467-5 1473-5 1473-5	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY HOUR STD OBS	DEPTH 00000 00010 00010 00020 00020 00050 00051 00075 00150	SHIP CH DATA USE 1 AREA 05 TEMP 08-08-08-08-08-08-08-08-08-08-08-08-08-0	MET BL BARDME CLOUD SAL 32.17 32.167 32.39 32.63 32.77 33.42 33.461 33.63 33.80 33.80 33.80 34.15 34.163 34	M.B 07.8 FR 1026.2 1/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.40 26.88 26.90 27.03 27.15 27.15 27.15 27.15 27.16 27.24 27.33 27.35 27.51 27.51 27.52 27.64 27.64 27.67 27.69 27.70 27.70 27.70	13 SEA CL/TR 00.000 00.026 00.047 00.065 00.093 00.121 00.146 00.168 00.122 00.275 00.275 00.323 00.370	2 4 SNO VEL 1479.5 1467.2 1467.2 1467.2 1457.2 1457.2 1450.8 1445.3 1447.7 1447.9 1450.8 1450.8 1450.8 1450.8 1450.8 1450.8 1450.9 1450.8 1470.8	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY HOUR STD OBS	DEPTH OCO 000 OOO 10 OOO 20 OOO 20 OOO 50 OOO 50 OOO 77 OOO 77 OOO 70 OOO 70	SHIP CM DATA USE 1 AREA 05 TEMP 08-08 08-08 04-89 02-43 01-30 00-85 - 0-55 - 0-58 - 0-19 - 0-16 00-26 00-32 00-88 01-47 01-56 02-52 02-61 03-27 03-87 03-87 03-99 04-00 04-15 04-27 04-27	MET 81 BARDME CLOUD SAL 32.17 32.167 32.33 32.778 32.63 32.778 33.42 33.42 33.42 33.42 33.42 33.42 33.43 33.82 33.83 34.87 34.87 34.87 34.83 34.87 34.83 34.87 34.87 34.83	M.B 07.8 FR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.40 26.88 26.90 27.03 27.15 27.16 27.16 27.24 27.35 27.16 27.26 27.64 27.64 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70	13 SEA CL/TR 04N0PTH 00.000 00.047 00.065 00.093 00.121 00.146 00.188 00.222 00.250 00.275 00.323 00.370	SNO VEL 1479-5 1467-2 1467-2 1457-2 1457-2 1452-5 1450-8 1445-4 1445-3 1447-7 1447-7 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1450-8 1470-9 1471-	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4
CASTNUM/TIME CASTNUM/TIME 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1 20.1	MONT DAY HOUR STD OBS	DEPTH 00000 00010 00010 00020 00020 00050 00051 00075 00150	SHIP CH DATA USE 1 AREA 05 TEMP 08-08-08-08-08-08-08-08-08-08-08-08-08-0	MET BL BARDME CLOUD SAL 32.17 32.167 32.39 32.63 32.77 33.42 33.461 33.63 33.80 33.80 33.80 34.15 34.163 34	M.B 07.8 FR 1026.2 T/A 8/5 SIGMA-T 25.06 25.05 26.07 26.26 26.26 26.26 26.26 26.26 27.03 27.03 27.16 27.16 27.16 27.16 27.27 27.27	13 SEA CL/TR 00.000 00.026 00.047 00.065 00.093 00.121 00.146 00.168 00.122 00.275 00.275 00.323 00.370	SNO VEL 1479-5 1467-2 1467-2 1467-2 1457-2 1450-8 1445-3 1447-7 1447-7 1447-7 1450-8 1470-8 1470-8 1470-9 1470-	WIND-SPD WIND-FOR WEATHER	XI Io	DURAT	DIR TION A2 049		2	SQUARE 6 SQUARE 7	4

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18-19
March 1971, Prepared from NODC Listing No. 31-8263.—Continued

REFID 31 1807 YEAR 1971 CUNSEC 0011 MONTH 07 LAT 47 00 N DAY 15 LONG 047 14 M HOUR 22.7	BOTDP 00402 AIR TEMP 08.0 SMIP CM MET BULB 07.4 DATA USE 1 BAROMETR 1025.1 AREA 05 CLOUD T/A 6/3	DIR HGT PER MIND-DIR 15 13 2 3 WIND-SPD 10 SEA WIND-FOR CL/TR WEATHER X1	INST NANSEN CAST TRACE DIR DURATION ORIG A2 049	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 77
CASTNUM/TIME LYLTYP DEPTH	TEMP SAL SIGNA-T	DYNDPTH SND VEL DXYG PO	4 TOT P NO2 NO3	S103 PH
STD 00000 22.7 085 00000 STD 00010 STD 00020	08.06 31.87 24.83 08.06 31.870 24.83 07.87 31.91 24.89 06.64 32.05 25.17	00.000 1479.1 1479.1 00.031 1478.6 00.060 1474.1		
22.7 OBS 00023 STD 00030	06.06 32.111 25.29 02.92 32.40 25.85	1471.9		
22.7 OBS 00046 STD 00050	- 1.48 32.900 26.49 - 1.43 32.94 26.51	1440.2		
22.7 OBS 00069 STD 00075	- 1.06 33.192 26.71 - 0.88 33.32 26.81	1443.0 00.156 1444.1		
22.7 085 00083	- 0.44 33.474 24.93	1445.5 00.185 1447.5		
STD 00100 STD 00125	- 0.31 33.58 26.99 00.19 33.72 27.09	00.211 1450.5		
22-7 OBS 00139 STD 00150	00.47 33.802 27.14 00.69 33.86 27.17	00.234 1453.3		
STD 00200 STD 00250	01.66 34.14 27.33	00.276 1458.9 00.311 1464.2		
22.7 085 00300 22.7 085 00330	03.52 34.65 27.58 04.06 34.799 27.64	00.341 1469.3		
REFID 31 1887 YEAR 1971 CONSEC 0012 MONTH 07	SHIP CM MET BULB 08.5	DIR HGT PER WIND-DIR 14 14 2 3 WIND-SPD 14	INST NANSEN CAST	TEN SQ 1306
LAT 47 00 N DAY 16 LONG 047 20 W HOUR 00.9	DATA USE 1 BAROMETR 1024.2 AREA 05 CLOUD T/A 8/6	SEA WIND-FOR CL/TR WEATHER XI	DURATION	5 SQUARE 4 2 SQUARE 66
		CETTE WEATHER AT	ORIG A2 049	1 SQUARE 77
CASTNUM/TIME LVLTYP DEPTH	TEMP SAL SIGNA-T	DYNDPTH SND VEL DXYG PO	4 TOT P NO2 NO3	S103 PH
00000 072 00000 280 0•00	07.66 32.20 25.15 07.66 32.198 25.15	00.000 1478.0 1478.0		
STD 00010 STD 00020	03.73 32.42 25.78 00.81 32.60 26.15	00.025 1462.4 00.045 1450.0		
00.9 OBS 00023 STD 00030	00.13 32.640 26.22	1447.0		
00.9 085 00046 STD 00050	- 0.90 32.70 26.31 - 2.09 32.843 26.45	00.063 1442.4 1437.3		
00.9 085 00068	- 1.87 32.89 26.49 - 1.07 33.067 26.61	00.096 1438.4 1442.8		
00.9 OBS 00091	- 0.89 33.12 26.65 - 0.53 33.236 26.73	00.133 1443.8 1445.9		
\$10 00100 \$10 00125	- 0.37 33.29 26.77 - 0.05 33.48 26.91	00.166 1446.9 00.197 1449.0		
00.9 DBS 00136 STD 00150	00.03 33.584 26.98 33.73	1449.7		
00.9 085 00171	33.987			
	*****	•••••		
REFID 31 1887 YEAR 1971 CONSEC 0013 MONTH 07 LAT 47 00 N DAY 16 LONG 047 44 M HOUR 02.5	BOTDP 00178 AIR TEMP 10-3 SHIP CM WET BULB 08-8 DATA USE 1 BAROMETR 10-22-6 AREA 05 CLOUD T/A 6/8	DIR HGT PER WIND-DIR 1: 15 2 2 WIND-SPD 20 SEA WIND-FOR CL/TR WEATHER X2	TRACE DIR DURATION	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 77
CASTNUM/TIME LVLTYP DEPTH	TEMP SAL SIGNA-T	DYNOPTH SND VEL DXYG PO	4 TOT F NO2 NO3	S103 PH
STD 00000	08.05 32.26 25.14	00.000 1479.5		
02.5 OBS 00000 STD 00010	08.05 32.257 25.14 05.65 32.19 25.40 03.48 32.12 25.57	1479.5 00.027 1470.1		
02.5 OBS 00020	03.48 32.12 25.57 03.07 32.102 25.59	00.052 1461.1 1459.3		
STD 00030 02.5 085 00045	01.24 32.40 25.91 - 1.00 32.776 26.37	00.074 1451.8		
STD 00050 02.5 085 00067	- 1.17 32.79 26.39 - 1.45 32.863 26.46	00-111 1441-6		
STO 00075	- 1.32 32.92 26.50 - 1.10 33.023 24.58	00.151 1441.5		
STD 00100 STD 00125	- 0.93 33.11 26.64 - 0.57 33.30 26.78	00.188 1444.0 00.221 1446.4		
02.5 OBS TOOL34	- 0.45 33.377 26.84	1447.2		

Table III.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 18–19
March 1971, Prepared from NODC Listing No. 31–8263.—Continued

REFID 31 1887 CONSEC 0016 LAT 47 00 N LONG 048 00 W	MONT	1971 H 07 16 04.2		WET B	ULB 08.8 ETR 1021.2		GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	20	TRACE DUKAT			5 2	SQUARE SQUARE SQUARE	E 4
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	PU4	TOT P	NOZ	NO3	5133	РН	
	STO	00000	08.38	32.23	25.07	00.000	1480.8								
04.2	OBS	00000	08.38	32.228	25.07		1480.8								
	SID	00010	08.15	32.26	25.13	00.028	1480.1								
	STD	00020	97.91	32.29	25.19	00-057	1479.4								
	STO	00030	07.68	32.33	25.25	00.084	1478-7								
04.2	085	00048	07.26	32.387	25.35		1477.4								
	STO	00050	06.26	32.43	25.52	00.136	1473.5								
04.2	085	00071	- 0.81	32.772	26.36		1443.6								
	STD	00075	- 0.97	32.78	26.38	00.188	1443.0								
04.2	085	00094	- 1.37	32.872	26.46		1441.5								
	STO	00100	- 1.30	32.91	26.49	00.228	1442.0								
04.2	085	00117	- 1.09	33.047	26.60		1443.4								

Table V.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CHASE, 26–28 August 1971, Prepared from NODC Listing No. 31–1889.

	1 1889 0001 7 00 M	MONT	1971 H 08 26 19.3	SHIP EL DATA USE I AREA GS	BARO	TEMP 16. BULB 15.0 DMETR 1019.5	25 SEA		WIND-DIR WIND-SPO WIND-FOR WEATHER	14	TRAC	NANSEN E DIR TION AZ 05		5 2	N SQ 1306 SQUARE 4 SQUARE 68 SQUARE 78
CASTNU	M/T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNOPTH	SND VEL	OXYG	P04	TOT P	NOZ	NO3	5103	PH
		510	00000	14-26	31-70	23.61	00.000	1501.0							
	19.3	085	00000	14.26	31.703	23.61		1501.0							
	19.3	STO	00010	14.12	31.64	23.59	00.043	1500.6							
	14.3	08 S	00020	07.63	31.624	23.66	00.079	1499.3							
		STO	00030	01.97	32.48	25.98	00-104	1455.2							
	19.3	510	00037	- 0.68	32.683	26.29	00.141	1443.5							
	19.3	085	00062	- 1.31	32.833	26.43	00.141	1441.9							
		STD	00075	- 1.12	32.90	26.48	00.181	1442.4							
	19.3	GBS	00100	- 1.00	32.993	26.67	00.218	1443.7							
	19.3	085	00112	- 0.59	33.310	26.79	00.216	1446.1							
						••••	•••••	••							
REFID 31	1889	YEAR	1971	BOTOP 00137	ALR T	EMP 14.9	DIR HO	ST PER	WIND-DIR	24	INST	NANSEN	CAST	TEN	59 1306
CONSEC	0002	MONTH		SHIP EL	WET B	ULB 14.2	24	2 2	WIND-SPD	09	TRACE			5 5	QUARE 4
LAT 46 LONG 047	59 N	HOUR	26	DATA USE 1 AREA 05		T/A 6/6	SEA CL/TR		WEATHER	X1	DURAT	A2 050			QUARE 67
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	TOT P	NO2	NO3	\$103	РН
		STD	00000	14.03	31.61	23.59	00.000	1500.1							
	20.9	08 S	00010	14.03	31.614	23.59	00.040	1498-2							
		STD	00020	12.47	32.41	24.52	00.077	1490.2							
	20.9	08 S STD	00025	12.08	32.543	24.69	00.107	1495-1							
	20.9	280	00049	- 1.36	32.774	26.38		1440.1							
		STO	00050	- 1.36	32.78	26.39	00.149	1440.7							
	20.9	085 STD	00074	- 1.25	32.904	26.48	00.189	1441.8							
	20.9	085	00098	- 0.84	33.119	26.65		1444.4							
	20.9	STO	00100	- 0.80	33.14	26.66	00-226	1444.7							
REFID 31	1 1889	WE 40	1971	80 TOP 00701		TEMP 15.1	010	HGT PER	WIND-DIR	•					
CONSEC	0003	MONT	H 08	SHIP EL	WET	BULB 13.9	25		WIND-SPD	05		NANSEN E DIR	CASI	5 5	SQUARE 4
LONG 047	7 00 N		26	DATA USE 1		METR 1020.0	SEA CL/TI		WIND-FOR		DURA	TION AZ 05		2 5	SQUARE 66
LUNG O	. ,	HOOK	22.0	Anea 03	CLO	D T/A 7/5			WEA THER	**	OKIG	A2 05	•	1 :	SQUARE 77
CASTNU	M/T I ME	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNOPTH	SND VEL	DXYG	P)4	TOT P	NO2	NO3	\$103	РН
		STD	00000	13.55	31.61	23.68	00.000	1498.5							
	22.8	STD	00000	05.66	32.09	23-68	00.034	1498.5							
		STD	00020	00.28	32.45	25.32	00.057	1447.4							
	22.8	OBS	00024	- 1.16	32.560	26.20	00.076	1440.9							
	22.8	OBS	00030	- 1.34	32.63	26.26	00.076	1440.3							
		STD	00050	- 1.62	32.78	26.40	00.110	1439.5							
	22.8	STD	00071	- 1.51	32.858	26.45	00.150	1440.4							
	22.8	OBS	00095	- 1-27	32.972	26.54		1442.1							
		STO	00100	- 1.22	32.99	26.56	00.188	1442.5							
	22.8	OBS	00125	- 0.77	33.14	26.66	00.224	1444.4							
		STD	00150	- 0.54	33.36	26.83	00.256	1447.0							
	22.8	OBS	00189	01.23	33.846	27.13		1456.4							

Table V.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CHASE, 26–28 August 1971, Prepared from NODC Listing No. 31–1889.—Continued

REFID 31 18 CONSEC 00 LAT 46 59 LONG 047 15	N DAY	IR 1971 ITH 08 27 IR 00-7	SHIP EL DATA USE LAREA 05	ALR T MET 8 BARGM CLOUD	SULB 13.9 SETR 1020.0	DIR F 21 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	05	DURA			5 2	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 67
CASTNUM/TIM	E LYLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NQ3	5103	РН
	STO	00000	13.68	31.03	23.21	00.000	1498.2							
00.		99000	13.68	31.029	23.21	00.000	1498.2							
•••	STD	90010	07.78	31.69	24.74	00.039	1477.9							
	510	00020	03.29	32.23	25.68	00.067	1460.4							
	STO	00030	00.21	32.64	26.22	00.087	1447.5							
00.		000 30	00.21	32.640	26.22	00.001	1447.5							
•••	510	99050	- 1.10	33.03	26.58	00.120	1442.3							
00.		00055	- 1.29	33-107	26.65		1441.6							
	510	00075	- 1.26	33-33	26.83	00.154	1442.3							
00.		00086	- 1.25	33-443	26.92		1442.7							
	STO	00100	- 0.51	33.57	27.00	00.182	1446.6							
00.		00111	- 0.01	33-670	27-06		1449.2							
	STO	00125	00.38	33.78	27.13	00.207	1451.4							
	STO	00150	01.02	33.97	27.24	00-230	1455.0							
00.		00166	01.36	34.082	27.30	00-230	1457.0							
	STO	00200	02.00	34.30	27.44	00.268	1460.6							
00.		100222	02.36	34.423	27.50		1462.7							
•••	ofe	00250	02.78	34.55	27.57	00.298	1465.2							
	STD	00300	03.43	34-71	27.63	00.324	1469.0							
00.		00333	03.78	34.765	27.64		1471.1							
REF1D 31 11	189 YE	A 1971	BOTOP 01097	AIR 1	TEMP 14.4	DIR	GT PER	MIND-DIR	28	INST	NANSEN	CAST	TE	N SQ 1306
		80 HT	SHIP EL	WET 6				MIND-SPD			E DIR		5	SQUARE 4
LAT 47 00			DATA USE 1		METR 1020.0			WIND-FOR		DURA			2	SQUARE 66
LONG 046 58		JR 03.3	AREA 05				1	WEATHER			A2 05	0		SQUARE 76
CASTNUM/T []		DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	PO4	TOT P	NO2	NG3	\$103	PH
CASINUM/III	F FAFIA	DEFIN	· Enr		-10·m	- 1 m	Sun ACE							-7.75

CONS LAT LONG	EC 47	1889 0005 00.0N 58.0w	MONT	1971 H 08 27 03.3	SHIP EL DATA USE 1 AREA 05			28 SEA		WIND-SPD WIND-FOR WEATHER	16	TRACE			5 2	SQUARE SQUARE SQUARE	56
CA	STNUM	T I'ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	\$103	РН	
			STD	00000	12.60	31.78	24.00	00.000	1495 - 5								
		03.3	085	00000	12.60	31-784	24.00		1495.5								
			STD	00010	11.68	31.78	24.18	00.038	1492.5								
			STO	00020	10.75	31.97	24.48	00.074	1489.6								
		03.3	085	00025	10.29	32-133	24.69		1488.2								
			STD	00030	07.25	32.53	25.46	00.104	1477.3								
		03.3	085	00049	- 0.28	33.562	26.98		1446.8								
			STD	00050	- 0.32	33.57	26.99	00-140	1446.7								
		03.3	085	00074	- 0.46	33.759	27.15		1446.7								
			STO	00075	- 0.40	33.77	27.15	00-165	1447.0								
		03.3	085	00098	00.75	34.016	27.29		1453.0								
			STD	00100	00-83	34.04	27.30	00.186	1453.4								
			STD	00125	01.72	34.25	27.41	00.204	1458-0								
		03.3	085	00148	02.32	34.403	27.49		1461.3								
			STD	00150	02.34	34.41	27.49	00.221	1461.4								
			STD	002 00	02.91	34.59	27.59	00.249	1464.9								
		03.3	OBS	100202	02.93	34-595	27.59		1465.1								
			STD	00250	03.49	34.71	27.63	00.274	1468.4								
			STD	00300	03.87	34.80	27.66	00-298	1471.0								
		03.3	085	00301	03.66	34.801	27.66		1471.0								
			STO	004 00	04.03	34.86	27.69	00.344	1473.4								
		03.3	085	T00400	04.03	34.859	27.69		1473 .4								
			STD	005 00	04-00	34.88	27.71	00, 389	1474.9								
		03.3	085	00503	04.00	34.880	27.71		1475.0								
		-	STD	006 00	04.08												
		03.3	085	006 00	04.00												
		03.3	085	T01037	03.86												

Table V.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CHASE, 26–28 August 1971, Prepared from NODC Listing No. 31–1889.—Continued

REFID 31 1885		1971	8010P 00905	ALR TEM			WIND-DI			NANSEN	CAST		N SQ 13	
CONSEC 0006		H Q8	SHIP EL DATA USE 1	BAROMETI			WIND-FOR		DURAT				SQUARE	
LONG 046 44 H		05.7	AREA 05	CLOUD T			WEATHER			A2 050			SQUARE	
		0507.4	****		.cu4-r	DANGBAR END RE	L DXYG	024	TOT P	NO2	NO3	\$103	РН	
CASTNUM/TIME	LALIAD	DEPTH	TEMP	SAL SI	IGMA-T	DYNDPTH SND VE	LUXYG	PU4	101 P	NUZ	NUS	\$103	PH	
	STD	00000	13.14											
95.7	085	00000	13.14											
	STD	00010	09.74											
05.7	085	00024	05.78											
45.7	510	00030	04-18											
05.7	085	00048	01.16											
٠,.,	510	00050	01.17											
45.7	085	00073	01.41											
•••	SID	00075	01.46											
05.7	085	00097	02.01											
****	STD	00100	02.09											
	STO	00125	02.71											
05.7	085	00146	03.20											
	STD	00150	03.31											
05.7	OBS	00199	04.27											
	STD	00200	04.27											
	STD	00250	04.34											
05.7	085	00296	04.40											
	STD	00300	04-37											
05.7	085	00393	03.94											
	STO	00400	03.98											
05.7	OBS	00495	04.31											
05.7	STD 085	00500	04.31											
03.1	STO	00600	04.26											
	210	00700	04.18											
05.7	085	100787	04-11											
• ,• .	OTE	00800	04.06											
05.7	OBS	00831	03.94											
					*****	*******								
REFID 31 1889		1971	BOTOP 00393	AIR TEM			WIND-DI		INST	NANSEN	CAST	TE	N SQ 13	306
CONSEC 0001		н 08	SHIP EL	WET BUL			WINO-SP		TRAC				SQUARE	
LAT 46 59 1		27	DATA USE 1		R 1020.4		WIND-FO		DURA				SQUARE	
LONG 046 34 1	HOUR	07.7	AREA 05	CLOUD T	/A 6/5	S CL/TR	WEATHER	XP	ORIG	A2 050		1	SQUARE	66
CASTNUM/T IME	LVLTYP	DEPTH	TEMP	SAL S	IGMA-T	DYNDPTH SND VE	L OXYG	P34	TOT P	NO2	NO3	\$103	РН	
	STD	00000	13.06											
07.7	085	00000	13.06											
	570	00010	12.33							,				
	STD	00020	11.61											
07.7	OBS	00024	11.32											
	STD	00030	07.27											
07.7	085	00048	00.07											
07.7	STD	00050	00.38											
01.1	085	00073	02.35											
	STD	00075	02.20											

Table V.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CHASE, 26–28 August 1971, Prepared from NODC Listing No. 31–1889.—Continued

CONSEC 0008 MONTH 08 SI LAT 47 00 N DAY 27 D	OTDP 00292 AIR TEMP 11.3 HIP E1 HET BULB 09.8 NATA USE 1 BARDNETR 1021.7 REA 05 CLOUD T/A 6/6	DIR HGT PER MIND-DIR 32 32 2 2 MIND-SPD 15 SEA MIND-FOR CL/FR WEATHER X1	INST NAMSEN CAST TRACE DIR DURATION ORIG A2 D50	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 76
CASTNUM/TIME LVLTYP DEPTH	TEMP SAL SIGNA-T DY	NDPTH SNO VEL DXYG PO4	TOT P NO2 NO3 5	S103 PH
09.5 085 00000 09.5 085 00000 510 00010 510 00020 09.5 085 00049 510 00050 09.5 085 00093 510 00015 09.5 085 00093 510 00105 09.5 085 00093 510 00105 09.5 085 00093 510 00105 510 00125	13.70 13.72 13.72 13.73 13.74 10.42 03.42 03.35 02.22 02.16 01.85 01.96 02.78 03.31 03.39 04.00			
		••••••		
REFIO 31 1889 YEAR 1971 CONSEC 0009 MONTH QB	BOTOP 00283 AIR TEMP 11.0 SMIP EL MET BULB 09.1	32 1 2 WIND-SPD 20	TRACE OIR	TEN SQ 1306 5 SQUARE 4
LAT 47 00 N DAY 27 LONG 045 49 W HOUR 12-1	DATA USE 1 BAROMETR 1023.4 AREA 05 CLOUD T/A 6/6	SEA #IND-FOR	DURATION	2 SQUARE 64 1 SQUARE 75
CASTNUM/TIME LYLTYP DEPTH	TEMP SAL SIGMA-T	DYNDPTH SND VEL DXYG PO	4 TOT P NO2 NO3	S103 PH
\$TD 00000 \$2+1 085 00000 \$TD 00010 \$TD 00020 \$2+1 085 00023	13.56 13.31 13.06			
\$10 00030 12-1 0P5 00045 \$10 00050 12-1 0P5 00045 \$10 00075 12-1 0P5 00091 \$10 00100	08.93 03-22 02.95 02.35 02.37 02.41			
12.1 GBS 00136	03.74			
12+1 085 00186	04.58			
	••••	••••		
CONSEC 0010 MONTH 08 SI	OTDP 00284 AIR TEMP 11.4 MIP E1 WET BULB 09.0 MATA USE 1 BAROMETR 1024.5 REA 05 CLGUO T/A 2/6	OLR HGT PER WIND-DIR 32 32 2 2 WIND-SPD 18 SEA WIND-FOR CL/IR WEATHER XL	INST NAMSEN CAST TRACE DIR DURATION ORIG AZ 050	TEN SQ 1306 5 SQUARE 4 2 SQUARE 64 1 SQUARE 75
CASTNUM/TIME LYLTYP DEPTH	TEMP SAL SIGMA-T DY	INDPTH SNO VEL DXYG PD4	TOT P NO2 NO3	S103 PH
\$TD 00000 14.5 085 00000 \$TD 00010 \$TD 00020 14.5 085 00028	13.14 13.14 12.89 11.79 10.29			
\$1D 00030 \$1D 00050 \$1D 00050 \$14.5 \$46 \$40051 \$1D 00075	09.41 03.13 02.94 02.34			
14.5 QBS Q0079 STD Q0100 14.5 QBS Q0103	02.32 02.62 02.67			
STD 00125 STD 00150 14.5 QBS 00154 STD 00200	03.33 03.91 03.99 04.53			
14.5 085 00206	04-56			

Table V.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CHASE, 26-28
August 1971, Prepared from NODC Listing No. 31-1889.—Continued

	001	N D	EAR 1971 ONTH 08 AY 27 OUR 17.6	BOTOP 00393 SHIP EL DATA USE L AREA 05	BARE	TEMP 11.4 BULB 09.0 DMETR 1024.5	32 SEA	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	16	DUR	I NANSEN CE DIR ATION G AZ 05		5 2	SQUARE 6
CASTNUM	VTIME	LVLT	TP DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	OXYG	P34	TOT	P NOZ	NO3	\$103	PH
		ST	00000	12.31											
	17.6	085	00000	12.31											
		ST	00010	10.60											
		ST	00020	08-29											
	17.6	085	00022	07.76											
		ST	00030	04.03											
	17.6	085	00044	00.32											
		ST		00.89											
	17.6	085		01.97											
	-	ST		02.03											
	17.6	085		02.23											
		ST													
		ST													
	17.6	085	001 33	03.58											
		ST													
		ST													
		ST													
	17.6			04.55											
		ST		04.52											
	17.6		100309	04.49											

NSEC T		1889 0012 00 N 50 W	MONT	1971 H 08 27 20.6	SHIP EL DATA USE 1 AREA 05	BAR	TEMP BULB OMETR 1 UD T/A	09.1 025.1 8/2	DIR H 33 SEA CL/TR	4 2		WIND-DIR WIND-SPD WIND-FOR WEATHER	25	TRA	T NANS CE DIR ATION G AZ		5 2	N SQ 1306 SQUARE 6 SQUARE 86 SQUARE 85
CASTN	UM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGM	A-I	DYNOPTH	SND	VEL	OXYG	P34	TOT	P NO	2 NO3	\$103	PH
			STD	00000	11.67													
		20.6	085	00000	11.67													
			STO	00010	10.35													
			STO	00020	08.37													
	-	20.6	OBS	00024	07.39													
			STO	00030	04.88													
		20.6	085	00043	01.28													
			STO	00050	01.22													
		20.6	085	00066	01.07													
			STD	00075	01.58													
		20.6	085	00085	02.02													
			STO	00100	02-13													
			STD	00125	02-32													
		20.6	085	00127	02.34													
			STD	00150	03.59													
		20.6	OBS	100170	04.38													
			STO	00200	04.48													
			STD	00250	04-56													
	1	20.6	085	00255	04.56													
			STD	00300	04.50													
		20.6	085	100342	04.45													
			STD	00400	04.37													
	- 3	20.6	085	00431	04.34													
			STO	00500	04.31													
		20.6	085	00521	04.30													
		20-6	085	T00554	04.40													

Table V.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC CHASE, 26–28
August 1971, Prepared from NODC Listing No. 31–1889.—Continued

REFID 31 1889 CONSEC 0013 LAT 48 20 M LONG 045 50 M	MONT	1971 4 08 27 23.4	SHIP EL DATA USE 1 AREA 05	AIR WET BARO CLOU			WIND-DIE WIND-SPO WIND-FOO WEATHER	20	TRAC	NANSEN E DIR TION A2 05		5 2	N SQ 1306 SQUARE 4 SQUARE 84 SQUARE 85
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	OYNOPTH SNO VE	GXYG	P24	101 P	NG2	NO3	5103	PH
	STO	00000	12.20										
23,4	085	00000	12.20										
	510	00010	04.96										
23.4	085	00024	- 0.87										
23.4	085	00033	- 0.70 - 0.20										
23.4	510	00050	00.01										
23.4	085	00071	00.86										
23.4	085	00071	01.03										
	STD	00100	01.94										
23.4	S10 085	00125	02.61										
	STD	00150	03.01										
23.4	08S	00200	03.34										
	STD	00250	03.89										
23.4	085	00268	03.98										
23.4	085	100354	04.03										
	STO	00400	04.08										
23.4	STD	00437	04.08										
23.4	085	00520	04.22										
23.4	STD 085	00600	04.22										
	STD	00700	04.21										
23.4	085	00800 T00855	04.12										
23.4	062	100055	04.04										
					*****	********							
										NAMES		••	
REFID 31 1889	YEAR	1971 H 08	80TOP 01150	AIR		DIA HGT PER	WIND-DIR WIND-SPO	16		NANSEN E DIR	CAST	5 5	SQ 1306
CONSEC 0014	DAY	H 08	SHIP EL DATA USE 1	BARO	BULB 10.8 METR 1026.4	30 2 2 SEA	WIND-SPO WIND-FOR	16	TRAC	E DIR		2	SQUARE &
CONSEC 0014	DAY	H 08	SHIP EI	BARO	BULB 10.8	30 2 2	WIND-SPE	16	TRAC	E DIR		2	SQUARE 4
CONSEC 0014	DAY	H 08	SHIP EL DATA USE 1	BARO	BULB 10.8 METR 1026.4	30 2 2 SEA	WIND-SPO WIND-FOR WEATHER	16	TRAC	E DIR		2	SQUARE &
CONSEC 0014 LAT 48 35 N LONG 045 51 W	MONT DAY HOUR	08 28 01.6 DEPTH	SHIP EI DATA USE 1 AREA 05	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 W	NONT. DAY HOUR LVLTYP STD OBS	08 28 01.6 01.6 0EPTH 00000 00000	SHIP EI DATA USE 1 AREA 05	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M	MONTO DAY HOUR LVLTYP STD OBS STD	08 28 01.6 0EPTH 00000 00000 00010	SHIP E1 DATA USE 1 AREA 05 TEMP 11.06 11.06 08.64	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME	MONTO DAY HOUR LVLTYP STD OBS STD STD	01.6 01.6 0EPTH 00000 00000 00010 00020	FEMP 11.06 11.06 08.64 06.41	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 N CASTNUM/TIME	MONTO DAY HOUR LVLTYP STD OBS STD STD OBS STD OBS STD	08 28 01.6 0EPTH 00000 00010 00020 00027 00030	TEMP 11.06 11.06 08.64 06.41 04.97	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME	MONTO DAY HOUR LVLTYP STD OBS STD STD OBS STD OBS	08 28 01.6 0EPTH 00000 00010 00020 00027 00030 00049	SMIP E1 DATA USE 1 AREA 05 TEMP 11.06 11.06 08.64 06.41 04.97 04.20 01.06	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6	MONTO DAY HOUR LVLTYP STD OBS STD	08 28 01-6 00-6 00-6 00-6 00-6 00-6 00-6 00-6	TEMP 11.06 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6	MONT. DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS	08 28 01.6 0EPTH 00000 00010 00020 00027 00030 00049 00050 00075 00076	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 11.06 08.64 04.97 04.20 01.06 01.09 01.69 01.71	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6	MONT. DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS	08 28 28 01.6 01.6 01.6 01.6 01.6 01.6 01.6 01.6	SMIP E1 DATA USE 1 AREA 05 TEMP 11.06 11.06 08.64 04.97 04.20 01.09 01.69 01.71 02.21 02.23	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6	AONT DAY HOUR HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD STD OBS STD STD STD OBS STD STD OBS OBS STD STD OBS STD STD OBS STD OBS STD OBS STD OBS STD OBS STD	08 28 28 01.6 DEPTH 00000 00010 00027 00030 00050 00075 00076 00099 00100 00125	SMIP E1 DATA USE 1 AREA 05 TEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69 01.71 02.21 02.23 02.72	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6	AGMI- DAY HOUR SID OBS SID OBS SID OBS OBS SID OBS OBS SID SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID OBS SID SID SID SID SID SID SID SID SID SI	# 08 28 01.6 01.6 01.6 01.6 01.6 01.6 01.6 01.6	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.09 01.71 02.21 02.22 03.11	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6	ADMIDAY HOUR STD OBS	08 28 28 01.6 0EPTH 00000 00010 00020 00027 00030 00049 00050 00075 00049 00050 00015 00049 0005000000	TEMP 11.06 01.06 01.06 01.06 01.06 01.06 01.09 01.09 01.09 01.71 02.21 02.22 03.10 03.11	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6	AGMI-DAY DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS STD	# 08 28 01.6 01.6 01.6 01.6 01.6 01.6 01.6 01.6	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 08.64 06.41 04.97 04.20 01.09 01.69 01.69 01.71 02.21 02.23 02.72 03.11 03.64 03.64	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 N CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6	AGNT. DAY HOUR LVLTYP STD OBS	08 28 28 01-6 0 EPTH 0 00 00 00 00 00 00 00 00 00 00 00 00 0	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69 01.71 02.21 02.23 02.72 03.11 03.64 03.64 03.81 03.95	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6	AGNT DAY HOUR STD OBS	08 28 28 01-6 DEPTH 00000 00010 00027 00030 00075 00076 00090 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69 01.71 02.21 02.23 02.72 03.10 03.11 03.64 03.61 03.95	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 N CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6	AGNT DAY HOUR STD OBS	00000 00000 00000 00010 00027 00030 00049 00059 00075 00076 00079 00150	SMIP EI DATA USE 1 AREA 05 FEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69 01.71 02.21 02.23 02.72 03.10 03.11 03.64 03.64 03.95 04.13	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6	AGNT. DAY HOUR LVLTYP OBS STD OBS STD OBS STD OBS OBS OBS OBS STD STD OBS OBS OBS OBS OBS OBS STD OBS OBS STD OBS	08 28 01-6 0EPTH 00000 00010 00010 00027 00027 00075 00075 00075 00109 00100 00150 00150 00150 00150 00150 00150 00150 00150 001600 00150 001600 001600	SMIP EI DATA USE 1 AREA 05 1 1 - 06 11 - 06 11 - 06 08 - 64 04 - 97 04 - 20 01 - 06 01 - 09 01 - 71 02 - 21 02 - 23 02 - 72 03 - 10 03 - 11 03 - 64 03 - 64 03 - 64 03 - 64 13 04 - 13 04 - 13 04 - 18	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6 01.6	AGNT. DAY HOUR LVLTYP OBS STD OBS STD OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS	00000 00000 00010 00027 00030 00049 00057 00150 00125 00149 00150 00257 00250 00257 00300 00300 00300 0049 00100 00125 00149 00150 00250 00250 00250 00250 00250 00250	SMIP EI DATA USE 1 AREA 05 1 1 - 06 11 - 06 11 - 06 08 - 64 04 - 97 04 - 20 01 - 06 01 - 09 01 - 71 02 - 21 02 - 23 02 - 72 03 - 10 03 - 11 03 - 64 03 - 64 03 - 64 03 - 64 13 04 - 13 04 - 13 04 - 18 04 - 20	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6	AGNT. DAY HOUR STD OBS	00 00 00 00 00 00 00 00 00 00 00 00 00	SMIP EI DATA USE 1 AREA 05 FEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69 01.71 02.21 02.23 02.72 03.10 03.11 03.64 03.61 03.95 04.13 04.18 04.18	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6 01.6 01.	AGNT. DAY HOUR STD OBS	00000 00000 00000 00000 00010 00027 00030 00057 00075	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.69 01.71 02.21 02.23 02.72 03.10 03.11 03.64 03.81 03.95 04.13 04.18 04.18 04.20 04.11	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6 01.6	AGNT. DAY HOUR LVLTYP OBS STD OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS	00000 00000 00000 00000 00000 00000 0000	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.71 02.21 02.23 02.72 03.10 03.11 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.95	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6 01.6 01.	AGNT. DAY HOUR STD OBS	00000 00000 00000 00000 00010 00027 00030 00057 00075	SMIP EL DATA USE 1 AREA 05 1 1.06 11.06 08.64 04.20 04.13 04.18 04.28 04.20 04.11 04.97 04.18 04.18 04.20 04.10 04.97 04.18 04.18 04.20 04.10 03.99 03.99 03.99	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85
CONSEC 0014 LAT 48 35 N LONG 045 51 M CASTNUM/TIME 01.6 01.6 01.6 01.6 01.6 01.6 01.6 01.	AGNT. DAY HOUR LVLTYP OBS STD OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS	00000 00000 00010 00000 00010 00027 00030 00057 00075	SMIP EI DATA USE 1 AREA 05 TEMP 11.06 11.06 08.64 06.41 04.97 04.20 01.06 01.09 01.71 02.21 02.23 02.72 03.10 03.11 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.64 03.95	BARO CLOU	BULB 10.8 METR 1026.4 O T/A /0	30 2 2 SEA CL/TR	WIND-SPO WIND-FOR WEATHER	x0	TRAC OURA ORIG	E DIR TION A2 05	•	1	SQUARE 84 SQUARE 85

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9-10 November 1971, Prepared from NODC Listing No. 31-8280.

REF10 31 8240 CONSEC 0001 LAT 47 00 N LONG 047 54 W	YEAR MONTH DAY HOUR	11	BOTOP OUIST SHIP DG DATA USE I AREA 35	MET SE BARGM CL GUD	JL B	SEA CL/TH	,I PER	AIND-DIR AIND-SPD AIND-FUR AEATHER		DUPAT		00.3	5 5	SJ 13 JUARE JUARE	4
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SND VEL	JAYG	P)4	TOT P	NOZ	NO3	5173	Pn	
	STD	00000	01.98	30.11	26.48	cc. 300	1455.0								
01.4	UBS	00000	01.94	20.11	26.48		1455.6								
	310	00010	11.50	33.16	26.51	00.315	1450.4								
	STO	00020	02.20	33.19	20.53	00.331	1457.0								
	085 570	00030	05.50	33.19	20.53	03.045	1457.0								1
	385	000 30	04.22	33.24	24.57		1457.3								
	085 510	00040	02.26	33.26	26.00	00.375	1457.7								
	UBS	00050	14.50	33.30	26.60		1458.6								
	085 STD	00070	- 1.03	33.19	26.62	04.113	1445.3								
	385 085	00080	- 1.12	33.28	26.79		1443.0								
	510	00100	- 1.05	33.40	26.85	00.141	1444.2								
	085	00115	~ 0.96	33.40	27.00		1444.2								
	003	00117	0.00	,,,,,											
					•••••	********									
KEF10 31 8280	VF AL	1971	BUTDP 0016	s Alk	TEMP 03-1	nie .	IGT PER	aIND-DI	17	INST	STO HE	CORDER	16	N 50 L	104
CONSEC 0002	MUNT	H 11	SHIP UG	MET I	SULB CS.I	33	2 3	WIND-SPC	13	TRAC	E DIR	D	5	SQUARE	4
LAT 47 00 N		04.4	DATA USF		METR 1015.3	SEA CL/TI		WEATHER			TION AZ US	1 00.2		SQUARE	
CASINUM/TIME		DEPIH	TEMP	SAL	SJUMA-T		SND VEL	DXYG	P)4	101 6	NO2	NO3	\$103	PH	
U4.9	085	30000	02.98	33.05	26.35	00.363	1459.9								
44.7	085	00005	02.97	31.05	26.36		1459.9								
	STD	00010	02.65	33.02	26.36	03.017	1458.6								
	GRZ	00013	02.33	33.12	20.46		1457 .4								
	OBS	00020	02.55	33.32	20.61	03.332	1450.7								
	OBS	00048	U2.90	33.37	26.62		1460.4								
	210	00030	02.75	33.36	26.62	03.047	1459.8								
	510	00050	- 0.20	33.14	26.64	00.075	1446.6								
	085	00060	- 0.43	33.27	26.11		1446.6								
	OBS	000 70	- 0.98	33.33	26.82	00.108	1443.6								
	UBS	00080	- 0.95	35.16	20.84	00.108	1443.9								
	STU	00090	- C.94 - 0.67	33.47	26.93	00.137	1444.9								
	UBS	00100	- 0.67	33.54	20.49		1444.9								
	085	00125	- 0.37	33.70	27.10	00-162	1447.8								
	065	00145	- 0.08	33.73	27.11		1449.6								
					•••••	••••••	•								
REF10 31 8280	YEAR		BOTOP 00220				T PER	HIND-DIR			STO KEC	CKDER	78	N 50 1	326
CUNSEC 0003	HONTH	09	SHIP UG DATA USE 1	WET B	ULR 02.5 ETR 1016.0	SEA	2 3	WIND-SPD		DURA	NIC I	02.1		SJUARE	
LONG 047 30 W	HOUR		AREA 05			CL/TR		HEA THEK			A2 US1			SQUARE	
CASTNUM/TIME	LVLTYP	DEPIH	TEMP	SAL	SIGNA-T	DYNOPTH	SND VEL	JXYG	P 14	TOT P	NUZ	NO3	5103	РН	
400000000000000000000000000000000000000	STD	00000	02.05	33.16	26.52	00.000	1456.0								
05.9	085	00000	G2.05	33.16	26.52		1456.0								
	STD	00005	02.04	33.16	26.52	00.015	1456.4								
	085	00010	02.09	33.20	26.55		1456.4								
	STD	00015	02.49	33.30	26.66	00.330	1458.3								
	OBS	00020	02.53	33.38	20.66	00.043	1458.7								
	065	00030	02.64	33.54	26.77	00.043	1459.6								
	085 STD	00040	01.17	33.21	26.62 *	00.070	1452.9								
	065	00050	01.17	33.21	26.62		1452.9								
	STO	00075	- 0.78	33.32	26.81	03.104	1444.6								
	STD	00100	- 0.69	33.65	21.07	00.132	1445.9								
	STD	00100	- 0.69	33.65	27.07	03.155	1448.3								
	085	00125	- 0.30	33.95	27.19	00.176	1448.3								
	STD 085	00150	00.20	33.95	21.21	377170	1451.5								
	085	00175	01.13	34.09	27.33		1456.0								
		,													

••••••

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9-10 November 1971, Prepared from NODC Listing No. 31-8280.—Continued

CUNSEC	1 8280 0004 7 00 N	MONT	1971 h 11 09 07.7	SHIP DG DATA USE 1 AREA 05	DAR	TEMP 03.7 BULB 03.4 DMETR 1010.5		GT PER	WIND-DIR WIND-SPD WIND-FUR WEATHER		TRAC	STO RE	00.1	2	SQUARE SQUARE SQUARE	66
CASTNU	M/TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-I	DYNOPTH	SND VEL	JXYG	P)4	101	NU2	NOS	5103	РН	
		510	00000	06.31	33.60	26.43	00.303	1474.5								
	01.1	085	00613	06.31	33.60	20.43	00 01	1474.5								
		STO	00010	06.31	33.60	26.43	00.316	1474.6								
		STD	00020	06.30	\$1.59	26.42	00.032	1474.1								
		510	00020	05.30	33.59	20.42	00.048	1474.7								
		OBS	00030	05.87	33.68	26.55		1473.3								
		STD	00050	05.26	33.69	26.63	00.071	1471.2								
		STU	00075	02.55	33.71	26.92	00.103	1460 -1								
		STD	00075	02.55	33.71	26.92	00.131	1459.0								
		UBS	00100	02.11	34.41	27.51		1454.6								
		STD	00125	02.93	34.55	21.56	00.145	1463.6								
		STD	00150	03.05	34.59	27.58	00.159	1464.7								
		385	00150	03.05	34.59	21.60		1464.7								
		SID	00200	03.43	34.10	27.63	00.184	1467.5								
		CBS	00200	03.43	34.70	27.63	00.209	1467.3								
		OBS	00250	03.79	34.75	27.63	00.204	1405.0								
		STD	00100	03.82	34.78	21.65	00.233	1470.7								
		STD	30400	03.82	34.78	21.65	00.280	1470.7								
		uas	00400	03.84	34.61	21.67	00.327	1472.5								
		STD	00500	03.80	34.62	21.69		1474.0								
		STU	00600	03.77	34.43	21.70	00.373	1475.0								
		STO	00600	03.17	34.83	27.70	00.414	1477.1								
		STD	00100	63.14	34.84	21.11	00.465	1470.8								
		UBS	00800	03.74	34.05	21.12	00.403	1478.0								
		ues	00850	03.75	34.85	27.71		1479.7								
						•••••										
																306
	1 8230		1 +71	8010P 01097		TEMP 07.0		UT PER	#IND-UIR	14			COKDER		EN SQ 1	
CONSEC	0005	MONT	H 11	SHIP DG	MET	BULH 00.0	03		#IND-SPD	21	TRAC	E DIN	0	>	SQUARE	
CONSEC 4		MONT			HET			1 3	#IND-DIR #IND-SPD #IND-FUR #EATHER	51	DUF		03.4	2		66
CONSEC LAT 4 LONG 04	0005	MONT	H 11	SHIP DG DATA USE 1	HET	BULH Co.6	03 SeA	1 3	MIND-SPO MIND-FUK	51	DUF	E DIR ATION AZ 05	03.4	2	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR LVLTYP STD	09.7 09.7 DEPTH	SHIP DG DATA USE 1 AREA 05	SAL	BULH Co.6 DMETR 1015-0 JO T/A STUMA-T 25-77	SEA CL/TH	SND VEL	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR	H 11 09 09.7 DEPTH	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57	MET CLGL SAL 33.06 33.06	BULH Co.6 DMETR 1015-0 JD T/A SIGMA-T 25-97 25-97	SEA CL/TR DYNOPTH 00.100	SND VEL	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR LVLTYP STD CBS STD OBS	9 11 09 09.7 DEPTH 00000 00010 00010	SMIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.56	SAL 33.06 33.16 33.16 33.16	SIUMA-T 25.97 26.05 26.05	SEA CL/TH OVNOPTH	SNO VEL 1474.8 1474.8 1475.1 1475.1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR LVLTYP STD CBS STD	09 09.7 DEPTH 00000 00010	SMIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.56	SAL 33.06 33.16 33.16 33.16 33.19	BULH Co.o JMETR 1010-0 JO T/A S1uMA-T 25.97 25.97 20.05 26.05 20.09	03 SEA CL/TH DYNOPTH 00.100 00.020	SNU VEL 1474.3 1474.8 1475.1 1475.1 1474.6	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR STD OBS STD OBS STD OBS	H 11 09 09.7 DEPTH 00000 00010 00010 00015 00020 00020	SHIP DG DATA USE 1 AREA 05 TEMP 06-57 06-57 06-56 06-56 06-40 06-40	SAL 33.06 33.16 33.16 33.16 33.19 33.22	BULH Co.6 JMETH 1015-0 JO T/A SIUMA-T 25-97 25-97 26-05 26-05 26-12 26-12	03 SEA CL/TR DYNOPTH 00.300 00.020	SNU VEL 1474.3 1474.8 1475.1 1475.1 1474.0 1474.7	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR LVLTYP STD CBS STD OBS JBS STD	H 11 09 09.7 DEPTH 00000 00010 00010 00015 00020 00020 00020	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.56 06.56 06.42 06.40 06.40	SAL 33.06 33.16 33.16 33.16 33.17 33.18 33.18	BULH Co.6 DMEIN 1015-0 JO 7/4 SluM4-1 25-97 25-97 26-05 26-05 20-09 20-12 26-12 26-12	03 SEA CL/TH DYNOPTH 00.100 00.020	SNU VEL 1474.8 1474.8 1475.1 1475.1 1474.6 1474.7 1474.7	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTO DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD	H 11 09 09.7 DEPTH 00000 00010 00010 00015 00020 00020 00030 00030 00050	SHIP DG DATA USE 1 AREA 05 TEMP 06-57 06-56 06-56 06-56 06-40 06-40 06-28 06-28	SAL 33.06 33.16 33.16 33.16 33.12 33.22 33.22 33.31 33.81	BULH Co.co DMETH IJ15=0 ID T/A Sluma-T 25-97 25-97 26-05 26-05 26-12 26-12 26-12 26-21 26-21 26-21	03 SEA CL/TR DYNOPTH 00.300 00.020	SNU VEL 1474.8 1475.1 1475.1 1474.6 1474.7 1474.7 1474.5 1474.5	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTH DAY HOUR LVLTYP STD CBS STD OBS STD OBS STD OBS STD OBS STD OBS	H 11 09 09.7 DEPTH 00000 00010 00010 00015 00020 00020 00030 00030 00030	5HIP UG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.56 06.40 06.40 06.28 06.28 04.27	MET HANG CLCA SAL 33.06 33.16 33.16 33.12 33.31 33.31 33.31 33.41	BULH Co.c. METH IUTO-0 T/A SluMA-T 25.97 26.95 26.05 26.12 26.12 26.21 26.21 26.23 26.83	03 SEA CL/TH DYNDPTH 00.300 00.620 03.339 00.054	SNU VCL 1474.3 1474.8 1475.1 1475.1 1474.7 1474.7 1474.7 1474.5 1467.2	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTHURY HOUR STD CBS STD OBS	DEPTH 00000 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.40 06.28 04.27 03.47	MET HANG CLGA SAL 33.U6 33.16 33.16 33.17 33.41 33.41 33.41 33.41 33.41 33.44 44	BULH Co-comment to to a comment to to a comment to to a comment to a c	03 SEA CL/TH DYNOPTH 00.000 00.020 00.039 00.054 00.084	SNU VEL 1474.3 1475.1 1475.1 1474.0 1474.7 1474.7 1474.5 1474.5 1467.2 1405.1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP STD CBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00010 00010 00015 00020 00020 00030 00050 00050 00050 00050 00050 00050 00050	SHIP DG DATA USE 1 AREA 05 TEMP 06-57 06-56 06-56 06-56 06-40 06-40 06-28 06-28 04-27 04-27 03-47	MET HANG CLGA SAL 33.06 33.16 33.16 33.17 33.22 33.22 33.31 33.41 33.44 33.44 34.40	BULH Ob-c METH LUTG-0 ID T/A STUMA-T 25-97 25-97 26-05 26-05 26-12 26-12 26-12 26-12 26-12 26-13 26-83 26-83	03 SEA CL/TH DYNDPTH 00.300 00.620 03.339 00.054	SNU VEL 1474.3 1474.8 1475.1 1474.6 1474.7 1474.7 1474.5 1467.4 1407.2 1407.2	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONT: UAY HOUR STD CBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	H 11 U9 09-7 DEPTH 00000 00010 00010 00015 00020 00050 00050 00075 00075 00100 00100	5HIP UG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.56 06.40 06.40 06.40 06.28 06.28 04.27 03.47 03.47 04.28 04.28 04.28	MET HANG CLGA SAL 33.06 33.16 33.16 33.19 33.22 33.31 33.41 33.41 34.44 34.60 34.60 34.53	BULH Co.c. DETH IJ10=0 DT/A SluMA-T 25.47 26.47 26.45 26.42 26.41 26.41 26.41 26.41 26.41 26.41 27.46 27.46 27.46 27.46	03 SEA CL/TH DYNOPTH 00.000 00.020 00.039 00.054 00.084	SNU VEL 1474-3 1474-3 1475-1 1475-1 1474-7 1474-7 1474-7 1474-2 1465-1 1465-1 1469-1 1469-1 1469-1 1469-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP STD CBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	H 11 09 09-7 DEPTH 00000 00010 00015 00020 00015 00020 00050 00050 00050 00050 00050 00050 00050 00050	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.28 04.27 03.47 04.27 03.47	MET MAN(CLCA) SAL 33.06 33.16 33.16 33.19 33.22 33.31 33.41 33.41 34.44 34.60	BULH Co-o METH LUTO-O JO T/A STUMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.21 20.83 27.42 27.46	03 SEA CL/TH 04N0PTH 00.300 00.620 00.039 00.053 00.087	SNU VEL 1474-3 1475-1 1475-1 1475-1 1474-7 1474-7 1474-7 1474-5 1467-1 1465-1 1469-1 1469-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP STD CBS STD OBS STD	# 11 09 09.7 DEPTH 00000 00010 00015 00020 00020 0005000000	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 U6.57 06.56 U6.42 06.40 06.40 06.40 06.28 04.27 04.27 04.27 04.27 03.47 03.47 03.47 03.47 03.67 03.09	MET MANC CLCC SAL 33.U6 33.16 33.16 33.16 33.16 33.16 33.16 33.16 34.16	BULH Co-comment to to a comment to to a comment to to a comment to a c	03 SEA CL/TH 04N0PTH 00.300 00.620 00.039 00.087 00.112 00.129	SNU VEL 1474-8 1475-1 1475-1 1475-1 1476-7 1474-7 1474-7 1474-5 1474-5 1467-2 1465-1 1465-1 1465-1 1467-2 1464-7 1464-7	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD OBS STD	# 11 09 09 7 DEPTH 00000 00010 000	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.42 06.28 04.27 04.27 04.27 04.27 03.47 03.47 03.47 03.47 03.47 03.47 03.47 03.47 03.47 03.47	MET CARCO SAL 33. U6 33. 16 33. 16 33. 16 33. 16 33. 16 33. 16 33. 16 33. 16 33. 16 34	BULH Co-co METH LUTG-0 STUMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46	03 SEA CL/TH 04N0PTH 00.300 00.620 00.039 00.087 00.112 00.129	SNU VEL 1474-8 1475-1 1475-1 1475-1 1476-7 1474-7 1474-7 1474-9 1474-9 1467-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1 1469-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP CBS STD OBS	H 11 09 09-7 DEPTH 00000 00010 00010 00015 00020 00030 00050 00075 00075 00100 00100 00150 00150 00175 00100 00150 00175	5HIP UG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.28 06.28 04.27 03.47 04.27 03.47 04.28 03.27 03.47 04.28 03.55	MET TANK CLGG SAL 33.06 33.16 33.16 33.12 33.31 33.31 33.31 34.44 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.53 34.60 34.71 34.60 34.71	BULH On-o METH 1010-0 D T/A SluMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46	03 SEA CL/TH 04N0PTH 00.300 00.620 00.339 00.089 00.112 00.129 00.145 00.160	SNU VEL 1474-3 1475-1 1475-1 1475-1 1476-0 1474-7 1474-5 1467-2 1465-1 1465-1 1467-2 1464-9 1464-9 1466-7 1466-7	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP CBS STD CBS CBS STD CBS	H 11 09 09-7 DEPTH 00000 00010 00010 00010 00010 00010 00050 00050 00075 00100 00100 00150 00175 00100 00150 00175 00100 00150 00175	SHIP UG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.42 06.40 06.28 04.27 03.47 04.27 03.47 04.28 03.75 03.09 03.42 03.45 03.55 04.09	MET CLGC SAL 33.06 33.16 33.16 33.16 33.16 33.16 33.17 33.31 33.41 34.44 34.60 34.53 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.44 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.51 34.60 34.60 34.51 34.60	BULH Co-o METH LUTO-O D T/A STUMA-T 25.97 26.05 26.05 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.66 27.66 27.66	03 SEA CL/TH 04N0PTH 00.300 00.620 00.339 00.089 00.112 00.112	SNU VEL 1474-3 1475-1 1475-1 1475-1 1476-7 1474-7 1474-7 1474-5 1467-2 1465-1 1467-2 1464-9 1464-9 1464-9 1467-9 1467-9 1467-9 1471-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD OBS	# 11 09 09.7 DEPTH 00000 00010 00011 00015 00020 00020 00030 00050 00050 00050 00150 00150 00150 00175 00075 00175 00075 00175 00075	SHIP DG DATA USE 1 AREA 05 TEMP 06-57 06-57 06-56 06-56 06-60 06-40 06-40 06-42 06-28 06-28 04-27 04-28 04-27 03-47 03-47 03-55 03-09 03-09 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 04-37	SAL	BULH Co-o METH LUID-0 D T/A SluMA-T 25.77 26.05 26.05 26.05 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46	03 SEA CL/TH 04N0PTH 00.300 00.620 00.339 00.089 00.112 00.129 00.145 00.160	SNU VEL 1474-8 1475-1 1475-1 1475-1 1476-7 1474-7 1474-7 1474-5 1474-5 1465-1 1465-1 1465-1 1465-1 1465-1 1465-1 1465-1 1466-9 1467-2 1466-9 1467-9 1467-9 1467-9 1471-1 1471-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD OBS	# 11 09 09.7 DEPTH 00000 00010 00010 00015 00020 00020 00030 00050 00050 00050 00150 00150 00150 00150 00150 00200 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100	SHIP DG DATA USE 1 AREA 05 TEMP 06-57 06-57 06-56 06-56 06-40 06-40 06-40 06-40 06-40 06-28 06-28 06-28 04-27 04-28 04-27 04-28 04-27 04-28 04-20 03-67 03-67 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-69 03-75 03-09 03-69 03-75 03-09 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 03-97 04-37 04-37	SAL 33. J6 33. J6 33. J6 33. 16 33. 12 33. 31 34. 31	BULH Co-o METH LUID-0 SIUMA-T 25-77 25-77 26-05 26-05 26-05 26-12 27-16	03 SEA CL/TR 04N0PTH 00.100 00.020 00.054 00.112 00.129 00.145 00.160 00.204	SNU VEL 1474-8 1475-1 1475-1 1475-1 1476-7 1474-7 1474-7 1474-5 1476-2 1465-1 1465-1 1465-1 1465-1 1465-1 1467-2 1467-2 1467-2 1467-2 1467-3 1467-9 1467-9 1471-1 1471-1 1471-1 1471-1 1471-1 1473-2 1475-2	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR CBS STD OBS	# 11 09 09.7 DEPTH JOCOLD JOCULO JO	SHIP UG DATA USE 1 AREA 05 TEMP 06.57 U6.57 U6.57 U6.56 U6.40 U6.40 U6.40 U6.28 U6.40 U6.27 U4.27 U3.47 U4.28 U3.75 U3.47 U4.28 U3.75 U3.47 U4.28 U4.	MET CLGG SAL 33.06 33.16 33.16 33.16 33.19 33.22 33.24 33.31 33.41 34.44 34.60 34.53 34.60 34.53 34.60 34.71 34.82 34.82 34.86 34.91	BULH Co-o METH LUTO-O D T/A STUMA-T 25.97 26.05 26.05 26.05 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.66 27.66 27.66 27.66 27.66	03 SEA CL/TH OO. 100 OO. 200 OO. 112 OO. 129 OO. 145 OO. 160 OO. 209 OO. 233 OO. 279	SNU VEL 1474-3 1476-3 1475-1 1475-1 1476-3 1476-3 1474-5 1476-2 1467-2 1465-1 1467-2 1464-9 1464-9 1467-9 1461-9 1471-1 1471-1 1471-1 1471-1 1471-2 1471-1 1471-2 1471-1 1471-2 1471-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP CBS STD OBS	# 11 09 09-7 DEPTH JOCOLD JOCULO JO	SHIP UG DATA USE 1 AREA 05 TEMP 06.57 U6.57 U6.56 U6.40 U6.40 U6.42 U6.42 U6.42 U6.42 U6.47 U4.27 U4.28 U4.28 U4.28 U4.29 U4.37 U4.37 U4.37 U4.37 U4.39 U4.28	MET RANGE CLCC SAL 33.06 33.16 33.16 33.16 33.17 33.41 33.31 33.41 33.31 33.41 33.41 34.44 34.60 34.53 34.60 34.71 34.82 34.44 34.60 34.53 34.60 34.71 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.44 34.82 34.84 34.82 34.84 34.82 34.84 34.82 34.84	BULH Co-o METH LUTG-0 JO T/A STUMA-T 25.97 26.05 26.05 26.05 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66 27.66	03 SEA CL/TH O0.360 00.0620 00.087 00.112 00.129 00.145 00.160 00.203 00.279 00.233	SNU VEL 1474-3 1476-3 1475-1 1475-1 1476-3 1476-3 1474-5 1474-5 1476-2 1465-1 1467-2 1466-1 1467-2 1464-9 1467-2 1464-9 1467-9 1471-1 1471-1 1471-1 1471-1 1471-2 1471-1 1471-2 1471-1 1471-2 1471-1 1471-2 1471-1 1471-2 1471-1 1471-2 1471-1 1471-2 1471-	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD OBS STD	# 11 09 09.7 DEPTH JOQUID JO	5-HIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.40 06.40 06.28 06.28 04.27 03.47 04.27 03.47 04.28 04.27 03.47 04.28 04.28 04.28 04.29 04.29 04.29 04.29	#ET CLGC SAL 33.U6 33.16 33.16 33.16 33.16 33.16 33.16 33.17 33.41 34.44 34.00 34.53 34.44 34.00 34.53 34.47 34.48 34.60 34.53 34.48 34.60 34.53 34.93 34.93 34.93 34.93	BULH Co-o METH LUTO-O D T/A STUMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.47 27.71 27.71	03 SEA CL/TH OO. 100 OO. 200 OO. 112 OO. 129 OO. 145 OO. 160 OO. 209 OO. 233 OO. 279	SNU VEL 1474-3 1475-1 1475-1 1475-1 1476-5 1474-7 1474-5 1467-2 1465-1 1467-2 1465-1 1467-2 1467-2 1467-2 1467-2 1467-2 1477-3 1477-0	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP CBS STD CBS CBS STD CBS STD CBS STD CBS CBS STD CBS	H 11 U9 09-7 DEPTH U0000 00010	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.40 06.28 06.28 04.27 03.47 04.27 03.47 04.28 03.75 03.09 03.49 04.29 04.29 04.29	#ET CLGC SAL 33.06 33.16 33.16 33.16 33.16 33.16 33.33 33.41 34.44 34.60 34.53 34.60 34.51 34.44 34.60 34.53 34.60 34.71 34.82 34.46 34.91 34.92 34.92 34.92 34.93	BULH Co-o METH LUTO-O STUMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.47 27.73 27.73	03 SEA CL/TH O0.360 00.0620 00.087 00.112 00.129 00.145 00.160 00.203 00.279 00.233	SNU VEL 1474-3 1475-1 1475-1 1475-1 1476-7 1474-7 1474-7 1474-5 1467-2 1465-1 1467-2 1464-9 1464-9 1467-9 1467-9 1467-9 1471-1 1473-2 1475-0 1471-1 1473-2 1475-0 1471-2 1477-7 1477-7	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD CBS CBS STD CBS	# 11 09 09-7 DEPTH 00000 00010 00010 00015 00020 00020 00030 00050 00050 00100 001100 00150 00150 00150 00150 00200 00400 00400 00500 00600 00600	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 U6.57 U6.57 U6.56 U6.40 U6.42 U6.42 U6.42 U6.47 U4.27 U4.27 U4.27 U4.27 U4.27 U4.27 U4.28 U4.28 U4.29 U4.	SAL 33.06 33.16 33.16 33.16 33.16 33.17 33.17 33.17 33.17 33.17 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77	BULH Co-o METH LUTO-O STUMA-T 25.97 26.05 26.05 26.05 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.47 27.47 27.73 27.73 27.73	03 SEA CL/TH O0.160 00.000 00.000 00.000 00.000 00.000 00.000 00.112 00.129 00.145 00.160 00.209 00.233 00.279 00.364 00.364 00.413	SNU VEL 1474-3 1476-3 1475-1 1476-1 1476-7 1476-7 1476-7 1476-7 1460-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1 1470-1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD CBS CBS STD CBS STD CBS	# 11 09 09 77 09 09 77 09 09 09 09 09 09 09 09 09 09 09 09 09	SHIP DG DATA USE 1 AREA 05 TEMP 06.57 U6.57 U6.57 U6.56 U6.40 U6.42 U6.42 U6.42 U6.47 U6.28 U6.47 U6.28 U6.47 U6.28 U6.47 U6.28 U6.48 U6.	#ET CLCA SAL 33.U6 33.16 33.16 33.16 33.17 33.16 33.16 33.17 33.17 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77 34.77	BULH Co-o METH LUTG-0 STUMA-T 25.97 26.05 26.05 26.05 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.47 27.47 27.73 27.73 27.73 27.73	03 SEA CL/TH OO. 160 OO. 160 OO. 160 OO. 112 OO. 160 OO. 160 OO. 274 OO. 364 OO. 413 OO. 456	SNU VEL 1474-3 1474-3 1475-1 1476-3 1476-7 1476-7 1476-7 1476-7 1476-7 1476-7 1460-1 1470-1 1471-1 1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY P CHS STD C	# 11 09 09-7 DEPTH JODOO JOCUJO JOC JOCUJO JOCUJO JOCUJO JOCUJO JOCUJO JOCUJO JOCUJO JOCUJO JOCUJO	SHIP UG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.40 06.28 04.27 03.47 04.27 03.47 04.28 03.75 03.09 03.42 03.55 04.09 04.37 04.37 04.37 04.37 04.39 04.28 04.28 04.25 04.17 04.17	#ET CLGG SAL 33.06 33.16 33.16 33.16 33.16 33.16 33.36 34.44 34.60 34.53 34.44 34.60 34.53 34.64 34.60 34.71 34.82 34.46 34.93 34.91 34.92 34.93 34.93 34.93 34.93	BULH Co-o METH LUTO-O STUMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.47 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.75	03 SEA CL/TH O0.160 00.000 00.000 00.000 00.000 00.000 00.000 00.112 00.129 00.145 00.160 00.209 00.233 00.279 00.364 00.364 00.413	SNU VEL 1474-3 1474-3 1475-1 1476-3 1476-7 1474-7 1474-7 1467-2 1467-2 1467-2 1467-1 1467-1 1467-1 1467-1 1467-1 1467-1 1467-1 1467-1 1467-1 1478-1 1478-1 1	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- DAY HOUR LVLTYP CBS STD OBS STD	# 11 09 09-7 DEPTH JODO JOCUS JOCU	SHIP UG DATA USE 1 AREA 05 TEMP 06.57 06.57 06.56 06.40 06.40 06.40 06.28 06.27 03.47 04.27 03.47 04.27 03.47 04.28 03.75 03.09 03.42 03.55 04.00 04.09 04.37 04.37 04.39 04.39 04.28 04.28 04.29 04.37 04.39 04.39 04.39 04.39 04.39	#ET CLGG SAL 33.06 33.16 33.16 33.16 33.16 33.16 33.31 33.46 33.31 33.46 34.60 34.53 34.60 34.53 34.60 34.71 34.82 34.48 34.40 34.71 34.82 34.48 34.49 34.49 34.93 34.93 34.93	BULH Co-o METH LUTO-O STUMA-T 25.97 26.95 26.95 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.47 27.71 27.73 27.73 27.73 27.73 27.74 27.74 27.74	03 SEA CL/TH OO. 160 OO. 160 OO. 160 OO. 112 OO. 160 OO. 160 OO. 274 OO. 364 OO. 413 OO. 456	SNU VEL 1474-3 1474-3 1475-1 1476-3 1476-7 1474-7 1474-7 1474-7 1467-2 1465-1 1467-2 1465-1 1467-2 1464-9 1467-9 1471-1 1473-2 1471-7 1479-0 1471-7 1479-0 1471-7 1479-0 1481-6 1481-6 1481-6	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66
CONSEC LAT 4 LONG 04	0005 7 00 N 6 59 W	MONTI- UAY HOUR LVLTYP CBS STD CBS CBS STD CBS	# 11 09 09.7 DEPTH 00000 00010 00015 00020 00020 00030 00050 00050 00100 00100 00175 00075 001	SHIP DG DATA USE 1 AREA 0> TEMP 06.57 U6.57 06.56 U6.40 06.40 U6.42 06.40 U6.42 06.40 U6.28 U6.28 U6.27 U6.27 U6.27 U6.27 U6.27 U6.28 U6.37 U6	SAL 33. U6 33. U6 33. 16 33. 16 33. 12 33. 31 33. 44 34. 60 34. 60 34. 60 34. 71	BULH Co-o METH LUTO-O STUMA-T 25.97 26.05 26.05 26.05 26.12 26.12 26.12 26.12 26.12 26.12 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.46 27.47 27.71 27.71 27.71 27.71 27.71 27.73 27.73 27.75 27.74	03 SEA CL/TH O0.360 00.020 00.039 00.112 00.160 00.165 00.204 00.333 00.279 00.364 00.364 00.413 00.456 00.501	SNU VEL 1474-3 1474-3 1475-1 1474-7 1474-7 1474-7 1474-7 1474-7 1474-7 1460-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1471-1 1470-1 1480-2 1481-0 1480-2 1481-0	MIND-SPD MIND-FUK MEATHER	×1 SI	DUF I	E DIR ATION AZ 05	03.4	1	SQUARE SQUARE SQUARE	66

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9-10 November 1971, Prepared from NODC Listing No. 31-8280.—Continued

REFID 31 8280 CONSEC 0006 LAT 47 00 N LONG 046 45 M	YEAR MUNTH DAY HOUR	11	BCTDP OC841 SHIP UG DATA USE 1 AREA US	BARO	TEAP 09.0 SULS C7.8 METR 1017.1	12	GT PER	#IND-DIR #IND-SPU #IND-FUR #EATHER	15	DURAT		03.4	5	N SQ I SQUARE SQUARE SQUARE	66
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNOPIH	SND VEL	OXY G	P 14	TGT P	NUZ	NOS	5133	Рн	
	510	00000	07.17	32.86	25.73	00.000	1476.9								
11.8	280	00000	07.17	32.86	25.73	00.022	1470.9								
	085	00010	07.08	32.43	25.80		1476.8								
	085	00020	07.06	32.95	25.82	03.044	1476.9								
	STD	00030	07.03	33.18	26.00	00.065	1477.3								
	STO	00030	06.56	33.18	20.00	63.101	1417.5								
	310	00050	06.56	33.69	26.47	03.101	1470.4								
	STD	00075	06.75	34.13	26.79	00.137	1478 .2								
	STD	00075	03.32	34.13	26.79	00.165	1478.2								
	085	00100	03.32	34.32	27.33	00.107	1464.7								
	\$10	00125	04.01	34.61	27.50	00.180	1468.4								
	085	00125	04.01	34.61	21.50		1468.4								
	085	00140	03.90	34.61	27.51		1460.2								
	310	00150	03.91	34.67	27.55	00.194	1468.5								
	OBS	00190	03.88	34.07	21.55		1464.1								
	STD	00200	04.05	14.16	27.61	00.221	1470.0								
	085	00200	04.05	34.78	27.61		1470.0								
	STD	00250	04.38	34.16	27.66	00.245	1472.4								
	085	00250	04.38	34.06	21.66		1472.4								
	085	00290	04.19	34.82	27.64		1471.9								
	STO	00300	04.34	34.87	21.61	00.269	1473.0								
	085	00300	04.34	34.87	21.66		1473.0								
	UBS	00365	04.00	34.95	27.70		1475.6								
	STO	00400	04.52	34.92	27.69	00.315	1475.5								
	085	00400	04.52	34.92	21.69		1475.0								
	085	00475	04.50	34.93	21.70		1476.7								
	510	00500	04.32	34.92	21.71	00.160	1476.3								
	085	00540	04.31	34.92	27.71		1477.3								
	085	00552	04.19	34.90	27.71		1470.0								
	085	00572	04.35	34.94	21.12		1477.7								
	STO	00600	04.39	34.95	21.73	00.405	1478.3								
	08S STD	006 00	04.19	34.95	21.13	00.444	1478.3								
	085	00700	04.19	34.94	27.74	00.449	1479.1								
	STD 085	00800	04.06	34.94	27.75	00.492	1480.3								
			01100	,,,,,											
											nr.				
KEFTO 31 8280 CONSEC 0007	YEAR	1971	SHIP DG		HULH	DIR	HGT PER	WIND-SPE			STO REC	CONDEK		SQUAR	
LAT 47 00 N	DAY	09	DATA USE 1	BAR	OMETK	SEA		WIND-FO		DURA	MCIT	00.2	2	SQUAR	66
LONG 046 31 W	HOUR	14.0	AREA 05	CLO	U.) T/4	CL/TI		WEA THER		ORIG	A2 051		1	SQUAR	E 76
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIJMA-T	DYNOPTH	SND VEL	JXYG	P34	TOT P	NUZ	NU3	\$103	PH	
	STD	00000	37.49	32.71	25.57	00.000	1478.0								
14.0	510	00000	07.49	32.71	25.57	00.024	1478.1								
	185	00010	07.48	32.71	25.57		1478-1								
	510	06020	07.46	32.71	25.5€	00.048	1478.2								
	STU	00020	07.46	33.21	25.56	00.064	1478 .2								
	STD	00050	01.67	33.92	21.15	00.096	1456.1								
	UBS	00050	C1.67	33.92	27.15	00.117	1456.1								
	085	00075	03.22	34.29	21.32	00.117	1463.8								
	GBS	00085	C3.68	34.42	27.38		1460.1								
	J85	00100	03.37	34.56	21.47	00.134	1464.8								
	085	00100	03.92	34.56	27.47	00.134	1467.6								
	Uds	00105	04.14	34.64	27.51		1468.7								
	STD	00110	04.04	34.62	21.50	00-149	1469.6								
	UBS	00125	04.26	34.09	27.53		1469.6								
	OBS	00140	04.14	34.70	27.55	00	1469.3								
	OBS	00150	04.12	34.76	21.60	00.163	1469.5								
	085	00175	04.32	34.80	21:01		1470.8								
	510	00200	04.29	34.84	21.65	00.187	1471.2								
	085	00200	04.29	34.84	21.65		1471.9								
	STO	00250	04.28	34.85	27.66	00.211	1472.0								
	UBS	30270	04.23	34.86	27.67		1472.1								
					••••	•••••	••								

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9-10 November 1971, Prepared from NODC Listing No. 31-8280.—Continued

FFE0 31 8280 ONSEL 0008 AT 47 00 N ONG 046 10 N	DAY	1971	SHIP DU DATA USE 1	BARU	BULB	SEA CL/TR	UT PER	MIND-DIR MIND-SPD MIND-FUR MEATHER		TR	AC E	DIR IUN AZ 051	00.1	5	SQUARE SQUARE SQUARE	E 66
CASTNUM/TIME	LVLTYP	DEPIM	TEMP	SAL	SIGMA-I	DYNOPTH	SND VEL	OXYG	P34	ror	,	NU2	NOS	5103	PH	
	STD	00000	07.09	32.74	25.65	00.000	1470 -4									
tool	085	00000	07.09	32.14	25.65	00.000	1476.4									
10.1	STD	00010	07.69	32.74	25.65	03.023	1470.0									
	UBS	00010	07.01	32.74	23.45	43.06.	1476.6									
	510	00020	06.54	32.49	25.84	00.046	1474.8									
	UpS	00020	06.54	32.89	25.84	******	1474.8									
	STD	00030	06.33	33.24	26.14	00.066	1474.6									
	085	00030	06.33	33.24	26.14	00.000	1474.6									
	510	00000	04.59	33.31	26.46	00.102	1467.9									
	085	00000	04.59	33.31	26.40		1467.9									
	SID	00015	04.61	33.80	26.18	00-138	1469.3									
	085	00075	04.67	33.80	26.78		1469.3									
	STD	00100	05.47	34.15	20.47	00.168	1473.4									
	UBS	00100	05.47	34.15	20.97		1473.4									
	510	00125	63.03	34.44	27.46	00.190	1464.0									
	085	00125	03.03	34.44	21.46		1464.0									
	510	00150	03.89	34.62	27.52	00.205	1468.4									
	085	00153	03.69	34.62	27.52		1466.4									
	085	00175	04.25	34.72	27.56		1470-4									
	510	00200	04.48	34.78	27.58	00.233	1471.9									
	085	00200	04.48	34.78	21.58	001233	1471.9									
	STD	00250	04.41	34.86	27.65	00.259	1472.5									
	085	00250	04.41	34.86	27.05		1472.5									
	085	00215	04.31	34.05	27.06		1472.5									

REFID 31 8280 COMSEC 0009 LAT 47 00 N LONG 045 50 W	YEAR MONTH DAY HOUR	11 09	BOTOP CO292 SHIP DG DATA USE 1 AREA US	WET	TEMP BULB METR D T/A	SEA CL/TR	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER		TR	AC E	STO REGION OIR ION AZ 05	00.2	2	SQUARE SQUARE SQUARE SQUARE	64
CASTNUM/Y IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNU VEL	OXYG	P04	101	P	NOZ	NOS	5103	РН	
	STD	00000	06.51	32.89	25.85	00.000	1474.3									
17.9	085	00000	06.51	32.89	25.85		1474.3									
	STD	00010	06.51	32.90	25.85	00.022	1474.5									
	085	00010	06.51	32.90	25.85		1474.5									
	STD	00020	06.33	32.93	25.90	00.043	1474.0									
	280	00020	06.33	32.43	25.90		1474.0									
	STD	00030	05.07	33.10	26.19	00.363	1469.3									
	085	000 30	05.07	33.10	26.19		1469.3									
	570	00050	05.09	33.66	26.63	00.095	1473.4									
	085	00050	05.09	33.66	26.63		1470.4									
	STO	00075	05.87	34.02	26.82	00.129	1474.5									
	365	00075	05.87	34.02	26.82		1474.5									
	STD	00100	05.90	34.33	27.06	00.157	1475.4									
	085	00100	05.90	34.33	27.06		1475.4									
	STO	00125	02.93	34.46	27.48	00.178	1463.6									
	085	00125	02.93	34.46	27.48		1463.6									
	STD	00150	03.61	34.60	27.53	00.193	1467.1									
	085	00150	03.61	34.60	27.53		1467.1									
	CBS	00175	04.07	34.71	21.51		1469.6									
	STD	00200	04.51	34.19	27.59	00.221	1472.0									
	OBS	00200	04.51	34.79	27.59		1472.0									
	085	00245	04.47	34.83	27.62		1472.6									

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9-10 November 1971, Prepared from NODC Listing No. 31-8280.—Continued

CONSE	C	0010	MONT	1971 H 11 09 20.8	SHIP DO DATA USE 1	AIR I MET d dAROM CLOUG	ULB C5.7	UIA HI L7 SEA CL/TR	of PER	AIND-JIH AIND-SPD AIND-FOR MEATHER	2.	THALE		00.1	2	SQUARE SQUARE	64
CAS	INUM/	1 1 ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	HTQUAYU	SND VEL	OXYG	P34	tor P	NO2	NOS	\$103	PH	
			STO	00000	66.43	32.45	25.90	00.000	1474.1								
		20.8	UBS	00000	96.41	32. 45	25.90		1474.1								
			STO	00010	30.43	12.96	25.91	120.00	1474.3								
			510	00020	06.43	32.96	25.91	03.042	1474.4								
			085	00020	00.45	32.90	25.91	00.042	1474.4								
			385	00025		12.16	25.92		1474.2								
			STD	000 30	06.24	33.05	25.99	00.063	1473.9								
			STO	00050		33.03	25.95	00.054	1475.4								
			OBS	00050	00.95	33.62	20.96	00.054	1452.5								
			STD	00075	02.04	34.12	21.29	00.113	1450.5								
			085	000/5	02.04	34.12	21.29		1456.5								
			365	00090	03.57	34.54	21.33		1465.0								
			510	00100	33.04	34.28	21.33	60.137	1463.4								
			085	00110	03.04	34.28	21.32		1462.5								
			STD	00125	03.43	34.40	21.45	00.155	1460.0								
			UBS	00125	03.48	34.48	27.45		1466.0								
			085	001 35	04.00	34.54	27.44		1468.5								
			085	00140	04.03	34.50	27.46		1467.3								
			STO	00150	03.83	34.54	21.46	00.171	1460.0								
			085	00150	03.83	34.54	27.46		1469.0								
			OBS	00175	04.48	34.12	21.53		1471.4								
			085	00185	64.38	34.69	21.52		1471.1								
			280	00200	04.73	34.19	27.56	00.201	1472.9								
			510	00250	04.50	34.61	27.60	00.228	1472.0								
			085	00250	04.50	34.61	27.60		1472.4								
			UBS	00275	04.41	34.84	27.63		1473.1								
REFI				R 1971	BOTOP 00375		TEMP Ones		HGT PER	#IND-DIR			STO RE			EN SU 13	
REFI	EC	0011	MUN	TH 11	SHIP DG	#ET	BULB 03.	1 17		AIND-SPU	24	TRACE	DIR	0	9	SQUARE	4
CONS	EC 47	40	HUN DAY	TH 11	SHIP DG	MET		1 17	4 3		24	TRACE DUKA I	DIR	00.2			64
CONS LAT LUNG	47 045	0011 40 M	MUN DAY HUU	TH 11 09 R 23.3	SHIP DG DATA USF 1 AREA US	SARC CL GU	BULB 09.1 METH 1012.5 D 1/4	SEA CL/TI	. ,	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR	00.2		SQUARE SQUARE	64
CONSI LAT LUNG	47 045	0011 40 M	LVLTYP	TH 11 09 R 23.3 DEPTH	SHIP DG DATA USE 1 AREA US	SAL	SULB 08.1 METR 1012.5 D T/4 SIGMA-T	SEA CL/TO	SND VEL	AIND-SPU AIND-FUR WEATHER	24	TRACE DUKAT GRIG	DIR	00.2		SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP	TH 11 09 R 23.3 DEPTH	SHIP DG DATA USF 1 AREA US TEMP	SAL 32.40	SIGMA-T 25.65	SEA CL/TI	5 SND VEL	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M	LVLTYP	TH 11 09 R 23.3 DEPTH 00000 00000	SHIP DG DATA USE 1 AREA US TEMP	SAL 52.90 32.90	SIGMA-T 25.85 25.85	0 YNUPTH	SND VEL	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD 085 STD	TH 11 09 R 23-3 DEPTH 00000 00000 00010	SMIP DG DATA USF 1 AREA US TEMP 06.55 06.55	SAL 52.90 32.90 32.95	SIGMA-T 25.85 25.85 25.85	SEA CL/TO	SND VEL	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP	TH 11 09 R 23.3 DEPTH 00000 00000	SHIP DG DATA USE 1 AREA US TEMP	SAL 32.90 32.90 32.95 32.95	SIGMA-T 25.85 25.85 25.85 25.85	0 YNUPTH	SND VEL	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD 085 STD 085 STD 085 STD 085	TH 11 D9 R 23.3 DEPTH 00000 00000 00010 00010 00010 00020 00020	SHIP DG DATA USE 1 AREA US TEMP 06.56 06.56 06.54 06.54 06.36	SAL 32.90 32.90 32.95 32.95 33.19 33.19	SIGMA-T 25.85 25.85 25.85 25.85 25.85 25.85 25.85 26.10	04NDPTH 00.000 00.021	SND VEL 1474.5 1474.7 1474.7 1474.7 1474.5	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	EVETYP STD UBS STD UBS STD UBS STD UBS STD	DEPTH 00000 00000 00010 00010 00010 00020 00020	TEMP 00.56 00.56 00.56 00.54 06.36 06.36 06.41	SAL 32.90 32.90 32.95 32.95 33.19 33.19 33.24	SIGMA-T 25.85 25.85 25.85 25.85 25.85 25.85 26.10 26.10 26.13	0 YNDPTH 00.000 00.021	SND VEL 1474-5 1474-5 1474-7 1474-7 1474-9	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD GBS	DEPTH 00000 00000 00010 00010 00010 00020 00030 00030	SMIP DG DATA USE 1 AREA US TEMP 06.56 06.56 06.54 06.54 06.36 06.41	SAL 32.90 32.90 32.95 32.95 33.19 33.19 33.24 33.24	30LB 09-1 METR 1012-5 10 T/4 SIGMA-T 25-85 25-85 25-85 25-85 26-10 26-10 26-13	0.000 00.021 00.042	SND VEL 1474.5 1474.5 1474.7 1474.7 1474.5 1474.9	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS STD OBS STD OBS STD OBS STD	DEPTH 00000 00000 00010 00010 00010 00010 00030 00030 00030	SHIP DG DATA USE 1 AREA US TEMP 06.56 06.56 06.54 06.36 06.36 06.41 06.41 06.41 05.45	SAL 32.90 32.90 32.95 32.95 33.19 33.24 33.24 33.24	3ULB 09-1 METH 1012-5 D T/4 S1GMA-T 25-85 25-85 25-85 25-85 26-10 26-10 26-13 24-13 24-13	04NDPTH 00.000 00.021	SND VEL 1474-5 1474-7 1474-7 1474-7 1474-9 1474-9 1474-9	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD GBS STD	DEPTH 00000 00000 00010 00010 00010 00010 00030 00030 00050 00050	SHIP DG DATA USF 1 AREA US TEMP 06-50 06-50 06-54 06-36 06-41 06-41 05-65 05-85 02-20	SAL 32.90 32.90 32.95 32.95 33.19 33.24 33.24 33.44 33.44	3ULR 09-1 METH 1012-5 D T/4 S1GMA-T 25-85 25-85 25-85 25-85 26-10 26-10 26-13 26-13 26-13 26-16 27-23	0.000 00.021 00.042	SND VEL 1474.5 1474.5 1474.7 1474.7 1474.9 1474.9 1474.9 1473.2 1473.2 1473.2	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS OBS	TH 11 09 R 23-3 DEPTH 00000 00000 00010 00010 00010 00010 00010 00050 00050 00050 00050 00075	SHIP DG DATA USE 1 AREA US TEMP 06.56 06.54 06.54 06.54 06.41 06.41 05.45 05.85 02.20	SAL 32.90 32.95 32.95 32.95 33.19 33.24 33.24 33.44 33.44 33.44	30LB 09-1, METR 1012-3 D 174 SIGMA-T 25-85 Z5-85 Z5-85 Z5-85 Z5-85 Z5-85 Z5-10 Z6-10 Z6-13 Z6-1	0.000 00.021 00.061 00.096	SND VEL 1474.5 1474.5 1474.7 1474.7 1474.9 1474.9 1473.2 1473.2 1459.1	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD UBS STD	TH 11 99 R 23+3 DEPTH 00000 00010 0	SHIP DG DATA USF 1 AREA USF TEMP 06-56 06-56 06-54 06-54 06-34 06-41 05-85 05-85 02-20 02-20 02-21	SAL 32.90 32.90 32.95 33.19 33.14 33.24 33.24 33.44 34.07 34.07	30LB 09 METN 1012.5 0 T/4 \$15M4-T 25.85 25.85 25.85 25.85 20.10 26.10 26.10 26.13 26.13 26.13 26.13 27.23 27.23	0.000 00.000 00.000 00.000 00.000 00.000	SND VEL 1474.5 1474.7 1474.7 1474.9 1474.9 1473.2 1473.2 1479.1 1459.1 1460.0	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS	TH 11 08 23+3 DEPTH 00000 00000 00010 00010 00020 00030 00030 00050 00050 00050 00050	SHIP DG DATA USE 1 AREA US TEMP 00-50 00-50 00-54 00-54 00-54 00-64 00-	SAL 32.90 32.95 33.49 33.19 33.24 33.24 33.44 33.44 33.44 33.47 34.37	30LB 09-L METH 1012-3 D T/4 SIGMA-T 25-85 25-85 25-85 25-85 25-10 26-11 26-13 26-13 26-13 26-13 27-23 27-23 27-23 27-47	0 YNDPTH 00000 00021 000042 000061 000096 000146	SNU VEL 1474.5 1474.7 1474.7 1474.7 1474.9 1474.9 1473.9 1475.9 1475.9 1459.1 1459.1	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD UBS STD	TH 11 09 R 23+3 UEPTH 00000 00000 00010 00020 00020 0003000000	SHIP DG DATA USF 1 AREA US TEMP 06-56 06-56 06-56 06-54 06-36 06-41 06-41 05-85 02-20 02-21 02-21 02-21	SAL 32.90 32.95 32.45 33.19 33.12 33.24 33.24 33.34 33.45 34.37 34.37	30LB 09 METN 1012.5 0 T/4 \$15M4-T 25.85 25.85 25.85 26.10 26.13 26.13 26.13 26.36 27.23 27.47 27.47	0.000 00.021 00.061 00.096	SNU VEL 1474-5 1474-7 1474-7 1474-7 1474-9 1473-2 1473-2 1459-1 1460-0 1460-0	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONSI LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD UBS	TH 11 D9 R 23+3 UEPTH 00000 00000 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 1	SHIP DG DATA USE 1 AREA US TEMP 00-50 00-50 00-54 00-54 00-54 00-64 00-	SAL 32.90 32.95 32.45 32.45 33.19 33.24 33.34 34.07 34.37 34.37 34.37 34.37 34.37	30LB 09 METN 1012.5 D T/4 SIGMA-T 25.85 25.85 25.85 25.85 26.10 26.10 26.13 26.13 26.36 26.36 27.47 27.47 27.54 27.54	0 YNDPTH 00000 00021 000042 000061 000096 000146	SNU VEL 1474-5 1474-5 1474-7 14774-7 14774-9 1473-2 1459-1 1460-0 1460-0 1460-1 1460-1 1460-1 1460-1	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONSI LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD GBS	TH 11 09 R 23-3 DEPTH 00000 00000 00000 00000 00000 00000 0000	SHIP DG DATA USF 1 AREA US TEMP 06.50 06.50 06.54 06.54 06.36 06.41 06.41 05.45 07.20 02.20 02.21 02.21 02.21 02.21 02.27 04.27	SAL 32.90 32.95 32.95 32.19 33.12 33.24 33.24 33.44 33.44 33.44 34.07 34.37 34.52 34.79	30.8 09.1 METN 1012.5 0 T/4 SIGMA-T 25.65 25.65 25.65 25.65 25.65 25.65 26.10 26.11 26.13 26.13 26.13 27.23 27.23 27.23 27.24 27.24 27.24 27.24 27.25 27.21	0 YNUPTH CO.000 0J.021 0J.042 0U.061 00.090 CG.126 0U.146 0U.146 0J.175	SNO VEL 1474-5 1474-5 1474-7 1474-5 1474-7 1474-9 1474-9 1473-2 1459-1 1459-1 1460-0 1460-0 1460-1 1470-2 1470-2	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONSI LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD CHS	TH 11 D9 R 23-3 DEPTH O00000 00000 00000 00000 00000 00000 0000	SHIP DG DATA USE 1 AREA US TEMP 06-56 06-59 06-59 06-59 06-59 06-36 06-41 05-45 05-65 02-20 02-21 02-21 02-21 02-21 04-27 04-27	SAL 52.90 32.95 32.95 33.19 33.12 33.24 33.24 33.44 34.07 34.37 34.52 34.52 34.52 34.52 34.52 34.52	3ULB 09.: METN 1012-3 D T/4 SIGMA-T 25.65 25.85 25.85 25.85 26.10 26.13 26.13 26.13 26.13 27.47 27.23 27.47 27.54 27.54 27.61 27.61	0 YNDPTH C0.000 0J.021 0J.042 00.061 00.096 CC.128 00.146 00.161	SND VEL 1474.5 1476.7 1476.7 1476.7 1476.7 1476.9 1476.9 1476.9 1476.9 1476.9 1460.0 1460.0 1460.1 1470.2 1470.2	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS STD UBS	TH 11 09 R 23-3 DEPTH 00000 00000 00000 00000 00000 00000 0000	SHIP DG DATA USF 1 AREA USF TEMP 06.50 06.50 06.54 06.54 06.36 06.41 06.41 05.65 07.85 07.20 07.20 07.20 07.20 07.21 07.27 04.27 04.27 04.27 04.27	SAL 32.90 32.95 32.95 33.19 33.124 33.64 33.64 33.64 33.64 33.64 34.07 34.37 34.52 34.79 34.85	30LR 09 METN 1012.5 0 T/4 SIGMA-T 25.85 25.85 25.85 25.85 25.86 26.10 26.10 26.13 26.13 26.13 26.13 27.23 27.23 27.23 27.24 27.24 27.24 27.24 27.24 27.25	0 YNJPTH 0 YNJPTH 0 0000 0 0001 0 0000 0 0001 0 0000 0 0001 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000	SNO VEL 1474-5 1474-5 1474-7 1474-7 1474-9 1474-9 1473-2 1473-2 1459-1 1460-0 1460-0 1460-1 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS	TH 11 09 R 23-3 DEPTH 00000 00000 00000 00000 00000 00000 0000	SHIP DG DATA USF 1 AREA USF TEMP 06-50 06-50 06-54 06-54 06-64 06-64 05-65 02-20 02-21 02-21 02-71 04-77 04-57 04-57	SAL 32.90 32.95 32.95 33.12 33.24 33.24 33.24 33.34 34.07 34.37 34.37 34.37 34.37 34.37 34.37 34.37 34.37	30.8 09 METN 1012.5 0 T/4 \$15M4-T 25.85 25.85 25.85 25.85 25.85 26.10 26.10 26.13 26.13 26.13 26.13 27.23 27.23 27.24 27.24 27.24 27.26	0 YNUPTH CO.000 0J.021 0J.042 0U.061 00.090 CG.126 0U.146 0U.146 0J.175	SND VEL 1474.5 1476.7 1476.7 1476.7 1476.7 1476.9 1476.9 1476.9 1476.9 1476.9 1460.0 1460.0 1460.1 1470.2 1470.2	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONS LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS	TH 11 D9 R 23-3 DEPTH 00000 00000 00010 00010 00010 00010 00010 00050 00	SHIP DG DATA USE 1 AREA USE 05 TEMP 06-56 06-56 06-56 06-56 06-56 06-41 05-65 02-20 02-21 02-21 02-21 02-77 04-27 04-27 04-37 04-57 04-57	SAL 32.90 32.90 32.45 33.19 33.24 33.19 33.24 33.44 34.37 34.37 34.57 34.57 34.57 34.57 34.57 34.57 34.57	3ULR 09 METR 1012.5 0 T/4 SIGMA-T 25.65 25.65 25.65 25.65 26.10 26.13 26.13 26.13 26.13 27.23 27.47 27.46 27.54 27.51 27.61 27.61 27.65 27.65	0 YNJPTH 0 YNJPTH 0 0000 0 0001 0 0000 0 0001 0 0000 0 0001 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000 0 0000	SNU VEL 1474-5 1476-7 1476-7 1476-7 1476-7 1476-9	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64
CONSI LAT LUNG	47 045	0011 40 M 50 M	LVLTYP STD OBS	TH 11 09 R 23-3 DEPTH 00000 00000 00000 00000 00000 00000 0000	SHIP DG DATA USF 1 AREA USF TEMP 06-50 06-50 06-54 06-54 06-64 06-64 05-65 02-20 02-21 02-21 02-71 04-77 04-57 04-57	SAL 32.90 32.95 32.95 33.12 33.24 33.24 33.24 33.34 34.07 34.37 34.37 34.37 34.37 34.37 34.37 34.37 34.37	30.8 09 METN 1012.5 0 T/4 \$15M4-T 25.85 25.85 25.85 25.85 25.85 26.10 26.10 26.13 26.13 26.13 26.13 27.23 27.23 27.24 27.24 27.24 27.26	0 YNUPTH CO.000 0J.021 0J.042 00.061 00.096 CC.126 00.166 00.166 00.175 CO.200 00.224	SND VEL 1474-5 1474-5 1474-7 1474-7 1474-9 1474-9 1473-2 1473-2 1459-1 1460-0 1460-0 1460-1 1470-2 1470-2 1470-2 1470-2 1470-2 1470-2 1470-1 1470-1 1470-1	AIND-SPU AIND-FUR WEATHER	24 X+	TRACE DUKAT GRIG	DIR TON A2 C5	00.2	2	SQUARE SQUARE SQUARE	64

.....

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9–10 November 1971, Prepared from NODC Listing No. 31–8280.—Continued

REFID 31 H280 CONSEC 0012 LAT 48 00 N LONG 045 50 W	MONT	1971 H 11 10 01.3	SHIP DG DATA USE 1 AKEA CS	BARL	TEMP 10.3 BULG 10.3 METH 1010.4	14	GT PER	MIND-DIR MIND-SPD MIND-FUR MEATHER		DURA	STO HE E DIN TION	OO.Z	2	SOUARE SOUARE SOUARE SOUARE	84
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DAMONIA	SNU VEL	JXYL	P.14	TOT P		NGS	\$133		,,
	STD	00000	06.77	33.40	20.26	00.303	1470.1						,		
01.8	280	00000	06.17	33.46	45.26		1476.1								
	280	00010	06.77	33.46	20.26	00.318	1476.3								
	STO	00020	06.77	13.46	20.26	00.035	1476.3								
	STD	00020	06.77	33.46	26.26		1470.4								
	085	00030	06.77	33.46	20.26	00.053	1476.0								
	STD 085	00050	02.18	34.18	27.32	00.074	1458.8								
	510	00050	02.20	34.18	21.49	00.396	1450.0								
	280	00075	02.20	34.39	21.49	00.010	1459.5								
	STD 085	00100	02.75	34.49	21.52	00.111	1462.5								
	STD	00125	03.05	34.57	27.56	00.125	1462.5								
	280	00150	03.35	345	21.59	00.138	1460.1								
	STD	00200	03.35	34.05	21.64	00.165	1466 -1								
	280	00200	04.13	\$4.80	27.64		1470.4								
	280	00250	04.23	34.84	21.06	00.107	1471.7								
	STO	00,00	04.38	34.09	21.08	00.210	1473.2								
	28U 51D	00300	04.38	34.89	27.68		1473.2								
	280	00400	04.42	34.92	27.70	00.255	1475.1								
	280	00500	04.36	34.42	27.71	00. 300	1476.5								
	STO	00600	04.36	34.92	21.11	00.345	1476.5								
	280	00600	04.23	34. 12	21.12	00.347	1477.0								
	280	00700	04.15	34.93	21.14	00.389	1479.0								
	STO	00800	04.04	34.92	21.14	00.433	1479.0								
	085	00800	04.04	34.92	21.14		1480 .1								
		34007	03.70	34.43	21.16		1480.9								
					•••••	•••••••									
HFF10 31 8250	YEAR	1971	HOTOP GLOOR		TEMP	DIR H	GT PER	WIND-DIR			STO KE	CORDER	T	EN 50 1	306
CUNSEC 0013	DAY	10	DATA USE 1	WET BARD	METR	SEA		WIND-SPD		TRAC	RIG 3	00.3	5	SQUARE	84
CONSEC 0013 LAT 48 23 N LUNU 045 50 N	HOUR	10 04.2	SHIP DG DATA USE 1 AREA GS	BAPE CLUU	HETR D T/A	SEA CL/TR		WIND-SPD WIND-FUR WEATHER		TRAC	E DIR	00.3	5	SQUARE	84
CUNSEC 0013	HOUR HOUR	11 10 04.2 DEPTH	SHIP DG DATA USE 1 AREA GS	BAPC CLUU	SIGMA-I	SEA CL/TR	SND VEL	WIND-SPD	PU4	TRAC	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC 0013 LAT 48 23 N LUNU 045 50 N	HOUR HOUR LVLTYP STD UBS	DEPTH 00000	SHIP DG DATA USE 1 AREA 05 TEMP U6.77 06.77	SAL 33.64	SIGMA-1 20.40 20.40	SEA CL/TR DYNDPTH 00.000	SND VEL	WIND-SPD WIND-FUR WEATHER	PU4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	HOUR HOUR LVLTYP STD UBS STD	DEPTH 00000 00000 00010	SHIP DG DATA USE 1 AREA 05 TEMP U6.77 06.77	SAL 33.04 33.04 33.04	SIGMA-T 20.40 20.40 26.40	SEA CL/TR	SND VEL 1476.4 1476.4 1476.5	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	HOUR HOUR LVLTYP STD UBS STD UBS STD	00-10 00010 00010 00010 00010	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77	SAL 33.64 33.64 33.64 33.64 33.64	SIGMA-T 20.40 20.40 20.40 20.40	SEA CL/TR DYNDPTH 00.000	SND VEL	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	HOUR HOUR LVLTYP STD UBS STD UBS STD UBS	DEPTH 00000 00010 00010 00010 00020 00020	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77	SAL 33.04 33.04 33.04 33.04 33.04 33.04 33.04	SIGMA-T 26.40 20.40 20.40 20.40 20.40 20.40 20.40	SEA CL/TR DYNOPTH 00.000 00.016 00.035	SNO VEL 1470.4 1470.5 1470.5 1470.7 1470.7	WIND-SPD WIND-FUR WEATHER	PU4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	HOUR HOUR LVLTYP STD UBS STD UBS STD OBS STD OBS	DEPTH 00000 00010 00010 00020 00030 00030	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77	SAL 33.64 33.64 33.64 33.64 33.64	SIGMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40	SEA CL/TR DYNOPTH 00.000 00.016	SNO VEL 1476.4 1476.5 1476.5 1476.7 1476.7	WIND-SPD WIND-FUR WEATHER	Pu 4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	MONTO DAY HOUR STD UBS STD UBS STD OBS STD OBS STD	DEPTH 00000 00000 00010 00010 00020 00030 00030 00030	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.77 06.77 06.77 06.77 06.77 06.77	SAL 33.04 33.04 33.04 33.04 33.04 33.64 33.64 33.64 33.64 33.84	51GMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40	SEA CL/TR DYNOPTH 00.000 00.016 00.035	SND VEL 1476.4 1476.5 1476.5 1476.7 1476.7 1476.8 1476.8 1472.9	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	HOUR HOUR LVLTYP STD UBS STD UBS STD OBS STD OBS	H 11 10 04.2 DEPTH 00000 00010 00010 00010 00020 00020 00030 00050 00050	SMIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.77 06.76	SAL 33.64 33.64 33.64 33.64 33.64 33.64 33.64 33.64 33.64 33.64 33.64	SIGMA-I 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049	SNO VEL 1470.4 1470.4 1470.5 1470.7 1470.7 1470.8 1470.8 1472.9	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	LVLTYP STD UBS	DEPTH 00000 00010 00010 00020 00020 00050 00050 00050 00050 00050 00055	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 03.61 03.61	SAL 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04	#UL 8 METR D 17A \$15MA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40	SEA CL/TR DYNDPTH 00.000 00.216 00.035 00.049 00.079	SNO VEL 1476.4 1476.5 1476.5 1476.7 1476.6 1476.8 1476.8 1472.9 1472.9 1465.7 1465.7	WIND-SPD WIND-FUR WEATHER	Pu 4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	HONTE DAY HOUR EVETYP STD UBS STD OBS STD OBS STD OBS STD OBS STD	H 11 10 04 - 2 DEPTH 000 00 000 10 000 10 000 10 000 20 000 20 000 30 000 50 000 50 000 50	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64	SAL 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04	#UL6 PRETR D 17A S1GMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049	SND VEL 1470.4 1470.5 1476.5 1476.7 1476.8 1476.8 1472.9 1405.7 1405.7 1405.7	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTH UAY HOUR STD UBS STD	H 11 04-2 DEPTH 00000 00010 00010 00010 00020 00020 00020 00030 00050 00050 00050 00050 00050 00050 00050	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64 03.61 03.54 03.55	SAL 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 34.02 34.02 34.02 34.02	#ULA SIGMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.70 20.70 21.19 27.57 27.57 27.57 27.57	SEA CL/TR DYNDPTH 00.000 00.216 00.035 00.049 00.079	SND VEL 1476-4 1476-5 1476-5 1476-7 1476-7 1476-8 1472-9 1465-7 1465-2 1465-2 1465-2	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	STD UBS STD	H 11 10 04-2 DEPTH 00000 00010 00010 00010 00010 00020 00030 00050 00050 00050 00075 00075 00075 00100 001125	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.77 06.76 07.	SAL 33.04 34.05 3	#UL6 METR D 1/A \$1544-1 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.40 27.40 27.57 27.57 27.57 27.57 27.57 27.57 27.57	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049 00.079 00.105 00.120 00.133	SNO VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.7 1476.8 1472.9 1472.9 1472.9 1465.7 1465.7 1465.2 1466.7	WIND-SPD WIND-FUR WEATHER	PU4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR LVLTYP STO UBS	DEPTH 00000 00015 00015	SHIP DG DATA USE 1 AREA GD TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.77 06.76 00.76 00.76 03.01 03.01 03.01 03.34 03.35 03.50 03.90 03.90	SAL 33.04 34.07 3	#UL6 PMETR D 17A \$15MA-T 20.40 26.40 26.40 20.40 20.40 20.40 20.40 20.40 21.19 21.39 27.57 27.57 27.64 27.65	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049 00.079 00.105 00.120 00.133	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.7 1476.7 1476.8 1472.9 1472.9 1472.9 1465.7 1465.7 1465.7 1466.6 1466.6	WIND-SPD WIND-FUR WEATHER	Pus	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR EVETYP STO UBS STO STO UBS STO STO STO STO STO STO STO STO STO ST	H 11 10 04-2 DEPTH 00000 00010 00010 00010 00010 00010 00020 00020 00030 00075 00100 00125 00150 00150 00150 00150	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64 03.61 03.34 03.35 03.50 03.90 03.94	SAL 33.04 34.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.0	#ULA #ETR D T/A \$16MA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.60 21	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049 00.079 00.105 00.120 00.133	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.9 1476.9 1476.9 1465.7 1465.7 1465.1 1466.1 1466.6 1464.6	WIND-SPD WIND-FUR WEATHER	Pus	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STD UBS STD	H 11 10 04-2 DEPTH 00000 00010 00010 00010 00020 00020 00030 00050 00075 00100 00115 00125 00125 00125 00200 00200 00200	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 03.61 03.61 03.61 03.34 03.34 03.34 03.39 03.94 03.94 03.94	SAL 33.04 34.02 34.0	#UL6 PMETR D 17A \$15MA-T 20.40 26.40 26.40 20.40 20.40 20.40 20.40 20.40 21.19 21.39 27.57 27.57 27.64 27.65	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049 00.079 00.105 00.120 00.133	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.7 1476.7 1476.8 1472.9 1472.9 1472.9 1465.7 1465.7 1465.7 1466.6 1466.6	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR LVLTYP STD UBS	H 11 10 04-2 DEPTH 00000 00010 00010 00010 00020 00020 00030 00050 00050 00050 00050 00050 00150	SHIP DG DATA USE 1 AREA GD TEMP U6.77 G6.77 G6.77 G6.77 G6.77 G6.76 G0.76 G0.76 G0.76 G0.76 G0.76 G0.76 G0.76 G0.76 G0.77 G0	SAL 33.04 34.73 34.73 34.73 34.74 34.79 34.82 34.84 34.82 34.82 34.82 34.82 34.84 34.8	#ULA SIGMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.40 21.40 27.57 27.57 27.65	SEA CL/TR DYNDPTH 00.000 00.316 00.033 00.049 00.105 00.120 00.133 00.144 00.167	SNO VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.8 1472.9 1472.9 1472.9 1465.7 1465.7 1465.7 1466.6 1469.7 1470.0	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR LVLTYP STD UBS	H 11 10 04-2 DEPTH 000001 000100 00010 00010 00020 00020 00020 00050 00050 00050 00050 00150 00150 00150 00150 00150 00150 00150 00250 00250 00250 00250 00250	SHIP DG DATA USE 1 AREA GD TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64 05.64 03.61 03.61 03.94 03.94 03.94 03.94 03.94 03.94 03.94	SAL 33.04 34.02 34.0	#ULA #ETR D T/A \$16MA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.19 27.57 27.57 27.64 27.65 27.67 27.67 27.67 27.67 27.67 27.67	SEA CL/TR DYNDPTH 00.000 00.016 00.033 00.049 00.079 00.105 00.120 00.133 00.144	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.7 1476.7 1476.7 1465.2 1465.2 1465.2 1466.7 1466.7 1466.7	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STD UBS UBS STD UBS STD UBS	H 11 10 04-2 DEPTH 00000 00010 00010 00010 00020 00030 00050 00050 00075 00100 00110 00125 00150 00150 00250 00250 00250 00250 00250 00250 00250 00250	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 05.69 03.61 03.34 03.36 03.39 03.99 03.94 03.92 03.92 03.92	SAL 33.04 34.05 34.06 34.06 34.06 34.06 34.06 34.06 34.06 34.06 34.06 34.06 34.06	#ULA METR D 1/A SIGMA-I 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 27.10 27.10 27.10 27.65 27.65 27.65 27.67 27.67 27.70 27.71	SEA CL/TH DYNOPTH 00.000 00.016 00.033 00.049 00.179 00.105 00.120 00.133 00.144 00.167 00.189	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.2 1476.7 1476.4 1476.2 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1470.0 1470.0	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STD UBS	# 11 10 04-2 DEPTH 000 00 00 10 000 10 000 10 000 20 000 20 000 20 000 5	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.76 05.64 05.69 03.61 03.34 03.35 03.49 03.94 03.94 03.94 03.94 03.94 03.95 03.93	SAL 33.04 34.05 34.05 34.05 34.06	#ULA PRETR D 17A \$1GMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.19 27.57 27.67 27.65 27.65 27.65 27.65 27.67 27.66 27.67 27.67 27.67 27.67 27.67 27.67 27.70 27.71	SEA CL/TH DYNOPTH 00.000 00.016 00.033 00.049 00.179 00.105 00.120 00.133 00.144 00.167 00.189	SND VEL 1476-4 1476-4 1476-5 1476-7 1476-7 1476-7 1476-7 1476-8 1472-9 1472-9 1472-9 1465-7 1465-7 1466-7 1466-7 1469-7 1470-6 1471-6 1471-6 1471-9 1471-9 1471-9 1471-9	WIND-SPD WIND-FUR WEATHER	PU4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STD UBS STD	# 11 10 04-2 DEPTH 00000 00010 00010 00020 00020 00055 00155 00125 00155 00125 00155 00125 00155 00125 00155 00125 00155 00150 00155	SHIP DG DATA USE 1 AREA GO TEMP U6.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64 05.64 05.64 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.69 05.79 05.90	SAL 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.04 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 34.73 34.73 34.73 34.73 34.73 34.73 34.73 34.73 34.74	#ULA PMETR D 17A \$1GMA-1 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.19 27.57 27.67 27.65 27.65 27.67 27.69 27.67 27.69 27.71 27.71 27.71 27.71	SEA CL/TH DYNOPTH 00.000 00.016 00.033 00.049 00.179 00.105 00.120 00.133 00.144 00.167 00.189	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.9 1476.9 1476.9 1476.9 1476.9 1476.9 1465.7 1465.7 1466.7 1466.1 1469.7 1469.1 1469.1 1470.6 1471.3 1471.9 1472.0 1472.0	WIND-SPD WIND-FUR WEATHER	Pue	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STD UBS	# 11 10 04-2 DEPTH 000 00 00 10 000 10 000 10 000 20 000 20 000 20 000 5	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.76 05.64 05.69 03.61 03.34 03.35 03.49 03.94 03.94 03.94 03.94 03.94 03.95 03.93	SAL 33.04 34.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.05 35.0	#ULA METR D T/A SIGMA - T Z0.40 Z0	SEA CL/TH DYNOPTH 00.000 00.716 00.033 00.049 00.079 00.105 00.120 00.133 00.144 00.167 00.189 00.254 00.297	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.7 1476.7 1476.7 1476.7 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1465.7 1467.7 1467.7 1470.6 1471.3 1471.3 1471.3 1471.3	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STO UBS STO UB	# 11 10 04-2 DEPTH 00000 00010 00010 00010 00020	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.77 06.77 06.76 05.64 03.61 03.34 03.56 03.56 03.90 03.94 03.94 03.94 03.94 03.95 03.96 03.97 03.97 03.87	SAL 33.04 34.05 3	#ULA PMETR D 17A S1GMA-T 20.40 Z0.40	SEA CL/TH DYNOPTH 00.000 00.016 00.033 00.049 00.179 00.105 00.120 00.133 00.144 00.167 00.189 00.254 00.297 00.339	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.1 1476.4 1476.7 1476.4 1477.9 1465.7 1465.7 1465.7 1465.7 1466.1 1470.6 1471.3 1471.3 1471.3 1471.3 1471.6 1477.0	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR EVETYP STD UBS STD U	DEPTH 00 00 - 2 DEPTH 00 00 00 00 00 00 00 00 00 00 00 00 00	SHIP DG DATA USE 1 AREA G5 TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64 05.64 03.61 03.40 03.94 03.95 03.99 03.94 03.94 03.96 03.95 03.97 03.97 03.97	SAL 33.04 34.05 34	#ULA PMETR D 1/A SIGMA-T 20.40	SEA CL/TH DYNOPTH 00.000 00.716 00.033 00.049 00.079 00.105 00.120 00.133 00.144 00.167 00.189 00.254 00.297	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.7 1476.8 1472.9 1465.7 1465.7 1465.7 1465.1 1466.7 1469.7 1469.1 1470.0 1471.3 1471.3 1471.3 1471.3 1471.3 1471.3	WIND-SPD WIND-FUR WEATHER	Pu4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR LVLTYP STD UBS STD	# 11 10 04-2 DEPTH 00000 00010 00010 00010 00020 00050 00025	SHIP DG DATA USE 1 AREA 05 TEMP 06.77 06.77 06.77 06.77 06.77 06.77 06.76 05.64 03.61 03.61 03.61 03.91 03.94 03.94 03.94 03.95 03.95 03.97 03.97 03.97 03.97 03.99	SAL 33.04 34.05 3	#ULA METR D 1/A SIGMA-I 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.10 27.71	SEA CL/TH DYNOPTH 00.000 00.016 00.033 00.049 00.179 00.105 00.120 00.133 00.144 00.167 00.189 00.254 00.297 00.339	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.9 1476.9 1476.9 1465.7 1465.7 1465.7 1465.1 1466.7 1466.7 1466.7 1469.7 1469.1 1470.0	WIND-SPD WIND-FUR WEATHER	Pus	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR LVLTYP UBS STD UBS	DEPTH 000001 000100 00	SHIP DG DATA USE 1 AREA GO TEMP U6.77 06.77 06.77 06.77 06.77 06.77 06.77 06.76 05.64 05.64 05.64 05.64 05.64 05.69 05.79 05.79 05.79 05.99 05.92 05.85 05.99 05.92 05.85 05.79 05.79 05.79 05.87 05.87	SAL 33.04 34.07 3	#ULA PMETR D 17A \$16MA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.49 27.57 27.67 27.67 27.67 27.67 27.67 27.67 27.67 27.70 27.71	SEA CL/TR DYNDPTH 00.000 00.316 00.033 00.049 00.105 00.120 00.133 00.144 00.167 00.189 00.211 00.254 00.297 00.382 00.382	SNO VEL 1470.4 1470.4 1470.5 1470.7 1470.7 1470.7 1470.7 1470.4 1470.8 1472.9 1472.9 1472.9 1472.9 1472.9 1470.0 1471.3 1471.3 1471.9 1470.0 1471.0 1470.0 1471.0 1470.0 1471.0 1470.0	WIND-SPD WIND-FUR WEATHER	Pus	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WUNTI- DAY HOUR LVLTYP UBS STD UBS ST	DEPTH 00-00-2 DEPTH 00-00-10 00010 00010 00010 00020 00020 00050 00050 00105 00105 00105 00105 00105 00105 0015 00105	SHIP DG DATA USE 1 AREA GO TEMP U6.77 06.	SAL 33.04 34.05 34.05 34.05 34.05 34.05 34.05 34.05 34.05 34.05 34.05 34.07 3	#ULA PMETR D 17A \$1GMA-T 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 21.39 27.39 27.39 27.39 27.39 27.39 27.67 27.67 27.69 27.67 27.67 27.67 27.71	SEA CL/TH DYNOPTH 00.000 00.716 00.033 00.049 00.105 00.120 00.133 00.144 00.167 00.189 00.254 00.297 00.339	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.9 1476.9 1476.9 1465.7 1465.7 1465.7 1465.1 1466.7 1466.7 1466.7 1469.7 1469.1 1470.0	WIND-SPD WIND-FUR WEATHER	PU4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84
CONSEC JOI3 LAT 48 23 N EUNO 045 50 N CASTNUM/TIME	WONTI- DAY HOUR EVETYP STD UBS STD U	# 11 10 04-2 DEPTH 00-00 0-00 0	SHIP DG DATA USE 1 AREA 16-77 06-77 06-77 06-77 06-77 06-77 06-76 05-64 03-61 03-61 03-61 03-90	SAL 33.04 34.05 3	#ULA #ULA #ULA #ULA #ULA #ULA #ULA #ULA	SEA CL/TR DYNDPTH 00.000 00.316 00.033 00.049 00.105 00.120 00.133 00.144 00.167 00.189 00.211 00.254 00.297 00.382 00.382	SND VEL 1476.4 1476.4 1476.5 1476.7 1476.7 1476.4 1476.9 1476.9 1476.9 1465.7 1465.2 1465.2 1465.2 1465.2 1465.3 1470.0	WIND-SPD WIND-FUR WEATHER	PU4	DURA OR I G	E DIR TION A2 05	00.3	5	SQUARE SQUARE SQUARE	84

Table VI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 9-10 November 1971, Prepared from NODC Listing No. 31-8280.—Continued

REFID CUNSEC LAT LONG	48	8280 0014 35 A	MUNT	1971 H 11 10 07.0	SHIP DG DATA USE 1 AREA 05	MET	TEMP 10.7 BULB 10.3 GMETR 1007.0 UD T/A	17	T PER	WIND-DIR WIND-SPO WIND-FOR WEATHER	53	TRACE		00.2	2	SQUARE SQUARE SQUARE	84
CASI	INUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	UYNOPTH	SNO VEL	UXYG	P)4	101 P	NO2	V03	\$103	РН	
			STO	00000	06.65	13.63	24.41	00.200	1475.4								
		07.0	UBS	00000	06.65	35.63	20.41	00. 100	1475.9								
		01.0	510	00010	06.65	33.64	20.42	00.019	1470.0								
			385	00010	06.65	33.64	26.42		1476.0								
			STO	00020	06.62	33.65	26.43	00.332	1470.1								
			085	00020	06.62	33.65	20.43	00.772	1470.1								
			510	00030	66.57	33.66	20.44	00.043	1476.1								
			UBS	000 10	06.57	33.66	26.44	00.045	1476.1								
			STD	00050	06.48	33.11	25.54	00.383	1476.2								
			085	00050	06.44	33.77	20.54	00000	1476.2								
			510	00075	04.87	34.04	26.95	00.112	1470.4								
			085	00075	04.87	34.04	20.95		1470.4								
			510	00100	04.29	34.12	27.08	03.139									
			085	00100	04.29	34.12	27.08		1468.5								
			STO	00125	04.92	34.27	27.13	00.164	1471.0								
			085	00125	04.92	34.27	27.13		1471.8								
			STO	00150	03.46	34.36	27.35	00.185	1406 .2								
			085	00150	03.40	34, 36	27.35		1466.2								
			OBS	00175	03.39	34.19	27.38		1406.3								
			STO	90200	03.38	34.47	27.45	00.220	1466.5								
			Ues	90200	03.39	34.47	27.45		1466.8								
			STO	00250	03.34	34.56	27.52	00.251	1467.6								
			UBS	00250	03.34	34.56	27.52		1467.0								
			STO	00300	03.36	34.65	27.59	00.279	1468.0								
			085	00300	03.36	34.65	27.59		1468.6								
			085	00350	03.39	34.70	27.63		1469.0								
			510	00400	03.45	34.75	27.60	00.324	1470.9								
			085	00400	03.45	34.75	27.66		1470.8								
			085	00450	03.52	34.80	27.70		1472.0								
			STO	00500	03.64	34.84	27.72	00.374	1473.4								
			005	00500	03.64	34.84	21.12		1473.4								
			STO	00.00	03.93	34.89	27.73	00.417	1476.3								
			085	00600	03.91	34.89	27.73		1476.3								
			STD	00700	03.85	34.42	21.16	00.460	1477.7								
			085	00700	03.85	14.92	27.76		1477.7								
			510	00000	03.71	34.93	27.78	00.500	1478.8								
			085	00800	03.71	34.43	27.78		1478.8								
			STO	00900	03.55	34.93	27.80	00.540	1479.8								
			UBS	00900	03.55	34.93	27.80		1479.8								
			STD	01000	03.44	34.93	27.81	00.578	1481.0								
			UBS	01000	03.4+	34.93	27.81		1481.0								
			STD	01100	93.35	34.94	27.82	00.616	1482.4								
			085	01100	03.38	34.94	27.82		1482.4								
						The state of the s	12/11/2/2/2										
							****	*******	•								

Table VII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 20-22 March 1972, Prepared from NODC Listing No. 31-2030.

KEFIJ 31 CONSEC	2030		1972	BUTUP 00135	AIR TI			T PER	#IND-DIR		INST	NANSEN	CAST		50 1306 QUARE 4
L41 40	59.5N	DAY	20	JATA USE 1	BARUM	TH 1010.5	SEA		MIND-FOR		DURAT				QUARE 68
LONG CAB	00.5	HOUR	25.1	AREA 05	CLOUD	T/A X/9	CLITE		WEATHER		URIG	42 052		13	QUARE 68
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIJMA-T	DYNOPTH	SNO VEL	OXYG	P 14	101 P	NO2	NO3	\$103	РН
		STO	00000	- 1.48	32.91	20.50	00.000	1439.5							
	23.7	285	00000	- 1.48	32.909	20.50	00.015	1439.5							
		310	00020	- 1.50	32.95	26.53		1439.6							
	23.7	CBS	00025	- 1.57	32.965	26.54		1439.6							
		510	00030	- 1.05	12.98	20.56	00.040	1439.4							
	23.7	08 S STD	00049	- 1.76	33.021	20.59	00.075	1439.1							
	23.7	085	00074	- 1.75	33.026	26.60		1434.6							
		STD	00075	- 1.75	35.03	26.60	00.111	1434.6							
	23.7	280	00048	- 1.71	33.064	25.64	00.147	1440.5							
	23.7	280	00108	- 1.66	33.39	26.73	05.147	1442.2							
		003	00100	,	,										
MEFTU 31 CUNSEC LAT 47 LUNG 047	J002	MONT	1972 H 03 21	BOTOP 00175 SHIP IH DATA USE 1 AREA 05				GT PER	#16.3-01 # #190-590 #190-6(# #64 THER	15	DURA	NANSEN E DIR TION AZ US		5 9	SU 1306 SUARE 6 SUARE 66 SUARE 77
CASTNUM	/ 1 1 hF	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	JXYG	P.14	TOT #	NOZ	403	51.13	PH
							00.000	1439.1							
	03.4	310	00000	- 1.54	32.850	26.46	00.400	1439.1							
	03.4	510	00010	- 1.65	32.90	26.54	03.015	1438.7							
		STO	00020	- 1.73	33.03	25.00	00.030	1438.8							
	03.4	UBS	00025	- 1.75	33.060	26.62	03.044	1438.8							
		510	00030	- 1.75	33.07	26.63	00.073	1439.4							
	03.4	385	20050	- 1.75	33.387	26.65		1414.4							
	01.4	UBS	JUU 74	- 1.72	33.089	26.65		1434.5							
	0.1	STU	00075	- 1.72	33.09	26.67	00-108	1439.4							
	03.4	510	00100	- 1.69	33.12	26.61	00.142	1440.5							
		STO	00125	- 1.50	33.27	20.19		1441.7							
	03.4	085	00149	- 1.30	33.535	27.00		1443.4							
						*****		•							
PEF10 31	2030	YFAR	1+72	BUTDP 00220	AIR T	EMP 00.3	DIR	T PER	#IND-DIR	25	LAST	VANSEN	CAST	TEN	50 1306

CASTNUM/TIME DEPTH SAL SIJMA-T NO3 5103 LVLTYP TEMP DYNUPTH SND VEL DXYG 000 00 00 10 00 10 00 10 00 10 00 00 00 00 00 00 00 00 00 00 00 00 00 10 00 10 00 15 00 15 00 15 00 15 - 1,63 - 1.63 - 1.72 - 1.77 - 1.78 - 1.71 - 1.75 - 1.51 - 1.51 - 1.49 - 1.48 - 1.46 - 1.44 - 1.34 - 0.76 32.37 32.572 32.96 33.02 33.03 33.03 33.03 33.06 33.19 33.20 33.25 33.25 33.31 33.35 33.35 33.35 00.300 07.045 05.0 00.073 05.0 00.107 05.0 00.140

Table VII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 20–22 March 1972, Prepared from NODC Listing No. 31–2030.—Continued

REFID 31 CONSEC	2030 0004 00 N		1972	SHIP IH	att t		22	GT PER	#140-5PU #140-5PU	04	TRACE DURAT		TEN SU 1306 5 SUUARE 4 2 SOUARE 66
	14.5		09.3	AREA OS		1/4 1/6	CL/TH		HEA THEK			A2 052	1 SQUARE 7
CASINUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	1-AMC 12	DYNOPTH	SND VEL	DXYG	P)4	INT P	NO2 NO	5 5113 PH
		STO	00000	- 1.60	12.45	25.45	00.000	1438.8					
	09.3	085	00000	- 1.00	32.355	20.45		1430.8					
		STD	00010	- 1.64	32.10	20.49	00.016	1438.9					
		STD	00020	- 1.66	32.97	26.55	03.031	1439.1					
	09.3	085	00021		32.981								
		STD	00030	- 1.68	33.10	26.65	00.345						
	09.3	085	00042	- 1.68	33.197	20.13		1439.6					
		STO	00050	- 1.66	33.21	26.74	00.072	1439.9					
	09.3	UBS	00063	- 1.65	33.227	20.16		1440.2					
		STD	00075	- 1.69	33.25	25.11	00.10>	1440.2					
	69.3	085	00085	- 1.73	33.282	26.30		1440.2					
		SID	00100	~ 0.93	33.41	26.89	30.135	1444.5					
		STO	00125	- 0.03	33.59	26.99	00.163	1449.3					
	09.3	085	00127	00.02	33.600	21.00		1449.5					
		STD	00150	00.07	33.71	27.08	00.189	1450.3					
	09.3	085	100174	00.13	33.776	27.13		1451.1					

REF10 31 20	O YEAR	1972	8010P 01097		TEMP -00.3		LT PER	WIND-DIR			NANSEN C	AST		50 13	
CONSEC ON	5 MONT	14 03	SHIP IH		sul 3 -00.3		2 4	WIND-SPD		TRACE				QUARE	
LAT 47 00	A DAY	21	DATA USE 1	DANL	METR 1009.9	SEA		WIND-FOR		DURAT				QUARE	
LUNG 047 06	w HOUF	15.4	AREA 05	CLCU) T/A 5/8	CL/TK		WEATHER	X 5	ORIG	A2 052		1 5	QUARE	77
CASTNUM/TIM	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	UYNOPTH	SND VEL	OXYG	P04	101 P	NOZ	NO3	\$103	РН	
	510	00000	- 1.43	32.92	20.51	00.000	1439.7								
15.		00000	- 1.45	32.924	20.51		1439.7								
	STD	00010	- 1.55	33.10	20.05	00.015	1439.7								
	STU	00020	- 1.60	33.23	26.76	00.023	1439.7								
15.		00024		33.200											
	510	00030	- 1.04	35.28	26.80	00.041	1439.7								
15.	185	00046	- 1.67	33.330	25.34		1439.9								
	SID	00050	- 1.67	33.35	20.86	00.065	1440.0								
15.		00069	- 1.60	33.432	20.92		1443.8								
	STD	00075	- 1.57	33.44	25.93	00.095	1441.0								
15.	e CBS	00092	- 1.39	33.499	25.97		1442.3								
	STD	00100	- 1.17	33.56	27.01	00.122	1443.5								
	510	00125	- 0.47	33.75	27.14	00.147	1447.4								
15.	085	00136	- 0.17	33.826	27.19		1449.1								
	STO	00150	00.25	33.94	21.26	00.163	1451 . 4								
15.	• OBS	00184	01.16	34.172	21.39		1450.4								
	STD	00200	01.49	34.23	21.42	00.206	1456.3								
	510	00250	02.41	34.41	21.49	06.238	1463.4								
15.	4 085	00269	02.71	34.470	27.51		1465.1								
	510	00300	03.15	34.51	27.55	00.208	1467.6								
15.	4 OBS	100349	03.67	34.700	27.60		1470.8								
	STD	00400	03.93	34.19	27.64	00.321	1472.9								
15.	4 UBS	004 32	04.03	34.021	27.66		1473.9								
	STD	00500	C4.C8	34.55	27.08	00.369	1475.2								
15.	4 385	100507	04.08	34.851	27.68		1475.4								
	STD	00600	04.01	34.81	27.70	03.416	1476.9								
15.		100645	04.06	34.871	21.70		1477.6								

Table VII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 20–22

March 1972, Prepared from NODC Listing No. 31–2030.—Continued

REFID CUNSEC LAT	46	2030	HUNT	1972 H 03 21 19.7	BOTUP 00915 SHIP JH DATA USE 1	BARO		18		MIND-DIR MIND-SPD MIND-FOR MEATHER	21	DURAT			5 Si	SQ 13 QUARE QUARE QUARE	66
LLNG	040	44 1	HOUR	17.1	week 03	000	0 174 370										-
								*									
CAST	NUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	S'NU VEL	JXYG	P34	TOT P	NJZ	NO3	2103	РН	
			510	00000	- 0.64	13.44	26.90	00.000	1444.2								
		19.7	UBS	00360	- 0.64	33.439	20.40		1444.2								
			STO	00010	- 0.63	53.50	26.45	03.011	1444.0								
			STD	00020	- 4.50	33.56	26.99	03.022	1445.0								
		19.7	085	00028	- 0.53	33.606	27.03		1445.4								
			STD	00030	- 0.51	33.66	27.04	00.033	1445.5								
			510	00050	- 0.19	33.72	21.11	00.053	1447.5								
		19.7	085	00051	- 0.17	33.726	27.11		1447.6								
			STU	00075	00.43	33.80	27.13	00.077	1450.8								
		19.7	085	00078	00.53	33.512	27.14		1451.3								
			STO	00100	01.40	33.96	21.20	00.099	1455.8								
		19.1	085	00101	01.43	33. 101	27.20		1455.0								
			STO	00125	01.60	34.06	21.27	00.121	1451.3								
			STO	00150	01.97	34.10	21.34	00.140	1459.5								
		19.7	Cas	00150	01.97	34.184	27.34		1459.5								
		19.7	085	100199	03.28	34.481	27.47		1466.4								
			STD	00200	C3.30	34.49	21.41	00.175	1466.5								
			510	00250	03.93	34.08	27.50	00.205	1470.3								
		19.7	UBS	00294	04.29	34.905	21.62		1472.7								
			STO	00300	34.31	14.01	21.03	00.231	1+72.9								
		19.7	085	100387	04.44	34. 704	21.58		1474.9								
			STD	00400	C4.34	34.40	27.69	00.279	1474.9								
		19.7	085	00479	04.18	34.902	27.71		1475.4								
			510	00560	04.19	34.91	21.72	00.324	1475.7								
		19.7	085	00571	04.18	34.422	21.73		1476.9								
			STD	00600	04.17	34.92	21.73	00.366	1477.4								
			510	00700	04.09	34.91	27.73	00.412	1478.7								
		19.7	035	100740	04.04	34.912	27.73		1479.1								

REFID 31 2030 CUNSEC 0007	YEAR 1972 MONTH 03 DAY 21	SHIP IH	MET BUL			GT PER	WIND-DIR WIND-SPD	15		NANSEN E DIR	CAST	5	N SO L SQUARE SQUARE	4
LAT 47 00 N	DAY 21 HOUR 22.9	AREA US			CL/TR		HEATHER			42 C52			SQUARE	
ECHO 346 71 W	MOUN 22.7	AREA 07	CE 000 11	- //-	CETTA		HEATTICE	,,	00				3404.11	
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL S	IGMA-T	DYNUPTH	SND VEL	OXYG	P)4	TOT P	NOZ	N03	5103	РН	
	510 00000	- 0.27	33.61	27.02	00.000	1446.1								
22.9	085 00000	- 0.27	33.610	27.02		1446.1								
	STD 00010	- 0.27	33.61	27.32	00.013	1446.3								
	05000 015	- 0.26	33.42	27.03	00.021	1446.5								
22.9	JBS 00024	- 0.25		27.03		1446.6								
	STD 00030	- 0.24	33.45	21.05	00.031	1446.8								
22.9	085 00043	- 0.20	33.679	27.07		1447.3								
	STD 00050	- 0.16		27.07	00.051	1447.6								
22.9	00066	- 0.03		27.09		1448.5								
	510 00075	00.09	33.75	27.12	00. 776	1449.2								
22.9	785 00085	00.16		27.15		1449.8								
	510 00100	00.14	33.83	27.18	06.099	1450.0								
	510 00125	00.10	33.93	27.26	00.120	1450.3								
22.9	085 00127	00.10	33.945	21.27		1450.4								
	510 00150	00.67	34.10	27.36	00.140	1453.6								
22.9	085 100169	01.19		27.43		1456.4								
	STD 00200	02.57	34.44	27.50	00.173	1463.3								
	STD 00250	C4.10	34.70	27.56	00.202	1471.0								
22.9	UBS 00257	04.24	34.730	27.57		1471.7								
	510 00300	04.47	34.84	27.63	155.00	1473.5								
22.9	085 00347	04.56	34.912	27.68		1474.8								
	STD 00400	04.46	34.91	27.69	00.277	1475.3								
22.9	085 100442	04.24		27.71		1475.0								

Table VII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 20–22 March 1972, Prepared from NODC Listing No. 31–2030.—Continued

REFID 31 2330 CONSEC 0008 LAT 47 03 N LENG 046 11 H	YEAR MONTH DAY HUUR	22	SHIP IH DATA USE 1 AREA C5	AIR T MET B BARCH CLCU)	ULB 00.1 ETR 1009.0	OIP H Z1 SEA CL/TR	ST PER	ALNO-DIR ALNO-SPD AINO-FOR REATHER	21	DUKAT			2	N SQ 13 SQUARE SQUARE SQUARE	66
CASTNUM/TIME	LVLTYP	DEPIN	TEMP	SAL	SIGMA-I	HIGUNYC	SND VEL	JXYG	P 34	TOT P	NJZ	NO3	\$133	Рн	
00.4	STD UBS STD	00000 00000 00010	03.95 03.95 03.95	34.11 34.113 34.12	27.11 27.11 27.11	00.000	1465.5 1465.5 1465.6								
	STO	00020		34.13	27.12	00.029	1466.0								
00.9	STD OBS	00050 00050	03.95 03.21 63.12	34.132 34.11 34.101	27.17 27.17 27.18	00.047	1465.0								
	STO	00075	02.95	34.10	27.15	00.370	1462.4								
00.9	STC	00101	02.35	34.05	21.21	00.092	1460.3								
	STO	00125	03.09	34.17	21.24	00.114	1463.9								
	STD	00200	04.71	34.470	21.41	00.173									
60.9	280	100225	04.12	34.670	21.41		1473.1								
HEFID 31 2030	YEAR	1972	BOTOP 00310	AIR 1	TEMP 02.9	ate s	GT PER	#IND-DIR	0.4	LVST	VANSEN	CAST	76	N 50 13	106
CONSEC 0009	MONT	H 03	SHIP IH	BARG	BULS 02.7	UI SEA	3 5	AIND-SPU	25	DURA	E UIK		5 2	SQUARE SQUARE	64
LUNG 045 50 W		02.8	AREA J5	CLUUC	7/4 7/8	CL/TR		WEA THEF	X.	URIG	42 05	2	1	SQUARE	75
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	S EGMA-T	DYNOPTH	SNO VEL	D X Y G	P34	TOT P	102	NUS	\$103	РН	
02.8	350	00000		33.99											
	STO	00050		34.00											
02.8	STD	00029	03.04	34.32	27.12		1461.9								
02.8	510 085 510	00050 00053 00075	02.74 02.70 02.39	34.05 34.055 34.04	27.17 27.18 27.15		1461.0								
02.8	STD	00100	02.04	34.02	21.21		1458.4								
02.0	STO	00125	02.67	34.17	27.28		1462.1								
02.8	OBS STU	00160	03.78	34.445	21.39		1467.3								
02.8	STD	T00214	05.03	34.826	21.56		1474.4								
02.8	085	100253	04.97	34.838	27.57		1474.8								
					,,,,,,										
REFID 31 2030 CUNSEC 0010	MONT	1972 H 03	80 TOP 00310 SHIP 1H	AIR T	ULB C1.0	32	ST PER	WIND-DIR	24	TRACE		CAST	5 5	N SO 130	4
LAT 47 25 N LONG 045 50 H		05.3	DATA USE 1 AREA 35	CL JUD	T/A 7/6	SEA CL/TR		WIND-FOR WEATHER		ORIG	A2 052			SUUARE S	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SND VEL	UXYG	P34	TOT P	102	503	\$103	РН	
05.3		00000	03.74	34.08 34.077	27.10	00.000	1464.5								
	510	00010	03.74	34.08	27.11	00.010									
	510	00026	03.75	34.11	27.11	00.029	1465.3								
05.3	STD STD	00048 00050 00075	03.93 03.93 03.99	34.169 34.17 34.18	27.15 27.16 27.16	00.048	1466.3								
05.3 05.3	085	00075	03.99	34.182	27.16	30.0.1	1466.9								
	STO	00100	04.33	34.22	27.17	00.094	1468.7								
05.3	STD	00147	04.87	34.320	27.17	03.140	1472.0								
05.3	STD	00200	03.83	34.40	27.35	00.181	1468.6								
05.3	OBS	100258	04.53	34.71	21.52	00.215	1472.8								

Table VII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 20–22 March 1972, Prepared from NODC Listing No. 31–2030.—Continued

KEFTO CUNSEC LAT LUNG	47	2030 0011 41.7N 50 m	MONT	1972 4 03 22 09.4	SHEP LH DATA USE L AREA US	BARC		05	GT PEK	MIND-DIR MIND-SPD MIND-FUR MEATHER	20	DURAT		***************************************	5 5	N SQ 13 SQUARE SQUARE SQUARE	64
CAST	NUM/	TIME	LVLTYP	рертн	TEMP	SAL	SIJMA-T	DYHOPTH	SNO VEL	O XY G	P 14	TCT P	NOZ	NO3	\$103	РН	
			510	00000	02.56	33.83	27.01	00.000	1459.1								
		04.4	200	00000	02.56	33.026	27.01	00.000	1459-1								
			STO	00010	02.69	33.91	27.06	00.010	1460.0								
			STO	00020	02.84	31.98	27.10	00.020	1460.7								
		04.4	260	30029	02.58	34.024	21.13		1461.7								
		4.4.4.	STO	000 30	03.00	34.03	21.13	00.030	1461.8								
			STD	00050	03.37	34.09	27.15	00.049	1463.8								
		09.4	285	00054	03.42	34.096	41.15		1464.1								
			STD	00075	01.40	34.10	27.15	00.072	1464 . 6								
		09.4	085	00083	03.48	34.103	27.15		1464 . 8								
			STD	00100	02.54	34.13	21.26	00.094	1461-1								
		09.4	UBS	00103	02.34	34.169	27.30		1460.4								
			STO	00125	03.50	34.40	21.37	00.113	1466.3								
			STD	00150	04.78	34.64	27.44	00.131	1472.1								
		09.4	065	00162	05.12	34.722	27.46		1473.8								
			510	00233	04.11	34.14	21.52	00.162	1473.0								
		09.4	085	100/10	04.67	34.750	21.54		1472.9								
			STO	00250	04.67	34.78	27.56	00.191	1473.5								
			STD	00300	04.68	34.84	27.61	00.219	1474.4								
		09.4	185	100325	04.63	34.885	21.04		1474.9								

REFIU 31 2030 CANSEC U012 LAT 48 00 N LUNG 045 50 N	DAY	1972 H 03 22 12.8	HOTOP GOTO4 SHIP IH DATA USE I AREA US	BARU		DIR H 15 SEA CL/TR		WIND-DIK WIND-SPD WIND-FOR WEATHER	17	TRACE		AST	5 5	SQ 1306 SQUARE 4 SQUARE 84 SQUARE 85
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	UXAC	P 14	101 P	NOZ	NO3	5103	РН
	sro	00000	- 0.42	33.08	21.08	00.000	1445.5							
12.8	OBS	00000	- 0.42	33.082	27.08		1445.5							
	\$10	00010	- 0.25	33.81	27.16	00.009	1446.7							
	STD	00020	- 0.07	33.91	27.25	00.019	1447.8							
12.6	385	00027	00.05	33.973	27.30		1448.5							
	510	00030	00.11	33.49	27.31	00.026	1448.9							
	510	00050	00.45	34.09	27.37	00.041	1450.9							
12.8	085	00050	00.45	34.086	27.37		1450.9							
••••	STO	00075	00.64	34.15	27.41	00.059	1452.3							
12.8	286	30077	00.09	34.159	27.41		1452.5							
12.8	CbS	00099	01.59	34.278	27.45		1457.1							
	STD	00100	01.65	34.29	21.45	00.075	1457.4							
	STO	00125	02.40	34.48	27.50	00.091	1463.5							
12.0	085	00149	03.75	34.637	21.24		1467.8							
	SID	00150	03.77	34.64	27.55	00-105	1467.9							
12.8	085	UU199	04.39	34.835	27.63		1471.5							
	STO	00200	34.39	34.84	27.64	00-131	1471.5							
	STO	00250	04.41	34.04	21.66	00.155	1471.7							
	STD	00300	04.15	34.00	27.68	00.178	1472.2							
12.8	Uns	00300	04.15	34.857	27.68		1472.2							
	STD	00400	04.35	34.90	21.69	00.224	1474.8							
12.8	UBS	100403	04.35	34. 403	27.69		1474.8							
	STD	00500	04.22	34.91	27.71	00.268	1475.9							
12.8	085	00507	04.21	34.413	21.72		1476.0							
	STO	00600	04.12	34.92	21.73	00.312	1477.2							
12.8	085	100603	04.12	34.918	27.73		1477.2							

......

Table VII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 20–22 March 1972, Prepared from NODC Listing No. 31–2030.—Continued

	13 MON	R 1972 TH 03	BOTOP OC950 SHIP IH DATA USE 1	WET d		17	GT PER	WIND-DIR WIND-SPD WIND-FUR		INST TRACE		124	5	N SQ L SQUARE SQUARE	
LONG 045 50		15.4	AREA 05					MEA THER	X6		A2 052			SQUARE	
CASTNUM/TIM	E LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	JXYG	P34	TOT P	NUZ	403	5103	PH	
	STD	00000	- 0.75	33.72	27.13	00.000	1444.0								
15.		00000	- 0.75	33.717	27.13		1444.0								
	SID	00010	- 0.75	33.72	27.13	00.009	1444.2								
	STO	00020	- 0.76	33.12	27.13	00.019	1444.4								
15.		00026	- 0.76	35.727	27.13		1444.4								
	STD	00030	- 0.75	33.75	27.15	00.328	1444.0								
15.		00048	- 0.73	13.847	27.23		1445.1								
	STD	00050	- 0.65	33.86	27.24	00.046	1445.5								
15.		00074	00.29	34.053	27.35		1450.5								
	\$10	00075	00.33	34.06	27.35	00.065	1453.7								
15.		00096	01.11	34.238	21.45		1454.8								
	STD	00100	01.21	34.26	27.46	00.083	1455.4								
	STD	00125	01.82	34.37	27.50	00.098	1458.7								
15.		00144	02.28	34.458	27.54		1461.1								
	STD	00150	02.46	34.49	27.55	00.112	1462.0								
15.	4 085	100193	03.46	34.680	27.61		1467.3								
	STD	00200	03.53	34.70	27.62	00.139	1467.7								
	STD	00250	03.91	34.80	27.46	00.163	1470.3								
15.	4 085	00290	04.09	34.850	27.48		1471.8								
	012	00300	04.09	34.85	27.48	00.186	1472.0								
15.	4 085	100389	04.08	34-074	27.70		1473.4								
	SID	00400	04.08	34.88	27.70	00.231	1473.6								
15.	4 385	00488	04.08	34.883	27.71		1475.1								
	STD	00500	04.07	34-88	27.71	00.275	1475.3								
15.	4 085	100588	04.04	34.983	21.71		1470.6								
	STD	006 00	04.04	34.88	21.71	00. 320	1476.8								
	STD	00700	04.01	34.90	21.13	00.365	1478.3								
15.	4 085	00794	04.00	34.907	27.73		1479.9								
	STO	00800	04.00	34.91	27.73	00.410	1480.0								
15.	4 985	00808	04.00	34.908	27.73		1480.1								

KEFID 31 2030 CURSEC 0014 LAT 48 35 N LONG 045 50 W	MUNT	1972 4 03 22 18.9	SHIP IH DATA USE 1 AREA 05	MET S	ULB 00.9 ETR 1008.0	17 SEA	GT PER	WIND-DIR WIND-SPD WIND-FUR WEATHER	27	DURA			TEN SO 1306 5 SQUARE 4 2 SQUARE 84 1 SQUARE 85
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-I	DYNOPTH	SND VEL	OXYG	P34	TUT P	NOZ	NU3	S103 PH
	STO	00000	- 0.48	33.73	27.13	00.300	1445.5						
18.9	085	00000	- 0.48	33.730	27-13		1445.3						
	STO	00010	- 0.03	33.74	27.11	00.010	1447.6						
	STO	00020	00.33	33. 15	21.10	00.019	1449.4						
18.9	785	15000	00.52	33.767	21.11		1450.4						
	STD	000 30	00.63	35.77	27.10	00.024	1450.8						
18.9	JBS	00049	00.64	11.844	21.15		1452.3						
	STD	00050	CO. 78	33.86	21.16	00.048	1452-1						
	STO	00075	00.32	34.16	21.43	00.067	1450.8						
18.9	UBS	00075	00.32	34.159	27.43		1450 . 6						
18.9	085	00097	01.50										
	STD	00100	01.56	34.28	21.45	03.384	1451.0						
	STO	00125	02.03	34.39	21.50	00.099	1459.6						
18.9	385	00145	02.40										
	STO	00150	02.50	34,49	21.54	00.114	1462.2						
18.9	1)85	00192	03.25	34.628	27.59		1466.3						
	STD	00230	03.36	34.65	27.60	00.141	1467.0						
	STD	00250	03.40	34.78	27.64	00.160	1470.3						
18.9	UBS	00269	04.15	34.843	27.67		1472.0						
	STO	00300	04.14	34.85	27.67	00.189	1472 .2						
19.9	085	T00386	C4.11	34.869	21.69		1473.5						
	STD	00400	04.10	34.87	27.69	00.235	1473.7						
18.9	UBS	00487	04.08	34.877	27.70		1475.1						
	STD	00500	04.08	34.48	27.70	00.280	1475.3						
18.9	OBS	100594	04.09	34.889	27.71		1476.9						

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5–7 August 1972, Prepared from NODC Listing No. 31–8311.

REFID 31 8311 CONSEC 0001 LAT 47 00 N LONG C44 00 W	YEAR 1972 MC'ITH 06 DAY 05 HOUR 19.1	BOTEP OUTS SHIP TH DATA USE I AREA 05	AIR TEMP 12.1 AET BULB 11.0 BAHCHETR 1010.0 CLCUQ T/A	UIR FUT FER 49 2 2 SEA CLITE	AIND-DIR 2/ AIND-SPD DZ AIND-FUR HEATHER K.	INST STO RECORDER TRACE DIR D DURATION OU.C	
CASTNUNITIME	LVLTYP DEPTH	TEMP	SAL SIJMA-T	DYNOPTH SNU VEL	OXYG P34	TOT P NO2 NO3	\$1.73 PH
19.1	\$10 00000 UB\$ 00010 STD 00010 STD 00010 STD 00020 STD 00020 STD 00030 STD 00030 STD 00050 STD 00050 STD 00050 STD U0075 UB\$ 00050 STD U0075 UB\$ 00100 DB\$ 00100 DB\$ 00100	36.31 38.31 37.64 07.84 - 0.83 - 1.57 - 1.71 - 1.71 - 1.71 - 1.71 - 1.72 - 1.72 - 1.72	31.52 24.52 31.50 24.57 31.50 24.57 31.50 24.57 32.95 25.51 33.05 26.61 33.11 26.66 33.11 26.66 33.11 26.66 33.11 26.16 33.15 26.76 33.17 26.71 33.17 26.71 33.17 26.71	03.030 1479.5 1477.9 1477.9 1477.9 1442.9 1442.9 1439.5 03.136 1440.3 00.101 1439.5 1440.3 00.104 1440.4 1440.6		Section Sect	
REFIO 31 8311 CUNSEC 0302 LAT 47 00 N LONG 347 44 W	YEAR 1972 MONTH 08 DAY 05 HOUR 21-3	BUTDP 00174 SHIP IH DATA USE I AREA US	AIR TEMP 12.1 MET BULD 11.0 BARUMETR 1010.9 CLOUD T/A	DER HOT PER 49 2 2 SEA CL/TR	AIND-DIR 27 AIND-SPD 35 AIND-FUR AFATHER X6	INST STO RECOMDER TRACE DIK DOURATION OULU	TEN SO 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 77
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	UYNDPTH SND VEL	JAYG PJ4	TOT P NG2 NG3	SIU3 PH
21.3	STD 00000 085 00000 STD 00010 085 00010 STD 00020 STD 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00035 STD 00050 085 00075 STD 00120 085 00125 085 00128	08.36 08.36 07.78 07.78 - 0.52 - 1.50 - 1.69 - 1.69 - 1.70 - 1.63 - 1.64 - 1.63 -	31.50 24.50 31.50 24.50 31.40 24.50 31.40 24.50 32.95 25.50 32.95 25.50 33.07 26.5 33.07 26.5 33.07 26.5 33.11 25.66 33.11 25.66 33.11 25.66 33.11 25.66 33.11 25.66 33.12 26.71 33.26 26.71 33.26 26.71 33.26 26.71 33.26 26.71 33.26 26.71 33.26 26.71 33.27 26.71 33.28 26.71 33.29 26.71 33.29 26.71 33.29 26.71 33.20 26.71 33.20 26.71 33.20 26.71 33.20 26.71 33.20 26.71 33.20 26.71	00.000 1474.d 1474.d 03.034 1477.o 1477.o 03.059 1444.4 1440.1 1440.1 1440.1 1439.o 03.136 1440.1 1440.1 03.136 1440.1 04.109 1440.9 1440.9 1440.9 1440.9 1440.9			
REFID 31 8311 CUNSEL 0003 LAT 47 00 N LUNG 047 3J N	YEAR 1972 MONTH OR DAY 05 HOUR 25.3	BOTOP 00210 SHIP IH DATA USE 1 AREA 05	BARCHETR 1011.5	49 1 2	WIND-DIR 27 WIND-SPD 35 WIND-FJR WENTHER X4	INST STD RECORDER TRACE DIR D DURATIUN 00.2 DRIG A2 055	
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIJMA-T	DYNOPTH SND VEL	DXYG P34	TOT P NOZ NO3	\$103 PH
23.0	STD 00000 STD 00010 STD 0010 STD 00100 STD 001	06.88 05.49 05.49 1.12 1.12 1.56 1.56 1.64 1.68 1.50 1.50 1.50 0.80 0.80 0.80 0.51 0.51	31.59	00.000 1474.1 1476.1 00.031 1466.7 1466.7 00.053 1441.6 00.053 1441.6 00.058 1439.9 1440.5 10.000 1439.4 00.127 1441.2 00.156 1442.4 00.182 1445.3 00.266 1447.7 1446.0 1443.0			

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5-7 August 1972, Prepared from NODC Listing No. 31-8311.—Continued

REFID 31 8311 CUNSEC 0004 LAT 47 00 N LUNG 047 14 N	YEAR MONTH UAY HOUR	1 08	SHIP TH DATA USE 1 AREA US	AIK WET BARD CL GU		OIR A SEA CL/TR	GT PER 2 2	WEATHER	05	DURAT		00.1	5	N SU 1306 SQUARE 4 SQUARE 66 SQUARE 77
CASTNUM/TIME	LVLTYP	DEPTH	TENP	SAL	SIGMA-I	LYNDPTH	SND VEL	UXYG	P14	TOT P	NO2	NOS	\$103	РН
51.9	\$10 185 \$10 285 \$10 285 \$10 185 \$10 185 \$10 085 085 085 085 085 085 085 08	00000 00000 00010 00010 00020 00030 00015 00105 00105 00105 00125 0015 00125 0015 0012	06.37 06.37 06.34 00.18 00.18 00.18 - 1.36 - 1.13 - 0.84 - 0.62 - 0.18 - 0.18 00.57 01.87 02.92 02.92 02.92 03.04	31. 12 31. 72 31. 71 31. 71 31. 69 33. 36 33. 30 33. 30 33. 90 33. 77 33. 90 33. 90 34. 60 34. 60 36. 60	2+.94 2+.94 2+.94 25.45 20.66 20.66 27.04 27.17 27.17 27.27 27.31 27.31 27.41 27.55 27.55 27.60 27.60 27.60 27.61 27.61 27.61	00.030 00.030 00.077 00.077 00.124 00.164 00.164 00.213 00.2213	1467.5							
					*****	*******								
REFID 31 8311 CONSEC 0005 LAT 47 01 N LONG 047 00 W	DAY	1972 H 08 06 03.9	BUTDP 01116 SHIP IH DATA USE 1 AREA 05	BARC	TEMP 08.5 RULE 08.1 METR 1011.8	DIH + 49 SEA CL/TR		HIND-UI HIND-SP HIND-FJI HENTHER	D 09	DURA	STU KEC F DJR TLON AZ 055	00.3	5	N SQ 1306 SQUARE 66 SQUARE 77
CASTNUM/T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	UYNOPTH	SNO VEL	OXYG	PU4	TUT P	NOS	NU3	\$103	РН
03.9	STO UBS STD UB	000 00 000 00 000 10 000 10 000 10 000 30 000 50 000 50 000 50 001 50 001 50 002 50 003 50 004 50 005 50 00	06.77 06.48 06.48 00.00 00.00 0.00 0.58 0.58 0.55 0.37 00.33 01.09 01.09 01.09 01.91 02.55 02.55 03.27 03.27 03.27 03.27 03.27 03.53 03.65 03.87 03.77 03.73 03.77	31. 70 31. 70 31. 70 32. 34 33. 48 33. 48 33. 48 33. 48 33. 48 33. 48 33. 48 33. 48 34. 24 34. 26 34. 27 34. 87 34. 87 34. 87 34. 87 34. 87 34. 88 34. 91 34. 91 34. 92 34. 92	24.88 25.46 25.46 26.490 27.06 27.06 27.22 27.35 27.41 27.45 27.45 27.45 27.461 27.46 27.47 27.46 27.47 27.47 27.47 27.47 27.47 27.77	00.300 00.028 00.047 00.057 00.076 00.114 00.130 00.145 00.171 00.195 00.218 00.260 00.365 00.387 00.429 00.471 00.514	1473.8 1473.7 1473.7 1477.5 1447.5 1447.5 1446.0 1446.0 1446.0 1447.5 1451.2 1451.2 1451.2 1451.2 1451.2 1455.2 1459.6 1463.4 1467.5 1469.1 1469.1 1469.1 1469.1 147.1 147.2 147.5 147.5 147.6 148.6 1							

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5-7
August 1972, Prepared from NODC Listing No. 31-8311.—Continued

HEFFU 31 8311 CONSEC 0006 LAT 46 59 N LONG 046 31.5W	DAY	1972 1 06 06 10-1	SHIP IH DATA USE 1 AREA 05	AIR 1 def 4 BARUM CLOUD	ULH CH. J	OLR F	GI PER	a INO-OLR AINO-SPO AINO-FOR ALA THEK	15	DUKA	NANSEN F DIR TIUN AZ 05		2	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 66
CASTNUM/TIME	LVLTYP	UEPTH	TEMP	SAL	SIGMA-I	DYNOPTH	SNU VEL	DAYG	P14	161 6	NUZ	NUS	5143	РН
	STO	60033	01.94	32.48	25.33	00.303	1479.4							
10.1	510	00000	06.15	32.465	25.33	03.024	1473.0							
	510	00020	04.54	33-15	26.28	03.344	1447.4							
10.1	310	00030	02.92	13.40	26.60	00.161	1462.7							
	\$10	00050	01.85	33.67	26.94	00.005	1456.6							
10.1	085 STD	00064	01.42	13.824	27.16	00.111	1458.3							
10.1	085	00699	02.71	34.176	21.27		1461.9							
	S10	00100	02.13	34.18	21.28	00.132	1462.7							
10.1	UBS	00129	02.76	34.313	27.36		1462.8							
10.1	STD	00194	02.73	34.36	21.52	00.169	1464.3							
	510	00200	02.90	34.53	21.53	CJ-201	1405.1							
10-1	005	00250	03.95	34.767	27.61	00.224	1471.2							
	510	00300	04.44	14.85	21.64	00.253	1473.4							
10.1	31D	00400	04.67	34.945	21.65	00.301	1470.1							
10.1	085	106479	04.24	34.909	21.71	00.301	1475.6							
MEFTO 31 8311	V- 40	1972	30TUP 00300	AIR T	EMP 04.7		GT PER	WIND-DIR	,,	LNC	NANSEN		**	N 50 1306
COMISEC 0007	4011	H 09	SHIP IH	et s		24		WIND-SPD		TRA	LE DIN	CASI	5	SQUARE 4
LAT 47 00 N LONG 346 11 H	DAY	12.5	DATA USE 1	BARCH	T/A 0/4	SEA CL/TR		MEATHER	X1		ATTON -			SQUARE 06
100 J46 II W	HOUR	12.5	AREA US	CECON	1/4 6/4	CLIIN		ACA INC.	*1	UNIT	. 42 05	,		SWUARE TO
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNOPIH	SNE VEL	UXYG	P 14	101	P NU2	NO3	\$103	Рн
	STO	00000	07.95	32.07	25.47	00.003	1479.7							
12.5	STD	00010	07.62	32.666	25.47	00.025	1479.7							
	STD	00020	07.29	32.79	23.66	00.049	1477.6							
12.5	STD	00025	07.12	32.318	25.71	00.373	1477.1							
12.5	1185	00044	02.95	35.791	26.96		1461 .1							
12.5	085	00050	- 0.36	33.78	20.91	00.101	1447.0							
12.,	STO	00075	- 0.35	33.70	27.09	00.127	1447.1							
12.5	STU	00100	- 0.17	33.809	27.17	00-150	1448.5							
	STO	00125	00.90	34.03	27.29	00.171	1454.1							
12.5	OBS	00148	01.63	34.183	21.37	00.190	1457.9							
	STD	00200	02.44	34.41	27.48	00.223	1462.8							
12.5	085	100202	03.97	34.423	27.58		1463.1							
12.5	003	100240	03.41	34.110										
					*****	••••••	•							
REFID 31 8311		1972	BCTOP 00283	AIR T			GT PER	#IND-DIR	25		NAMSEN	CAST	TE	N SQ 1306
CONSEC 0008		96 H 08	DATA USE 1	WET B	ETR 1016.1	SEA	2 2	AIND-SPU	12	DURA	TION			SQUARE 04
LONG 045 54 M	HOUR	13.8	AREA 05	CLUUD	T/A 1/2	CL/TH		dEA THER	XI	GRIG	. A2 U5	5	1	SQUARE 75
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	UXYG	P 34	TOT F	NUZ	NO3	5133	Pri
	STD	00000	38.16	32.31	25.17	00.000	1480.0					3.		
13.8	085	00000	08.16	32.314	25.17		1400.0							
	STD	00010	08-05	32.50	25.33	00.027	1480.0							
13.8	085	00024	07.43	32.75	25.61	00.053	1476.4							
	UBS	00030	05.65	33.17	26-17	00.074	1471.7							
13.6	STO	00050	02.74	33.824	27.00	00.103	1460.6							
13.6	085 STD	00073	02.29	13.486	27.16	00.128	1459.3							
13.8	085	00098	02.18	34-100	27.26		1459.4							
	STO	00100	02.22	34.11	21.21	00-149	1459.6							
13.8	085	00147	02.64	34.417	27.37	00.169	1464.2							
	STD	00150	03.04	34.43	21.45	00.166	1464.5							
13.8	085	100200	03.75	34.650	21.55	00.216	1468.6							
	STO	00250	04.23	34.81	21.63	00.242	1471.7							
13.8	085	00254	04.26	34.824	21.64		1471.4							
					*****	••••••	•							

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5-7
August 1972, Prepared from NODC Listing No. 31-8311.—Continued

CONSEC 4			AUNTA DAY HUUR	06	BUTDP 03275 SHIP IH DATA USE 1 AREA 05				GT PER	MIND-DIR MIND-SPD MIND-FUR WEATHER	14	TRACE		00.1	5	SQUARE SQUARE SQUARE	.:
					- T.												
CASTNU	M/T	MŁ	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	-	SNO VEL	OXYG	P)4	TOT P	MO2	NOS	5103	PH	
			SID	00000	07.21	32.28	25.21	00.000	1476.3								
	15	. 8	OBS	00000	07.21	32.28	25.27		1476.3								
	-		STO	00010	07.09	32.25	25.27	00.027	1476.0								
			085	00010	07.09	32.25	25.21		1476.0								
			STO	00020	05.95	32.76	25.81	00.052	1472.2								
			UBS	00020	05.95	32.76	25.81		1472.2								
			STD	000 30	02.55	33.65	25.87	00.069	1459.3								
			085	00030	02.55	33.65	26.87		1459.5								
			UBS	000 32	02.19	33.69	20.88		1460.4								
			UBS	000 15	02.38	33.70	26.92		1454.7								
			OBS	00036	02.60	33.76	26.95		1459.8								
			085	00040	02.38	33.73	26.95		1458.8								
			085	00045	62.44	33.75	20.96		1459.2								
			STO	00050	01.20	33.63	26.95	00.392	1453.7								
			085	00050	01.20	33.63	25.95		1453.7								
			UBS	00059	00.19	33.64	27.32		1449.2								
			OBS	00065	02.08	33.97	27.16		1458.3								
			STD	00075	02.49	34.01	27.16	00.117	1460.3								
			085	00075	02.49	34.01	27.10		1460-3								
			OBS	00080	62.50	34.01	27.16		1460.4								
			STO	00100	02.17	34.06	27.23	00.139	1459.4								
			OBS	00100	02.17	34.06	27.23		1459.4								
			085	00120	02.74	34.21	27. 10		1462.4								
			STO	00125	02.52	34.24	27.34	00.159	1461.6								
			085	00125	02.52	34.24	27.34		1461.6								
			oas	00128	02.46	34.28	27.38		1461 -4								
			STO	00150	02.94	34.42	27.45	00.177	1464.0								
			OBS	00150	02.94	34.42	27.45		1464.0								
			UBS	00164	03.35	34.41	21.45		1460.0								
			085	00172	02.63	34.43	27.45		1463.1								
			STD	00200	04.25	34.71	27.55	00.207	1470.3								
			UBS	00200	04.25	34.71	27.55		1470.8								
			085	00205	04.40	34.76	27.57		1471.5								
							*****	*******									

REFID 31 4311 CUNSEC 0010 LAT 47 39 N LUNG 045 50 W	DAY	1972 H 08 06	SHIP IH DATA USE I AREA 05	BARO		30 SEA	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	15	LURA		st	2	N SQ L SQUARE SQUARE SQUARE	.:
2010 047 70 0				02.00											
CASTNLM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNU VEL	OXYG	P34	101 P	NO2	103	5103	PH	
	STO	00000	07.79	32.25	25.17	00.000	1478.5								
18.8	085	00000	07.79	32.251	25.17		1478.5								
	STO	00010	02.95	32.68	26.07	00.024	1459.4								
	510	00020	- 0.39	33.00	26.53	00.041	1445.0								
18.8	085	00025	- 1.51	33.120	26.67		1440.1								
	STU	00030	- 1.51	33.15	26.65	00.055	1440 .2								
	STD	00050	- 1.51	33.28	26.80	00.082	1440.7								
16.6	085	000.50	- 1.51	33.280	26.80		1440.7								
	STO	00075	- 1.14	33.50	26.96	00.111	1443.2								
14.8	085	00075	- 1.14	33.495	26.96		1443.2								
	STO	00100	- 0.28	33.76	27.14	00.136	1447.9								
18.8	085	00100	- 0.28	33.760	27.14		1447.9								
	STD	00125	00.28	33.45	27.26	00.158	1451.2								
	STD	00150	01.05	34.13	21.37	00.177	1455.3								
18.8	085	00150	01.05	34-133	27.37		1455.3								
	STD	00200	03.29	34.50	27.48	00.211	1460.5								
18.8	085	100205	03.46	34.528	27.49		1467.3								
	STD	00250	04.47	34.79	21.59	00.240	1472.7								
18.8	085	100210	04-64	34.885	27.65		1473.8								

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5-7
August 1972, Prepared from NODC Listing No. 31-8311.—Continued

Castnum/T LME OL.4	STD UBS UBS STD UBS	00000 00000 00010 00010 00016 00020 00020 00022	75MP 07.31 07.31 06.91 06.91 03.93 02.13 02.13	SAL 32.23 32.23 32.18 32.18 32.45 32.45 32.38	\$1GMA-1 25.22 25.22 25.23 25.23 25.23	00.028	SND VEL 1470.0 1470.0	JAYG	P)4	101 1	NO2	NO3	\$103	PH	
	STD QBS STD QBS STD QBS OBS OBS OBS	00000 00010 00010 00016 00020 00020	07.31 07.31 06.91 66.91 03.93 02.13 02.13	32.23 32.23 32.18 32.18 32.45 32.45	25.22 25.22 25.23 25.23 25.15	co. 300	1470.0	3410			401	403	,,,,		
01.4	085 510 085 085 510 085 085 085 085 085	00010 00010 00010 00016 00020 00020 00022	07.31 06.91 66.91 03.93 02.13 02.13	32.23 32.18 32.18 32.45 32.45	25.22 25.23 25.23 25.15		1470.6								
91.4	\$10 085 085 \$10 085 085 085 085	00010 00010 00020 00020 00022	06.91 06.91 03.93 02.13 02.13	32.18 32.18 32.45 32.36	25.23 25.23 25.15	00.028									
	UBS UBS STD UBS UBS UBS STD UBS	00055 00050 00050 00010	03.93 02.13 02.13 00.57	32.18 32.45 32.16	25.23	00.028									
	085 510 085 085 085 510 085	00016 00020 00022 00025	03.93 02.13 02.13 00.57	32.45	25.15										
	STD 0BS 0BS 0BS STD UBS	00020	02.13 02.13 00.57	32.36			1475.2								
	085 085 085 510 U85	00020	02.13				1463.4								
	085 085 510 085	00022	00.57	32.38	25.89	00.052	1455.6								
	STD	00025			25.89		1455.6								
	510 UBS			32.79	26.32		1444.2								
	UBS		- 0.10	33.09	26.62		1443.8								
		000 30	- 1.40	33.15	26.65	00.06+	1660.7								
		00030	- 1.40	33.15	25.65		1440.7								
	STD	00050	- 1.62	33.23	26.76	00.096	1440 -1								
	085	00050	- 1.62	33.23	26.76		1440.1								
	085	00061	- 1.57	33.31	26.82		1440.6								
	510	00075	- 1.38	33.46	20.94	00.126	1442.0								
	UBS	00075	- 1.38	33.46	26.94		1442.0								
	STO	00100	- 0.54	33.74	27.14	00.152									
	085	00100	- 0.54	33.74	27.14		1446.7								
	STO	00125	- 0.13	33.90	27.25	00.174	1449.2								
	280	00125	- 0.13	33.90	21.25		1444.2								
	280	00144	- 0.06	35.96	21.29		1450.0								
	260	00145	- 0.05	34.07	27.38	00.193	1450.2								
	085	00150	00.54	34.11	27.38	00.143	1453.0								
	085	00157	01.06	34.11	27.37		1455.5								
	OBS	00170	01.26	34.15	27.37		1456.6								
	085	00174	01.73	34.24	27.41		1458.9								
	085	00185	02.10	34.29	27.42		1460.0								
	280	00193	01.53	34.24	27.42		1458.3								
	STO	00200	01.59	34.25	27.42	00.227	1458 . 7								
	JBS	002 00	01.59	34.25	27.42		1458.7								
	085	00221	02.47	34.49	27.55		1463.3								
	STD	00250	03.81	34.70	27.59	00.257	1469.8								
	085	00250	03.61	34.70	27.59		1469.8								
	085	00276	04.00	34.75	27.61		1471 -1								
	STO	00300	03.82	34.72	27.60	00.284	1470.7								
	085	00100	03.82	34.72	27.60		1470.7								
	085	00313	03.33	34.10	27.64		1468.8								
	085	00340	03.79	34.81	27.68		1471.3								
	085	00350	03.86	34.43	27.69		1471 .8								
	085	00380	03.83	34.85	27.69		1472.2								
	510	00400	03.96	34.05	27.69	00.332	1473.1								
	085	004 00	03.96	34.85	27.69		1473.1								
	STD	00500	03.84	34.86	27.71	00.377	1474.2								
	385	005 00	05.84	34.86	27.71		1474.2								
	085	00508	03.84	34.86	27.71		1474.4								

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5–7 August 1972, Prepared from NODC Listing No. 31–8311.—Continued

	8311 0012 20 N 50 W	DAY	1972 1 08 07 04.9	SHIP IH DATA USE 1	BAR	TEMP 07.4 BULB 07.3 DMETR 1019.0 JD T/A	SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	36	TRACE		00.2	2	SQUARE 84 SQUARE 84 SQUARE 85
CASTNUM	/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	TOT P	NO2	NG3	\$103	РН
		STD	00000	07.75	32.36	25.26	00.000	1478.5							
	04.9	UBS	00000	07.75	32.36	25.26		1478.5							
		STD	00010	07.84	32.90	25.67	00.025	1479.7							
		085	00010	07.84											
		STD	00020	08.52	33.33	25.91	00.047	1483.1							
		U85	00020	08.52											
		STD	00030	08.57	33.66	26.16	00.067	1483.8							
		OBS	00030	08.57											
		085	00044	08.36	33.95	26.42		1483.7							
		STD	00050	08.39	34.01	26.46	00.102	1483.9							
		OBS	00050	08.39	34.01	26.46		1483.9							
		STD	00075	09.39	34.32	26.54	00.141	1488.5							
		085	00075	09.39	34.32	26.54		1488.5							
		STD	00100	02.38	34.45	21.52	00.167	1460.8							
		085	00100	02.38	34.45	27.52		146).8							
		085	00110	02.20	34.51	27.59		1460.3							
		STO	00125	02.29	34.53	27.59	00.180	1460.9							
		085	00125	02.29	34.53	27.59		1460.9							
		STD	00150	02.85	34.62	27.62	00.193	1463.9							
		085	00150	02.85	34.62	27.62		1463.9							
		STD	00200	03.12	34.70	27.66	00.217	1466.0							
		085	00200	03.12	34.70	27.66		1466.0							
		STD	00250	03.54	34.79	27.69	00.239	1468.7							
		085	00250	03.54	34.79	27.69		1468.7							
		STD	00300	03.62	34.82	27.70	00.261	1470.0							
		085	00300	03.62	34.82	27.70		1470.0							
		085	00370	04.03	34.89	21.72		1472.9							
		STD	00400	03.96	34.88	27.72	00.304	1473.1							
		OBS	00400	03.96	34.88	27.72		1473.1							
		085	00450	03.91	34.87	27.71		1473.7							
		STD	00500	03.99	34.89	21.12	00.347	1474.9							
		085	005 00	03.99	34.89	27.72		1474.9							
		STD	00600	03.99	34.90	27.73	00.390	1476.6							
		OBS	00600	03.99	34.90	27.73		1476.6							
		085	00655	03.72	34.86	27.73		1476.3							
		STD	00700	03.68	34.87	27.74	00.433	1476.9							
		085	00700	03.68	34.87	27.74		1476.9							
		STD	00800	03.70	34.88	27.74	00.476	1478.7							
		085	00800	03.70	34.88	27.74		1478.7							
		STD	00900	03.81	34.92	27.76	00.519	1480.8							
		085	00900	03.81	34.92	27.76		1480.8							
		085	00904	03.80	34.92	27.76		1480.9							

Table VIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC SHERMAN, 5-7 August 1972, Prepared from NODC Listing No. 31-8311.—Continued

	31 83 00 48 35 45 50	13	YEAR MONTH DAY HOUR	06	SHIP IN DATA USE AREA		BARO	TEMP BULB METR 10 ID T/A	07.5 07.2 20.0	SEA CL/TH	ot PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	06	TRACE		00.3	2	SQUARE 4 SQUARE 84 SQUARE 85
CASTN	UM/ T I M	LV	TYP	DEPTH	TEMP		SAL	SIGMA	-1	DYNOPTH	SMD VEL	DXAC	P 34	TOT P	MO2	NO3	\$103	PH
			STO	00000	09.70	3	3.79	26.0		00.000	1467.7							
	07.		85	00000	09.70		1.79	26.0			1487.7							
	• • • •		510	00010	09.69		3.80	26.0		00.019	1487.9							
			85	00010	09.69		3.80	26.0			1487.9							
			STO	00020	06.11		4.03	26.1		00.035	1474.6							
			STO	000 30	03.74		4.20	27.2		00.046	1465.2							
			s	00030	03.74		4.20	27.2			1465.2							
			STO	00050	02.60		4.38	27.4		90.061	1460.9							
			85	00050	02.60		4.38	27.4			1460.9							
			STO	00075	02.36		4.46	27.5		00.077	1460.3							
			s	00075	02.36		4.46	21.5			1440.3							
			STO	00100	02.71		4.58	27.4		00.090	1462.4							
			85	00100	02.71		4.58	27.4			1462.4							
			STO	00125	03.18		4.70	27.4		00.102	1465.0							
			85	00125	03.18		4.70	27.4			1445.0							
			85	00141	03.46	3	4.73	27.4	5		1466.5							
			510	00150	03.46		4.73	21.6		00.114	1444.7							
			95	00150	03.46		4.73	27.4			1466.7							
			STD	00200	03. 71	3	4.82	27.4	9	00.136	1468.7							
			BS	00200	03.71	3	4.82	27.6	9		1448.7							
			STD	00250	03.76		4.84	27.1	1	00.157	1469.7							
			85	00250	03.76		4.84	27.1			1449.7							
			STD	00300	03.80	3	4.85	27.1	1	00.178	1470.0							
			S	00300	03.80	3	4.85	27.1	1		1470.8							
			STD	00400	03.76	3	4.87	27.1	3	00.220	1472.3							
			85	00400	03.76		4.87	27.1			1472.3							
			STO	00500	03.48	3	4.87	27.1	•	00.261	1473.6							
		00	15	00500	03.66	3	4.87	27.1	•		1473.6							
			85	00544	03.71	3	4.88	27.1	•		1474.5							
			STD	006 00	03.58		4.86	27.1		00.303	1474.8							
		00	85	006 00	03.58	3	4.85	27.1	•		1474.0							
			STD	00700	03.55		4.67	27.1		00.345	1476.3							
			35	00700	03.55	3	4.87	27.1	5		1476.3							
			STO	00800	03.53	3	4.87	27.1	5	00.387	1477.9							
			BS	00800	03.53		4.87	27.1			1477.9							
			STO	00900	03.53	3	4.66	27.7		00.429	1479.6							
			S	00900	03.53	3	4.88	27.7	•		1479.6							
			STO	01000	03.59		4.90	27.1		00.471	1481 .6							
			35	01000	03.59		4.90	27.1			1481 .6							
			S	01020	03.64		4.90	27.1			1482-1							

Table IX.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 31 December 1972–1 January 1973, Prepared from NODC Listing No. 31–8327.

REFID 31 8327 CUNSEC 0001 LAT 47 02 M LUNG 047 59 M	YEAR MUNTH DAY HOUR	12	SMIP 3L DATA USE L AREA OS	WET 8	EMP -08.3 UL6 -08.3 ETR 1031.2	DER MO 33 G SEA CL/TR	of PER	WIND-DIR WIND-SPD WIND-FUR WEATHER		DURAT	STD REC DIR TION A2 056	ORDER D	5	N SQ 1 SQUARE SQUARE SQUARE	66
CASTNUM/TEME	LALTAN	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXYG	PU4	TOT P	MU2	NO3	5103	PH	
	STO	00000	- 1.00	32.64	26.43	00.000	1441 .3								
15.9	STD	00000	- 1.08	32.84	26.43	00.016	1441.4								
	085	00010	- 1.10	32.85	26.44		1441.4								
	STO	00020	- 1.10	32.85	26.44	00.032	1441.5								
	STD	000 30	- 1.10	32.86	26.44	00.041	1441.7								
	STD	00030	- 1.10	32.86	26.44	00.080	1442.0								
	STD	000 50	- 1.10	32.86	26.44	00.119	1442.0								
	085	00075	- 0.99	32.94	20.51		1443.1								
	STD	001 00	- 1.12	32.99	26.55	00.154	1442.8								
	STD	00100	- 1.17	33.27	26.81	00.18>	1443.2								
	085	00125	- 1.26	33.31	26.81		1443.2								
					******	*******									
REFID 31 8327	YEAR	1973	80TOP 00182	A10 1	EMP -C6.7	010 -	ST PER	JIND-DIR		INCE	STO REC	CROFE	74	N SO L	104
CONSEC 0002	MONTH	01	SHIP 3L	MET E	ULB -00.7	36	5 2	WIND-SPD		TRACE	E DIR	D	5	SQUARE	4
LONG 047 40 W	HOUR	01.5	DATA USE 1	CLOU	ETR 1035.9	CL/TR		WEND-FUR WENTHER	XL	DURA!	A2 056			SQUARE	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	UYNDPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	5103	PH	
	STD	00000	- 1.42	12.96	26.53	00.000	1439.6								
01.5	08S STO	00000	- 1.42	32.96	26.53	00.015	1440.0								
	STD	00010	- 1.42	32.96	26.53	00.030	1440.0								
	085	00020	- 1.42	32.96	26.53		1440.2								
	STD 085	000 30	- 1.42	32.96	26.53	00.045	1440.3								
	085	00050	- 1.42	32.96	26.53	00.07>	1440.7								
	STO	00075	- 1.42	32.96	26.53	CO-113	1441 -1								
	085	00075	- 1.42	32.96	26.53		1441.2								
	085	00089	- 1.37	32.97	26.54		1441.0								
	STD	00100	- 1.15	33.09	26.63	00.149	1442.9								
	STD	00100	- 1.15	33.09	26.63	00.184	1442.9								
	STD	00125	- 1.12	33.16	26.69	00.216	1445.0								
	085	00150	- 0.97 - 0.83	33.33	26.82	00.210	1445.0								
			- 0.63	33.47		******	1446.0								
KEFID 31 6327		1973	BUTOP 00215		EMP -05-5		ST PER	WIND-DIR		INST	STO REC	DRDER	TE	N SQ 13	06
CUNSEC OCO3	DAY	01	SHEP 3L DATA USE 1	BARON	ETR 1034.9	SEA	5 2	WIND-SPD WIND-FOR		DURAT	ION		2	SUUARE	66
LUNG 047 31 W	HOUR	03.3	AREA 05	CLON	T/A	CL/TR		WEA THER	XI	ORIG	A2 056		1	SQUARE	67
CASTNUM/TIME		DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH		OXYG	P04	TOT P	MOZ	NO3	\$103	PH	
03.3	085	00000	- 1.34	33.09	26.64	00.000	1440.4								
	STO	00010	- 1.34	33.09	26.64	00.014	1440.6								
	STD	00020	- 1.34	33.09	26.65	00.028	1440.8								
	STD	000 20	- 1.33	33.10	26.65	00.042	1440.8								
	085	00030	- 1.32	33-10	20.65	00.070	1441.0								
	085	00050	- 1.27	33.11	26.65		1441.6								
	STD 085	00075	- 1.16	33.15	26.68	00.105	1442.5								
	STD	00100	- 1.08 - 1.08	33.19	26.71	00-138	1443.4								
	STD	00125	- C.98	33.19	26.85	00.170	1444.6								
	STD	00125	- C.98 - 0.78	33.37	26.85	00.199	1444.6 1446.1								
	UBS	00150	- 0.78	33.49	26.94		1446-1								
	085	001 75 001 90	- 0.79 - 0.78	33.50	26.98		1446.8								
					*****	••••••	•								

Table IX.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 31 December 1972–1 January 1973, Prepared from NODC Listing No. 31–8327.—Continued

REFID 31 8327 CUNSEC 0004 LAT 47 00 N LCNG 046 56 W	DAY	1973 01 01 08.9	BUTDP U1252 SHIP 3L DATA USE 1 AREA 05		ETR 1034.9	DIR HO 30 SEA CL/TR	ST PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	20	DURAT		D	5 2	N SU 1 SQUARE SQUARE SQUARE	66
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SND VEL	OXY G	PU4	101 P	SUN	NO3	\$103	PH	
	STO	00000	- 1.03	33.25	26.76	00.000	1442.1								
08.9	OBS	00000	- 1.03	33.25	20.76		1442.1								
	510	00010	- 1.04	33.24	26.75	00.013	1442.2								
	UBS	00010	- 1.04	33.24	26.75		1442.2								
	STD	00020	- 1.04	33.23	26.74	00.020	1442.3								
	OBS	00020	- 1.04	33.23	26.74		1442.5								
	STD	00030	- 1.03	33.26	26.11	00.039	1442.6								
	OBS	000 30	- 1.03	33.20	20.17	400000000000000000000000000000000000000	1442.6								
	OBS	00039	- 1.04	33.33	26.82		1442.8								
	STO	00050	- 0.68	33.43	26.85	00.064	1444.8								
	UBS	00050	- 0.68	33.43	20.85		1444.8								
	OBS	00069	- 0.57	33.50	26.94		1445.7								
	STU	00075	- 0.57	13.50	26.94	00.092	1445.8								
	085	00075	- 0.57	33.50	25.94		1445.8								
	UBS	00087	- 0.57	33.59	21.02		1446.1								
	STO	00100	- 0.29	33.64	21.04	00.119	1447.7								
	OBS	00100	- 0.29	33.64	27.04		1447.7								
	STO	00125	- 0.21	33.64	21.04	00.145	1448.5								
	UBS	00125	- 0.21	33.64	27.04		1448.5								
	STD	00150	- 0.18	33.67	27.06	00.170	1449.1								
	OBS	00150	- 0.18	33.67	27.06		1449.1								
	STD	00200	01.26	34.05	21.29	00.215	1457.0								
	GBS	00200	01.26	34.05	21.29		1457.0								
	OBS	12500	01.07	34.21	27.43		1456.7								
	STO	00250	01.65	34.31	27.47	00.251	1459.9								
	QBS	00250	01.65	34.31	27.47		1459.9								
	STO	00300	02.29	34.49	27.56	00.280	1463.8								
	uas	00100	02.29	34.49	27.56		1463.8								
	STD	00400	03.57	34.72	27.63	00.333	1471.5								
	UBS	00400	03.57	34.72	27.63		1471.3								
	UBS	00452	04.07	34.83	27.67		1474.4								
	STD	00500	04.13	34.86	27.68	00.362	1475.5								
	OBS	00500	04.13	34.86	27.68		1475.5								
	OBS	00580	04.19	34.90	27.71		1477.1								

Table IX.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 31 December 1972–1 January 1973, Prepared from NODC Listing No. 31–8327.—Continued

REFID 31 8327	YEAR		80109 01116		TEMP -G1.7	DIR #0	T PER	WIND-DIK			STO RE			N 50 13	
CONSEC 0005	DAY	01	SHIP 3L DATA USE 1		BULB -C1.7	SEA :		WIND-FUR	20		EDIR	D		SOUARE	
LONG 046 50 M	HOUR		AREA 05		D T/A	CL/TR		HEA THER	X1		A2 05	6		SULARE	
CASTNUM/TIME	LALLAB	DEPTH	TEMP	SAL	SIGMA-Y	DYNOPTH	SNU VEL	DAAC	PJ4	101 P	NOZ	NOS	\$103	PH	
	STD	00000	01.58	33.02	26.92	00.000	1454.5								
13.7	280	00000	01.58	33.62	26.92	00.011	1454.5								
	085	00010	01.58	33.61	26.91	00.011	1454.7								
	STD	00020	01.58	33.01	20.91	00.023	1454.4								
	STD	00020	01.58	33.61	26.91	00.034	1454.8								
	085	000 30	01.57	33.61	26.91		1454.9								
	085 510	00037	01.54	33.65	26.95	00.057	1455.0								
	UBS	00050	01.39	33.08	26.98		1454.6								
	08S STD	00065	00.71	33.74	27.07	00.383	1451.8								
	085	00075	00.87	33.77	27.09		1452.8								
	510	00100	00.84	33.80	27.11	00.107	1453.1								
	085	00100	01.13	33.80	27.11		1453.1								
	STD	00125	01.35	31.96	27.21	06.130	1456.0								
	UBS	00125	01.35	33.96	27.21		1456.0								
	085	00141	02.67	34.35	27.42		1462.6								
	STO	00150	03.18	34.46	27.46	00.149	1465.1								
	STD	00150	04.32	34.46	27.46	00.179	1465.1								
	UBS	00200	04.34	34.78	27.60		1471.2								
	STD	00250	04.34	34.82	27.63	00.203	1472.2								
	STD	00300	04.28	34.85	27.66	00.224	1472.8								
	OBS	00300	04.28	34.85	27.66	-	1472.8								
	085	00320	04.32	34.86	27.68		1473.3								
	STO	00400	04.04	34.67	21.76	00.274	1473.4								
	STD	00400	04.04	34.87	27.70	00.317	1473.4								
	085	00500	03.96	34.89	27.72	00.311	1474.8								
	510	00600	03.97	34.91	27.74	00.360	1476.5								
	510	00600		34.92	21.74	00.403	1476.5								
	UBS	00700	04.03	34.92	21.74		1478.4								
	085	00800	03.94	34.92	21.75	00.446	1479.7								
	510	00900	03.66	34.91	27.75	00.490	1481.1								
	UBS	00400	03.88	34.91	27.75		1481 -1								
	310	01000	03.68	34.40	21.16	00.533	1481.9								
	085	01062	03.68	34.90	27.76		1483.0								
					******	*******									
REFID 31 8327		1 1973 H 01	BOTOP 00677 SHIP 3L	AIR	BULB -00.6	DIR I	GT PER	WIND-DIF	1 24		CE DIR	ECORDER D		N SQ 13	
LAT 47 00 M	DAY	01	DATA USE 1	BAR	DMETR 1032.2	SEA		WIND-FUE	1	DUR	ATION		2	SQUARE	66
LONG 046 34 M	HOUR	16.8	AREA 05	CLO	JO T/A	CL/TI		WEATHER	XI	ORI	G A2 0	56	1	SQUARE	76
			****				540 W51	0446	P04	TOT	P NO2	NO3	5103	PH	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	PU4	101	r NUZ	HUS	3103		
	STO	00000	01.79	33.40	26.73	00.000	1455 -1								
16.8	STD	00000	01.79	33.40	26.73	00.013	1455.1								
	085	00010	01.79	33.40	26.73		1455.3								
	UBS	00020	01.78	33.40	26.73	00.026	1455.4								
	STD	00030	01.79	33.43	26.75	00.040	1455.7								
	085	00030	01.79	33.43	26.75	00.064	1455.7								
	085	00050	01.79	33.66	26.94	00.004	1456.3								
	STD	00075	01.80	33.84	27.08	00.090	1457.0								
	STD	00075	01.80	34.23	27.08	00-112	1457.0								
	085	00100	01.79	34.23	27.39		1457.9								
	STD	00108	01.79	34.45	27.52 *	00.128	1458.4								
	085	00125		34.47											
	STD	00150	03.47	34.59	27.54	00.142	1466.5								
	STD	00150	03.47	34.59	27.54	00.170	1466.5								
	085	00200	04.02	34.72	27.58		1469.9								
	OBS	00208	04.13	34.76	27.60	00.195	1470.5								
			04-21	34.81	21.01										
	085	00250	04.21	34.81	27.63		1471.6								
	STD OBS STD	00250 00250 00300	04.21	34.81	27.63	00.219	1471.6								
	085	00250	04.21	34.86 34.86 34.86 34.93	27.63		1471.6								
	STD 085 STD 085 STD 085	00250 00250 00300 00300 00400 00400	04.21 04.27 04.27 04.39 04.39	34.86 34.86 34.86 34.93	27.63 27.67 27.67 27.71 27.71	00.219	1471.6 1472.7 1472.7 1475.0 1475.0								
	085 STD 085 STD	00250 00250 00300 00300 00400	04.21 04.27 04.27 04.39	34.86 34.86 34.86 34.93	27.63 27.67 27.67 27.71	00-219	1471.6 1472.7 1472.7 1475.0 1475.0								
	STD 085 STD 085 STD 085 STD	00250 00250 00300 00300 00400 00400	04.21 04.27 04.27 04.39 04.39 04.33	34.86 34.86 34.93 34.93 34.94	27.63 27.67 27.67 27.71 27.71 27.72 27.72	00.219	1471.6 1472.7 1472.7 1475.0 1475.0 1476.4								

Table IX.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 31 December 1972–1 January 1973, Prepared from NODC Listing No. 31–8327.—Continued

REFID CONSEC LAT LONG	47	8327 0007 02.5N	DAY	01	BOTOP 00325 SHIP 3L DATA USE	WE 84		-00.6	34		WIND-DIR WIND-SPD WIND-FOR WEATHER	14	TRACE	DIR			EN SQ I SQUARE SQUARE SQUARE	66
LUMU	040		re.on	10.3					CLIIA		MEN INCK	**	OKIG	A2 U	20		SOUNKE	. 10
CAS	INUM	TIME	LVLTYP	DEPTH	TEMP	SAL	510	SMA-T	DYNDPTH	SND VEL	OXYG	P34	TOT P	NO2	NO3	5103	РН	
			STD	00000	02.56													
		18.3	085	00000	02.56													
		10.3	085	00005	02.56													
			STO	00010	02.56													
			065	01000	02.56													
			STD	00020	02.57													
			085	00020	02.57													
			STO	00030	02.56													
			085	000 30	02.56													
			STO	00050	02.56													
			085	00050	02.56													
			STD	00075	02.63													
			OBS	00075	02.63													
			085	00088	02.59													
			085	00094	03.36	34.29	2	7.31		1464.7								
			STD	00100	03.21	34.29		7.32		1464.2								
			085	00100	03.21	34.29		7.32		1464.2								
			085	00105	03.22	34.33		7.35		1464.4								
			085	00109	02.88	34.29		7.35		1462.9								
			085	00113	03.43	34.45		7.43		1465.6								
			STD	00125	03.51	34.48		7.44		1466.1								
			085	00125	03.51	34.48		7.44		1466.1							-	,
			085	00136	04.09	34.59	2	7.47		1468.9						3	•	
			STD	00150	04.01	34.61	2	7.50		1468.8						-		
			085	00150	04.01	34.61	2	7.50		1468.8								
			085	00155	03.94	34.60	2	7.50		1464.6								
			085	00159	04.07	34.65	2	7.52		1469.3								
			STD	00200	04.31	34.76	2	7.60		1471.1								
			085	00200	04.31	34.78	2	7.60		1471 .1								
			STD	00250	04.34	34.82	2 2	7.63		1472.1								
			085	00250	04.34	34.82		7.63		1472.1					1			
			085	00276	04.33	34.85	2	7.65		1472.6					1			
								•••••	•• •••••	•					;			

REFID 31 8327 CONSEC 0008 LAT 47 02 N LONG 045 51.5M	MONTH	01	SHIP 3L DATA USE 1 AREA 05	BARC	TEMP 00.0 BULB 00.0 GMETR 1031.8 JD T/A	22	GT PER 2 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	18	TRA	T STD CE DI ATION G A2	1	DER D	5	N SQ 1 SQUARE SQUARE SQUARE	64
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	OXYG	P04	TOT	P N	102 N	3	\$103	PH	
	STD	00000	02.51													
20.3	085	00000	02.51													
	STD	00010	02.51													
	OBS	00010	02.51													
	STD	00020	02.51													
	085	00020	02.51													
	STD	00030	02.50								1					
	065	00030	02.50								1					
	STD	00050	02.50								1					
	085	00050	02.50													
	085	00063	02.71													
	STD	00075	02-84	34-12	27.22		1461.9									
	085	09075	02.84	34-12	27.22		1461.9									
	085	00083	02.94	34.21	27.28		1462.6									
	STO	00100	03.17	34.37	27.39		1464.1									
	085	00100	03-17	34.37	27.39		1464-1									
	STD	00125	03.39	34.45	27.43		1465.6									
	065	00125	03.39	34.45	27.43		1465.6									
	STD	00150	03.64	34.55	27.49		1467.2									
	085	00150	03.64	34.55	27.49		1467.2									
	STD	00200	03.86	34.66	27.55		1469.1									
	085	00200	03.86	34.66	27.55		1469.1									
	STO	00250	04.07	34.81	27.65		1471 .0									
	OBS	00250	04-07	34.81	27.65		1471-0									

Table IX.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 31 December 1972-1 January 1973, Prepared from NODC Listing No. 31-8327.—Continued

REFID 31 8327 CONSEC 0009 LAT 47 20 N LUNG 045 50 M	MONT	1973 H 01 01 22.5	BOTOP 00311 SHIP 3L DATA USE 1 AREA 05		MB 01.1 ETR 1028.1	DIR H 36 SEA CL/TR	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	18	TRACE		0	5 St	SQ 1306 QUARE 4 QUARE 64 QUARE 75
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-F	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	\$103	PH
	STO	00000	02.49	33.23	26.54	00.000	1458.0							
22.5	085	00000	02.49	33.23	26.54		1458.0							
,	STD	00010	02.50	33.23	26.54	00.015	1458.2							
	085	00010	02.50	33.23	26.54		1458.2							
	STD	00020	02.50	33.23	26.54	00.030	1458.4							
	085	00020	02.50	33.23	26.54		1458.4							
	STD	00030	02.49	33.23	26.54	00-045	1458.5							
	085	000 30	02.49	33.23	26.54		1458.5							
	STD	00050	02.49	33.22	26.53	00.075	1458.8							
	085	00050	02.49	33.22	26.53		1458.8							
	STD	00075	02.50	33.23	26.54	00.113	1459.3							
	085	00075	02.50	33.23	26.54		1459.3							
	STD	00100	02.50	33.23	26.54	00.151	1459.7							
	085	00100	02.50	33.23	26.54		1459.7							
	085	00110	02.58	33.35	26.63		1460.4							
	OBS	00114	02.67	33.70	26.90		1461.3							
	STD	00125	02.75	33.97	27.11	00.182	1442.2							
	085	00125	02.75	33.97	27.11		1462-2							
	085	00135	03.22	34.43	27.43		1465.0							
	STD	00150	03.51	34.57	27.52	00.201	1446.7							
	085	001 50	03.51	34.57	27.52		1466.7							
	085	00175	03.88	34-69	27.57		1468.8							
	STO	00200	04.18	34.75	27.59	00,229	1470.6							
	085	00200	04.18	34.75	27.59		1470-6							
	085	00215	04.13	34.76	27.60		1470.6							
	085	00228	04.22	34.61	27.63		1471.3							
	STO	00250	04.25	34.84	27.65	00.254	1471.8							
	085	00250	04.25	34.84	27.65		1471 .8							
	085	00282	04.17	34.86	27.68		1472-0							
					*****	******								

Table X.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8–10 September 1972, Prepared from NODC Listing No. 31–2137.

CONSEC 0001 LAT 43 55 N	MUNI	1972 H 09 08 08.5	SHIP HT DATA USE 1 AKEA 05	BARO CLOU			OF PER	WIND-DIK WIND-SPD WIND-FUR WEATHER	10	DURA	NANSEN E DIR TION A3 059		5 2	N SQ 1306 SQUARE 1 SQUARE 22 SQUARE 33	
CASTNUM/TIME	LVLTYP	DEFTH	TEMP	SAL	SIGHA-T	DAMOBIH	SNU VEL	OXYG	PU4	TOT P	NOZ'	NO3	\$103	РН	
	510	00000	17.81	32.93	23.15	00.000	1513.5								
08.5	210	00000	17.81	32.927	23.75	00.041	1513.5								
	STO	00050	17.90	33.44	24.12	00.080	1514.7								
09.5	STD	00023	17.91	33.015	24.18	00.113	1502.4								
09.5	285	00046	09.34	34-141	26.41		1487.6								
08.5	UBS	00050	10.59	34.51	26.49	00.157	1492.7								
	STO	00075	13.86	35.57	20.66	00.194	1505.7								
08.5	2 B D	00091	13.37	35.530	26.75	00.228	1504.3								
	STO	00125	12.21	35.31	20.01	00.260	1500.6								
08.5	SID	00150	11.57	35.197	26.93	00.291	1498.4								
08.5	UBS	100183	06.62	34.372	21.00		1479.7								
	510	00200	07.19	34.51	21.03	00.400	1482.4								
08.5	085	00268	C8.30	34.828	27.11		1488.2								
08.5	JBS	00300	07.83	34.749	21.15	00.450	1486.9								
	STO	00400	06.56	34.76	27.31	00-540	1483.6								
08.5	COS	100519	05.69	34.817	27.46	00.616	1481.8								
00.5	STU	00000	05-43	34.90	27.56	00.662	1482.5								
08.5	STD	00700	05.25	34.949	27.63	00.740	1483.2								
08.5	STO	100848	04.85	34.95	27.68	00.793	1483.6								
08.5	UBS	101292	04.19	34.965	27.69		1489.0								
	STD	01300	04.18	34.96	21.16		1489.1								
	STD	01500	03.99	34.96	27.78		1491.7								
11.2	STO	01750	03.77	34.95	27.79		1495.0								
	STD	02000	03.59	34.95	27.81		1498.5								
11.2	STD	02500	03.37	34.937	27.82		1503.3								
11.2	DBS	102794	03.03	34.931	27.85		1509.7								
11-2	STD 085	03000 T03265	02.82	34.93	27.87		1512.3								
11.2	OBS	103734	02.40	34.899	27.88		1523.3								
11.2	083	103734	02.40	34.894		••••••									
11.2	083	103734	02.40	34.899		••••••									
KEFID 31 2137	YEAR	1972	BUTDP 04654	AIR	1EMP 19-0	OIR H	GT PER	WIND-DIR	31	INST	NANSEN	CAST		N SQ 1306	
RÉFID 31 2137 CUNSEC 0002 LAT 43 37 N	YEAR MUNT DAY	1972 H 09 UB	SUITOP U4654 SHIP HT DATA USE 1	AIR MET BANG	1EMP 14-0 3ULS 15-0 4EFR 1010-7	OIR H		WIND-SPU WIND-FUR	15	TRAC I	E OIR		5	SQUARE 1	
KÉFID 31 2157 CONSEC 0002	YEAR MUNT DAY	1972 H 09	SUTDP U4654 SHIP HT	AIR MET BANG	1EMP 18-0	OIR H	GT PER	WIND-SPU	15	TRAC I	EOIR		5	SQUARE 1	
RÉFID 31 2137 CUNSEC 0002 LAT 43 37 N	YEAR MUNT DAY HOUR	: 1972 H	BUTDP 04654 SHIP HT DATA USE 1 AREA US	AIR MET BANG	1EMP 14-0 3ULB 15-0 4EFR 1-10-7 0 T/A 8/6 SIGMA-T	DIR H O5 SEA CL/TR	GT PER 5 4 SNO VEL	WIND-SPU WIND-FUR	15	TRAC I	E OIR		5	SQUARE 1	
REFID 31 2137 CONSEC 0002 LAT 43 37 N LUNG 044 38 M	YEAR MUNT DAY HOUR LVLTYP	1972 H 09 OH 17-9 DEPTH	BUTDP 04654 SHIP HT DATA USE I AREA US	AIR MET SAMULIC SAL 33.24	1EMP 1d-0 3ULB 15-0 4EFR [U1U-7) T/A 8/6 SIGMA-T	OIR HO OS SEA CL/TR	GT PER 5 4 SNO VEL 1517.4	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M	YEAR MUNT DAY HOUR	1972 H 09 UH 17-9 DEPTH 00000 00000	BUIDP 04654 SHIP HT DATA USE I AREA US TEMP 19+04 19+04 16-65	AIR mET BAMU CLUU SAL 33-24 33-24 33-29	1EMP 1d-0 3ULB 15-G 4ETR [010-7 0 T/A 8/6 SIGMA-T 23-69 23-69 24-30	DIR HI O5 SEA CL/TR UYNDPTH OC.UOO	GT PER 5 4 SNO VEL 1517.4 1517.4	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 N CASTNUM/TIME	YEAR MUNT DAY HOUR LYLTYP STD UBS STD STD	1972 H 09 UH 17-9 DEPTH 00000 00000 00010	BUTDP 04654 SHIP HT DATA USE I AREA US TEMP 19-04 19-04 16-65 14-53	AIR mET SAMU, CLUUG SAL 33.24 33.24 33.29 33.33	1EMP 1d-0 3ULB 15-0 METR 1010-7 0 T/A 8/6 SIGMA-T 23-69 24-30 24-31	DIR HI US SEA CL/TR UYNDPTH OC.400	GT PER 5 4 SNO VEL 1517.4 1517.4 1510.6	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CONSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9	YEAR MONT DAY HOUR LYLTYP STD OBS STD STD OBS STD	1972 H 09 UH 17-9 DEPTH 00000 00000 00010 00010 00020 00020 00032	BUTDP 04654 SHIP HT DATA USE I AREA 05 TEMP 19-04 16-65 14-53 14-14 12-27	AIR met T SAL 33.24 33.29 33.39 33.34 33.34	IEMP 18-0 BULB 15-0 GEFR [10-17 O T/A 8/6 SIGMA-T 23-69 24-30 24-30 24-40 25-74	DIR HI O5 SEA CL/TR UYNDPTH OC.UOO	GT PtR 5 4 SNO VEL 1517.4 1517.4 1510.6 1504.2 1502.9	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 N CASTNUM/TIME	YEAR MUNT DAY HOUR STD OBS STD OBS	1972 H 09 UH 17-9 DEPTH 00000 00010 00010 00020 00020 00030 00030 00030	BUTDP U4654 SHIP HT UATA USE 1 AREA U5 TEMP 19-04 19-04 16-65 14-53 14-14 12-27	AIR met 1 DARW CLUUI SAL 33.24 33.29 33.34 33.34 33.34 33.34 33.34	IEMP 1d-0 SULB 15-0 GETR [0-10-7) T/A 8/6 SIUMA-T 23-69 23-69 24-30 24-31 24-90 25-74 26-66	DIR HI 05 SEA CL/TR UYNDPTH OC.UOO 00.U39 0U.073	GT PER 5 4 SNO VEL 1517.4 1510.6 1504.2 1502.9	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CONSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9	YEAR MUNT DAY HOUR STO OBS STO OBS STO OBS STO OBS	1972 H 09 UR 117-9 DEPTH 00000 00010 00010 00010 00022 00030 00050 00050	GUTDP U4654 SHIP HT UATA USE I AREA U5 TEMP 19-04 16-65 14-53 14-14 12-27 10-54 11-01	AIR MET : BANG CLUUC SAL 33.24 33.29 33.34 33.34 33.34 33.95 34.727 34.70	IEMP 18-0 SULB 15-0 4EFR 10-0-7 T/A 8/6 SIGMA-T 23-69 24-30 24-90 25-74 26-66 26-71 20-82	DIR H- U5 SEA CL/TR UYNOPTH OC.U00 00.U39 00.073 0U.100 UU-136	GT PER 5 4 SNO VEL 1517-4 1510-6 1504-2 1492-7 1498-0	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9	YEAR MUNT DAY HOUR STO UBS STO OBS STO OBS STO	DEPTH 00000 00010 00010 00000 00000 00000 00000 00000 00000 0000	BUTDP U4654 SMIP HT DATA USE I AREA U5 TEMP 19-04 16-05 14-15 12-27 10-54 11-01	AIR mET GARGI CLOUI SAL 33.24 33.29 33.33 33.34 33.95 34.727	1EMP 18-0 BULB 15-0 GEFR [LIJ.7 O T/A 8/6 SIGMA-T 23-69 24-30 24-31 24-90 25-74 26-66 26-71	DIR HI 05 SEA CL/TR UYNDPFH 0C.U00 00.J39 0U.073	GT PER 5 4 SNO VEL 1517-4 1510-6 1500-2 1502-9 1497-0 1492-7 1492-7	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9	YEAR MONT DAY HOUR STD OBS STD	1972 19 08 17-9 DEPTH 00000 00100 00100 00100 00100 00066 00100	UTDP U4654 SMIP HT DATA USE I AREA U5 19-04 19-04 10-05 14-13 14-14 12-27 10-54 11-01 11-75 11-66 11-53 10-18	AIR HET DARWIC CLUUI SAL 33.24 33.29 33.34 33.49 33.44 33.95 34.727 35.27 35.27 35.23 35.27	1EMP 18-0 30LB 15-0 4EFR [61-17] 5 T/A 8/6 SIGMA-T 23-69 24-30 24-30 24-31 24-90 25-74 26-66 26-71 20-82 20-82 26-92 26-92	UIR HI U5 SEA CL/TR UYNDPFH 0C.U00 00.J39 0U.J73 0U.L00 UU-136 00.L08	GT PER 5 4 1517-4 1517-6 1510-6 1500-2 1502-9 1497-9 1498-0 1497-9 1497-6	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9	YEAR MUNT UAY HOUR STO OBS STO	1972 H 09 UH 17-9 DEPTH 00000 00003 00013 00103 00103 00106 00103 00106 00103 00103	SUIDP U4654 SMIP HT JATA USE I AREA U5 IENP 19-04 19-04 10-65 14-53 14-14 12-27 10-54 11-01 11-75 11-66 11-53 10-1d 07-81	AIR MET : GAMUI CLUUI SAL 33.24 33.29 33.34 33.34 33.34 35.27 35.27 35.27 35.27 35.27 36.20 36.20 36.20 37.20	SIGMA-T 23.69 24.69 24.69 24.30 24.31 24.90 25.74 26.66 26.92 26.99 27.10	01R H- 05 SEA CL/TR 07N0PTH 0C.000 00.039 00.073 00.100 00.136 00.168	GT PER 5 4 517.4 1517.4 1517.4 1510.6 1500.2 1502.9 1497.0 1492.7 1498.0 1497.6 1498.8 1488.8 1488.8	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9	YEAR MUNTUAY HOUR LYLTYP OBS STO	DEPTH 00000 00100 00100 00100 00100 00100 00100 00100 00120	BUTDP 04654 SHIP HT JATA USE I AREA U5 19-04 19-04 16-65 14-53 14-14 12-27 10-54 11-05 11-75 11-66 11-75 10-1d 07-81 07-81 07-33	AIR et I GAMU CLUU SAL 33.24 33.29 33.39 34.72 35.20 36.20 36	IEMP 1d-0 BULB 15-6 EFTR 101-7 O T/A 8/6 SIUMA-T 23-69 24-30 24-31 24-90 25-74 26-66 26-71 26-82 26-92 26-99 27-109 27-10	UIR HI U5 SEA CL/TR UYNDPFH 0C.U00 00.J39 0U.J73 0U.L00 UU-136 00.L08	GT PER 5 4 SNO VEL 1517-4 1510-6 1510-6 1500-2 1500-2 1497-0 1497-9 1498-0 1497-9 1498-0 1498-8	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR LYLTYP OBS STD	DEPTH OUNDO 10010 00010 00010 00010 00010 00010 00010 00010 00010 00100 00100 00100 00100 00100 00100 00100 00100	BUTDP 04654 SHIP HT DATA USE 1 AREA 05 TEMP 19-04 16-65 14-53 14-14 12-27 10-54 11-01 11-75 11-66 11-59 10-18 07-81 07-81 07-81 07-81 04-74	AIR met I GAMU CLUU SAL 33.29 33.29 33.33 33.144 33.395 34.70 35.20 35.20 35.20 35.20 35.20 35.20 34.20 35.20 36.20	SIGMA-T 23.69 24.30 24.30 25.74 26.66 26.71 26.82 26.92 27.10 27.14 27.17 27.22	01R HI 05 SEA CL/TR 02-000 00-039 00-037 00-100 00-136 00-160 00-127 00-223	GT PER 5 4 SNO VEL 1517.4 1510.6 1504.2 1502.9 1497.0 1497.6 1498.8 1482.0 1482.0 1472.0 1472.0	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STO UBS	DEPTH OUOGO 00010	UTDP U4654 SHIP HT DATA USE I AREA U5 19-04 19-04 16-65 14-53 14-14 12-27 10-54 11-01 11-75 11-66 11-75 10-18 07-81 07-81 07-81 04-78 04-78 04-78 04-86	AIR met I SAMU CLUUI SAL 33.24 33.29 33.34 33.34 33.34 4.70 35.27 35.27 35.27 35.27 34.20 34.20 34.20 34.40 35.20 36.20 3	SIGMA-T 23.69 24.30 24.30 25.74 26.69 25.74 26.66 27.10 26.92 27.10 27.14 27.17	01R HI 05 SEA CL/TR 02-000 00-039 00-073 00-100 00-136 00-160 00-197 00-223 00-244 00-294 00-336	GT PER 5 4 517.4 1517.4 1517.4 1510.6 1500.2 1502.9 1497.0 1492.7 1490.0 1497.6 1497.6 1497.6 1497.6 1497.4 1483.8 1482.0 1477.2 1477.2	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2197 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STO STO OBS STO	DEPTH 09000 00100 00100 00100 00100 00100 00125 00131 00150 00250 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300 00257 00300	UTDP U4654 SHIP HT UATA USE I AREA U5 TEMP 19-04 19-04 16-65 14-53 14-14 12-27 10-54 11-05 11-53 10-18 07-81 07-81 07-81 07-81 07-81 04-78 04-78 04-78 04-78	AIR #FT # # # # # # # # # # # # # # # # # #	IEMP 18-0 SULB 15-0 4EFR 10-10-7 T/A 8/6 SIGMA-T 23-69 24-30 24-30 24-31 24-90 25-74 20-88 26-92 26-99 27-10 27-14 27-12 27-32 27-35 27-41	01R HI 05 SEA CL/TR 02-000 00-039 00-037 00-100 00-136 00-160 00-127 00-223	GT PER 5 4 SNO VEL 1517-4 1510-6 1502-9 1497-0 1492-0 1492-0 1492-0 1492-0 1492-0 1492-0 1492-0 1492-0 1492-0 1492-0 1493-0 149	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 W CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STO STO OBS STO	DEPTH 00000 00010 00010 00005 0010 00125 00131 00150 00267 00355 00400 00355 00400	UTDP 04654 SHIP HT UATA USE I AREA U5 TEMP 19-04 19-04 16-65 14-53 14-14 12-27 10-54 11-05 11-55 11-66 11-53 10-18 07-81 07-81 07-81 07-81 04-74 04-78 04-78 04-91 04-95 05-65	AIR et GARUC CLUUG SAL 33.24 33.29 33.34 33.34 33.29 35.27 34.72 7 34.70 34.22 34.76 34.50 34.76 34.30	IEMP 1d-0 BULB 15-6 GETR 10 10-7 O T/A 8/6 SIUMA-T 23-69 24-30 24-30 24-30 24-30 24-30 24-30 25-74 26-82 26-82 26-82 26-92 27-09 27-10 27-14 27-32 27-35 27-41 27-58	01R HI 05 SEA CL/TR 02-000 00-039 00-073 00-100 00-136 00-160 00-197 00-223 00-244 00-294 00-336	GT PER 5 4 SNO VEL 1517-4 1510-6 1509-2 1492-7 1492-0 1492-0 1492-0 1472-3 1473-3 1473-3 1476-3 1480-2	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2197 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STD OBS STD	DEPTH 00000 30003 30015 30044 30015 30015 30015 30015 30015 00105 3017 30088 30100 00125 00131 00150 00125 00131 00150 00100 00125 00130 00200 00255 00400 00400 00440	UTUP U4654 SMIP HT DATA USE I AREA U5 TEMP 19-04 19-04 16-65 14-53 14-14 12-27 10-54 11-01 11-75 11-66 11-53 10-18 07-33 06-10 04-78 04-78 04-88 04-91 04-95 05-65 05-92	AIR met 1 dARU CLUUI SAL 33.24 33.29 33.34 33.34 33.34 35.27 35.27 35.27 35.27 36.40 34.40 34.50 34.50 34.50 34.62 34.62 34.62 34.95 35.05	16MP 18-0 30LB 15-6 6FR [101-7 0 T/A 8/6 SIGMA-T 23-69 23-69 23-69 24-30 25-74 26-66 26-71 20-82 26-92 27-10 27-14 21-17 21-12 21-35 27-41 27-58 27-63	UIR HI U5 SEA CL/TR U4NDPTH OC.U00 00.339 00.173 00.100 00.197 00.223 00.248 00.294 00.336 00.374	GT PER 5 4 SNO VEL 1517.4 1517.4 1510.6 1504.2 1502.9 1497.9 1497.6 1497.6 1497.6 1497.6 1497.8 1497.8 1497.8 1497.8 1497.8 1497.8	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 W CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STO UBS STO	DEPTH 00000 00000 00010	UTUP U4654 SMIP HT DATA USE I AREA U5 TEMP 19-04 19-04 10-05 14-53 14-14 12-27 10-54 11-01 11-53 10-18 07-33 06-10 04-78 04-06 04-08 04-08 04-09 05-05 05-	AIR met T dARU CLUUI SAL 33.24 33.29 33.34 33.345 34.70 35.27 35.27 35.27 36.40 34.50	16MP 18-0 30LB 15-0 6FR 161-0 7 7/A 8/6 SIGMA-T 23-69 24-30 24-31 24-90 25-74 26-66 26-71 20-82 26-92 27-10 27-14 27-12 27-35 27-16 27-58 27-65 27-65	UIR HI U5 SEA CL/TR U4NDPTH OC.U00 00.J39 00.J73 00.100 U0.136 00.107 00.223 00.248 00.294 00.336 00.374 00.438	GT PER 5 4 SNO VEL 1517.4 1517.4 1510.6 1504.2 1502.9 1497.0 1497.7 1498.0 1477.2 1472.3 1473.3 1473.3 1473.3 1473.3 1473.3 1473.3 1473.3 1473.3 1473.3 1473.3 1473.3	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STO OBS STO	DEPTH 00000 00000 00000 00010	UTDP 04654 SHIP HT JATA USE I AREA U5 TEMP 19-04 19-04 16-65 14-15 14-15 11-66 11-53 10-18 07-81	AIR et I GARDO CLUUG SAL 33.24 33.29 33.34 33.34 33.29 35.27 34.72 7 34.72 7 34.72 7 34.72 7 34.72 7 34.72 34.70 34.24 34.50 34.50 34.50 34.50 34.50 34.50 34.50 34.50 34.50 34.50 34.50 35.51 35.05 35.05 35.05 35.05 35.05	IEMP 1d-0 BULB 15-6 EFTR 1010-7 O T/A 8/6 SIUMA-T 23-69 24-30 24-31 24-90 25-74 26-66 26-71 20-82 20-88 26-92 26-92 27-10 27-14 27-17 27-22 27-35 27-61 27-65 27-67	UIR HI U5 SEA CL/TR U4NDPTH OC.U00 00.339 00.173 00.100 00.197 00.223 00.248 00.294 00.336 00.374	GT PER 5 4 SNO VEL 1517.4 1517.4 1510.6 1504.2 1502.9 1497.0 1497.7 1498.0 1477.2 1477.2 1477.3 1478.3 1477.3 1477.3 1477.3 1477.4	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
HEFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR LYLTYP STD OBS STD	DEPTH OUNDO 10010 00000 00010 00010 00010 00010 00010 00100 00100 00125 00131 00150 00120 00125 00131 00150 00100 00250 00131 00150 00100 00250 00447 00300 00260 00400 00400 00400 00400 00400 00400 00400 00400 00700	BUTDP 04654 SHIP HT JATA USE 1 AREA 05 TEMP 19.04 16.65 14.53 14.14 12.27 10.54 11.01 11.75 11.66 11.53 10.18 07.81 07.81 07.81 04.78 04.86 04.88 04.91 04.95 05.65 05.92 05.42 05.16	AIR et I GARUC GAR	16MP 10-0 30LB 15-6 6FR 1010-7 0 T/A 8/6 SIGMA-T 23-69 24-30 24-31 24-90 25-74 26-66 26-71 20-82 20-82 20-82 21-09 27-10 27-14 27-15 27-58 27-69 27-71 27-69 27-71	01R HI 05 SEA CL/TR 0C.U00 00.J39 0U.073 0U.100 0U.136 00.197 00.223 0U.244 00.294 00.336 0U.374 00.438 00.492 00.492	GT PER 5 4 SNO VEL 1517-4 1510-6 1517-4 1510-6 1504-2 1502-9 1497-0 1497-0 1498-0 1497-9 1498-0 1497-9 1498-0	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
#EFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 N CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR LYLTYP HOUR STD OBS	DEPTH OUOGO 000100 000100 000100 000100 000100 000100 000100 000100 001000 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100	BUTDP U4634 SHIP HT JATA USE I AREA U5 19.04 19.04 16.65 14.53 14.14 12.27 10.54 11.01 11.75 11.66 11.53 10.18 107.81 07.81 07.81 07.81 04.78 04.86 04.86 04.86 04.86 04.91 04.95 05.65 05.62 05.62 05.62 05.62 05.62 05.62	AIR et I GARUL CLUU SAL 33.29 33.29 33.33 33.344 33.39 34.70 35.20 35.20 35.20 35.20 35.20 35.20 34.40 34.40 34.40 34.95 34.95 34.95 34.95 34.95 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96	IEMP 10-0 BULB 15-6 EFTR 10-10-7 O T/A 8/6 SIUMA-T 23-69 24-30 24-31 24-90 25-74 26-66 26-71 20-82 20-88 26-92 27-10 27-14 27-17 27-22 27-35 27-41 27-51 27-51 27-69 27-71 27-71 27-73	01R HI 05 SEA CL/TR UYNOPTH 0C.U00 00.J39 0U.073 0U.100 0U.136 00.169 00.223 0U.244 00.294 00.336 00.374 00.438 00.492 00.438	GT PER 5 4 SNO VEL 1517-4 1510-6 1504-2 1502-9 1497-0 1497-0 1497-9 1498-0 1498-0 148	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	
REFID 31 2137 CUNSEC 0002 LAT 43 37 N LUNG 044 38 M CASTNUM/TIME 17.9 17.9 17.9 17.9 17.9 17.9 17.9 17.9	YEAR MUNT DAY HOUR STO UBS STO	1972 19 09 117-9 DEPTH 00000 00000 00100 00100 00100 00100 00100 00100 00150 00150 00150 00150 00250 00250 00440 00450 00460 00700 00700 00700	UTUP U4654 SMIP HT JATA USE I AREA 19-04 19-04 19-04 19-05 14-13 14-14 12-27 10-54 11-01 11-75 11-66 11-53 06-10 04-78 04-88 04-91 04-95 05-92 05-16 04-91 04-62 04-60	AIR *ET : GARUIC CLUUI SAL 33.24 33.23 33.34 33.34 33.34 35.27 35.27 35.27 35.27 35.27 36.70 34.70	16MP 18-0 30LB 15-6 6FR [101-7 0 T/A 8/6 SIGMA-T 23-69 24-30 24-30 24-31 24-90 25-74 26-66 26-71 26-82 26-92 27-10 27-14 27-17 27-22 27-35 27-41 27-58 27-67 27-67 27-67 27-71 27-71 27-71 27-71 27-71 27-71 27-71 27-71 27-71	01R HI 05 SEA CL/TR 0C.U00 00.J39 0U.073 0U.100 0U.136 00.197 00.223 0U.244 00.294 00.336 0U.374 00.438 00.492 00.492	GT PER 5 4 SNO VEL 1517.4 1517.4 1510.6 1500.2 1500.2 1500.2 1497.6 1497.6 1497.6 1497.6 1497.6 1497.6 1497.6 1477.2 1497.3 1497.3 1498.3 1480.3 1480.3 1480.3 1480.3	WIND-SPU WIND-FUR WEATHER	15 X1	TRACI EURA ORIG	E DIR FIUN A3 059	,	1	SQUARE 14 SQUARE 34	

Table X.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8–10 September 1972, Prepared from NODC Listing No. 31–2137.—Continued

REFID 31 2137 CONSEC 0003 LAT 43 45 N	MONT	1972 6 09 66	8010P 04358 SHIP HT DATA USE 1		ULB 16.2 ETR 10C6.1	05 SEA	GT PEH	WIND-DIR WIND-SPD WIND-FUR	25	TRACE	LON		2	N SQ 1306 SQUARE 1 SQUARE 24
LUNG 044 25 H	HOUR	23.1	AREA 05	CLOUD	T/A 8/8	CL/TR		MEA THER	X6	ORIG	A3 059		1	SQUARE 34
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	OXYG	PU4	TOT P	NO2	NO3	\$103	Ph
	STD	00000	19.17	34.44	24.57	00.000	1519.2							
23.1	OBS	00000	19.17	34.438	24.57		1519.2							
	STO	00010	17.53	34.32	24.84	00.032	1514.>							
	SID	00020	16.01	34.21	25.16	00.062	1509.9							
23.1	385	12000		34.130										
	STD	00033	14-01	34.37	25.59	00.088	1505.9							
	STO	00050	12.19	35.33	20.83	00.125	1499.4							
23.1	UBS	06050	12.19	35.328	20.83		1499.4							
	STD	00075	09.83	34.89	20.92	00.155	1490.7							
43.1	085	00078	09.63	34.874	26.94		1490.2							
	STD	00100	09.16	34.93	27.06	00.182	1488.9							
23.1	085	00100	09.10	34.933	21.06		1488.9							
	STO	00125	08.08	34.77	27.10	00.207	1485.0							
	STD	00150	07.30	34.06	27.13	00.232	1482 - 2							
23.1	UBS	00150	07.30	34.654	27.13		1482.2							
	510	00200	06-64	34.63	27.20	00.279	1480.4							
23.1	085	100200	06.64	34.631	21.20		1480 -4							
	STD	00250	06.60	34.75	27.30	00.322	1481.3							
23.1	OBS	00298	06.20	34.805	27.39		1480.8							
	SID	00300	36.21	34.80	27.39	00. 361	1480.6							
23.1	UBS	100395	04.64	34-720	27.52		1475.7							
	STD	00400	04.63	34.73	21.52	00.429	1475.7							
23.1	085	00490	04.62	34.868	21.64		1477.3							
	STD	00500	04.66	34.88	27.64	00-486	1477.7							
23.1	UBS	100583	04.83	34.961	27.09		1479.9							
	SID	00000	04.73	34.95	27.69	00.536	1479.7							
	510	00100	04.26	34.91	21.71	00.583	1479.4							
23.1	UBS	100772	04.08	34.900	27.12		1479.8							
	STO	00800	04.10	34.91	21.73	00.629	1480-4							
	STU	00900	04-16	34.94	21.74	00.675	1482.3							
23.1	ORZ	100955	04.18	34.954	21.15		1483.3							
23.1	085	101458	03.85	34.442	21.78		1490.0							

REFID CUNSE LAT LGNG	C 44	21 37 0004 01 N 55 #	MONT	1972 199 09 04-1	BOTOP 04041 SHIP HT DATA USE 1 AREA 05	AIR I WET O BARUS CLOUD	ULB 16.0	SEA		WIND-DIR WIND-SPD WIND-FOR WEATHER	21	DURAT			5 2	N SQ 1 SQUARE SQUARE SQUARE	2
CAS	INUM/	TIME	LVLTYP	UEPTH	TEMP	SAL	SIGMA-T	UYNOPTH	SND VEL	OXY G	P 14	101 P	402	NO3	\$103	PH	
			STD	00000	19.65	34.24	24.30	00.000	1520.3								
		04.1	085	00000	19.65	34.244	24.30		1520.3								
			STU	00010	12.66	33.82	25.51	00.030	1498.4								
			STD	00020	08.51	33.40	25.97	00.353	1483.1								
		04.1	UBS	00025	07.49	33.193	25.95		1479.0								
			STU	00030	09.15	33.82	26.19	00.372	1486.2								
			STO	00050	13.04	35.40	26.71	00-104	1502.3								
		C4.1	OBS	00050	13.04	35.400	46.71		1502 -3								
			STD	00015	11.03	35.26	20.87	00.136	1497.9								
	1	04.1	Cas	00075	11.08	35.264	20.87		1497.9								
			510	00100	10.15	34.99	26.43	00.166	1492.6								
	9	04.1	CBS	00100	10.15	34.980	20.93		1492.6								
			STO	00125	09.20	34.94	27.05	03.193	1489.7								
			STU	00150	08.92	34.89	21.07	00.219	1488.7								
		04.1	085	00150	08.92	34.895	27.07		1488 . 7								
			STO	00200	10.03	35.25	27.16	00.269	1494.1								
		04.1	OBS	100205	10.07	35.273	27.17		1494.4								
			510	00250	09.31	35.20	27.24	03.315	1492.2								
			STO	00300	08.06	35.07	27.34	00.357	1488.2								
		04.1	UBS	00305	07.91	35.050	27.35		1487.7								
			510	00400	04.13	34.03	27.50	00.429	1473.5								
		04.1	18.5	100405	04.05	34.628	27.51		1473-2								
			STD	00500	05.01	34.92	21.04	00.486	1479.2								
		04.1	1385	00510	05.06	34. 443	21.64		1479.0								
			510	00600	05.05	34.99	21.68	00.537	1481.1								
	(04.1	USS	100610	05.05	34.992	21.68		1481.3								
			STO	00700	04.98	35.01	21.10	00.566	1482.5								
			510	COHOO	04.84	35.02	21.13	00.634	1483.6								
	(04.1	UBS	TJUBLO	04.82	35.022	27.73		1483.7								
			510	00900	04.57	35.00	27.74	00.660	1484.1								
			STO	01000	04.32	34.47	21.75	00.726	1484.7								
	1	04.1	DBS	101015	34.29	34.970	21.75		1484.8								
	(04.1	nes	101925	03.72	34.416	21.19		1491.0								

Table X.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8–10 September 1972, Prepared from NODC Listing No. 31–2137.—Continued

REF 10 CONSEC LAT LONG	31 2137 0005 44 07 N 046 32 H	DAY	1972 H 09 09 08-6	BOTUP U3486 SHIP HT DATA USE 1 AKEA 05	MET :	ETH 1013.0	SEA CL/TR	GT PER	HIND-UIR HIND-SPD HIND-FOR WEATHER	15 15	DURA	NAMSEN E DIR TION A3 05		2	N SQ 1306 SQUARE 2 SQUARE 46 SQUARE 46	
CAST	NUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	HTQUMYU	SAD VEL	UXYG	P34	101 P	MOZ	NU3	5103	PH	
		\$10	00000	17.19	32.99	23.45	03.000	1511-7								
	08.6	510	00000	17.19	32.992	29.95	00.039	1511.7								
		STD	00020	16.01	32.95	24.00	00.078	1510-2								
	08.6	092	00024	16.50	32.946	24.08	-00.112	1509-9								
	00.6	STD	00030	06.56	34-175	25.09	00,112	1500.0								
		SID	00050	06.53	34-18	26.86	00.153	1476.9								
	06.6	185 STU	00073	06.24	34.307	27.00	00.182	1476.3								
	08.6	UBS	00098	06.86	34.513	21.08		14/9.5								
		STO	00100	06.87	34.52	27.15	00.208	1477.6								
	34.6	UBS	30146	07.10	34.665	27.16		1-81-4								
		STD	001 50	06.98	34.66	27.17	00.256	1481.0								
	08.6	UBS	100200	05.85	34.60	21.27	00- 100	1477.2								
		STO	00250	05.82	34.73	27.38	00. 139	1478-1								
	08.6	085 510	00300	05.80 35.77	34.811	21.45	00. 174	1478.9								
	08.6	985	100346	04.85	34-817	21.51		1476.7								
	09.6	STO	00400	04.85	34.82	21.57	03.437	1470.7								
		STU	00500	04-86	34.92	21.05	00.491	1478.6								
	08.6	uas	100596	05.09	35.007	21.65		1481.2								
		STD	00600	05.08	35.01	27.71	00,540	1481.2								
	08.6	085	160791	04.52	34.965	21.12		1482.0								
		510	00400	04.51	34.46	21.14	00.635	1482-1								
	08.6	085	100991	04.26	34.462	27.75	00,002	1484.3								
	08.6	085	101490	03.77	34.929	27.78		1490.6								
						*****	******	•								
REFIN CONSEC LAT LUNG		PAY	1972 H 09 09	BOTOP GABBE SHIP HT DATA USE 1 AREA 05				GT PER 5 4	dind-dir dind-spd dind-fur weather	25	TRAC	NAMSEF E DIR TION A3 O		5 2	N SQ 1306 SQUARE 2 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N	MUNT DAY HOUR	H 09	SHIP HT DATA USE 1	WET BARO	BULB 13.7 METR 1011.7	SEA	5 4	dIND-SPD	X2	TRAC	E DIR TION A3 O		5 2	SQUARE 46	2
CUNSEL LAT LUNG	44 16 N 047 10 W	MUNT DAY HOUR LYLTYP	H 09 09 12.5 DEPTH	SHIP HT DATA USE 1 AREA 05	BARO CL CU	BULB 13.7 METR 1011.7 D 7/A 7/B	SEA CL/TR	S 4	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N 047 10 W	MUNT DAY HOUR	09	SHIP HT DATA USE 1 AREA 05	SAL 33.10 33.102	SIGMA-T 24.09 24.09	DYNUPTH	SNU VEL 1511.2	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	44 16 N 047 10 W	MUNT DAY HOUN LALTAN STD UBS STD	09 07 12.5 UEPTH 00000 00000 00010	SHIP HT DATA USE 1 AREA 05 TEMP 16.97 10.97 17.74	SAL 33.10 33.102	BULB 13.7 METR 1011.7 D 7/A 7/B SIGMA-T 24.09 24.09 24.57	05 SEA CL/TR DYNUPTH 00.000	SNU VEL 1511.2 1511.2 1514.7	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N 047 10 W	MUNT DAY HOUR LYLTYP STD UBS	09 07 12.5 UEPTH 00000 00000 0010	TEMP 16.97 17.74 18.50	SAL 33.10 33.102 33.402	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.05 24.09 24.57 24.72	DYNUPTH	SNU VEL 1511.2	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N 047 10 W NUM/TIAL 12.5	MUNT DAY HOUNE LYLTYP STD UBS STD STD OBS STD OBS	H 09 09 12.5 UEPTH 00000 00000 00010 00021 00021	SHIP HT DATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.58 11.67	SAL 33.10 33.102 33.48 34.41 34.435 34.17	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.09 24.09 24.57 24.72 24.72 26.03	05 SEA CL/TR DYNUPTH 00.000	SNU VEL 1511.2 1511.2 1517.6 1517.6 1495.8	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0006 44 16 N 047 10 W	MUNT DAY HOUR STD UBS STD UBS STD UBS STD UBS STD UBS STD	H 09 09 12.5 DEPTH 00000 00900 00010 00021 00021 00030	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.58 11.67 05.45	SAL 33.10 33.10 33.40 33.40 33.40 34.41 34.435	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.09 24.09 24.57 24.72 24.72	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511.2 1511.2 1514.7 1517.6	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N 047 10 W NUM/TIAL 12-5 12-5	MUNT PAY HOUR STD UBS STD STD STD STD	## 09 07 12.5 UEPTH 00000 00900 00010 00021 00021 00042 00042	TEMP 16.97 16.97 17.74 18.50 18.58 11.67 05.45 06.61 09.09	SAL 33.10 33.102 33.48 34.41 34.435 34.17	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.09 24.09 24.57 24.72 24.72 26.03	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511.2 1511.2 1517.6 1517.6 1495.8	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N 047 10 W NUM/TIAL 12.5	MUNT PAY HOUN LYLTYP STD UBS STD STD UBS STD	H 09 07 12.5 DEPTH 00000 00000 00010 00021 00021 00042 00042 00042	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 11.67 05.45 06.61 09.09 09.47	SAL 33.10 33.102 33.48 34.41 34.435 34.17	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.09 24.09 24.57 24.72 24.72 26.03	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511.2 1511.2 1517.6 1517.6 1495.8	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12-5 12-5 12-5	MUNT DAY HOUR STD UBS STD	09 07 12.5 DEPTH 00000 00000 00010 00020 00021 00042 00042 00043 00045 00048 00145 00048 00140 00145	SHIP HT JATA USE 1 AREA 05 TEMP 16.97 10.97 17.74 18.50 18.58 11.67 05.45 06.61 09.09 09.47 09.17	SAL 33.10 33.102 33.48 34.41 34.435 34.17	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.09 24.09 24.57 24.72 24.72 26.03	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511.2 1511.2 1517.6 1517.6 1495.8	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 26 SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0306 44 16 N 047 10 W NUM/TIAL 12-5 12-5	HUNT HOUSE STD UBS STD UBS STD STD STD STD STD STD STD STD STD ST	09 07 12.5 UEPTH 00000 00000 00010 00021 00030 00042 00050 00075 00082 00125 00125	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 11.67 05.45 06.61 09.09 09.47 09.19 08.77	SAL 33.10 33.102 33.48 34.41 34.435 34.17	BULB 13.7 METR 1011.7 D T/A 7/B SIGMA-T 24.09 24.09 24.57 24.72 24.72 26.03	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511.2 1511.2 1517.6 1517.6 1495.8	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0006 44 16 N 047 10 W NUM/TIAE 12.5 12.5 12.5	MUNT HOUSE HOUSE HOUSE STD OBS STD	09 07 1245 DEPTH 00000 00000 00011 00029 00021 00042 0005 00042 0005 00015 00015 0015 0015	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.09 09.09 09.07 09.19 08.77 08.77 08.13 07.09	MET BAND CLUU SAL 33.10 35.19 35.98 34.41 34.43 34.43 34.43 33.855	BULE 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-03 26-74	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-1 1514-7 1517-6 1517-8 1495-8 1472-0	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12-5 12-5 12-5	HUMP HUMP STD UBS STD STD UBS STD UBS STD UBS STD UBS STD OBS STD OBS STD OBS	09 09 07 1245 UEPTH 00000 00700 00021 00042 00050 00042 00155 00150 00125 00125 00200 00247	SHIP HT UATA USE 1 AREA 05 TEMP 16-97 17.74 18-50 18-58 11-67 05-65 09-09 09-97 09-19 08-17 08-17 08-13 07-09	MET BARO CLUU SAL 33.10 33.10 34.41 34.41 34.43 34.673	BULE 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-57 24-72 24-72 24-72 24-72 24-74 24-74 24-74 24-74 24-74 24-74 24-74	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1514-7 1517-6 1517-8 1495-8 1472-0	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0006 44 16 N 047 10 W NUM/TIAE 12.5 12.5 12.5 12.5	HUNT PAUN HUUN LYLTYP STD UBS STD UBS STD STD STD STD STD STD STD STD STD ST	09 09 09 09 00 00 00 00 00 00 00 00 00 0	SHIP HT UATA USE 1 AREA 05 TEMP 16-97 17-74 18-50 18-58 11-67 05-65 09-09 09-47 09-19 08-77 08-13 07-09 06-31 06-31	MET BANG CLUJ SAL 33.102 35.48 34.435 34.67 33.855	BULE 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 24-72 26-03 26-74	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1517-8 1517-8 1495-8 1472-0	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0006 44 16 N 047 10 W NUM/TIAE 12.5 12.5 12.5	MUNT DAY HOUN STD UBS STD STD UBS STD STD OBS STD STD OBS STD STD OBS STD STD OBS STD STD STD STD STD OBS STD OBS STD STD STD STD OBS STD OBS STD OBS STD STD STD STD OBS STD	09 09 09 12.5 000 000 000 000 000 000 000 000 000 0	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.47 09.49 09.47 09.19 08.77 08.77 08.13 07.09 06.37 06.31 07.09	SAL 33.10 33.10 33.10 33.40 34.41 34.45 34.47 33.859	BULB 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 26-73 26-74 27-43 27-43 27-43 27-43 27-43	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1514-7 1517-6 1517-8 1495-8 1472-0	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0006 44 16 N 047 10 W NUM/TIAE 12.5 12.5 12.5 12.5 12.5	MUNT DAY HOUN LYLTYP STD UBS STD UBS STD OBS	09 09 09 09 00 00 00 00 00 00 00 00 00 0	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.58 11.67 05.45 06.61 09.09 09.47 09.19 08.77 08.13 07.08 06.33 05.87	#ET BANG CLUJ SAL 33.10 33.10 25.48 34.43 54.17 33.85 5	BULE 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-03 26-74	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1511-3 1517-6 1517-6 1495-8 1472-0	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	0006 44 16 N 047 10 W NUM/TIAE 12.5 12.5 12.5 12.5	MUNT DAY HOUN LYLTYP STD UBS STD UBS STD OBS STD OBS STD UBS S	09 09 09 09 09 09 09 09 09 09 09 09 09 0	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.59 11.67 05.45 06.61 09.09 09.47 09.19 08.77 08.77 08.77 08.77 08.33 05.97 06.14 06.15	#ET BANG CLUJ SAL 33.10 33.10 23.48 34.41 34.45 34.45 34.45 34.45 34.92 34.92 34.92 34.92 34.92	BULB 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-03 26-74 27-43 27-43 27-43 27-43 27-50 27-50 27-50 27-50	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1516-7 1517-6 1517-8 1495-8 1472-0 1480-4 1480-4 1470-3 1479-4 1482-2 1482-2	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	03000 44 16 N 047 10 W NWA/TIAL 12-5 12-5 12-5 12-5 12-5 12-5 12-5	MUNT DAY HOUNT DAY HOUNT DAY HOUNT DAS STD STD STD STD STD STD STD STD STD ST	09 09 09 09 09 09 09 09 09 09 09 09 09 0	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 10.97 17.74 18.50 18.50 18.50 10.61 09.09 09.47 09.19 08.77 08.13 07.08 06.31 06.33 05.97 06.14 06.15 07.25	SAL 33.10 33.10 33.10 34.41 34.43 34.43 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87	BULB 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-74 26-74 27-43 27-43 27-43 27-43 27-43 27-45 27-50 27-50 27-50 27-50	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	5 4 1 1511 -2 1511 -2 1514 -7 1517 -6 1490 -4 1490 -3 1479 -3 1479 -7 1492 -1 1492 -1 1492 -1 1492 -1 1492 -1 1492 -1 1492 -1 1492 -1 1479 -7	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	03000 44 16 N 047 10 W NWA/TIAL 12-5 12-5 12-5 12-5 12-5 12-5 12-5	MUNT DAY HOUR STD UBS STD STD STD STD STD STD STD STD STD ST	09 09 09 09 09 09 09 09 09 09 09 09 09 0	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 10.61 09.09 09.47 09.19 08.77 08.13 07.08 06.37 06.33 05.87 06.14 09.37 06.37 06.37 06.37 06.37 06.37 06.37	SAL 33.10 33.10 33.10 34.41 34.43 34.43 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87 34.87	80LB 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-74 26-74 27-43 27-43 27-43 27-46 27-50 27-50 27-50 27-61 27-66	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511.2 1511.2 1511.2 1517.6 1517.6 1495.8 1472.0	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	03000 44 16 N 047 10 W NVM/T14E 12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	MUNT DAY HOUN STO UBS	09 09 09 09 09 09 09 09 09 09 09 09 09 0	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.09 09.47 09.19 08.77 08.77 08.13 07.09 06.14 06.15 05.25 05.11 04.69 04.64	#ET BANG CLUM SAL 33.102 33.40 35.402 35.46 17.33.85 > 34.67 34.65 34.65 34.92	BULB 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-74 26-74 27-43 27-43 27-43 27-43 27-43 27-43 27-43 27-46 27-50 27-50 27-50 27-50 27-66 27-66 27-67	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1511-2 1517-6 1517-6 1672-0 1480-4 1480-4 1480-1 1479-5 1479-5 1479-6 1479-6 1479-6	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12-5 12-5 12-5 12-5 12-5 12-5 12-5 12-5	MUNT DAY HOUN TOAY HOUN STO UBS STO UB	09 09 07 00 00 00 00 00 00 00 00 00 00 00 00	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.09 09.47 09.19 08.77 08.77 08.13 07.09 06.14 06.15 05.25 05.11 04.69 04.58 04.52 04.19	SAL 33.102 33.102 33.102 34.41 34.435 34.47 33.855 34.873 34.873 34.873 34.873 34.92 34.923 34.9	BULB 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 26-74 27-43 27-43 27-43 27-43 27-43 27-43 27-45 27-50 27-50 27-50 27-67 27-67 27-67 27-67 27-67 27-67 27-67 27-70 27-71 27-75	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1511-2 1517-6 1517-6 1472-0 1480-4 1480-3 1479-3 1479-6 1479-5 1479-6 1479-7 1481-7 1481-7	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	03004 44 16 N 047 10 W NWA/TIAL 12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	MUNT DAY HOUR STD UBS STD STD STD STD STD STD STD STD STD ST	UEPTH UUCOO 00900 UUU10 UUU10 UUU30 00021 UUU30 00042 00150 00045 00150 00150 00150 00247 00250 00400 00400 100324 00400 00407 00250 00400 00407 100175 100175	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 10.97 17.74 18.50 18.50 11.67 05.45 06.61 09.09 09.47 09.19 08.77 08.13 07.08 06.17 08.37 08.	33.10 33.10 33.10 33.10 33.40 34.41 34.47 33.85 34.87 34.87 34.87 34.87 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92	80LB 13-7 METR 101-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 24-72 26-14 27-43 27-43 27-43 27-43 27-43 27-43 27-43 27-43 27-46 27-50 27-51 27-61 27-61 27-67 27-71 27-	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	5 % 1 1511 -2 1514 -7 1517 -8 1472 -0 1480 -4 1490 -2 1479 -5	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	03004 44 16 N 047 10 N NVA/TIAL 12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	HUNT PAUL TYP UBS STO OBS STO	UEPTH UUCOO 00700 UUU10 UU100	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 10.97 17.74 18.50 18.50 11.67 05.45 06.61 09.09 09.47 09.19 08.77 08.13 07.08 06.37 06.	#ET BAND CLUU SAL 33.102 33.102 33.441 34.417 33.855 34.417 34.45	80LB 13-7 METR 101-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 27-43 27-43 27-43 27-43 27-43 27-43 27-47 27-47 27-50 27-50 27-50 27-51 27-61 27-71 27-71 27-71 27-71 27-71 27-81	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	5 % 1 SMU VEL 1511-2 1511-2 1517-6 1517-8 1472-0 1480-4 1480-7 1880-7 18	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12-5 12-5 12-5 12-5 12-5 12-5 12-5 12-5	MUNT (NAY) HOUNT (09 09 07 12.5 00 00 00 00 00 00 00 00 00 00 00 00 00	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.09 09.47 09.19 08.77 08.77 08.77 08.77 08.77 08.13 07.09 06.31 07.09 06.31 07.09 06.31 07.09 06.31 07.09 06.31 07.09 06.31 07.09 06.31 07.09 06.31 07.09 08.31 07.09 08.31 09.31 09.31 09.31 09.31 09.31 09.31 09.31	SAL 33.10 33.10 33.10 33.10 33.40 34.41 34.43 34.17 33.855 34.87 34.87 34.87 34.92 34.92 34.92 34.91 34.91 34.91 34.93 34.	80LB 13-7 METR 101-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 27-43 27-43 27-43 27-43 27-43 27-43 27-47 27-47 27-50 27-50 27-50 27-51 27-61 27-71 27-71 27-71 27-71 27-71 27-81	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1511-2 1517-6 1517-6 1472-0 1480-4 1480-3 1479-6 1479-7 1480-7 1	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	MUNT DAY HOUNT DAY HOUNT DAY HOUNT DAS DAY	09 09 07 07 07 07 07 07 07 07 07 07 07 07 07	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.47 09.49 09.47 09.19 08.17 08.17 08.17 08.17 08.17 08.17 08.11 07.09 06.17 08.17 06.31 07.09 06.17 06.31 07.09 06.19 06.31 07.09 06.19 06.31 07.09 06.19 08.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30	SAL 33.102 33.102 33.402 34.41 34.45 34.47 33.85 34.87 34.87 34.97 34.97 34.97 34.97 34.97 34.97 34.97 34.97 34.97 34.97	8018 13-7 METR 1011-7 D 7/A 7/B SIGMA-T 24-09 24-09 24-57 24-72 26-73 26-74 27-43 27-43 27-43 27-43 27-46 27-50 27-50 27-50 27-50 27-50 27-61 27	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	SNU VEL 1511-2 1511-2 1511-2 1517-6 1517-6 1495-8 1472-0 1480-4 1480-3 1479-4 1482-1 1492-2 1479-7 1481-7 1481-7 1481-7 1481-7 1481-7 1481-7 1481-7 1481-7 1481-7 1505-5 1512-3	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	MUNT DAY HOUR PART DAY HOUR PART DAY NO BY DAY STD DAY DAY STD DAY DAY STD DAY	UEPTH UUCOO 00700 UUU10 UU10 U100 UU10 UU1	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50	33.10 33.10 33.10 33.10 33.40 34.41 34.41 34.41 34.84 34.92 34.92 34.90 34.91 34.91 34.93 34.93 34.93 34.93 34.93	BULB 13-7 METR 101-17 D 7/A 7/B SIGMA-T 24-09 24-57 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 27-61 27-61 27-62 27-61 27-62 27-71 27-71 27-71 27-71 27-71 27-81 27-84 27-87 27-87 27-87 27-87 27-87 27-87 27-87 27-87 27-87 27-87 27-87	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	5 % SMU VEL 1511 -2 1512 -2 1514 -7 1517 -6 1517 -6 1472 -0 1472 -0 1472 -1 14	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2
CUNSEL LAT LUNG	12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	MUNT DAY HOUNT DAY HOUNT DAY HOUNT DAS DAY	09 09 07 07 07 07 07 07 07 07 07 07 07 07 07	SHIP HT UATA USE 1 AREA 05 TEMP 16.97 17.74 18.50 18.50 18.50 19.47 09.49 09.47 09.19 08.17 08.17 08.17 08.17 08.17 08.17 08.11 07.09 06.17 08.17 06.31 07.09 06.17 06.31 07.09 06.19 06.31 07.09 06.19 06.31 07.09 06.19 08.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30 09.30	SAL 33.102 33.102 33.402 34.41 34.45 34.47 33.85 34.87 34.87 34.97 34.97 34.97 34.97 34.97 34.97 34.97 34.97 34.97 34.97	BULB 13-7 METR 101-17 D 7/A 7/B SIGMA-T 24-09 24-57 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 24-72 27-61 27-62 27-50 27-50 27-50 27-51 27-62 27-61 27-62 27-63	05 SEA CL/TR DYNUPTH 00.000 00.036 00.069	5 % SMU VEL 1511 -2 1511 -2 1512 -2 1514 -7 1517 -8 1472 -0 1480 -4 1480 -4 1480 -4 1480 -4 1480 -7 14	dIND-SPO dIND-FUR WEATHER	X2	DURA OR I	E DIR TION A3 O		2	SQUARE 46 SQUARE 47	2

Table X.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8-10 September 1972, Prepared from NODC Listing No. 31-2137.—Continued

CUNSEC	2137 0007	DAY	1972 9 09 09	BOTUP 03/29 SHIP HT DATA USE 1 AKEA J5	AIR WEI BARO		UIR H US SEA CL/IA	T PER	MIND-DIR MIND-SPD MIND-FOR MEATHER	25	TRACE			2	N SQ 1300 SQUARE SQUARE 40 SQUARE 40	2
CASTNUM			DEPTH	TEMP	SAL	SIGMA-1	DYNUPIA	SND VEL	OXY G	P04	101 0	NG2	NO3	\$103	Рн	
CASTAGA		-							uni v					-103		
	18.4	510	00000	17.36	33.07	23.85	03.300	1513.6								
		012	COOLO	11.90	31.03	25.10	02.355	1494.8								
		SID	00020	07.33	32.49	25.01	00.060	1475.0								
	18.4	510	00030	04.15	33.05	20.24	03.380	1465.4								
	13.4	UB 5	00348	01.94	33.426	26.74		1456.0								
		510	20250	02.49	33.53	26.78	00.111	1459.2								
	18.4	280	00073	06.24	34.320	20.99	00-140	1476.1								
	18-4	200	10091	05.62	34.249	21.03		1474.1								
		STO	00100	05.77	34.28	21.33	00.167	1474.9								
	18.4	310	00125	06.82	34.50	27.10	03-192	1479.7								
		STU	00150	C7. 19	34.64	27.10	00.218	1482 .6								
	18.4	082	100199	07-45	34.747	27.18		1483.7								
		510	00200	07.42	34.74	27.18	00.266	1485.6								
	18.4	UBS	00296	05.55	34.627	27.34	00.710	1477.0								
		STD	00100	35.55	34.64	27.34	00.351	1477.7								
	18.4	STD	00400	05.55	34.82	21.48	00.423	1479.5								
	18-4	085	00495	04.89	34.869	27.61	00.423	1478.5								
		STO	60503	14.88	34.87	27.61	03.462	1478.6								
	18.4	085	00600	04.68	34.914	27.67		1479.3								
		STO	00700	04.44	34.91	21.69	00.584	1479.4								
	18.4	005	100786	04-29	34.912	27.71	00.704	1480.								
		STO	00800	04.28	34.91	27.71	00.033	1461.1								
	18.4	STD 085	00900	04.18	34.92	21.12	03.660	1482.4								
	18.4	085	101461	03.84	34.927	21.77		1490.7					K-20"			
REFID 31 CONSEC LAT 44 LONG 047	0008 23 N	MONT	R 1972 TH 09 09 R 21.6	BUTDP 03539 SHIP HT DATA USE 1 AREA 05	HET	TEMP 16.4 SULB 14.6 DMETR 1014.0	03	GT PER	WIND-DIR WIND-SPL WIND-FOR WEATHER	28	TRAC O	NANSEN E OLR ILON A3 O5		5 2	N SQ 1300 SQUARE 6 SQUARE 6 SQUARE 6	6
CASTNUM	T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	UXYG	PU4	101 P	NO2	NO3	5103	PH	
		STD	00000	18.11	32.97	23.72	00.000	1514.4								
	21.6	085	00000	18.11	32.973	23.72		1514.4								
		STD	00010	13.34	32.95	24.76	03.337	1499.6								
	21.6	085	00020	07.61	32.92	25.46	00.066	1485.6								
		510	000 30	05.71	33.02	26.05	00.088	1471.8								
	21.6	085	00049	02.01	33.517	26.81	00	1457.1								
	21.6	STD	00050	02.20	34.262	26.82	00.120	1454.0								
		STD	00075	05.72	34.28	27.04	00.149	1474.2								
	21.6	STD	00098	00.86	34.557	27.11		1479.5								
		STO	00125	06.86	34.56	27.16	00.174	1479.6								
	21.6	OBS	00147	06.64	34.650	27.19	00.170	1480.4								
		STO	00150	06.81	34.65	27.19	00.221	1480.3								
	21.6	OBS	00200 100201	06.26	34.664	27.27	00.264	1479.0								
		STO	00250	05.27	34.66	27.40	00.303	1475.8								
	21.6	QBS	00299	04.86	34.656	27.44		1474.9								
	21.6	OBS	00300 100397	04.87	34.66	27.44	00.339	1475-0								
		STD	00400	05.72	34.95	27.57	00.402	1480 - 5								
		STD	00500	05-47	35.03	27.67	00.456	1481.2								
	21.6	085	00500 100598	05.47	35.034	27.67		1481 -2								
		SID	00600	04.52	34.92	27.69	00.505	1478.8								
		STO	00700	04.22	34 - 90	27.71	00.552	1479.2								
	21.6	UBS	00794	04.05	34.887	27.71		1480.0								
		STD	00800	04.05	34.89	27.72	00.599	1480.1								
		14/4/4														
	21.6	085	T00995 T01495	04.04	34.492	27.80		1483.5								

Table N.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8–10 September 1972, Prepared from NODC Listing No. 31–2137.—Continued

CINCEPTION LIGHTY OLD STATE SALE SIGNAL DYNOMIN SOUND NO. BY OUT OF MICE WAS \$100 \$100 \$100 \$100 \$100 \$100 \$100 \$10	REFID 31 2137 COVSEC 0009 LAT 44 24 N LOTO 048 04 H	DAY	1972	SHIP HT DATA USE 1 AREA 05	MET B BARUM CLOUD	ULB 14.1 ETR 1014.8	DIR HO J3 S SEA CL/TR		MIND-DIR MIND-SPD MIND-FUR WEATHER	23	THAC	NAMSEN E DER TION A3 05		3	SQ 1306 SQUARE 2 SQUARE 48 SQUARE 48	
00.1 085 00000 11.0 03.0 11.0 03.0 11.0 03.0 11.0 03.0 11.0 11	CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNUPTH	SND VEL	OXYG	PU4	101 P	NO2	NO3	\$103	PH	
1510 000120 11.5							60-000									
100.1 100.00 10	00.3						00.017									
00.1 085 00000 00.15 00.000 00.0000 00.0000																
STD 000-50 000-	00.3	385	00024	00.00	32.481	25.50		1474.9								
00.1 885 00010 00.40 81.757 20.70 00.41 144.																
00.3 08.5 00.007 0.4.87 34.138 27.03 00.187 1470.8 00.19 0.187 1470.8 00.19 0.187 0.187 0.187 0.187 1470 27.115 0.187 1470.8 00.19 0.187 0.187 0.187 0.187 0.187 0.187 0.187 1470.8 00.19 0.187 0.18	00.3					20.10										
00.3 00.5 0.100 0.4 0.4 0.4 0.4 0.4 0.4 0.2 0.2 0.2 1.471.0 0.2 0.							00.161									
00.1 00.5 00.10 00.10 00.10 00.10 00.10 1.00 00.10 1.00 00.10 1.00 00.10	00.3					27.03	00.187									
STD 00150 00.5 00.83 34.754 27.43 00.233 1476.2	00.3			05.48		27.11		1473.8								
00.15 085 00150 0150 0150 0150 0150 0150 01					34.46											
0.1.5 0.1.5 0.0.2 0.0.7 0.0.2 0.0.7 1.7.5 0.0.2	00.3					27.24	00.233									
STO 002-50 05-69 34-76 27-74 00-505 1486-5 1486-6 00-30 1486-5 1486-6 00-30 1486-5 00-30 00-50		510		04.92	34.52		00-274									
0.1. 01. 01. 00. 00. 00. 18	00.3			04.58		27.41	00.111									
03.2 051 000.00 05.85 35.01 27.40 00.40 1481.1 00.3 085 00012 05.85 35.01 27.45 00.40 1481.1 00.3 085 00012 05.39 34.90 27.70 00.50 1486.5 00.3 085 00012 05.39 34.90 27.70 00.50 1486.5 00.3 010 0000 04.70 34.90 27.71 00.55 1486.5 00.3 010 0000 04.70 34.90 27.71 00.55 1486.3 00.3 010 0000 04.70 34.90 27.71 00.55 1486.3 00.3 010 0000 04.70 34.90 27.71 00.55 1486.3 00.3 010 0000 04.70 34.90 27.71 00.55 1486.3 00.3 010 0000 04.70 34.90 27.71 00.55 1486.3 00.3 010 0000 04.70 34.90 27.71 00.55 1486.3 00.3 010 0000 04.71 34.90 27.71 00.55 1486.3 00.3 010 0000 04.71 34.90 27.71 00.55 1486.3 00.3 010 0000 04.71 34.90 27.71 00.55 1486.3 00.3 010 0000 04.71 34.90 27.71 00.55 1486.3 00.3 010 0000 04.71 34.90 27.71 00.55 1486.3 00.3 010 0000 04.71 04.71 00.71 00.71 1486.3 00.3 010 0000 04.71 04.71 00.71 00.71 1486.3 00.3 010 0000 04.71 04.71 00.71 00.71 1486.3 00.3 010 0000 04.71 04.71 00.71 00.71 1486.3 00.3 010 0000 04.71 04.71 00.71 00.71 1486.3 00.3 010 0000 04.71 00			00:00	06.18	34.91	27.48		1480-6								
00.3 085 100.00 05.41 35.01 27.41 00.40 1441.1 00.3 085 100.00 05.42 33.90 27.70 00.510 140.5 00.3 085 100.00 05.4.22 33.90 27.70 00.510 140.5 00.3 085 100.00 06.4.22 33.90 27.71 00.510 140.5 00.3 085 100.00 06.4.22 34.90 27.71 00.510 140.5 00.3 085 100.00 06.4.22 34.90 27.74 00.60 1441.2 00.3 085 101.00 06.00 06.31 34.90 27.74 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.74 140.5 00.3 085 101.00 06.31 34.90 27.74 140.5 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 06.31 34.90 27.70 00.60 1441.2 00.3 085 101.00 00.60 00	00.3						00 404									
00.3 085 00500 09.54 34.99 27.60 00.400 1481.1 00.3 085 100012 09.50 34.99 27.60 00.510 1481.0 00.3 085 100010 04.50 34.99 27.71 00.3 085 00700 04.10 34.99 27.71 00.3 085 00700 04.10 34.99 27.71 00.3 085 00700 04.10 34.99 27.71 00.3 085 00700 04.10 34.99 27.71 00.3 085 00700 04.10 34.99 27.71 00.3 085 00700 04.15 34.99 27.71 00.3 085 00700 04.15 34.99 27.71 00.3 085 00700 04.15 34.99 27.71 00.3 085 00700 04.15 34.99 27.71 00.3 085 00700 04.18 34.99 27.71 00.3 085 00700 04.18 34.99 27.71 00.3 085 00700 04.18 34.90 27.71 00.3 085 00700 04.18 34.90 27.71 00.3 085 00700 04.18 34.90 27.71 00.3 085 00700 04.18 34.90 27.71 00.4 085 00700 04.18 34.90 27.71 00.5 085 00700 04.18 34.90 27.71 00.6 085 00700 04.18 34.90 27.71 00.6 085 00700 04.18 34.90 27.71 00.6 085 00700 04.18 34.90 27.18 00.7 085 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.8 00700 04.18 34.90 27.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.18 34.90 34.18 00.9 085 00070 04.	00.3						00.408									
00.3 085 100.00 04.92 34.99 27.70 00.510 1400.5 00.3 085 100.00 10.00 34.92 34.99 27.71 00.00 1400.5 00.3 085 000.00 04.22 34.99 27.74 00.00 1402.5 510 000.00 04.22 34.99 27.74 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.74 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.74 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 100.00 04.22 34.99 27.76 00.00 1402.5 00.3 085 000.00 17.99 33.21 27.90 00.00 1514.3 03.0 085 000.00 17.99 33.21 27.93 00.00 1514.3 03.0 085 000.00 17.99 33.21 27.93 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.22 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42 27.10 00.00 1514.3 03.0 085 000.00 17.99 33.42		STD	00500	05.44	34.99	27.64	00.460									
00.3 085 100-10 04-85 34-992 27-71 040-5 1481-5 1 1480-5 1 1480-5 1 1481-5	00.3					27.44	00.510									
0.3 0.5 0.00 0.3 0.5 0.00 0.3 0.5	00.3	085	100010	04.85	34.992	27.71		1480.5								
00.3 085 00820 04.47 34.979 27.7% 00.48 1481.1 25 100.48 1481.1 20.40 27.70 00.48 1481.1 20.40 27.70 00.48 1481.1 20.40 27.70 00.48 1481.1 20.40 27.70 00.48 1481.1 20.40 27.70 00.48 1481.1 20.40 27.70 00.48 1481.1 20.40 27.70 1481.7 20.40 27.70 2																
STO 00000 0-34 34-97 27-75 00-648 1483-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79 1484-1 00-79	00.3				34.979	27.74	40.003									
Control Cont		STO	00900	04.34	34.97	27.75										
Ref 1 1 21 31 3	00.1	065			34.959		00.693	1484.5								
CLISTY 11 2137 YEAR 1572 SOTUP U3025 AIR TEMP IV-6 DEP MOT PER MIND-OIR 36 TRACE DIR SOUGHE 2 SOUGHE 2 SOUGHE 2 CLUU T/A 8/6 C		DBS	101581		34.940											
STO 00000 17.99 33.40 23.93 1514.3			1972	8010P 03023			01# H		HIND-DIE	34			CAST	5	SQUARE &	2
10.0	LAT 44 27 N	DAY	10	UATA USE 1	BARON	IETH 1014.5	SEA		WIND-FUE		DUR	ALLIA	9			
\$10 00013	Lat 44 27 N	DAY HOUR LVLTYP	33.0	UATA USE 1	BARO	T/A H/6	SEA CL/TR		MEATHER	X1	DUR	G AS O		1	SQUARE 4	
STO 000270 10.41 33.03 24.16 00.013 1509-7	LASTNUM/TIME	DAY HOUR LVLTYP STO	03.0 DEPTH	TEMP	SAL 33.21	SIGMA-1	SEA CL/TR	SNO VEL	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10	LASTNUM/TIME	DAY HOUR LVLTYP STO OBS	00000 00000	TEMP 17.99 17.99	SAL 33.21 33.209	SIGMA-T 23.93 23.93	SEA CL/TR DYNDPTH 00-000	SNO VEL 1514.3 1514.3	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
03-0	LaT 44 27 N LOVE 048 21 W LASTNUM/TIME	LVLTYP STO OBS STO STO	03.0 DEPTH 00000 00013 00320	TEMP 17.99 17.99 17.20 10.41	SAL 33.21 33.209 33.12 33.03	SIGMA-T 23.93 23.93 24.05 24.16	SEA CL/FR DYNDPTH 00.000	SNO VEL 1514.3 1514.3 1512.0 1509.7	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
03-0	LaT 44 27 N LOVE 048 21 W LASTNUM/TIME	DAY HOUR STO OBS STO STO OBS	10 03.0 DEPTH 00000 00010 00013 00020 00024	TEMP 17.99 17.99 17.20 10.41 16.09	SAL 33.21 33.20 33.12 33.03 32.993	SIGMA-T 25.93 23.93 24.15 24.21	SEA CL/TR DYNDPTH 00.000 00.034 00.075	SNO VEL 1514.3 1514.3 1512.0 1509.7 1508.7	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00075 04.19 34.06 27.04 03.171 1467.6 1473.6 1510 00103 05.42 34.36 27.12 1473.6 1473.6 1510 00103 05.42 34.36 27.14 00.202 1473.5 1510 00103 05.42 34.36 27.14 00.202 1473.6 1473.6 1510 00105 05.30 34.36 27.26 0 1473.6 1473.6 1510 00150 05.30 34.33 27.26 0 1473.6 1473.6 1510 00200 0 0 34.73 27.42 00.246 1475.7 1510 00200 0 0 34.73 27.42 00.246 1475.7 1510 00200 0 0 34.73 27.42 00.248 1475.7 1510 00200 0 0 34.73 27.62 0 1473.6 1473.1 14	Last 44 27 N Love 046 21 M LastNUM/TIME 03-0	DAY HOUR LVLTYP STO OBS STO STO OBS STO OBS STO OBS	10 03.0 DEPTH 00000 00010 00013 00024 00024 00024 00047	TEMP 17.99 17.99 17.20 10.41 16.09 10.35 00.80	SAL 33.21 33.20 33.12 33.03 32.993 33.05 33.315	SIGMA-T 23.93 23.93 24.05 24.16 24.21 25.59 26.73	DYNDPTH 00-000 00-039 00-078	SNO VEL 1514.3 1514.3 1512.0 1509.7 1508.7 1489.0	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00103 05.42 34.36 27.14 00.202 1473.5 \$10 00125 05.27 34.44 27.22 00.225 1473.4 03.0 085 00140 05.24 34.88 27.26 03.0 085 100141 05.48 34.99 27.40 00.246 1474.1 \$10 00200 05.50 34.93 27.42 00.283 1476.0 \$10 00200 05.50 34.85 27.91 00.316 1477.3 \$10 00200 05.50 34.85 27.91 00.316 1477.3 \$10 00300 05.17 34.83 27.94 00.346 1476.4 03.0 085 100370 04.00 34.749 27.61 1476.4 03.0 085 100370 04.00 34.749 27.61 1477.9 \$10 00400 04.40 34.83 27.63 00.401 1477.9 \$10 00500 05.10 35.01 27.69 00.450 1479.9 \$10 00500 05.10 35.01 27.71 04.66 35.01 27.71 00.491 1480.8 \$10 00500 04.78 35.01 27.71 00.589 1482.3 \$10 00600 04.30 34.97 27.75 00.583 1483.0 03.0 085 100751 04.68 35.007 27.74 1482.3 \$10 00600 04.30 34.97 27.75 00.583 1483.0 03.0 085 100751 04.68 35.007 27.74 1482.3 \$10 00600 04.30 34.97 27.75 00.583 1483.0 03.0 085 10128 03.74 34.942 27.74 1490.4 \$10 00500 03.59 34.94 27.81 1499.9 \$10 01500 03.59 34.94 27.81 1499.9 \$10 01500 03.59 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1497.4 \$10 02000 03.29 34.94 27.83 1500.6 \$10 02000 03.29 34.94 27.83 1500.6 \$10 02000 03.29 34.94 27.85 1500.6 \$10 02000 03.29 34.94 27.85 1500.6 \$10 02000 03.29 34.94 27.85 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94 27.86 1500.6 \$10 02000 03.29 34.94	CASTNUM/TIME 03-0 03-0	LVLTYP STO OBS STO UBS STO OBS STO OBS STO OBS STO OBS STO	10 03.0 DEPTH 00000 00013 00020 00024 00024 00047	TEMP 17.99 17.99 17.99 17.20 10.41 16.09 10.35 00.80 01.25	SAL 33.21 33.209 33.12 33.03 32.993 33.05 33.35 33.42	SIGMA-T 23.93 23.93 24.05 24.16 24.21 25.39 26.73	DYNDPTH 00-000 00-039 00-078	SNU VEL 1514.3 1514.3 1512.0 1509.7 1508.7 1489.0 1451.4	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00125	CASTNUM/TIME 03-0 03-0	DAY HOUR STO OBS STO UBS STO UBS STO UBS STO UBS UBS	10 03.0 DEPTH 00000 00013 00013 00024 00024 00047 00050	TEMP 17.99 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72	SAL 33.21 33.209 33.12 33.03 32.993 33.05 33.35 33.42 33.964	SIGMA-T 23-93 23-93 24-05 24-16 24-21 25-39 26-78 27-01	DYNDPTH 00-000 00-039 00-073 00-144	SNO VEL 1514.3 1514.3 1512.0 1509.7 1508.7 1489.0 1451.4 1453.0	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
03.0 085	03-0 03-0 03-0	DAY HOUR LVLTYP STO OBS	DEPTH 00000 00013 00024 00024 00030 00047 00050 00075	TEMP 17.99 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47	SAL 33.21 33.20 33.12 33.03 32.99 33.05 34.315 33.42 33.964 34.06 34.343	SIGMA-T 23.93 24.05 24.10 24.21 25.39 26.73 27.01 27.04 27.12	DYNDPTH 00.000 00.039 00.075 00.107	SNO VEL 1514.3 1514.3 1512.0 1509.7 1508.7 1489.0 1451.4 1453.0 1465.4 1467.6	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
03.0	03-0 03-0 03-0	DAY HOUR LVLTYP STO OBS STD	10 03.0 DEPTH 00000 00013 00020 00024 00047 00050 00047 00050 00075	17.99 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47	SAL 33.21 33.20 33.12 33.03 32.993 33.05 33.315 33.42 33.964 34.06 34.343 34.36	SIGMA-T 25.93 23.93 24.05 24.16 24.21 25.39 26.75 27.01 27.04 27.12	DYNDPTH 00.000 00.039 00.073 00.107 00.144 00.171	SNU VEL 1514.3 1514.3 1512.0 1509.7 1508.7 1489.0 1451.4 1453.0 1467.0 1473.0	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00200 05.50 34.73 27.42 00.283 1470.0 \$510 00250 05.57 34.85 27.51 00.10 1477.3 \$510 00300 05.65 34.884 27.51 00.346 1470.2 \$510 00300 05.67 34.88 27.51 00.346 1470.2 \$510 00300 05.67 34.88 27.51 00.346 1470.2 \$510 00400 04.00 34.74 27.63 00.401 1470.7 \$510 00400 04.00 34.83 27.63 00.401 1470.7 \$510 00500 05.10 35.01 27.69 00.450 1470.7 \$510 00500 05.10 35.01 27.69 00.450 1470.7 \$510 00600 04.96 35.02 25.017 27.71 1480.4 \$510 00700 04.78 35.01 27.73 00.543 1481.7 \$510 00800 04.56 35.02 27.74 1482.1 \$510 00800 04.56 35.00 27.74 1482.1 \$510 00900 04.30 34.97 27.75 00.583 1483.0 \$510 00900 04.30 34.97 27.75 00.633 1483.0 \$510 00500 03.50 34.94 27.74 1480.4 \$510 01500 03.69 34.94 27.79 1490.4 \$510 01500 03.69 34.94 27.79 1490.4 \$510 01500 03.69 34.94 27.79 1490.4 \$510 02000 03.35 34.94 27.81 1493.9 \$510 02000 03.35 34.94 27.81 1493.9 \$510 02000 03.35 34.94 27.81 1493.9 \$510 02000 03.30 34.94 27.81 1493.9 \$510 02000 03.30 34.94 27.81 1493.9 \$510 02000 03.30 34.94 27.81 1493.9 \$510 02000 03.30 34.94 27.81 1493.9 \$510 02000 03.30 34.94 27.81 1499.7 \$510 02000 03.30 34.94 27.81 1499.7 \$510 02000 03.30 34.94 27.85 1500.6 \$510 03000 02.69 34.99 27.86 1500.6 \$510 03000 02.69 34.99 27.86 1510.9 \$510 03000 02.69 34.99 27.88 1511.8 \$510 03000 02.69 34.99 27.88 1511.8 \$510 03000 02.69 34.99 27.88 1511.8 \$510 03000 02.69 34.99 27.88 1511.8 \$510 03000 02.69 34.99 27.88 1511.8 \$510 03000 02.69 34.99 27.88 1511.8	CASTNUM/TIME 03-0 03-0 03-0 03-0 03-0	DAY HOUR STO OBS OBS OBS OBS OBS OBS OBS OBS	DEPTH 00000 00013 00120 00020 00020 00020 00020 00020 00020 00020 00020 00020	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.60 01.25 03.72 04.19 05.47 05.62 05.27	SAL 33.21 33.29 33.12 33.03 32.99 33.05 33.42 33.42 34.46 34.46 34.46 34.48	SIGMA-T 25.93 23.93 24.05 24.16 26.21 25.39 26.75 26.71 27.04 27.14 27.22 27.26	DYNDPTH 00.000 00.039 00.073 00.104 00.114 00.171	SNU VEL 1514.3 1514.3 1514.3 1512.0 1509.7 1489.0 1451.4 1453.0 1467.0 1473.0 1473.5 1473.6	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
C3.0 UBS	CASTNUM/TIME 03-0 03-0 03-0 03-0 03-0 03-0	LVLTYP STO OBS STO UBS STO UBS STO UBS STD	DEPTH 00000 00010 00120 00024 00030 00047 00050 00010 00110 00110 00110 00110 00110	UATA USE 1 AREA 05 TEMP 17.99 17.99 17.20 10.41 16.09 10.35 00.60 01.25 03.72 04.19 05.47 05.42 05.27 05.24	SAL 33.21 33.29 33.12 33.05 33.05 33.05 33.42 33.942 34.46 34.46 34.48 34.68 34.48	SIGMA-T 23.93 23.93 24.15 24.16 24.21 25.35 26.75 27.01 27.04 27.12 27.14 27.22 27.26	DYNDPTH 00.000 00.039 00.073 00.104 00.114 00.171	SNU VEL 1514-3 1514-3 1514-3 1512-0 1508-7 1489-0 1451-4 1451-4 1452-0 1473-0 1473-0 1473-4 1473-6	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00300	CASTNUM/TIME 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR LVLTYP STO OBS STO	10 033.0 DEPTH 200.00 000.10 000.10 000.24 000.20 000.24 000.20 000.2	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47 05.22 05.27 05.24 05.30 05.88	SAL 33.21 33.29 33.12 33.03 32.99 33.35 33.35 33.35 33.45 34.96 34.46 34.98 34.96 34.96 34.96 34.96	SIGMA-T 23.93 23.93 24.15 24.15 24.21 25.39 26.73 26.73 27.01 27.02 27.12 27.12 27.12 27.22 27.26 27.40 27.40 27.40 27.40	DYNDPTH 00-000 00-039 00-073 00-104 00-114 00-117 00-202 00-225 00-246 00-283	SNO VEL 1514-3 1514-3 1514-3 1512-0 1509-7 1508-7 1508-7 1489-0 1451-4 1451-0 1473-0 1473-0 1473-0 1473-1 1475-7	#EATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00400 040 3483 27.63 00.401 1470.9 03.0 085 00473 03.13 35.002 27.68 1470.7 03.0 085 100565 05.02 35.01 27.69 00.450 1470.7 \$10 00500 05.10 35.01 27.69 00.450 1470.7 \$10 00500 04.96 35.02 27.71 0480.8 \$10 00700 04.96 35.01 27.73 00.451 1481.7 \$10 00800 04.54 35.01 27.73 00.451 1481.7 \$10 00800 04.54 35.007 27.74 \$10 00800 04.54 34.99 27.74 00.589 1482.3 \$10 00900 04.54 34.99 27.74 00.589 1482.3 \$10 00900 04.30 34.97 27.75 00.633 1483.0 \$10.0 085 10123 03.76 34.94 27.75 00.633 1483.0 \$10 01500 03.69 34.94 27.79 1480.4 \$10 01500 03.69 34.94 27.79 1480.4 \$10 01500 03.69 34.94 27.79 1480.4 \$10 0200 03.35 34.94 27.83 1491.4 \$10 0200 03.35 34.94 27.83 1497.4 \$10 0200 03.29 34.95 27.84 1498.7 \$10 0200 03.29 34.95 27.84 1498.7 \$10 0200 03.01 34.94 27.85 1504.5 \$10 03000 02.69 34.93 27.86 1500.6 \$10 03000 02.69 34.93 27.86 1510.9 \$110 150.6	03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR STO OBS STO	10 033.0 DEPTH 00000 00010 00010 00024 00024 00020 00020 00020 00020 00100 00100 00100 00101 00101 00101 00101 00200 00250	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47 05.22 05.24 05.30 05.48 05.50	SAL 33.21 33.21 33.22 33.12 33.03 32.993 33.964 34.06 34.44 34.46 34.48 34.53 34.69 34.73 34.67	SIGMA-T 25.93 23.93 24.05 24.16 24.21 25.39 26.75 26.71 27.04 27.12 27.14 27.26 27.27 27.40 27.40 27.42	DYNDPTH 00-000 00-039 00-073 00-104 00-114 00-117 00-202 00-225 00-246 00-283	SNU VEL 1514.3 1514.3 1514.3 1512.0 1509.7 1508.7 1489.0 1451.4 1455.0 1471.5 1473.6 1473.6 1473.6 1474.1 1475.0	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
03.0 UBS 00473 US.13 35.002 27.69 1479.5 510 00500 05.10 35.01 27.69 00.450 1479.7 03.0 UBS 100565 05.02 35.017 27.71 1480.4 510 00700 04.78 35.01 27.71 00.494 1480.7 03.0 UBS 100751 04.68 35.007 27.74 1480.8 510 00800 04.54 34.99 27.74 00.589 1482.3 510 00900 04.30 34.97 27.75 00.633 1483.0 03.0 UBS 100764 04.21 34.94 27.75 00.633 1483.0 03.0 UBS 101428 03.74 34.942 27.77 04.97 1480.8 510 01500 03.69 34.94 27.81 1480.4 510 01500 03.69 34.94 27.81 1490.4 510 01500 03.52 34.94 27.81 1490.4 510 02000 03.23 34.94 27.81 1499.9 510 02000 03.23 34.94 27.81 1499.9 510 02000 03.23 34.94 27.83 1497.4 05.4 UBS 02090 03.29 34.94 27.83 1497.4 05.4 UBS 02090 03.29 34.94 27.85 1506.5 05.4 UBS 02090 03.29 34.931 27.86 1506.6 05.4 UBS 02090 03.00 22.69 34.931 27.86 1510.9 510 03000 02.69 34.931 27.86 1511.8	03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR STO OBS STO	10 033.0 DEPTH 00000 00010 00013 00024 00020 00020 00020 00020 00020 00020 00020 00103 00125 00140 00150 002	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.83 01.25 03.72 04.19 05.47 05.42 05.24 05.30 05.48 05.50 05.57	SAL 33.21 33.21 33.12 33.03 32.993 33.964 34.06 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96 34.96	SIGMA-T 25.93 23.93 24.05 24.16 24.21 25.39 26.173 26.76 27.04 27.12 27.14 27.12 27.14 27.26 27.27 27.40 27.51 27.53	DYNDPTH 00-000 00-039 00-073 00-109 00-1148 00-117 00-202 00-225 00-246 00-283 00-316	5NU VEL 1514.3 1514.3 1514.3 1514.3 1592.7 1508.7 1489.0 1451.4 1457.0 1473.0 1473.0 1473.1 1475.7 1476.0	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
03.0 JaS 100565 05.02 35.017 27.71 1480.4 510 Julio Ju	03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR STO OBS STD OBS	10 03 - 0 DEPTH 200 00 00 00 00 10 00 12 00 02 00 00 02 00 00 02 00 00 02 00 00 00 00 0	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 03.72 04.19 US.47 05.42 05.24 05.30 05.48 05.90 05.59 05.55 US.17	SAL 33.21 33.22 33.12 33.05 33.42 33.95 34.94 34.94 34.96 34.94 34.96	SIGMA-T 23.93 23.93 24.05 24.10 24.21 25.39 26.78 27.01 27.04 27.12 27.14 27.26 21.49 21.49 21.49 21.49 21.49 21.40 21.45 21.53 21.54	DYNDPTH 00-000 0J.J3y 00-073 00-107 00-1148 0J.177 00-202 00-225 00-246 00-283 00-310 00-340	SNO VEL 1514.3 1514.3 1514.3 1514.0 1509.7 1489.0 1451.4 1455.0 1465.4 1467.6 1473.0 1473.0 1473.0 1473.1 1475.7 1476.0	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00.00 04.96 \$5.02 27.71 00.497 \$480.8 \$10 0700 04.78 \$5.01 27.73 00.543 \$481.7 \$10 00700 04.64 35.01 27.73 00.543 \$481.7 \$10 00800 04.54 34.99 27.74 00.589 \$482.3 \$10 00900 04.30 34.97 27.75 00.633 \$483.0 \$10 00900 04.30 34.97 27.75 00.633 \$483.0 \$10 00900 04.30 34.97 27.75 00.633 \$1483.0 \$10 00900 04.30 34.97 \$21.75 00.633 \$1483.0 \$10 00900 04.30 34.97 \$27.77 \$1480.4 \$10 00.689 \$10 00.69	03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR STO OBS	10 03 - 0 DEPTH 200 00 00 00 00 10 00 12 00 02 00 00 02 00 00 02 00 00 02 00 00 00 00 0	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.83 01.25 03.72 04.19 05.47 05.42 05.27 05.48 05.50 05.59 05.57 05.68	SAL 33.21 33.21 33.22 33.12 33.03 32.93 33.05 33.42 33.964 34.06 34.95 34.95 34.95 34.95 34.95 34.95 34.95 34.96	SIGMA-T 25.93 23.93 24.05 24.10 24.21 25.39 26.173 26.76 27.04 27.12 27.14 27.26 27.26 27.26 27.40 27.42 27.51 27.53 27.61	DYNDPTH 00-000 0J.J3y 00-073 00-107 00-1148 0J.177 00-202 00-225 00-246 00-283 00-310 00-340	SNO VEL 1514.3 1514.3 1514.3 1514.0 1509.7 1489.0 1451.4 1455.0 1473.0 1473.0 1473.0 1473.0 1473.0 1476.0 1476.0 1476.0	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00701 04.68 35.007 27.74 1482.1 \$10 0080 00751 04.68 35.007 27.74 1482.1 \$10 00800 04.59 34.99 27.74 00.589 1482.3 \$10 00900 04.30 34.97 27.75 00.633 1483.0 03.0 085 101428 03.74 34.942 27.76 1483.3 \$10 01500 03.69 34.94 27.79 1490.4 \$10 01500 03.52 34.94 27.81 1493.9 \$10 01750 03.52 34.94 27.81 1493.9 \$10 02000 03.29 34.94 27.83 1497.4 05.4 085 02.90 03.29 34.94 27.85 1504.5 05.4 085 102645 02.92 34.93 27.85 1504.5 05.4 085 102645 02.92 34.93 27.85 1504.5 \$10 03000 02.69 34.93 27.85 1506.6 \$10 03000 02.69 34.93 27.86 1511.8 05.4 085 102645 02.92 34.93 27.86 1511.8	03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0	DAY HOUR HOUR STO OBS STO UBS STO	10 33.0 DEPTH 20000 20010 20020 20020 20020 20050 20050 20075 20075 20075 20140 201000 20100 20100 20100 20100 20100 20100 20100 20100 201000 20100 20100 20100 20100 20100 20100 20100 20100 2010	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.83 01.25 03.72 04.19 05.47 05.42 05.27 05.24 05.30 05.48 05.59 05.59 05.55 05.17 04.00 04.40 US.13	SAL 33.21 33.22 33.12 33.03 33.12 33.05 33.42 33.964 34.06 34.94 34.95 34.95 34.95 34.96 34.96 34.97 34.98 34.97 34.98	SIGMA-T 25.93 23.93 24.05 24.10 24.21 25.39 26.173 26.713 26.713 27.04 27.14 27.14 27.12 27.14 27.12 27.14 27.15 27.60 27.60 27.60 27.60 27.60 27.60	DYNDPTH 00-000 00.03y 00-073 00-107 00-140 00-177 00-202 00-225 00-246 00-283 00-316 00-346	5NU VEL 1514-3 1514-3 1514-3 1514-3 1514-3 1508-7 1489-0 1451-4 1457-0 1473-0 1473-0 1473-1 1479-7 1476-0 1472-7 1476-0 1472-7 1476-0 1472-7 1476-0 1477-9 1479-9 1479-9	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 00800 04.54 34.99 27.74 00.889 1482.3 \$10 00900 04.30 34.99 27.75 00.633 1483.0 03.0 085 100943 04.21 34.964 27.76 1483.3 03.0 085 101428 03.74 34.942 27.79 1490.4 \$10 01500 03.69 34.94 27.79 1490.4 \$10 01750 03.52 34.94 27.81 1493.9 \$10 02000 03.53 34.94 27.81 1493.9 \$10 02000 03.35 34.94 27.83 1497.4 05.4 085 02.90 03.29 34.945 27.84 1498.7 \$10 02500 03.29 34.945 27.85 1504.5 05.4 085 102645 02.92 34.93 27.85 1506.6 05.4 085 02038 02.74 34.92 27.87 1510.9 \$10 03000 02.69 34.93 27.88 1511.8 05.4 085 103048 02.69 34.93 1511.8	03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0	DAY HOUR PROPERTY OF STO OBS	10 03 - 0 DEPTH 200 00 000 10 000 11 000 20 000 24 000 25 000 25 001 40 001 50 100 150 100 150 10	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47 05.62 05.24 05.30 05.48 05.90 05.57 06.00 04.40 05.11 05.10	SAL 33.21 33.22 33.12 33.03 32.99 33.42 33.942 33.946 34.44 34.48 34.09 34.73 34.68 34.69 34.73 34.88 34.93 34.73 35.01 35.01 35.01	SIGMA-T 23.93 23.93 24.05 24.10 24.21 25.39 26.75 26.76 27.01 27.04 27.14 27.26 27.26 27.27 27.40	DYNDPTH 00-000 00.03y 00.073 00.107 00.144 00.177 00.202 00.225 00.246 00.283 00-310 00.340 00.401	SNO VEL 1514-3 1514-3 1514-3 1514-3 1508-7 1489-0 1451-4 1451-4 1452-0 1473-0 1473-0 1474-1 1475-7 1476-0 1474-0 1	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$\frac{\sqrt{5}\tau}{0}\$ 0900 04.30 34.97 27.75 00.633 1488.0 00.630 00.65 101428 03.74 34.942 27.76 1488.3 00.65 101428 03.74 34.942 27.77 1489.4 00.65 10.1750 03.52 34.94 27.77 1490.4 00.65 10.1750 03.52 34.94 27.81 1493.9 00.65 00.	03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR STO OBS	10 03 - 0 DEPTH 200 00 000 10 000 12 000 20 000 20 000 25 001 40 001 50 100 150 100 150 1	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.60 01.25 03.72 04.19 05.47 05.42 05.24 05.30 05.48 05.50 05.51 06.00 04.40 05.13 05.10	SAL 33.21 33.23 33.12 33.03 33.12 33.05 33.42 33.94 34.94 34.94 34.94 34.95 34.96 34.73 34.96 34.97 35.01 35.01 35.01	SIGMA-T 25.93 23.93 24.05 24.16 24.21 25.39 26.75 26.76 27.01 27.04 27.12 27.14 27.26 27.27 27.40 27.42 27.51 27.69 27.69 27.69 27.71 27.71 27.71 27.71	0.000 0.000 0.0073 00.107 00.114 00.117 00.202 00.225 00.243 00.340 00.340 00.401 00.450	5NO VEL 1514-3 1514-3 1514-3 1514-3 1598-7 1489-0 1451-4 1451-0 1473-0 1473-0 1473-1 1475-7 1476-0 1474-1 1475-7 1476-0 1474-1 1475-7 1476-0 1474-1 1475-7 1476-0 1474-1 1475-7 1476-0 1477-3 1476-1 1	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
03.0 085 101428 03.74 34.942 27.79 1490.4 \$10 01500 03.69 34.94 27.79 1490.4 \$10 01750 03.52 34.94 27.81 1493.9 \$10 02000 03.35 34.94 27.83 1497.4 05.4 085 02490 03.29 34.945 27.84 1498.7 \$10 02500 03.01 34.94 27.85 1594.5 05.4 085 102645 02.92 34.931 27.86 1500.6 05.4 085 02938 02.74 34.922 27.87 1510.9 \$10 03000 02.69 34.93 27.88 1511.8 05.4 085 103048 02.64 34.925 27.88 1512.4	03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	10 33.0 DEPTH 20000 20010 20072 20000	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.60 01.25 03.72 04.19 05.47 05.42 05.27 05.24 05.30 05.48 02.50 05.57 05.65 05.17 04.00 04.40 US.13 05.10 05.02	SAL 33.21 33.22 33.12 33.12 33.03 32.93 33.05 33.42 33.944 34.06 34.463 34.69 34.69 34.69 34.69 34.69 34.69 34.69 35.01 35.01 35.01 35.01	SIGMA-T 23-93 23-93 24-93 24-93 24-10 24-21 25-35 26-75 27-70 27-72 27-74 27-72 27-73 21-74 27-69 27-71 27-73 27-74 27-74 27-74 27-75 27-76 27-77 27-77 27-77	0.000 0.000 0.0073 00.107 00.114 00.117 00.202 00.225 00.243 00.340 00.340 00.401 00.401 00.401	5NU VEL 1514-3 1514-3 1514-3 1514-3 1514-3 1508-7 1489-0 1451-4 1451-4 1457-0 1473-0 1473-0 1473-1 1476-0 1477-3 1478-2 1478-1 1478-7 1478-9 1479-3 1479-3 1479-3 1479-3 1479-3 1479-3 1479-3 1480-4 1480-4	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 01500 03.69 34.94 27.79 1490.4 \$10 01750 03.52 34.94 27.81 1493.9 \$10 02000 03.35 34.94 27.83 1497.4 05.4 085 02090 03.29 34.945 27.84 1498.7 \$10 02500 03.01 34.94 27.85 1504.5 05.4 085 102645 02.92 34.931 27.86 1506.6 05.4 085 02938 02.74 34.929 27.87 1510.9 \$10 03000 02.69 34.93 27.88 1511.8 05.4 085 103048 02.64 34.925 27.88 1512.4	03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR STO OBS STO UBS	10 33.0 DEPTH 20000 20010 20072 20000 20024 20005 20075 20	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47 05.42 05.24 05.30 05.48 05.50 05.51 04.00 04.40 05.10 05.02 04.48 04.58	SAL 33.21 33.22 33.12 33.03 32.93 32.93 32.93 33.05 33.42 33.944 34.06 34.443 34.06 34.483 34.73 34.85 34.85 34.85 35.001 35.017 35.017 35.017 35.017	SIGMA-T 23-93 23-93 24-93 24-93 24-10 24-21 25-35 26-76 27-04 27-12 27-14 27-22 27-26 27-40 27-40 27-40 27-51 27-53 21-69 27-71 27-73 27-74 27-74 27-74 27-74	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	5NU VEL 1514-3 1514-3 1514-3 1514-3 1514-3 1508-7 1489-0 1451-3 1451-4 1457-0 1473-0 1473-0 1473-1 1476-0 1477-3 1478-4 1478-1 1478-7 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1478-1 1488-1 1488-1	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
\$10 02000 03.52 34.94 27.81 1493.9 \$10 02000 03.55 34.94 27.83 1497.4 05.4 085 02000 03.29 34.945 27.84 1498.7 \$10 02500 03.01 34.945 27.85 1504.5 05.4 085 102645 02.92 34.931 27.86 1506.6 05.4 085 02938 02.74 34.929 27.87 1510.9 \$10 03000 02.69 34.93 27.88 1511.8 05.4 085 103048 02.64 34.925 27.88 1512.4	44 27 N LASTNUM/TIME 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	10 33.0 DEPTH 00000 00010 00017 00020 00020 00018 00018 00019	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47 05.22 05.48 05.59 05.88 07.59 05.65 05.17 04.00 04.40 05.10 05.10 05.10 05.10 04.48 04.38 04.38	SAL 33.21 33.23 33.12 33.03 32.993 33.05 33.42 33.944 34.06 34.44 34.06 34.45 34.693 34.693 34.693 34.693 34.693 35.01	SIGMA-T 25.93 23.93 24.05 24.16 24.21 25.39 26.75 26.71 27.04 27.14 27.14 27.26 27.40 27.	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	5NU VEL 1514-3 1514-3 1514-3 1514-3 1508-7 1489-0 1451-4 1451-4 1455-0 1473-5 1473-5 1473-1 1475-7 1476-0 1477-3 1478-2 1478-2 1478-1 1478-1 1478-2 1478-1 1480-4 1480-3 1480-3 1480-3 1480-3 1480-3 1480-3	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
05.4 (BS 02.90 03.29 34.945 27.44 1498.7 5TD 02500 03-01 34.94 27.85 1504.5 05.4 (BS 102645 02.92 34.931 27.86 1506.6 05.4 (BS 02.93 02.74 34.927 27.87 1510.9 5TD 03000 02.69 34.93 27.88 1511.8 05.4 (BS 103048 02.64 34.925 27.88 1512.4	44 27 N LASTNUM/TIME 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR STO OBS	10 33.0 DEPTH 00000 00010 00010 00024 00005 00024 00050 00075 00100 00150 00100 00150 00100 00150 00100 00150 00100 00150 00	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.00 10.35 07.80 01.25 03.72 04.19 05.47 05.42 05.24 05.30 05.48 00.57 05.57 05.55 05.17 04.00 04.40 05.13 05.10 05.02 04.78 04.30 04.21 04.31	SAL 33.219 33.12 33.32 33.12 33.03 31.29 33.12 33.05 33.42 33.94 34.06 34.44 34.98 34.95 34.69 34.69 35.01 35.01 35.01 35.01 35.01 35.01 35.01 34.99 34.99	SIGMA-T 23.93 23.93 24.05 24.21 25.35 26.73 26.73 26.73 27.04 27.12 27.14 27.22 27.26 27.40 27.40 27.40 27.16 27.61 27.61 27.61 27.61 27.61 27.61 27.61 27.61 27.61 27.61 27.63 27.64 27.67 27.76 27.77 27.74 27.74 27.75	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	SNO VEL 1514.3 1514.3 1514.3 1514.3 1514.3 1509.7 1489.0 1451.6 1451.6 1451.6 1473.6 1473.6 1474.1 1476.7 1476.0 1477.3 1476.4 1476.7 1476.4 1476.7 1470.7 1470.7 1470.7 1470.1 1481.7 1482.1 1482.3 1483.3	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
570 02500 03-01 34.94 27.85 1504.5 05.4 085 102645 02.92 34.931 27.86 1506.6 05.4 085 02938 02.74 34.929 27.87 1510.9 510 03000 02.69 34.93 27.88 1511.8 05.4 085 103048 02.64 34.925 27.88 1512.4	44 27 N LASTNUM/TIME 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0 03-0	DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	10 33.0 DEPTH 00000 00010 00013 00024 00030 000210 0000210 0000210 0000210 0000210 0000210 0000210 0000210 0000210 00000210 0000210 0000210	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.80 01.25 03.72 04.19 05.47 05.42 05.24 05.30 05.48 07.50 05.49 07.50 05.40 07.50 07.60 04.40 05.17 05.02 04.40 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10 05.10	SAL 33.21 33.23 33.12 33.03 32.993 33.05 33.42 33.94 33.45 34.06 34.44 34.46 34.46 34.48 34.08	SIGMA-T 23.93 23.93 24.05 24.10 24.21 25.39 26.75 27.12 27.14 27.22 27.14 27.26 27.12 27.12 27.26 27.27 27.40 27.40 27.40 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47 27.47	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	SNO VEL 1514.3 1514.3 1514.3 1514.3 1514.3 1509.7 1489.0 1451.4 1451.4 1451.3 1473.0 1473.0 1473.6 1473.6 1473.7 1470.0 1477.7 1470.0 1477.7 1470.4 1480.4 1480.4 1480.4 1480.4 1480.4	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
05.4 085 102645 02.92 34.931 27.86 1506.6 05.4 085 02938 02.74 34.924 27.87 1510.9 STD 03000 02.69 34.93 27.88 1511.8 05.4 085 103048 02.64 34.925 27.88 1512.4	CASTNUM/TIME 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0	DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	10 33.0 DEPTH 00000 00010 00012 00024 00030 00047 00050 000150 00000000	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.83 01.25 03.72 04.19 05.47 05.42 05.27 05.24 05.30 05.88 0.55 05.77 05.02 05.89 05.50 05.89 05.51 05.00 04.99 04.19 05.02 04.99 04.21 03.74 04.30 04.21 03.74 03.64	SAL 33.21 33.21 33.12 33.03 32.993 33.964 34.06 34.97 34.97 34.97	SIGMA-T 25.93 23.93 24.05 24.10 24.21 25.39 26.173 26.78 27.04 27.12 27.14 27.12 27.14 27.12 27.16 27.26 27.27 27.69 27.71 27.73 27.74 27.76 27.77 27.78 27.79 27.79 27.81	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	5NU VEL 1514.3 1514.3 1514.3 1514.3 1514.3 1592.7 1489.0 1451.4 1457.6 1473.5 1473.6 1473.6 1474.1 1477.3 1478.2 1478.2 1478.2 1478.3 1478.2 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1478.3 1479.3 1479.3 1479.3 1489.4 1493.3 1489.4	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
510 03000 02.69 34.93 27.88 1511.8 05.4 085 F03048 02.64 34.925 27.88 2512.4	CASTNUM/TIME 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0	DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	10 33.0 DEPTH 20000 20010 20020 20020 20020 20025 200050 200050 200150	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.83 01.25 03.72 04.19 05.47 05.42 05.27 05.27 05.27 05.50 05.50 05.50 05.51 06.00 06.40 07.51 05.02 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50 06.78 06.50	SAL 33.21 33.21 33.22 33.12 33.03 32.93 33.05 33.42 33.944 34.06 34.45 34.95 34.95 34.95 34.96	SIGMA-T 25.93 23.93 24.05 24.10 24.21 25.39 26.173 26.78 27.04 27.12 27.14 27.12 27.14 27.29 27.40	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	5NU VEL 1514.3 1514.3 1514.3 1514.3 1514.3 1592.7 1489.0 1451.4 1457.6 1473.5 1473.6 1473.1 1473.1 1476.0 1477.1 1476.1 1477.1 1476.1 1477.1 1476.1 1477.1 1476.1	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
05.4 085 103048 02.64 34.925 27.88 2512.4	CASTNUM/TIME 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0	DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	10 33.0 DEPTH 00000 00010 00013 00024 00020 00025 00020 00025 00140 00150 00250 00284 00284 00284 00150 00285 00284 00286	UATA USE 1 AREA 05 TEMP 17.99 17.20 10.41 16.09 10.35 00.60 01.25 03.72 04.19 05.47 05.42 05.24 05.30 05.48 07.50 05.48 07.50 05.48 07.50 05.49 07.57 08.00 04.40 09.59 04.60 04.78 04.60 04.78 04.60 04.78 04.60 04.78 04.60 04.79 04.60 04.30 04.21 03.74 03.69 03.52 03.37	SAL 33.21 33.23 33.12 33.03 32.993 33.95 33.42 33.945 34.46 34.44 34.48 34.09 34.73 34.69 34.73 34.69 34.73 34.69 34.73 34.85 34.88 34.73 34.94 34.94 34.94 34.94 34.94	SIGMA-T 25.93 23.93 24.05 24.16 24.21 25.39 26.76 27.01 27.04 27.12 27.12 27.26 27.26 27.27 27.40 27.42 27.51 27.69 27.71	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	5NO VEL 1514-3 1514-3 1514-3 1514-3 1598-7 1489-0 1451-4 1452-0 1473-0 1473-0 1473-1 1475-7 1476-0 1473-0 1476-1 1475-7 1476-0 1476-1 1476-1 1476-7 1476-1 1476-7	MEATHER	X1	DUR	G AS O		1	SQUARE 4	
	CASTNUM/TIME 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0 03.0	DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	10 33.0 DEPTH 20000 00010 20010 20020 00024 00050 00047 20050 00103 00125 00290 00103 00250 00290 00103 00250 00290 00103 00250 00290 00400 100565 00200 00400 100565 00200 00400 100565 00200 00400 100565 00200 00400 100761 100761 00400	UATA USE 1 AREA OS TEMP 17.99 17.20 10.41 16.09 10.35 00.83 01.25 03.72 04.19 05.47 05.42 05.27 05.24 05.30 05.88 07.59 05.55 05.17 04.00 04.40 US.13 05.10 05.02 04.78 04.64 04.54 04.59 04.64 04.59 04.63 04.21 03.74 03.64 03.52 03.37	SAL 33.21 33.21 33.22 33.12 33.03 32.93 33.05 33.42 33.964 34.06 34.93 34.95 34.95 34.85 34.883 35.002 35.01 35.01 35.01 35.01 35.01 35.01 35.01 35.01 35.01 36.99 34.96	SIGMA-T 25.93 23.93 24.05 24.10 24.21 25.39 26.173 26.713 26.73 27.04 27.14 27.14 27.12 27.14 27.15 27.05 27.06 27.07 27.09 27.09 27.71 27.73 27.74 27.75 27.76 27.77 27.78 27.79 27.83 27.85 27.86 27.86 27.86	DYNDPTH 00-000 00-0373 00-107 00-144 00-177 00-202 00-225 00-246 00-310 00-401 00-401 00-401 00-401	5NU VEL 1514.3 1514.3 1514.3 1514.3 1514.3 1514.6 1508.7 1489.6 1451.4 1457.6 1473.6 1473.6 1473.6 1473.6 1474.1 1475.7 1476.0 1477.1 1476.1	MEATHER	X1	DUR	G AS O		1	SQUARE 4	

Table X.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8–10 September 1972, Prepared from NODC Listing No. 31–2137.—Continued

FID 31	21 57		1972	SHIP HT	AIK I			I PER	#IND-DIR		TRACE	NANSEN (AST		N SQ 130 SQUARE
1 44 2			10	DATA USE 1		ETH 1014.7			WIND-FUR	.,	DUKAT				SQUARE 4
ING 048 3			U9.4	AKEA . US					MEA THER	*4		A3 059			SQUARE 4
340		HOOK			(100)	1/4 5/6	CLITT		ara inca	^*	0.10	4, 0,,			SOURCE 4
CASTNUM/1	1:46	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	HTHUNYU	SNO VEL	DAYG	P:)4	101 P	NJZ	NU3	\$103	РН
		STD	00000	18.00	33.11	23.05	00. 100	1514.2							
0	9.4	085	00000	18.00	33.110	25.85		1514.2							
		STD	00010	17.72	33.10	25.41	00.040	1513.6							
		STD	00020	17.44	13.09	21.96	00.080	1512.9							
U	9.4	085	00024	17.33	33.082	23.99		1512.6							
		STD	00030	13.01	33.16	24.45	00.115	1499-1							
0	9.4	085	00049	04.21	33.464	20.56		1466 - 6							
		STO	00050	04-16	33.49	26.59	00.159	1466.3							
0	9.4	UBS	00075	03.77	33.990	21.03		1465.7							
		STD	00075	04.01	34.04	41.04	00.191	1466.9							
0	4.4	UBS	00044	06.18	34.463	27.13		1476.7							
		SID	00100	06.14	34.40	27.13	00.216	1470.0							
		STD	00125	05.60	34.47	27.19		1475.1							
0	9.4	085	00147	05.30	34.478	21.25		1474.0							
		STO	00150	35.24	34.48	21.26	00.261	1473.8							
		STO	00200	04.52	34.53	27.38	00.300	1471 . 7							
0	9.4	OBS	100201	04.51	34.527	27.38		1471.7							
		STD	00250	04.45	34.64	21.47		1472.4							
0	9.4	085	00299	04.10	34.721	27.55		1472.9							
		STD	00300	04.35	34.72	27.55	00.365	1472.9							
0	1.4	UBS	100397	04.11	34.784	27.62	00.,0,	1473.6							
•		STD	00400	04.15	34.19	27.63	00.419	1-73.8							
		STD	00500	04.65	34.97	27.69	00.469	1478.6							
0	9.4	085	00500	04.85	34.966	27.69	00.407	1478.6							
	9.4	085	100599	04.57	34.954	27.71		1479.1							
•		STO	00600	04.57	34.45	27.71	00.510	1479.1							
		STD	00700	04.53	34.97	27.73	00.501	1480.6							
0	9.4	085	100795	04.43	34.974	27.74	00.701	1481.8							
		510	208 00	04.42	34.97	21.14	00.607	1481.8							
		STO	00900		34.96			1482.6							
	9.4	085	100996	04.21	34.953	27.76	00.651	1483.4							
	9.4	UBS	101497	03.72	34.945										
•	•••	083	101441	03.72	34.947	21.19		1490.5							
						*****	******	1000							

REFTO CENSOL LAT LONG		213 001 32 58	N JAY	1972 n 09 10 19.7	SHIP HT DATA USE I	HET !			GT PER	MIND-DIR WIND-SPD WIND-FUR WEATHER	00	TRAC !			5 SQUI	1306 ARE 2 ARE 48 ARE 48
1645	TŃUM/	1 LME	LALLAD	DEPTH	TEMP	SAL	SIGMA-T	HTHUNYU	SND VEL	OXYG	PU4	TCT P	NOZ	NO3	S103 P	H
1			STO	00000	10.30	31.77	24.40	00.000	1487.6							
,		13.7		00000	10.36	31.775	24.40		1487.0							
			STD	00010	06.75	32.03	25-14	00.032	1474.3							
			STU	00020	03.75	32.31	25.69	00.058	1462.6							
		13.7		00025		32.456										
			STO	00030	01.45	32.07	26.17	00.078	1453.1							
		13.7	UBS	60644	- 1.24	33.235	26.75		1441.9							
			STU	00050	- 1.25	33.24	26.76	00-110	1441.9							
		13.7	OBS	00074	- 1.23	33.407	26.89		1442.4							
			STO	00075	- 1.27	33.41	26.90	00.141	1442.4							
		13.7	085	00099	- 1.05	33.547	27.00		1444.0							
			STU	20100	- 1.05	33.55	27.00	00.168	1444.1							
			STO	00125	- 0.82	33.71	27.12	00.193	1445.8							
		13.7		00148	- 0.44	33.947	27.22		1448.1							
			STD	00150	- 0.36	33.86	27.23	00.216	1440.5							
			STD	00500	01.08	34.17	27.40	00.255	1456.3							
		13.7		100203	01.15	34.100	27.40		1456.8							
			STO	00250	02.32	34.43	27.51	00.287	1463.0							
			510	00300	03.15	34.01	27.58	00.315	1467.6							
		13.7		00302	63.17	34.615	27.58		1467.8							
			STU	00400	03.54	34.71	27.62	03.367	1471.1							
		13.7		100401	03.54	34./11	27.02		1471-1							
			STO	00500	03.73	34.76	27.65	00.418	1473.7							
		13.7		00505	03.74	34.767	21.65		1473.8							
			STO	00000	03.88	34.60	27.66	00.467	1476.0							
		13.7		100004	03.88	34.802	27.66		1476.1							
			STO	00700	03.88	34.83	27.65	00.516	1477.7							
			STO	00800	03.86	34.86	27.71	00.564	1479.3							
		13.7		100905	03.85	34.856	27.71		1479.3							
			STO	00400	03.82	34.86	27.71	00.611	1480.8							
			STO	01000	03.78	34.87	21.72	00.658	1482.3							
		13.7		101006	03.78	34.068	27.73		1482 -4							
		13.7	1)85	101040	03.82	34.617	27.73		1484.0							
							••••	••••••	•							

Table X.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC HAMILTON, 8-10 September 1972, Prepared from NODC Listing No. 31-2137.—Continued

MEF10 31 21 CC 455C 00 LAT 44 36 LONG 049 05)13 N	YEAR MUNTH DAY HOUR	10	SHIP HI DATA USE 1 AREA 05	ALK TI WET SI SAKU 11 CLUUS	11.7 11.7 1012.0	DIR HE JS SEA CL/TH		MIND-DIR MIND-SPD MIND-FUR MEATHER	10	DURAL			5	SQUARE SQUARE SQUARE	48
CASTNUM/TI		LTYP	DEPIH	TEMP	SAL	S1984-1	HISGRYG	SND VEL	UXYG	P.)4	TOT P	NOZ	NOS	\$103	РН	
							00.000	1484-5								
		\$10	20000	09.56	31.08	24.45	05.505	1484.5								
10.	.1	18 5	00000	09.50	31.077	24.45	00.330									
		510	30013	05.68	32.35	25.52	00.351	1458.3								
		510	00050	22.01	32.d3	20.21	00.001	1455.2								
16.	. 1	385	00025	01 - 39	32.991		03.368	1447.3								
		510	00030	30.53	33.32	20.50	00.000	1439.8								
16	.1	183	00049	- 1.04	33.108	25.66	03.347	1439.9								
		510	63050	- 1.62	33.12	20.07	00.091	1441.4								
10	.1	UB S	00074	- 1.44	33.285	20.00	00.133	1441.4								
		STU	00075	- 1.45	33.29	20.00	00.130	1441.0								
10	.1	Ubs	GGGAA	- 1.04	33.365	20.01	01.110	1441.1								
		STU	00100	- 1.61	33.37	25.51	00.160	1443.2								
		STO	60125	- 1.30	33.45	20.93	00-187	1444.9								
10	.1	260	00148	- 1.04	33.526	20.98	00 117	1445.0								
		SID	00150	- 1.03	33.53	25.98	00.217	1447.5								
		STO	00200	- 0.10	33.04	21.06	00.269									
16	.1	085	00247	- 0.40	33.354	21.22		1449.9								
• •		STU	00250	- 0.20	33.00	21.24	00.315	1459.3								
		STD	00300	J1 . 35	34.63	21.43	00.352									
10	-1	CHS	00302	01.40	34.241	21.43		1459.5								
	••	STO	03403	02.56	34.49	21.54	00.415	1466.0								
L.		Das	100401	02.57	34.488	27.54		1466.7								
		uds	100495	02.63	34.512	21.55		1460.5								
								•								
	0014	HONT	H 09	361UP 00002	mET '		37	of PER	#140-010 #140-50	0 06	THAC	NANSEN E DIR	CAST	5	EN SQ SQUAR SQUAR	E 48
LAT 44 40		DAY	10	DATA USE 1		3 1/4 7/6		2	MEATHER		041	A 3 05	9	1	SQUAR	£ 49
LENG 049 2	0 *	4008	17.5	AREA 05	, (600	3 174 176										
CASTNUM/T	IME I	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I		SAD VEL	JXY G	P.14	101	NOS	NO3	Slug	РН	
		STD	00000	10.72	31.58	24.19	00-100									
1	1.8	285	60000	10.72	31.581	24.19	200	1466.6								
		STO	00013	05.44	32,33	25.47	00.031	1471.7								
		STO	00020	02.44	32.84	20.23	00.053	1457.0								
1 7 7 7 7	1.8	UBS	00025	01.10	33.000	20.46		1451.9								
		STD	00030	00.06	33.31	20.52	00.010	1447.3								
	7.8	085	00045	- 1.32	33.053	20.01		1441.2								

.....

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7-9 March 1971, Prepared from NODC Listing No. 31-8257.

CUNSEC	31 825 303 37 24	MUNT	1971	SHIP UG DATA USE 1	WET	TEMP 18.3 BULH 15.5 METR 1030.3	28	S 2	AIND-DIR AIND-SPU AIND-FOR	20	TRAL	E DIR	RECORDER D 00.4	5	SQUARE 6
	50 20		22.2	AREA 05	LLU	10 1/4	CL/TE		MEA THER			44 (i	
CASTN	LP/T 14E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	CYNDPTH	SNO VEL	JXY G	P)4	TOT #	NO	2 NO3	\$103	Рн
		STD	00000	16.88	36.37	26.61	00.000	1514.8							
	22.2		00000	16.88	36.37	20.61		1514.8							
		STD	00010	16.86	36.37	20.62	00.014	1515.0							
		510	00020	16.86	36.37	26.61	00.028	1515.2							
		uas	00020	16.88	36.37	26.61		1515.2							
		STO	000 30	10.88	36.37	26.61	00.043	1515.3							
		JBS	00030	16.86	36.37	26.61	00 073	1515.3							
		310	00050	16.89	36.37	26.61	00.072	1515.7							
		STO	00075	16.90	30.37	26.01	00.108	1516.1							
		OBS	00075	16.90	36.37	26.61		1516.1							
		STD	00100	16.90	36.58	26.61	00.145	1516.6							
		510	00100	16.90	36.38	26.61	00.182	1516.6							
		U65	00125	16.90	30.38	26.61	00.102	1517.0							
		STD	00150	16.91	30.38	20.61	00.219	1517.4							
		OBS	00150	16.91	36.38	26.61		1517.4							
		STD	00200	16.91	36.38	20.61	00.293	1518.2							
		085	00200	16.91	36.38	26.61	00.369	1518.2							
		GBS	00250	16.79	30.34	26.61	00.369	1518.6							
		STD	00300	16.34	30.24	26.64	00.445	1518.0							
		085	00300	16.34	36.24	26.64		1518.0							
		STO	00400	15.44	36.07	26.72	00.593	1516.6							
		085	00400	15.44	36.07	26.72		1516.6							
		STD	00450	14.78	35.95	26.85	00.734	1515.2							
		UBS	00500	14.48	35.97	26.85		1515.1							
		STD	00600	13.44	35.80	26.94	00.866	1513.2							
		OBS	00600	13.44	35.80	26.44		1513.2							
		UBS	00700	11.96	35.57	27.06	00.990	1509.5							
		STD	00800	10.16	35.57	27.21	01.102	1504.6							
		085	00800	10.16	35.34	27.21		1504.0							
		510	00900	08.20	35.16	27.38	01.198	1498.9							
		OBS	00900	08.26	35.16	27.38		1498.9							
		STD	01000	07.12	35.14	27.53	01.278	1496.2							
		STU	01100	06.17	35.08	27.61	01.347	1494.0							
		UBS	01100	06.17	35.08	27.61		1494.0							
		STD	01200	05.45	35.06	27.69	01.407	1492.8							
		STD	01200	05.45	35.06	21.69	01.462	1492.8							
		UBS	01300	05.01	35.04	27.73	01.402	1492.6							
		085	01340	05.08	35.06	27.73		1493.6							
		STD	01400	04.98	35.06	27.75	01.515	1494.2							
		085	01400	04.98	35.06	27.75		1494.2							
		STD	01490	04.81	35.07	27.77	01.566	1495.0							
		085	01500	04.77	35.07	27.78	01.300	1495.1							
		STD	01750	04.26	35-01	27.79	01.690	1497.1							
		085	01750	04.26	35.01	27.79		1497.1							
		085	01780	04.18	35.01	27.80		1497.3							
		085	01820 01840	04.30	35.04	27.81		1498.5							
		085	01880	04.30	35.04	27.81		1499.5							
		085	01920	04.04	34.99	27.80		1499.0							
		085	01930	04-12	35.02	27.61		1499.6							
		S1D 085	02000	03.88	34.98	27.80	01.813	1499.7							
		510	02500	03.52	34.98	27.84	02.053	1506.7							
		085	02500	03.52	34.98	27.84		1506.7							
		STD 085	03000	03.11	34.96	27.86	02.287								
				03.11	34.96	27.86									

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7-9 March 1971, Prepared from NODC Listing No. 31-8257.—Continued

REFID CUNSEC		000	2 MUNT	1971 H 03	8010P 05486	WET	TEMP 17.3		GT PER	AIND-DIR	12	TR	ACE	DIR	COKDER	5	N SU 120 SQUARE
LAT			N DAY	08	DATA USE 1		OMETR 1030.2			41ND-FOR			ITAS		00.2		SQUARE 6
LONG	050	50	W HOUR	01.4	AREA OS	CLO	UD 1/A	CL/TA		MEATHER	XI	OR	IG	44 02	25	1	SQUARE 7
CAST	NUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DAYG	P)4	tor	P	NOZ	NO3	\$1.13	PH
			510	00000	16.53	36.31	26.64	CO.000	1513.9								
		01.4		00000	10.55	36.31	26.64		1513.9								
			STO	00010	14.50	36.31	26.64	00.014	1514.0								
			085	00010	14.50	36.31	25.64		1514.0								
			510	00020	16.58	16.12	26.64	00.028	1514.2								
			510	00020	16.58	50.32	26.64	00 043	1514.2								
			J85	00030	16.59	36.32	26.64	00.042	1514.4								
			STO	00050	16.59	36.32	26.64	00.070	1514.7								
			085	00050	16.59	36.32	26.64		1514.7								
			STD	00075	16.59	36.32	26.64	00.100	1515.1								
			085	00075	16.59	36.32	20.64		1515.1								
			STD	00100	16.59	36.33	26.65	00.142	1515.6								
			UBS	001 00	10.54	36.33	26.65		1515.6								
			570	00125	16.60	30.33	20.65	00-178	1510-0								
			UBS	00172	16.60	36.33	26.65		1516.0								
			STO	00150	16.60	30.33	26.65	00.214	1516.4								
			280	00150	16.60	30.33	26.65		1510-4								
			310	00200	16.61	30.34	26.65	00.267									
			510	00250	16.62	36.34	26.65	00.361	1517.3								
			085	00250	16.62	36.34	26.65	00.361	1516-1								
			STO	00300	16.63	30.34	26.65	00-435	1519.0								
			U85	00,00	16.63	30.34	26.65		1519.0								
			DBS	00350	16.63	36.33	26.64		1519.8								
			STD	00400	16.11	36.23	26.69	00.585	1518.9								
			280	00400	16.11	16.23	26.69		1518.9								
			STD	00500	14.98	36.03	26.79	00.731	1516.8								
			085	00500	14.98	36.03	26.79		1516.5								
			STO	00600	14.13	35.88	26.86	00.870	1515.5								
			STD	00600	14.13	35.88	26.86		1515.5								
			085	00700	12.92	35.65	26.93	C1.005	1512.9								
			085	00730	12.49	35.64	27.01		1511.9								
			STO	00800	11.57	35.52	27.09	01.130	1509.8								
			365	00800	11.57	35.52	21.09		1509.8								
			OBS	00865	09.89	35.20	27-15		1504.5								
			085	0880	09.49	35.27	21.27		1503.3								
			510	00900	09.27	35.25	27.29	01.238	1502.8								
			085	00900	09.27	35.25	21.29		1502.8								
			085	00960	08.09	35.14	27.39		1499.3								
			UBS	00975	09.22	35.20	27.42		1500 -1								
			085	01000	08.01	35.22	27.46	01.327	1499.7								
			210	01100	06.97	35.22	27.46	01 403	1499.7								
			085	01100	06.97	35.14	27.55	01.403	1497.3								
			085	01130	06.71	35.14	27.59		1496.0								
			085	01145	06.69	35.17	27.62		1497.0								
			085	01165	06.78	35.20	27.63		1497.7								
			385	01190	06.54	35.16	27.63		1497.1								
			510	01200	C6.50	35.18	27.65	01.471	1497.1								
			085	01200	06.50	35.18	27.65		1497.1								
			085	01225	06.52	35.23	27.69		1497.7								
			085	01280	05.92	35.15	27.70		1496.1								
			OBS	01300	06.04	35.20	27.73	01.531	1497.0								
			570	01400	06.04	35.20	27.73	01.567	1497.0								
			085	01400	05.77	35.17	27.74	01.361	1497.6								
			STO	01500	05.40	35.14	27.76	01.041	1497.7								
			DBS	01500	05.40	35.14	27.76		1497.7								

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

MEFID 31 825 CONSEC 000		1971	8010P 05303		TEMP 17.2		GT PER	#140-01R #140-5PD		INST	STU REC	GROER		EN 52 SOUAR	
LAT 38 19 1		08	DATA USE 1		METR 1016.6	SEA		HIND-FOR		DURAT		00.2		SQUAR	
LONG 050 20		04.7	AREA 05		U T/A	CL/TR		WEATHER			A4 02			SQUAR	
2010 030 20		04.1	Hart 03	CLOC		CE/18		MC4 INCK	**	UKIG	A4 02	,		SQUAR	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	HTGCHYO	SND VEL	DXYG	P34	TOT P	NOZ	NOS	\$103	PH	
	STD	00000	16.98	36.37	26.59	00.000	1515.1								
04.7	085	00000	16.98	36.37	26.59	00.000	1515.1								
• • • • • • • • • • • • • • • • • • • •	SID	00010	16.98	36.37	26.59	00.014	1515.3								
	UBS	00010	16.98	36. 37	26.59	00.014	1515.3								
	STD	00020	16.99	30.38	26.59	00.029									
	UBS	00020	16.99	36.38	26.59	00.02,	1515.5								
	STO	000 30	16.99	36.38	26.59	00.043	1515.7								
	985	00030	16.99	36.38	26.59	00.047	1515.7								
	STD	00050	16.99	36.38	26.59	00.073									
	085	00050	16.99	36.38	26.59	00.0.5	1516.0								
	STO	00075	17.00	36.39	26.60	00.110									
	OBS	00075	17.00	36.39	26.60		1510.5								
	STD	00100	17.00	36.39	26.60	00.147									
	085	001 00	17.00	36.39	26.60		1516.9								
	STD	00125	17.01	30.39	26.60	00.184	1517.3								
	085	00125	17.01	36.39	26.60		1517.3								
	STD	00150	17.01	36.39	26.60	00.221									
	OBS	00150	17.01	36.39	26.60		1517.7								
	STD	00200	17.01	36.40	26.60	00-296	1518.5								
	085	00200	17.01	36.40	26.60		1518.5								
	STD	00250	17.02	36.40	26.60	00.372	1519.4								
	OBS	00250	17.02	36.40	26.60		1519.4								
	STD	00300	17.01	36.40	26.60	00.449	1520.2								
	085	00300	17.01	36.40	26.60		1520.2								
	OBS	00350	16.98	36.39	26.60		1520.9								
	STD	00400	16.72	36.31	26.60	00-605	1520.9								
	OBS	00400	16.72	36.31	26.60		1520.9								
	STD	00500	15.77	36.17	26.72	00.759	1519.4								
	085	00500	15.77	36.17	26.72		1519.4								
	STD	00600	14.36	35.93	26.85	00.903	1516.3								
	OBS	00600	14.36	35.93	26.85		1516.3								
	STD	00700	12.78	35.67	26.97	01.036	1512.5								
	085	00700	12.76	35.67	26.97		1512.5								
	STD	00800	10.96	35.45	27.15	01.156	1507.6								
	OBS	00800	10.96	35.45	27.15		1507.6								
	STD	00900	09.40	35.30	27.31	01.259	1503.4								
	UBS	00900	09.40	35.30	27.31		1503.4								
	STO	01000	07.84	35.21	27.48	01.347	1499.1								
	OBS	01000	07.84	35.21	27.48		1499.1								
	STD	01100	06.72	35.13	27.58	01.421	1496.3								
	OBS	01100	06.72	35.13	27.58		1496.3								
	STD	01200	06.26	35.15	27.66	01.486	1496.2								
	085	01200	06.26	35.15	27.66		1496.2								
	STD	01300	05.84	35.16	27.72	01.545	1496.2								
	085	01300	05.84	35.16	27.72		1496.2								
	STD	01400	05.44	35.16	27.77	01.599	1496.2								
	085	01400	05.44	35.16	27.77		1496.2								
	STD	01500	05.10	35.11	27.77	01.651	1496.5								
	085	01500	05.10	35.11	27.77		1496.5								
					*****	*******	•								

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257,—Continued

UNSEE .AT	38	8251 0004 55 M	DAY	1971 H 03 08 08.2	BOTOP USIZE SHIP DG DATA USE I AREA DS	BAR	TEMP 17.3 dulb 16.2 dmetr 1015.4 up 7/4	OIR P		MIND-DIR MIND-SPD MIND-FIR MEATHER	14	TRACE		00.2	5	SQUARE SQUARE SQUARE SQUARE
CASI	INLM	TIME	LVLTYP	DEPTH	TEMP	SAL	S I GMA-T	DYNDPTH	SND VEL	OXYG	P34	101 P	NO2	NO3	5103	PH
		00.3	STD	60000	16.90	36.38	26.61	00.000	1514.4							
		08.2	510	00000	16.90	36.38	26.61	00.014	1514.9							
			UBS	00010	16.91	36, 18	26.61	00.014	1515.1							
			STD	00020	16.91	36.38	26.61	00.028	1515.3							
			085	00020	16.91	36.38	26.61	00.020	1515.3							
			STO	00030	16.91	36.38	26.61	00.041								
			OBS	00030	16.91	36.38	20.01	00.042	1515.4							
			STD	00050	16.92	36.38	26.61	00-072	1515.8							
			085	00050	16.92	36.38	26.61		1515.8							
			STD	00075	16.92	36.39	26.62	00.108	1516.2							
			085	00075	16.92	36.39	26.62		1516.2							
			STD	00100	16.92	36.39	26.62	00-145	1516.6							
			085	00100	16.92	36.39	26.62		1516.6							
			STD	00125	16.93	36.39	26.61	00.181	1517-1							
			085	00125	16.93	36.39	26.61		1517.1							
			STD	00150	16.93	36.39	26.61	00.218	1517.5							
			085	00150	16.93	36.39	26.61		1517.5							
			085	001 75	16.93	36.40	26.62		1517.9							
			STO	00200	10.94	36.40	26.62	00.293								
			280	00200	16.94	36.40	26.62		1518.3							
			085	00220	16.92	36.39	26.62		1518.6							.,
			STO	00250	16.87	36.39	26.63	00.368	1516.9							
			085	00250	16.87	36.39	26.63		1518.9							
			STO	00300	16.79	36.37	26.63	00.443	1519.5							
			UBS	00300	16.79	36.37	26.63		1519.5							
			STD	00400	16.72	36.36	26.64	00.596	1520.9							
			085	00400	16.72	36.36	26.64		1520.9							
			OBS	00445	16.61	36.33	26.64		1521.3							
			STD	00500	15.78	36.15	26.70	00.746	1519.4							
			085	00500	15.78	36.15	26.70		1519.4							
			STD	00600	14.18	35.87	26.84	00.894	1515.7							
			065	00600	14.18	35.87	26.84		1515.7							
			STD	00700	12.38	35.60	27.00	01.026	1511.0							
			085	00700	12.38	35.60	27.00		1511.0							
			STD	00800	10.36	35.36	27.19	01.142	1505.3							
			085	00800	10.36	35.36	27.19		1505.3							
			085	00850	09.35	35.21	27.24		1502.3							
			STD	00900	08.68	35.24	27.38	01.239	1500.6							
			065	00900	08.68	35.24	27.38		1500.6							
			STD	01000	07.44	35.21	27.54	01.320	1497.5							
			085	01000	07.44	35.21	27.54		1497.5							
			STO	01100	06.72	35.21	27.64	01.388	1496.4							
			085	01100	06.72	35.21	27.64		1496-4							
			STD	01200	06.11	35.23	27.74	01.446	1495.7							
			085	01200	06.11	35.23	27.74		1495.7							
			STO	01300	05.60	35.16	27.75	01.499	1495.2							
			085	01300	05.60	35.16	27.75		1495.2							
			STD	01400	05.39	35.13	27.75	01.552	1496.0							
			085	01400	05.39	35.13	27.75		1496.0							
			STD	01500	04.99	35.11	27.78	01.604	1496.0							
			085	01500	04.99	35.11	27.78		1496.0							

......

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

REF10 31 8257 CUNSEC 0005 LAT 39 18 N LUNG 050 18 M	DAY	1971 H 03 08 11.4	BOTOP 05577 SHIP DG DATA USE I AREA 05	BARE	TEMP 17.3 BULG 15.6 METH 1015.7 D 1/A	24	OT PER	WIND-DIE WIND-SPE WIND-FJE WEATHER	C 2 0	TRACE		00.2	5 2	N SQ 120 SQUARE SQUARE S	3
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SI-MA-T	DYNDPTH	SND VEL	DXYG	PU4	101 P	NOZ	NO3	\$103	РН	
	510	00000	17.05	36.39	26.59	00.000	1515.4								
11.4	085	00000	17.05	36.39	26.59		1515.4								
	510	00010	17.05	36.19	26.59	00.014	1515.5								
	285	00010	17.05	36.39	20.55		1515.5								
	510	00020	17.06	36.39	20.58	90.329	1515.7								
	UBS	00020	17.06	30.39	26.58		1515.7								
	STD	00030	17.06	36. 19	26.58	00.044	1515.9								
	UBS	00030	17.06	36.39	26.58		1515.9								
	STD	00050	17.06	36.39	26.58	00.073	1516.2								
	1)85	00050	17.06	36.34	20.58		1516.2								
	510	00075	17.06	36.40	20.59	00.110	1510.6								
	OBS	00075	17.06	36.40	25.59		1516.6								
	210	001 00	17.07	36.40	20.59	00.147	1517.1								
	085	00100	17.07	36.40	26.59		1517.1								
	510	00125	17.07	36.41	26.60	00.185	1517.5								
	OBS	00125	17.07	36.41	26.60		1517.5								
	STO	00150	17.07	36.41	26.60	00.222	1517.9								
	085	00150	17.07	36.41	26.60		1517.9								
	510	00500	17.07	36.41	26.60	00.297	1518.7								
	UBS	00200	17.07	36.41	20.60	00	1518.7								
	STD	00250	17.05	36.39	26.59		1519.5								
	085	00300	17.03	36.39	26.59	00.451	1520.2								
	DAS	00370	17.03	36.40	26.61		1520.2								
	510	00400	16.76	36.37	26.64	404 00	1521.1								
	085	00400	10.78	36.37	26.64	00.000	1521.1								
	510	00500	15.33	36.07	26.74	00-757	1518.0								
	UBS	00500	15.33	36.07	26.74	-01.7.	1518.0								
	STD	00600	14.23	35.87	26.83	90.901	1515.9								
	085	00600	14.23	35.87	26.83		1515.9								
	STD	00700	12.12	35.56	27.02	01.032	1510.1								
	085	00700	12.12	35.56	27.02		1510.1								
	STD	00800	09.76	15.26	27.21	01.146	1503.0								
	085	00800	09.76	35.26	27.21		1503.0								
	SID	00900	07.48	35.11	27.46	01.237	1495.9								
	085	00900	07.48	35.11	27.46		1495.9								
	STD	01000	05.70	34.99	27.60	01.307									
	UBS	01000	05.70	34.99	27.60		1490.4								
	085	01030	04.98	34.93	27.64		1487.9								
	085	01090	04.97	34.97	27.68		1488.9								
	STD	01100	05.14	35.02	27.70	01.366									
	085	01100	05.14	35.02	27.70		1489.8								
	STD	01200	04.77	35.01	21.73	01.418	1489.9								
	085	01200	04.77	35.01	27.73		1489.9								
	STD	01300	04.65	35.01	21.74	01.469									
	085	01300	04.65	35.01	27.74		1491.1								
	STD	01400	04.45	34.99	27.75	01.519	1491.9								
	STD	01400	04.45	34.99	27.75	01 670	1491.9								
	085	01500	04-27	34.97	27.76	01.570	1492.9								
	363	01,00	04.21	34.71	21.10		. 472.7								
					*****	••••••	•								

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

LAT	C	8257 0006 50 N	DAY	1971 + 03 08	SHIP DG DATA USE I	MET BAHO		29	OT PER	MIND-DIR MIND-SPO MIND-FOR MEATHER	20	THAC	STD FEC E DIR TION A4 325	00.6	5 Sau	1207 ARE 3 ARE 43 ARE 40
20.10																
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNDPTH	SND VEL	UXYG	P 14	TOT P	NUL	NOI	5133 P	н
			STD	00000	16.53	36.25	20.00	00.000	1513.7							
		15.1	085	00000	16.53	36.25	25.60		1513.7							
			STD	00010	16.52											
			085	00010	16.52											
			085	00020	15.52											
			510	00030	10.51											
			085	000 30	16.51											
			STD	00050	16.47											
			085	00050	16.47											
			SID	00075	16.45											
			085	00075	16.45		11									
			085	00100	16.65											
			STD	00125	16.76											
			085	00125	16.76											
			STO	00150	16.73											
			OBS	00150	16.73											
			510	00200	16.60											
			085	00200	16.60											
			085	00250	14.89											
			012	00300	14.61											
			085	00300	14.61											
			STO	00400	13.24											
			085	00400	13.24											
			510	00500	10.85											
			085	00500	10.85											
			910	00600	09.05											
			510	00700	07.51											
			085	00.00	07.51											
			STD	00800	06.37											
			085	00800	06.37											
			STD	00900	05.55											
			065	00900	05.55											
			510	01000	05.01											
			STD	01000	05.01											
			085	01100	04.71											
			510	01200	04.56											
			085	01200	04.56											
			STO	01300	04.46											
			085	01300	04.46											
			085	01400	04.16											
			STD	01500	04.03											
			085	01500	04.03											
			STO	01750	03.95											
			085	01750	03.95											
			STD	02000	03.76											
			280	02000	03.76											
			STD 085	02500	03.48											
			510	03000	03.14											
			085	03000	03.14											

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7-9 March 1971, Prepared from NODC Listing No. 31-8257.—Continued

REFID CUNSEC LAT LUNG	40	8257 0007 20 N	DAY	1971 H 03 OR 19.1	BOTOP 05394 SHIP DG DATA USE 1 AREA. 05	BAR	TEMP 18.3 BULB 16.1 CMETR 1012.9 UO T/A	23	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	30	DURA	STD REG E DIR TION A4 02:	00.2	5 2	N SQ 1307 SQUARE 1 SQUARE 00 SQUARE 00
CASI	NUM/	TIME	LYLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SNU VEL	OXY G	P34	101 P	NOZ	NO3	\$103	РН
			510	00000	15.00	35.95	26.72	00.000	1500.6							
		19.1	085	00000	15.00	35.95	26.72		1508.6							
			510	00010	15.00											
			185	00010	15.00											
			STO	00020	15.00											
			285	00020	15.00											
			STD	00030	15.00											
			UBS	00030	15.00											
			STD	00050	15.00											
			OBS	00050	15.00											
			310	00075	14.91											
			510	00100	14.66											
			085	00100	14.66											
			510	00125	14.48											
			085	00125	14.48											
			STD	00150	14.40											
			085	00150	14.40											
			STD	00200	13.81											
			CBS	00200	13.81											
			STD	00250	13.20											
			OBS	00250	13.20											
			STO	00300	12.35											
			385	00300	12.35											
			510	00400	10.05											
			085	00400	10.05											
			STD	00500	08.06											
			085	00500	08.06											
			685	00580	06.49											
			085	00600	05.75 05.75											
			085	00650	06.17											
			510	00700	05.75											
			085	00700	05.75											
			STO	00800	05.06											
			08 S	00 00	05.05											
			STO	00900	04.83											
			085	00400	04.83											
			STO	01000	04.52											
			OBS	01000	04.52											
			STO	01100	04.34											
			OBS	01100	04.34											
			510	01200	04.23											
			088	01200	04.20											
			STO	01300	04.02											
			OBS	01300	04.02											
			510	01400	03.92											
			STO	01400	03.92											
			085	01500	03.89											
			003	01300	03.07											
							*****	*******	•							

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

CASTNUM/TIME LVLTYP DEPTH TERP SAL SIJMA-T DYNUPTH SND VEL JAYG PJ4 TOT P NO2 NO3 SIJ3 PH 22-5 JBS 00000 15-J1 35-V2 20-62 00-000 1509-T STD 00010 15-J17 JBS 00000 15-J10 JBS 00000 15-J0 JBS 00000 15-J0 JBS 00000 15-J0 JBS 00000 15-J0 JBS 00100 11-J0 JBS 00000 00-65 JBS 00000 00-65 JBS 00000 00-36 JBS 000000 00-36 JBS 000000 00-36 JBS 000000 00-36 JBS 000000 00-36 JBS 00000		0008 0008 00 47 N	DAY	1971 H 03 06 22.5	BOTDP 04297 SHIP DG DATA USE 1 AREA 05			24	GT PER	MIND-DIR DAS-DAIM RES-DAIM MENTAN	23	TRACE		00.2	5	N SQ 130 SQUARE SQUARE SQUARE	00
\$10 00000	CASTNU	M/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SND VEL	DYXC	P)4	101 P	NO2	NOS	5133	PH	
\$10 00000			STO	00000	15.37	35.92	20.62	00.000	1509.7								
\$10 00013 15.37 \$15 00020 15.37 \$15 00020 15.37 \$10 0020 15.37 \$10 0020 15.37 \$10 0020 15.37 \$10 0020 15.37 \$10 0020 15.37 \$11 0020 15.37 \$11 0020 15.37 \$12 0020 15.37 \$13 0020 15.37 \$14 0020 15.37 \$15 0020 15		22.5															
\$10 00020 15.37 \$10 00020 15.37 \$10 00030 15.37 \$10 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00050 15.36 \$15 00125 15.00 \$15 00125 15.0																	
085 00020 15.37 085 00030 15.37 085 00030 15.36 085 00050 15.36 085 00050 15.36 085 00070 15.19 085 00103 15.19 085 00103 15.19 085 00103 15.19 085 00103 15.13 085 00103 15.13 085 00103 15.13 085 00150 15.19 085 00150 15.19 085 00150 15.19 085 00150 14.10 085 00150 14.27 085 00200 14.16 S10 00250 14.27 085 00250 14.27 085 00250 14.27 085 00250 14.27 085 00250 14.27 085 00250 14.27 085 00250 14.27 085 00250 14.27 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00250 15.35 085 00500 05.66 085 00700 05.83 S10 00800 05.66 S10 00900 05.66 S10 01000 04.51 S85 01000 04.51 S85 01000 04.05 S10 01000 04.51 S85 01000 04.05 S10 01000 04.03			085	00010	15.37												
\$10 00190 15.37 \$10 00050 15.36 \$10 00050 15.36 \$10 00075 15.17 \$285 00075 15.17 \$285 00075 15.17 \$285 00075 15.17 \$310 00100 15.13 \$310 00100 15.13 \$310 00100 15.13 \$310 00110 15.13 \$310 00110 15.13 \$310 00110 15.13 \$310 00110 15.13 \$310 00110 15.13 \$310 00110 15.13 \$310 00110 14.49 \$310 00110 14.49 \$310 00110 14.49 \$310 00110 14.49 \$310 00110 14.49 \$310 00110 14.16 \$310 00110 14.27 \$310 00110 14.27 \$310 00110 14.27 \$310 00110 14.27 \$310 00110 14.27 \$310 00110 14.27 \$310 00110 14.27 \$310 00110 00.250 \$310 00110 00.250 \$310 00110 00.250 \$310 00110 00.250 \$310 00100 00.65 \$310 00000 08.67 \$310 00000 08.67 \$310 00000000000000000000000000000000000			STO	00020	15.37												
S			085	00020	15.37												
SID 00050 15.36 SID 00075 15.19 SID 001075 15.19 SID 00100 15.13 SID 00100 15.13 SID 00127 15.19 SID 00127 15.19 SID 00127 15.09 SID 00127 15.09 SID 00150 14.99 OS 00150 14.99 OS 00200 14.16 SID 00200 14.17 SID 00200 15.35 OS 00200 14.16 SID 00400 11.50 SID 00400 11.50 SID 00400 11.50 SID 00500 08.65 SID 00500 08.65 SID 00500 08.65 SID 00000 05.06 SID 00400 05.06 SID 00400 05.06 SID 00400 05.06 SID 00400 06.67 SID 00400 06.51 SID 00100 06.52 SID 00100 06.51 SID 01200 06.20 SID 01200 06.05 SID			510														
Discription			085	30033	15.37												
\$10 00075			510	00050	15.30												
35			385														
\$10 00100 15-13 \$10 00125 15-09 \$10 00125 15-09 \$10 00150 14-19 \$10 00150 14-19 \$10 00250 14-16 \$10 00250 14-16 \$10 00250 14-17 \$10 00300 13-35 085 00350 12-70 \$10 00300 13-35 085 00350 12-70 \$10 00400 11-50 \$10 00400 11-50 \$10 00500 08-65 \$10 00500 08-65 \$10 00500 08-65 \$10 00500 05-66 \$10 00700 05-83 \$10 00700 05-83 \$10 00400 05-06 \$10 00400 04-67 \$10 01000 04-51 \$10 01000 04-51 \$10 01000 04-51 \$10 01000 04-51 \$10 01000 04-51 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05 \$10 01000 04-05																	
1																	
STO 00125 15.09 0BS 00125 15.09 STU 00150 14.99 0BS 00150 14.99 0BS 00200 14.16 0BS 00200 14.16 STO 00250 14.27 0BS 00300 13.35 UBS 00300 13.35 UBS 00300 13.35 UBS 00300 11.50 UBS 00400 11.50 UBS 00400 11.50 UBS 00400 08.65 UBS 00500 08.65 STD 00500 08.65 STD 00500 08.65 STD 00600 06.62 UBS 00600 05.06 STD 00700 05.83 UBS 00700 05.83 UBS 00700 05.83 STD 00700 06.67 STD 00700 06.6																	
STD 00125 15.09 STD 00150 14.49 STD 00200 14.16 STD 00200 14.16 STD 00200 14.27 UBS 00250 14.27 STD 00300 13.35 UBS 00300 13.35 UBS 00300 13.35 UBS 00300 11.50 STD 00500 08.65 STD 00500 05.83 STD 00500 05.84 STD 00500 05.85 STD 00500 05.85 STD 00500 05.86 STD 00500 05.86 STD 00500 05.87 STD 00500 05.88 STD 00500 06.62 STD 00500 06.65 STD 00500 06.55 STD 00500 06.05																	
STU 00150 14-99 0045 00150 14-99 510 00200 14-16 005 00250 14-27 005 00250 14-27 510 00300 13-35 005 00300 13-35 005 00300 13-35 005 00300 13-35 005 005 005 005 005 005 005 005 005 005																	
045 00150 14.49 510 00200 14.16 085 00220 14.16 510 00250 14.27 085 00250 14.27 510 00300 13.35 085 00300 13.35 085 00350 12.70 510 00400 11.50 510 00500 08.65 085 00500 08.65 510 00600 06.62 085 00600 06.62 085 00700 05.83 S1D 00700 05.83 S1D 00800 05.06 685 00900 04.67 085 00900 04.67 085 00900 04.67 S1D 01000 04.51 UBS 01000 04.51 UBS 01000 04.51 S1D 01000 04.34 OBS 01200 04.05 S1D 01300 04.05 S1D 01300 04.05 S1D 01400 04.05 S1D 01500 03.90																	
\$10 00200 14.16 \$10 00250 14.27 085 00250 14.27 \$10 00300 13.35 085 00300 13.35 085 00300 13.35 085 00300 11.50 \$10 00400 11.50 \$10 00500 08.65 \$10 00500 08.65 \$10 00600 06.62 085 00600 06.62 \$18 00600 06.62 \$18 00700 05.83 \$10 00700 05.83 \$10 00700 05.83 \$10 00800 05.06 \$10 00800 05.06 \$10 00800 06.67 \$10 00800 06.67 \$10 00800 06.67 \$10 00800 06.68																	
185 00200 14.16 STD 00250 14.27 U85 00250 13.35 U85 00300 11.50 STD 00400 11.50 STD 00500 08.65 U85 00500 08.65 STD 00600 06.62 U85 00600 06.62 U85 00700 05.83 STD 00700 05.83 STD 00800 05.06 STD 00700 05.83 STD 00800 05.06 STD 00700 04.67 U85 00900 04.67 U85 00900 04.67 U85 00900 04.67 STD 01000 04.51 U85 01000 04.51 U85 01000 04.51 STD 01100 04.34 U85 01000 04.35 STD 01200 C4.20 U85 01200 C4.20 U85 01300 04.05 STD 01400 04.05 STD 01400 04.05 STD 01400 04.05 STD 01500 03.90																	
\$10 02250 14.27 0035 00250 14.27 \$10 00300 13.35 005 00350 12.70 \$10 00400 11.50 105 00500 08.65 \$10 00500 08.65 \$10 00500 06.62 1085 00600 06.62 1085 00600 06.62 \$10 00700 05.83 \$10 00700 05.83 \$10 00800 05.06 1085 00900 04.67 1085 00900 04.67 1085 00900 04.67 \$10 00900 04.67 \$10 01000 04.51 \$10 0100 04.51 \$10 0100 04.34 \$10 01200 04.20 \$10 01300 04.05 \$10 01300 04.05 \$10 01300 04.05 \$10 01400 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.03 \$10 01500 04.03 \$10 01500 04.03 \$10 01500 04.03 \$10 01500 04.03																	
085 00250 14.27 510 00300 13.35 085 00300 13.35 085 00300 12.70 S10 00400 11.50 S10 00500 08.65 ORS 00500 08.65 S10 00000 06.62 UBS 00000 06.62 UBS 00000 05.06 S10 00000 05.08 S10 00000 05.06 S10 00000 05.06 S10 00000 05.06 S10 00000 04.67 S10 01000 04.51 UBS 01000 04.51 S10 01100 04.34 OBS 01200 04.05 S10 01200 04.05 S10 01200 04.05 S10 01300 04.05 S10 01400 04.05 S10 01400 04.03 UBS 01300 04.05 S10 01400 04.03 UBS 01400 04.03																	
\$10 00300 13.35 005 00300 13.35 005 00350 12.70 \$10 00400 11.50 1085 00400 11.50 \$10 00500 08.65 \$10 00500 08.65 \$10 00500 06.62 085 00600 06.62 \$510 00700 05.83 \$510 00800 05.06 0085 00700 05.83 \$510 00800 05.06 \$65 00800 05.06 \$510 00900 04.67 085 00900 04.67 085 00900 04.67 \$510 01000 04.51 085 01100 04.34 \$510 01200 04.25 \$510 01200 04.25 \$510 01300 04.05 \$510 01400 04.05 \$510 01400 04.05 \$510 01400 04.05 \$510 01400 04.03 \$550 01400 04.03 \$550 01400 04.03 \$550 01400 04.03																	
UBS 00300 13.35 085 00400 11.50 UBS 00400 11.50 UBS 00400 11.50 STD 00500 08.65 STD 00500 08.65 STD 00600 06.62 UBS 00600 06.62 STD 00700 05.83 STD 00800 05.06 STD 00800 05.06 STD 00900 04.67 UBS 00900 04.67 UBS 00900 04.67 STD 01000 04.51 UBS 01000 04.51 STD 01100 04.34 STD 01100 04.34 STD 01200 C4.20 STD 01200 C4.20 STD 01300 04.05 STD 01300 04.05 STD 01300 04.05 STD 01400 04.05 STD 01500 04.05																	
0.35 0.0350 12.70 510 0.0400 11.50 0.85 0.0400 11.50 510 0.0500 0.8.65 0.85 0.0500 0.8.65 0.85 0.0500 0.8.65 0.85 0.0500 0.8.65 0.85 0.0500 0.6.62 0.85 0.0700 0.5.83 0.85 0.0700 0.5.83 0.85 0.0700 0.5.83 0.85 0.0700 0.5.83 0.85 0.0700 0.5.66 0.85 0.0000 0.5.66 0.85 0.0000 0.6.67 0.85 0.0000 0.6.67 0.85 0.0000 0.6.67 0.85 0.0000 0.6.51 0.85 0.0000 0.6.55 0.85 0.0000 0.6.55 0.85 0.0000 0.6.55 0.85 0.0000 0.6.55 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.0000 0.6.05 0.85 0.00000 0.6.05 0.85 0.00000 0.6.05 0.85 0.00000 0.6.05 0.0000000000000000000000000000000																	
\$10																	
1085 004-00 11.50 510 00500 08.65 085 00500 08.65 510 00600 06.62 085 00600 06.62 510 00700 05.83 085 00700 05.83 51D 00800 05.06 685 00800 05.06 51D 00900 04.67 085 00900 04.67 085 00900 04.67 1085 01000 04.51 1085 01000 04.51 1085 01100 04.34 085 01100 04.34 51D 01200 04.20 51D 01200 04.05 51D 01200 04.05 51D 01200 04.05 51D 01300 04.05 51D 01400 04.05 51D 01500 04.05																	
STD 00500 08.65 OBS 00500 08.65 STD 00600 06.62 UBS 00600 06.62 STD 00700 05.83 STD 00800 05.06 OBS 00800 05.06 STD 00900 04.67 UBS 00900 04.67 STD 01000 04.51 UBS 01000 04.51 STD 01100 04.34 STD 01100 04.34 STD 01200 C4.20 UBS 01300 04.05 STD 01200 C4.20 STD 01300 04.05 STD 01300 04.05 STD 01500 04.03																	
085 00000 08.65 \$10 00000 06.62 085 00000 06.62 \$10 00700 05.83 \$10 00800 05.06 885 00000 05.06 \$10 00000 04.67 085 00000 04.67 \$10 01000 04.51 UBS 01000 04.51 UBS 01000 04.51 \$10 01100 04.34 \$10 0100 04.34 \$10 0100 04.34 \$10 0100 04.36 \$10 01200 04.05 \$10 01200 04.05 \$10 01200 04.05 \$10 01300 04.05 \$10 01300 04.05 \$10 01400 04.05 \$10 01400 04.05 \$10 01400 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05 \$10 01500 04.05																	
\$10 00000 06.62 085 00000 06.62 \$10 00700 05.83 085 00700 05.83 \$1D 00800 05.06 085 00800 05.06 \$1D 00900 04.67 \$1D 01000 04.51 \$1D 0100 04.51 \$1D 01100 04.34 \$1D 0100 04.34 \$1D 01200 04.20 085 01200 04.05 \$1D 01200 04.03																	
UBS 000-00 C6-62 STD 00700 US-83 OBS 00700 US-83 STD 00800 US-06 OBS 00900 US-06 STD 00900 U4-67 UBS 00900 U4-67 UBS 01000 U4-51 UBS 01000 U4-51 STD 01100 U4-34 OBS 01100 U4-34 STD 01200 C4-20 UBS 01200 C4-20 STD 01300 U4-05 STD 01300 U4-05 STD 01400 U4-05 STD 01400 U4-03 STD 01500 U3-90																	
STD 00700 05.83 085 00700 05.83 STD 00800 05.06 085 00800 05.06 STD 00900 04.67 STD 01000 04.51 STD 01100 04.51 STD 01100 04.34 OBS 01100 04.34 STD 01200 C4.20 STD 01300 04.05 STD 01300 04.03																	
085 00700 05.83 STD 00800 05.06 085 00800 05.06 STD 00900 04.67 UB5 00900 04.67 STD 01000 04.51 UB5 01000 04.51 STD 01100 04.34 OB5 01100 04.34 STD 01200 C4.20 UB5 01200 C4.20 STD 01300 04.05 STD 01300 04.05 STD 01300 04.05 STD 01500 04.05 STD 01500 04.05 STD 01500 04.03																	
\$10 00000 05.06 \$10 00400 05.66 \$10 00400 04.67 \$10 00900 04.67 \$10 01000 04.51 \$10 01000 04.51 \$10 01100 04.34 \$10 01200 04.34 \$11 01200 04.20 \$10 01200 04.20 \$10 01200 04.20 \$10 01200 04.20 \$10 01200 04.05 \$10 01200 04.05 \$10 01200 04.05 \$10 01200 04.05 \$10 01200 04.05 \$10 01200 04.05 \$10 01200 04.03																	
## 100																	
\$TD 00400 04.67 3B\$ 00400 04.67 \$TD 01000 04.51 UB\$ 01000 04.51 \$TD 01100 04.34 0B\$ 01100 04.34 \$TD 01200 C4.20 UB\$ 01200 C4.20 STD 01300 04.05 STD 01400 04.05 \$TD 01400 04.03 STD 01400 04.03 \$TD 01400 04.03																	
UBS 00900 04.67 STD 01000 04.51 UBS 01000 04.51 STD 01100 04.34 BES 01100 04.34 STD 01200 04.20 UBS 01200 04.20 UBS 01300 04.05 STD 01400 04.05 STD 01500 04.03 STD 01500 04.03 STD 01500 04.03 STD 01500 04.03																	
STD 01000 04.51 UBS 01000 04.51 STD 01100 04.34 OBS 01100 04.34 STD 01200 C4.20 OBS 01200 C4.20 STD 01300 04.05 IBS 01300 04.05 STD 01400 04.03 OBS 01400 04.03 STD 01500 03.90																	
UBS 01000 04.51 STD 01100 04.34 0BS 01100 04.34 STD 01200 04.20 0BS 01200 04.20 STD 01300 04.05 STD 01400 04.05 STD 01400 04.03 DBS 01400 04.03 STD 01500 03.90																	
STD 01100 04.34 0BS 01100 04.34 STD 01200 C4.20 0BS 01200 C4.20 STD 01300 04.05 STD 01400 04.05 STD 01400 04.03 0BS 01400 04.03 STD 01500 03.90																	
085 01100 04-34 STD 01200 C4-20 085 01200 04-20 STD 01300 04-05 UBS 01300 04-05 STD 01400 04-03 085 01400 04-03 STD 01500 03-90																	
STD 01200 C4-20 0BS 01200 C4-20 STD 01300 04-05 STD 01400 04-05 STD 01400 04-03 0BS 01400 04-03 STD 01500 03-90																	
085 01200 C4.20 STD 01300 04.05 185 01300 04.05 STD 01400 04.03 085 01400 04.03 STD 01500 03.90																	
STD 01300 04.05 0185 01300 04.05 STD 01400 04.03 085 01400 04.03 STD 01500 03.90																	
118S 01300 04.05 STD 01400 04.03 08S 01400 04.03 STD 01500 03.90																	
STD 01400 04-03 085 01400 04-03 STD 01500 03-90																	
08S 01400 04.03 STD 01500 03.90																	
STD 01500 03.90																	
				NA ANTONIO	1/2/2/2017												

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

REFID 31 825 CONSEC 000 LAT 41 20 LONG 050 20	MONT N DAY	1971 H 03 09 02.0	BUTDP 04206 SHIP UG DATA USE 1 AREA 05	BAR	TEMP 14.4 BULB 11.7 DMETR 1009.5	24	961 PER 5	MIND-DIR MIND-SPD MIND-FOR MEATHER		DURAT		30.3	5	EN SU I SUUARE SUUARE SUUARE	E 00
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	51GM4-1	DANDELH	SNO VEL	OXYG	P14	TOT P	NUZ	NO3	5103	PH	
	STD	00000	13.71	35.78	20.87	00.000	1504.2								
02.0	085	00000	13.71	35.78	25.87		1504 . 2								
	STO	01000	13.71												
	085	00010	13.71												
	STD	00020	13.71												
	UBS	00020	13.71												
	STD	000 30	13.72												
	085	00030	13.72												
	510	00050	13.72												
	085 STD	00050	13.72												
	085	00075	13.69												
	510	00100	13.71												
	085	00100	13.71												
	STD	00125	13.65												
	UBS	00125	13.65												
	STD	00150	13.63												
	085	00150	13.63												
	STD	00200	13.58												
	085	00200	13.58												
	UBS	00210	13.56												
	STD	00250	11.65												
	085	00280	10.76												
	STD	00300	10.42												
	085	00300	10.42												
	\$10	00400	08.52												
	STD	00400	08.52												
	085	00500	06.65												
	\$10	00600	06.12												
	085	00600	06.12												
	STD	60700	05.34												
	OBS	00700	05.34												
	STO	00800	04.92												
	OBS	00800	04.92												
	510	00400	04.62												
	UBS	00900	04.62												
	STD	01000	04.44												
	JBS	01000	04.44												
	STD	01100	04.25												
	085	01100	04.25												
	510	01200	04-18												
	STD	01 200	04.18												
	OBS	01300	04.11												
	STD	01400	04.02												
	085	01400	04.02												
	STD	01500	03.95												
	nes	01500	03.95												

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

CASTNUM/TIME LVLTYP DEPTH TEMP SAL SIGMA-T DYNDPTH SNO VEL UXYG P34 TOT P NO2 NO3 S1D 00000 02-37 32-73 26-15 00-060 1456-8 S1D 00010 02-37 32-73 26-15 1456-8 UBS 00010 02-37	S103 PH
06.3 UBS 00000 02.37 32.73 26.15 1456.8 STD 00010 02.37	
06.3 UBS 00000 02.37 32.73 26.15 1456.8 STD 00010 02.37	
UBS 00010 02.37	
S1D 00020 02-37	
085 00020 02.37 510 00030 02.16	
085 00030 02-16	
STD 00050 01.96	
165 00050 01.96	
085 00069 00.95	
STD 00075 01.19	
UBS 00075 01-19	
STD 00100 01.65	
UBS 00100 01.65	
STO 00125 02-18 UBS 00125 02-18	
085 00125 02.18 STD 00150 02.55	
085 00150 02-55	
STD 00200 03.86	
085 00200 03.86	
\$10 00250 04.35	
085 00250 04.35	
085 00265 04.53	
STD 00300 04.07	
UBS 00300 04-07 0BS 00355 04-60	
085 00355 04-80 085 00375 04-42	
S10 00400 04-56	
UBS 00400 04-56	
SID 00500 04-65	
085 00500 04-65	
S1U 00600 04-59	
085 00600 04-59	
S1D 00700 04-37	
085 00700 04-37 \$10 00800 04-12	
DB\$ 00800 04-12	
085 00825 04-25	
STD 00900 04-14	
UBS 00900 04-14	
085 00410 04-09	
UBS 00950 04-06	
STD 01000 03.96	
UBS 01000 03-96 STD 01100 03-89	
085 01100 03.89	
STD 01200 03.49	
085 01200 03.89	
SID 01300 03.63	
085 01300 03-83	
STD 01400 03-78	
085 01400 03-78	
STD 01500 03-73 085 01500 03-73	
085 01500 03.73	

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7–9 March 1971, Prepared from NODC Listing No. 31–8257.—Continued

CUNSEC LAT LUNG	31 8251 3011 42 10 M	DAY	1971 H 03 09 09.0	SHIP DG DATA USE 1 AREA 05				GT PER	WIND-DIR WIND-SPO WIND-FUR WEATHER	15	DURA		00.3	2	N SQ LI SQUARE SQUARE SQUARE	20
CAST	NUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P34	TOT P	NUZ	NUS	\$103	Рн	
		STD	00000	00.09	35.24	26.70	00.000	1447.3								
	09.0	UBS	00000	00.09	33.24	26.70		1447.3								
		STO	00010	- 0.09												
		085	00010	- 0.09												
		STD	00020	- 0.03												
		085	00020	- 0.03												
		STO	00030	00.34												
		OBS	000 30	00.34												
		STD	00050	CO. 70												
		085	00050	00.70												
		STD	00075	01.22												
		085	00075	01.22												
		STO	00100	01.19												
		OBS	00100	01-19												
		STD	00125	01.97												
		STD	00150	02.62												
		085	00150	02.62												
		STD	00200	03.52												
		OBS	00200	03.52												
		STD	002 50	03.99												
		UBS	002 50	03.99												
		STD	00300	04-11												
		OBS	00300	04-11												
		\$10	00400	04.40												
		08 S	00400	04.40												
		\$10	005 00	04.45												
		085	00500	04.45												
		STD	00600	04.45												
		08S STD	00600	04.45												
			00700													
		STD	00800	04.45												
		085	00800	04.26												
		STD	00900	04.16												
		OBS	00900	04.16												
		STD	01000	04.09												
		085	01000	04.09												
		STD	01100	04.03												
		085	01100	04.03												
		STO	01200	03.98												
		JBS	01200	03.98												
		STD	01300	03.85												
		UBS	01300	03.85												
		STD	01400	03.77												
		085	01400	03.77												
		STD	01500	03.73												
		085	01500	03.73												

Table XI.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC DALLAS, 7-9 March 1971, Prepared from NODC Listing No. 31-8257.—Continued

REFID 31 8257 CUNSEC 0012 LAT 42 50 N LONG 050 20 W	YEAR MONTH DAY HOUR	03	BOTOP 00914 SHIP DG DATA USE 1 AREA 05	AIR TO MET BO BARCHI CLOUD	8.70 BA	DIR HI 24 SEA CL/TR	GT PER	WIND-DIR WIND-SPD WIND-FUR WEATHER	09	TRACE		0	2	N SQ 13 SQUARE SQUARE SQUARE	20
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	JXYG	P)4	TOT P	NOZ	NO3	\$103	РН	
13.6	085 STD UBS STD	000 00 000 00 000 10 000 10 000 20 000 10 000 20 000 50 000 50 000 50 000 50 001 50 001 50 001 50 001 50 001 50 002 50 002 50 002 50 003 50 004 50 005 50 00	- 0.65 - 0.67 - 0.67 - 0.68 - 0.68 - 0.68 - 0.74 - 0.74 - 0.21 - 0.57 - 0.86 - 0.57 - 0.86 - 0.97 00.97 01.29 01.69 01.69 02.06 03.06 03.0	33.05	26.58	00-000	1443.6 1443.6	JATO	734		Nuz	NUS	2103		
	085	00750	04.40		*****										
KEFID 31 8257 CUNSEC 0013 LAT 43 00 N LUNG 050 20 W	YEAR MONTH DAY HOUR	03	SHIP DG DATA USE 1 AREA 05	MET B BAHOM CLOUD	ULB 02.2 ETR 1006.1		GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	05	TRACE	STO REC DIR IUN A4 025	00.1	5	N SQ 1 SQUARE SQUARE SQUARE	20
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P34	TOT P	NOZ	NO3	\$103	РН	
15.3	STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS	000 00 000 00 000 10 000 10 000 20 000 30 000 30 000 50 000 50 000 75 000 75	00.63 00.63 00.33 00.33 00.22 00.00 00.00 - 0.34 - 0.34 - 0.51 - 0.47		••••	••••••	•								
RFF10 31 8257	YEAR	1971	BOTOP	AIR T	EMP 02.8	DIR H	GT PER	#INO-DIR	07	INST	STD REC	OR DER	te	N SQ 1	307
CUNSEC 0014 LAT 43 10 N LUNG 050 20 #	MONTH DAY HOUR	09	SHIP DG DATA USE 1 AREA 05	WET BO	TR 1006-8		2 2	WEND-SPD WEND-FOR WENTHER	05	TRACE	DIR	00.1	5	SQUARE SQUARE SQUARE	20
CASTNUP/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	UXYG	P)4	TOT P	NOZ	NO3	5103	PH	
17.5	STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS	00000 00000 00010 00010 00020 00020 00030 00050 00050 00075 00075	00.64 00.69 00.59 00.58 00.46 00.11 - 0.38 - 0.38 - 0.93 - 0.93	32.73 32.73	26.27	00.000	1449.1								

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5-8 January 1972, Prepared from NODC Listing No. 31-1971.

REFID CONSEC LAT LONG	43	1971 0001 10 A	MONT	1972 H 01 05 02.6	BOTOP 00070 SHIP 3L DATA USE 1 AREA 05	BAR	TEMP Q3.8 BULB Q1.9 OMETR 1014.5 UO T/A 8/5	SEA	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	25	TRAC	NAMSEN E DIR 710N A4 026		5 SG 2 SG	SQ 1307 QUARE 1 QUARE 20 QUARE 30
CAST	NUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	DXYG	P04	TOT P	NO2	NO3	5103	PH
			STD	90000	03.49	32.14	25. 5	00.000	1462.5							
		02.6	085	00000	03.69	32.138		00.000	1442.5							
			S	00010	03.76	32.14	25.54	00.024	1462.2							
			STO	00020	03.58	32.13	25,57	00.049	1461.5							
		02.6	085	00025	03.47	32-134	25.58		1441 -2							
			STD	00030	03-32	32.14	25.60	00.073	1460.6							
			STO	00050	02.72	32.55	25.98	00-117	1458.9							
		02.6	085	000 50	02.72	32.547	25.98		1458.9							
		02.6	085	00060	01.80	32.967	26.40		1455.6							
							****	••••••								
REFID CONSEC LAT LONG	42	1971 000; 58 M	DAY	1972 H 01 05	BOTDP 00109 SHIP 3L DATA USE 1 AREA 05	BAR	TEMP 03.7 BULB 01.8 OMETR 1014.5 UD T/A 8/5	SEA		WIND-DIR WIND-SPD WIND-FOR	25	TRACE	ION		5 SQ 2 SQ	SQ 1307 UARE 1 UARE 20
-	0,00		· NOOM	04.0	***************************************	CLU	UD T/A 8/5	CL/TR		WEATHER	XI	ORIG	A4 026		1 50	UARE 20
CAST	NUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SWD AET	GXYG	P34	TOT P	NOZ	NO3	\$103	РН
			STD	00000	02.56	32.45	25.91	00.000	1457 -2							
		04.0	085	00000	02.56	32.449			1457.2							
			STD	00010	02.55	32.47	25.93	00.021	1457.4							
			STD	00020	02.49	32.49	25.95	00-042	1457.3							
		04.0	085	00025	02.44	32.501	25.96		1457.2							
			STD	00030	02-39	32.64	26.08	00.062								
		04.0	085	00049	02.00	33.086	26.46		1456.4							
			STD	00050	01.94	33-11	26.48	00.097	1456.2							
		04.0	085	00074	00.98	33.478	26.85		1452.9							
			STD	00075	00.96	33.49	26.85	00.131	1452.8							
		04.0	085	00098	00-74	33.510	26.89		1452 .2							

	03 MC	AR 1972 DATH 01 AY 05 DUR 06.5	BOTOP 00658 SHIP 3L DATA USE 1 AREA 05	BARO	TEMP 03.9 BULB 02.6 METR 1015.8 D T/A 8/5	29	IGT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	25	TRAC	NAMSEN E DIR TION A4 020		5	N SQ 1307 SQUARE 1 SQUARE 20 SQUARE 20
CASTNUM/TIM	E LVLT	P DEPTH	TEMP	SAL	SIGMA-I	DYNOPTH	SND VEL	OXYG	P04	TOT P	NOZ	NO3	5103	PH
	STO	00000	03.80	32.25	25.64	00.000	1462.3							
06.		00000	03.80	32-251	25.64		1462.3							
	STO		03.41	32.31	25.73	00.023	1460.9							
	STO		02.98	32.43	25.86	00.045	1459.3							
06.		00025	02.74	32.511	25.95		1458.5							
	STO		02.38	32.68	26.11	00.066	1457.2							
	STO		01.38	33-16	26.57	00-099	1453.8							
06.	5 085	00050	01.38	33, 163	26.57		1453.8							
	STO		01-18	33.32	26.71	00.135	1453.5							
06.	5 085	00075	01.18	33.318	26.71		1453.5							
	ST	00100	01-08	33.46	26.82	00.167	1453.7							
06.	5 085	00106	01.08	33.459	26.82		1453.7							
	STO	00125	00.74	33.59	26.95	00.196	1452.8							
	STO	00150	00.57	33.71	27.05	00-223	1452.6							
06.	5 085	00150	00.57	33.707	27.05		1452.6							
	ST	00200	00.79	33.88	27.18	00-271	1454 -6							
06.	5 085	100205	00.82	33.893	27.19		1454.9							
	ST	00250	01.20	34.03	27.28	00.314	1457.5							
	570	00300	01.52	34-15	27.39	00.352	1459.9							
06.	5 085	00305	01.55	34.155	27.35		1460.1							
	STO	00400	01.65	34.23	27-38	00.426	1463.2							
06-	5 085	100405	01.86	34.229	27.39		1463 .3							

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5–8 January 1972, Prepared from NODC Listing No. 31–1971.—Continued

REFID CONSEC	31	19		YEAR	1972 H 01 05	BOTOP 0186 SHIP 3L DATA USE		IR TEMP	03.1	29	GT PER	WIND-DIR WIND-SPD WIND-FOR	22	INST TRACE DURA		CAST	5	N SQ L SQUARE SQUARE	1
LONG	050			HOUR	08.6	AREA 0		LOUD 1/				WEATHER			A4 02	6		SQUARE	
CAST	N _U M	TIM	E	LVLTYP	DEPTH	TEMP	SAI	. 51	GMA-T	DYNOPTH	SND VEL	OXY G	P04	101 P	NO2	NO3	\$103	PH	
				STD	00000	03.04	32.	2 2	5,77	00.000	1459.1								
		08.	6	085	00000	03.04	32 .	24 2	5.77		1459.1								
				STD	00010	03.10	32.		5.80	00.022	1459.6								
				STD	00020	03.16	32.	2 2	5.84	00.044	1460.1								
		08.	6	085	00024	03.18	32.		5.85		1460 - 3								
				STO	00030	05.47	33.0		6.08	00.065	1470.8								
		08.	6	085	00048	10.52	34.4		6.45		1492-3								
				STD	00050	10-84	34.	8 2	6.49	00.100	1493.7								
		08.	6	085	00071	12.98	35.4		6.78		1502.5								
				STO	00075	12.94	35.		6.80	00.135	1502.5								
		08.	6	085	00095	12.76	35.4		6.84		1502.2								
				STD	00100	12.41	35.4	4 2	6.87	00-166	1501.1								
				STO	00125	10.74	35.		6.96	00.196	1495.3								
		08.	6	085	00143	09.65	34.		7.02		1491.4								
				STO	00150	09.31	34.		7.04	00.223	1490.3								
				STO	00200	07.10	34.		7.19	00-273	1482 - 3								
				STD	00250	05.23	34 . !		7.28	00.317	1475.4								
		08.	6	085	00291	03.94	34.		7.33		1470.6								
				STO	00300	03.60	34.		7.33	00.357	1469.3								
		08.	6	085	100387	01.80	34.2		7.40		1462 . 7								
				STO	00400	01.98	34.2		7.43	00.429	1463.8								
		08.	6	085	00489	03.00	34.5		7.55		1470.1								
		6		STD	00500	03.09	34.5		7.56	00.492	1470.7								
		08.	6	082	00585	03.68	34.		7.64		1474.8								
				STO	00600	03.74	34.		7.64	00.546	1475.3								
				STD	00700	04.04	34.6		7.67	00.597	1478.3								
		08.	6	085	100778	04.18	34.		7.68		1480.3								
				STD	00800	04.18	34.6		7.69	00.647	1480.7								
				STO	00900	04.17	34.6		7.70	00.696	1482 - 3								
		08.		085	100978	04-16	34.9		7.71		1483.6								
		08.	6	085	101481	03.99	34.9	37 2	7.76		1491 -3								
									*****	••••••									

REFID 31 1971 CONSEC 0005 LAT 42 30 N LONG 050 20 W	DAY	01	BOTOP 02450 SHIP 3L DATA USE 1 AREA 05	MET B BARON CLOUD	ULB 03.9 IETR 1014.5		GT PER 5 4	WIND-DIR WIND-SPD WIND-FOR WEATHER	14	TRAC	NANSEN E DIR TION A4 G26		TEN SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	S103 PH
	STD	00000	03.11	32.39	25-81	00.000	1459.5						
11.8	OBS	00000	03.11	32.386	25.81		1459.5						
	STD	00010	05.64	33.00	26.04	00.021	1471.1						
	STO	00020	07.68	33.50	26.16	00.040	1480.1						
11.8	085	00025	08.51	33.707	26.20		1483.6						
	STD	00030	08.96	33.80	26.20	00.059	1485.5						
	STD	00050	10.61	34.34	26.32	00.094	1493.3						
11.8	085	00050	10.81	34.344	26.32		1493.3						
	STO	00075	13.27	35.46	26.71	00.133	1503 .6						
11.8	085	00075	13.27	35.456	26.71		1503.6						
	STD	00100	13.27	35.71	26.91	00.165	1504.3						
11.8	085	00100	13.27	35.712	26.91		1504.3						
	STD	00125	12.89	35.61	26.91	00.194	1503.3						
	STD	00150	12.34	35.49	26.92	00.224	1501 . 7						
11.8	085	00151	12.31	35.485	26.92		1501.6						
	STD	00200	10.73	34.97	26.82 *	00.285	1496.3						
11.8	085	T00206	10.47										
	STD	00250	07.02	34.58	27.11	00.343	1482 - 7						
	STD	00300	04.14	34.33	27.26	00.389	1471 -5						
11.8	085	00307	03-83	34.305	27.27		1470.3						
	STD	00400	01.75	34.25	27.42	00.466	1462.7						
11.8	085	T00408	01.71	34.250	27.42		1462.7						
	STD	00500	02.99	34.55	27.55	00.529	1470.2						
11-8	085	00514	03.15	34.587	27.56		1471 .2						
	STD	00600	03.97	34.80	27.65	00.584	1476.4						
11.8	085	00615	04.09	34.831	27.66		1477 .2						
11.8	085	T01023	04.45	34.997	27.76		1485.7						
11.8	085	101539	03.91	34.953	27.78		1492.0						

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5–8 January 1972, Prepared from NODC Listing No. 31–1971.—Continued

REFID 31 CONSEC LAT 42	1971 0006	MONT	1972	SHIP 3L DATA USE 1	WET 6		DIR H 29 SEA	GT PER	WIND-DIR WIND-SPD WIND-FOR		INST TRACE DURAT		CAST	5	N SQ 1307 SQUARE 1 SQUARE 20
LONG 050	20 H	HOUR	14.5	AREA 05	CLOUD	T/A 7/8	CL/TR		HEATHER	X5	ORIG	A4 026		1	SQUARE 20
CASTNUM/	IME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DAMOBIH	SNO VEL	DXYG	P04	TOT P	NOZ	NO3	\$103	PH
		STD	00000	05.00	32.64	25.83	00.000	1467.9							
	14.5	OBS	00000	05.00	32.637	25.03		1467.9							
		STO	00010	05.30	32.72	25.86	00.022	1469.4							
		STO	00020	05.60	32.80	25.89	00.043	1470.9							
	14.5	085	00025	05-75	32.844	25.90		1471.6							
		STO	000 30	06.90	33.20	26.03	00.064	1476 -8							
	14.5	085	00049	09.76	34.074	26.29		1489.1							
		STO	00050	09.77	34.08	26.29	00.101	1489.2							
	14.5	085	00074	09.91	34-132	26.31		1490.2							
		510	00075	10.09	34.20	26.33	00.144	1490.9							
	14.5	085	00098	13.20	35.371	26.66		1503.6							
		STO	001 00	13.19	35.38	26-67	00.183	1503.6							
		STO	00125	13.09	35.49	26.77	00-218	1503.8							
	14.5	085	00148	12.95	35.548	26.85		1503.8							
		STO	00150	12.93	35.55	26.85	00.250	1503.8							
		STO	00200	12.43	35.53	26.93	00.311	1502.9							
	14.5	085	00202	12.41	35.528	26.94		1502 -8							
		STO	00250	09.82	35.16	27-13	00.365	1494.0							
	14.5	085	00263	09.20	35.082	27.17		1491.9							
		STO	00300	07.47	34.88	27.28	00.412	1485.7							
	14.5	085	T00351	05.90	34.738	27.38		1480 -1							
		STO	00400	05.64	34.84	27.49	00.487	1480.0							
	14.5	085	00446	05.45	34.909	27.57		1480 - 1							
		STO	00500	05.31	34.97	27.64	00.546	1480.5							
	14.5	085	00537	05.22	35.003	27.67		1480.8							
		STO	00600	05.11	35.00	27.69	00.597	1481.3							
		STD	00700	04.94	35.01	27.71	00.645	1482.3							
	14.5	085	00722		35.008										
	The Carlotte of the Carlotte o	STD	00800	04.78	35.01	27.73	00.693	1483.3							
		STD	00900	04.63	35.01	27.75	00-739	1484.4							
	14.5	085	T00916	04.61	35.015	27.75		1484.6							
	14.5	085	T01525	04.00	34.975	27.79		1492 -2							

REFID 31 1971 CONSEC 0007 LAT 41 14 N	MONTH DAY	01	SHIP 3L DATA USE 1		ULB 03.9 ETR 1015.5	SEA	GT PER 5 5	WIND-DIR WIND-SPD WIND-FOR	35	TRAC			2	N SQ LE SQUARE SQUARE	00
LONG 050 20 W	HOUR	15.1	AREA 05	CLOVO	T/A 8/6	CL/TR		WEATHER	XI	ORIG	A4 02	26	1	SQUARE	10
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	\$103	PH	
	STD	00000	17.10	36.24	26.46	00.000	1515.3								
15.1	085	00000	17.10	36.240	26.46		1515.3								
	STO	00010	17.13	36.24	26.46	00-016	1515.6								
	STD	000 20	17.15	36.25	26.45	00.032	1515.8								
15.1	085	00029	17.16	36.248	26.45		1516.0								
	STO	00030	17.16	36.25	26.45	00.048	1516.0								
	STD	00050	17.16	36.25	26.45	00.080	1516.3								
	STO	00075	17.15	36.24	26.45	00.120	1516.7								
15.1	085	00081	17.15	36.244	26.45		1516.8								
	STO	00100	17.18	36.25	26.45	00.160	1517 -2								
15.1	085	00105	17.18	36.250	26.45		1517.3								
	STD	00125	17.10	36.25	26.45	00.201	1517.6								
	STO	00150	17.17	36.24	26.44	00.242	1518.0								
15.1	085	00158	17.17	36.242	26.44		1518.1								
	STD	002 00	17.07	36.25	26.47	00.324	1518.5								
15.1	085	00211		36,255	20.4.1	000324									
	STO	00250	16.95	36.32	26.56	00.404	1519-1								
	STO	00300	16.83	36.40	26.65	00.481	1519.7								
15.1	085	00317	16.79	36.430	26.68		1519.9								
	STO	00400	15.69	36.14	26.74	00.630	1517.5								
15.1	085	T00423	15.34	36-067	26.74	00.030	1516.7								
	STO	00500	14.15	35.88	26.85	00.771	1514.0								
15.1	085	00530	13.43	35.820	26.94	00.111	1512.0								
.,	STO	00600	10.90	35.70	27.36	00.882	1504.4								
15.1	085	00636	09.76	35.644	27.51	VV- 002									
15.1	065	T01068	04.91	34.994			1500.8								
15.1		101000	04.07	35.003	27.70		1488.3								
							_								

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5–8

January 1972, Prepared from NODC Listing No. 31–1971.—Continued

CONSEC 00 LAT 40 50 LONG 050 20	N DAY	TH 01 06 1 20-1	SHIP 3L DATA USE 1 AREA 05	WET I	ETR 1016.4	33 SEA	er PER	WIND-DIR WIND-SPD WIND-FOR WEATHER		TRAC			2	N SQ 1307 SQUARE 1 SQUARE 00 SQUARE 00
CASTNUM/T IM	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	ОУМОРТИ	SNO VEL	OXYG	P04	101 P	NO2	NO3	\$103	PH
	STD	00000	16.95	36.23	26.49	00.000	1514.9	-						
20.		00000	16.95	34.228	26.49		1514.9							
	STO	00010	16.98	36.23	26.48	00-016	4515-1							
	STD	00020	17.00	36.22	26.47	00.031	1515.4							
20.		00027	17.01	36.221	26.47		1515.5							
	STO	00030	17.01	36.21	26.46	00.047	1515.5							
	STD	00050	17.00	36-19	26.44	00.079	1515.0							
20.		00050	17.00	36.190	26.44		1515.0							
••••	STO	00075	14.98	36.21	26-47	00.119	1514.2							
20-1		00077	16.98	34.214	26.47									
	STO	001 00	16.99	36.23	26.48	00.159	1516.2							
20.		00100	16.99	36.232		00.104	1516.6							
20.		00100	10.77	30.232	26.48		1514.4							

REFID 31 1971 CONSEC 0000 LAT 40 20 1 LONG 050 20 1	MONT	1972 H 01 07 00.5	SHIP 3L DATA USE AREA O	MET 1 BARG	TEMP 06-9 BULB 05-9 METR 1016-0 ID T/A 8/6	32 6 5 SEA	WIND-DIR WIND-SPD WIND-FOR WEATHER		TRACE		IST	TEN SQ 1 5 SQUARE 2 SQUARE 1 SQUARE	00
CASTNUMTIME	LYLTYP	DEPTH	TEMP	SAL	SJGMA-T	DYNOPTH SNO VEL	OXYG	P04	TOT P	NO2	NO3 S10	3 PH	
	STD	00000		35.74									
00.5	085	00000		35.737									
	STD	00010		35.74									
	STD	00020		35.74									
00.5	085	00027	16.03	35.742	26.33	1512.0							
	STD	00030	16-02	35.74	26.33	1512.0							
	STD	00050	16.00	35.74	26.33	1512.2							
00.5	085	00051	16.00	35.740	26.33	1512.2							
	STD	00075	16-02	35-74	26.33	1512.7							
00.5	085	00080	16.03	35.735	26.32	1512.8							
	STO	00100	16-00	35.72	26.32	1513.0							
00.5	085	00104	15.99	35.722	26.32	1513.1							
	STO	00125	15.97	35.72	26.33	1513.3							
	STD	00150	15.93	35.72	26.33	1513.6							
00.5	085	00156	15.92	35.720	26.34	1513.7							
	STD	00200	15.82	35.71	26.35	1514.1							
00.5	085	T00209	15.80	35.702	26.35	1514.2							

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5–8 January 1972, Prepared from NODC Listing No. 31–1971.—Continued

		MONT	1972 H 01 07 04-8	SHIP 3L DATA USE 1 AREA 05			30 SEA		WIND-DIR WIND-SPD WIND-FOR WEATHER	30	DURAT			5 2	N SQ 120 SQUARE SQUARE 80 SQUARE 90
	•		••••							~*					JAONNE 3
CASTNUM/T	ME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SNO VEL	OXYG	P04	TOT P	NO2	NO3	5103	PH
		STD	00000	19.67	36.38	25.92	00.000	1522.0							
04	-8	085	00000	19.67	36.378	25.92		1522 .4							
		STD	00010	19.67	36.39	25.93	00-021	1523.0							
		STD	00020	19.66	34.39	25.93	00.042	1523-2							
04		085	00028	19.66	36.399	25.94		1523.3							
		STO	00030	19.66	36.40	25.94	00.063	1523.3							
		STD	00050	19-48	36.40	25.93	00.105	1523.7							
04		085	00052	19.68	34.403	25.93		1523.8							
		STO	00075	19.70	34-41	25.94	00.157	1524.2							
04		085	00080	19.71	36.414	25.93		1524.3							
		STO	00100	19.74	36.41	25.92	00-210	1524.7							
04		085	00104	19.74	36.406	25.92		1524.8							
		STD	00125	19.72	36.41	25.93	00.263	1525.1							
		STO	00150	19.70	36,42	25.94		1525.4							
04		OBS	00156	19.69	36.422	25.95		1525.5							
		STO	90290	19.09	36.47	26.14	00-419	1524.6							
04		085	00208	18.99	34.476	26.17		1524.5							
	•	STO	00250	18.45	36.48	26.31	00.513								
		STD	00300	17.96	36.50	26.44	00.400								
04		DAS	00312	17.87	34-498	26-47		1523.0							
		570	00400	17.56	36.47	26.52	00-748	1523.5							
04		065	T00414	17.46	36.464	26.54		1523.5							
	.2	085	T00434	17.33	36.411	26.53		1523.4							
-		STD	00500	16.70	36-32	26-62	00.931	1522.5							
01	.2	085	00518	14.47	34.283	26.64	******	1522.0							
	-	STO	00400	14.85	35.98	26.78	01-084	1518.0							
01	.2	085	004.84	13.00	35.477	26.93		1513-0							
	••	STO	00700	12.61	35.62	26.97	01.221								
		STO	00800	10.09	35,29	27.16		1504.3							
07	.2	085	00857	08.88	35.151	27.28		1500 -6							
	.2	085	01279	04-91	35.081	27.77		1491.9							
•	••	STO	01300	04.86	35.08	27.77		1492-1							
		072	11400	04-63	35.05	27.78		1492.8							
		STO	01500	04.44	35.03	27.78		1493.6							
07	.2	085	101700	04.14	34.996	27.79		1495.7							
•		STD	01750	04.12	34.99	27.79		1496.5							
		are	02000	04.00	34.99	27.30		1500.2							
	.2	280	02131	03.92	34.75	21.00		1300.2							
0,	••	STD	02500	03.44	34.98	27.03		1507-2							
01	.2	085	T02542	03.59	34.976	27.43		1508-1							
01	• •		. 42345	03.37	34.710	21,03		*300 .1							

REFID 31 1971 CONSEC 0011 LAT 39 20 N LONG 050 20 W	MONT	1972 H OL 07 LL-5	SHIP 3L DATA USE I AREA 05	BARCH		30 SEA	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	20	TRACE			2	N SQ 1207 SQUARE 3 SQUARE 80 SQUARE 90
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SEGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	5103	PH
	STD	00000	19.82	36.42	25.91	00.000	1523-3							
11.5	085	00000	19.82	36-421	25.91		1523.3							
-	STO	00010	19.83	36-45	25.73	150.00	1523.5							
	STD	00020	19.83	36.46	25.94	00.042	1523.7							
11.5	OBS	00028	19.84	36.467	25.94		1523.9							
	STD	00030	19.84	36.46	25.94	00.063	1523.9							
	STD	00050	19.87	36.44	25.91 .	00-105	1524.3							
11.5	085	00052	19.67	36.436	25.94		1524.3							
	STO	00075	19.86	36.43	25.90	00.158	1524.7							
11.5	085	00081	19.86	36.423	25.90		1524 - 7							
	STD	00100	19.87	36.44	25.91	00.211	1525-1							
11.5	OBS	00105	19.87	36-438	25.91		1525.2							
	STD	00125	19.87	36.45	25.92	00.265	1525.5							
	STD	00150	19.87	36.46	25.93	00.318	1526.0							
11.5	085	00159	19.87	36.464	25.93		1526.1							
-	STD	00200	19.41	36.56	26-12	00.421	1525.6							
11.5	085	T00212	19.30	36.572	26.16		1525.5							
	STD	00250	19.01	34.55	26.22	00.518	1525.3							
	510	00300	18.78	34.52	26.26	00.612	1525.5							
11.5	085	00320	18.74	36.509	26.26		1525.7							

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5–8 January 1972, Prepared from NODC Listing No. 31–1971.—Continued

CONSEC	31 1971 0012 38 50 6 50 20	MONT	1972 H 01 07	BOTOP 05303 SHIP 3L DATA USE 1 AREA 05	BARO	TEMP 14.0 BULB 09.8 METR 1018.6 ID T/A 8/6	33 SEA	IGT PER	WIND-DIR WIND-SPO WIND-FOR WEATHER	00	TRAC	NANSEN E DIR TION A4 02		5 SQ 2 SQ	SQ 1207 DUARE 3 DUARE 80 DUARE 80
CASTN	UM/T I ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	101 P	NO2	NO3	\$103	РН
		STO	00000	19.53	36.37	25.95	00,000	1522.5							
	15.2	065	00000	19.53	36.372	25.95		1522.5							
		STD	00020	19.53	36.38	25.95	00.021	1522.6							
	15.2	085	00025	19.53	36.390	25.96		1522.9							
		STD	00030	19.54	36.38	25.95	00.062	1523.0							
	15.2	5TD	00050	19.56	36.36	25.93	00.104	1523.3							
	13.2	STO	00075	19.55	36.36	25.94 25.94	00-156	1523.7							
	15.2	OBS	00075	19.55	36.362	25.94		1523.7							
	15.2	STD	00100	19.56	36.38	25.94	00.209	1524.2							
		STD	00125	19.54	36.38	25.95	00.262	1524 .6							
		STO	00150	19-53	36.38	25.96	00.314	1524.9							
	15.2	STD	00150	19.53	36.384	25.96	00.415	1524.9							
	15.2	085	00205	19.14	36.548	26.19		1524.9							
		STD	00250	18.65	36-52	26.29	00.509	1524.3							
	15.2	OBS	00300	18.18	36.49	26.39	00.599	1523.7							
		STD	00400	17-48	36.44	26.52	00.769	1523.3							
	15.2	085	100405	17.45	36.433	26.52		1523.3							
	15.2	STD	00500	17.11	36.42	26.59	00.934	1523.8							
	.,	STO	00600	16.47	36.32	26.67	01.093	1523.4							
	15.2	085	00610	16.38	36.305	26.68		1523.3							
		STO	00700		35.94										
	15.2	OBS	00810		35.577										
		STD	00900		35.34										
	15.2	OBS	01000 T01015	07.58	35-13	27.44		1498.2							
	15.2	085	01525	04.46	35.052	27.80		1494.2							
CONSEC	31 1971 0013 38 20 N	MONT	1972 H 01 07	BOTOP 05303 SHIP 3L DATA USE 1		BULB 09.8 METR 1019.0	SEA	GT PER	WIND-DIR WIND-SPD WIND-FOR	00	TRACE	TION		5 SQ 2 SQ	SQ 1207 UARE 3 UARE 80
CONSEC LAT	0013	MONT	H 01	SHIP 3L	BARO	BULB 09.8	33		WIND-SPD	00	TRACE	DIR		5 SQ 2 SQ	UARE 3
CONSEC LAT LONG OS	0013 38 20 N	MONT DAY HOUR	H 01 07 19.2 DEPTH	SHIP 3L DATA USE 1 AREA 05	BAROL CLOU	BULB 09.8 METR 1019.0 D T/A 8/6 SIGMA-T	SEA CL/TR	4 3 SND VEL	WIND-SPD WIND-FOR	00	TRACE	E DIR		5 SQ 2 SQ 1 SQ	UARE 3
CONSEC LAT LONG OS	0013 38 20 N 50 20 W	MONT DAY HOUR LVLTYP STD	H 01 07 19.2 DEPTH	SHIP 3L DATA USE 1 AREA 05	BAROLCLOUI	SIGMA-T 26.14	SEA CL/TR	4 3 SND VEL 1520-2	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W	MONT DAY HOUR LVLTYP STD OBS	DEPTH 00000	SHIP 3L DATA USE 1 AREA 05 TEMP 18.74 18.74	SAL 36.36 36.356	SIGMA-T 26.14 26.14	SEA CL/TR	4 3 SND VEL	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W	MONT DAY HOUR LVLTYP STD OBS STD STD	DEPTH 00000 00010 00020	SHIP 3L DATA USE 1 AREA 05 TEMP 18.74 18.74 18.74	SAL 36.36 36.356 36.36	SIGMA-T 26.14 26.14 26.14 26.14	SEA CL/TR DYNDPTH 00.000	SND VEL 1520.2 1520.2 1520.4 1520.5	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W	MONT DAY HOUR LVLTYP STD OBS STD STD OBS	DEPTH 00000 00010 00020 00021	SMIP 3L DATA USE 1 AREA 05 TEMP 18.74 18.74 18.74 18.73	SAL 36.36 36.36 36.36 36.36 36.36	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.14	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038	SND VEL 1520.2 1520.4 1520.5 1520.5	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W	MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS	DEPTH 00000 00010 00020 00021 00030 00043	SMIP 3L DATA USE 1 AREA 05 TEMP 18.74 18.74 18.73 18.73 18.64	SAL 36.36 36.36 36.36 36.36 36.36 36.36 36.35 36.36	SULB 09-8 METR 1019-0 D T/A 8/6 SIGMA-T 26-14 26-14 26-14 26-14 26-16 26-17	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056	SND VEL 1520 •2 1520 •4 1520 •5 1520 •5 1520 •5	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W UM/TIME 19.2 19.2	MONT DAY HOUR LYLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD	DEPTH 00000 00000 00010 00020 00021 00030 00043 00050	TEMP 18.74 18.74 18.74 18.73 18.67 18.67	MET BAROL CL OUI SAL 36.36 36.36 36.36 36.36 36.35 36.35 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.16 26.17 26.15	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-5 1520-7 1520-7	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W UM/TIME 19.2	MONT DAY HOUR LYLTYP STD OBS STD STD OBS STD OBS STD OBS	DEPTH 00000 00000 00010 00020 00021 00030 00043 00050 00065	TEMP 18.74 18.74 18.74 18.73 18.67 18.64 18.70	MET BAROL CL OVI SAL 36.36 36.35 36.35 36.35 36.35 36.35 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.14 26.16 26.17 26.15 26.15	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094	SND VEL 1520-2 1520-4 1520-5 1520-5 1520-7 1520-7 1520-9	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W UM/TIME 19.2 19.2	MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00010 00021 00030 00043 00050 00065	TEMP 18.74 18.74 18.74 18.73 18.67 18.67	SAL 36.36 36.35 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.15 26.15 26.13	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094	SND VEL 1520 • 2 1520 • 2 1520 • 4 1520 • 5 1520 • 5 1520 • 5 1520 • 7 1521 • 6 1521 • 6	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 M UM/TIME 19.2 19.2 19.2	MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00010 00020 00021 00030 00043 00055 00075 00086	SHIP 3L O5 TEMP 18-74 18-74 18-74 18-73 18-73 18-67 18-78 18-77 18-68 18-77 18-76 18-76 18-76 18-76 18-76 18-73	WET (BARO) CLOV(SAL 36.36.36.36.36.36.36.36.36.36.36.36.36.3	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.16 26.15 26.13 26.13	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-5 1520-7 1520-9 1521-6 1521-7	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W UM/TIME 19-2 19-2 19-2 19-2	MONT DAY HOUR LYLTYP STD OBS STD	DEPTH 00000 00010 00021 00030 00043 00050 00065 00100 00100 00100	SHIP 3L O5 1 AREA 05 TEMP 18.74 18.74 18.73 18.67 18.67 18.78 18.77 18.64 18.77 18.78 18.77 18.78 18.77 18.78 18.7	SAL 36.36 36.36 36.36 36.36 36.36 36.36 36.35 36.35 36.35 36.35 36.35 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.13 26.13 26.13 26.14 26.15	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094	SNO VEL 1520 • 2 1520 • 4 1520 • 5 1520 • 5 1520 • 5 1520 • 7 1521 • 6 1521 • 6 1521 • 7 1521 • 8	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 M UM/TIME 19-2 19-2 19-2 19-2	MONT DAY HOUR STD OBS STD	DEPTH 00000 00010 00020 00021 00030 00045 00075 00086 00100 00125 00130 00150	SHIP 3L O5 1 AREA 05 TEMP 18.74 18.74 18.73 18.67 18.64 18.77 18.64 18.77 18.65 18.65 18.65 18.65 18.65 18.65 18.65	WET (BARCI CLOUI SAL 36.36.36.36.36.36.36.36.36.36.35.36.36.35.36.35.36.35.36.36.35.36.36.35.36.36.35.36.36.35.36.36.35.36.36.36.36.36.36.35.36.36.36.36.36.36.36.36.36.36.36.36.36.	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.16 26.17 26.15 26.13 26.14 26.15 26.15 26.15 26.16	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142	SNO VEL 1520-2 1520-2 1520-4 1520-5 1520-5 1520-7 1521-4 1521-7 1521-8 1522-0 1522-0 1522-0 1522-0	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W UM/TIME 19-2 19-2 19-2 19-2	MONT DAYY HOUR LVLTYP STD OBS	DEPTH 00000 00000 00010 00010 00020 00021 00030 00043 00050 00065 00075 00086 00100 00128	SHIP 3L O5 O5 TEMP 18.74 18.74 18.74 18.73 18.64 18.70 18.73 18.65 18.75 18.65	SAL 36.36 36.36 36.36 36.36 36.36 36.36 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.16 26.15 26.13 26.13 26.14 26.16 26.15 26.15 26.15	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238	SND VEL 1520.2 1520.2 1520.4 1520.5 1520.5 1520.7 1520.9 1521.6 1521.6 1521.0 1521.0 1522.0 1522.0 1522.0	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 M UM/TIME 19-2 19-2 19-2 19-2	MONTO ANY HOUR STD OBS STD	DEPTH 00000 00010 00020 00021 00030 00045 00075 00086 00100 00125 00130 00150	SHIP 3L O5 O5 OF TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.70 18.70 18.70 18.71 18.73 18.45 18.73 18.45 18.75 18.45 18.75 18.45 18.45 18.45 18.45 18.45 18.45 18.45	WET I BAROU SAL 36.36.36.36.36.36.36.36.36.36.36.36.36.3	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.14 26.15 26.15 26.16 26.15 26.16 26.16 26.16 26.17	33 SEA CL/TR OYNOPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238	SND VEL 1520.2 1520.2 1520.4 1520.5 1520.5 1520.7 1520.9 1521.6 1521.6 1521.6 1521.0 1522.0 1522.0 1522.0	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 M UM/TIME 19-2 19-2 19-2 19-2	MONT DAY HOUR STD OBS	DEPTH 00000 00010 00020 00021 00031 00043 00050 00065 000150 00100 00125 00130 00150 00150 00150 00150	SHIP 3L O5 TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.67 18.68 18.70 18.73 18.67 18.68 18.70 18.70 18.70 18.71 18.72 18.83 18.84 18.84 18.84 18.87 18.84 18.87 18.84 18.87 18.88 18.89 18	SAL 36.36 36.36 36.36 36.36 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.13 26.13 26.14 26.15 26.12 26.20 26.24 26.26 26.29	33 SEA CL/TR DYNDPTH 00.001 00.019 00.038 00.056 00.094 00.142 00.190 00.285 00.285	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-5 1520-7 1520-7 1521-7 1521-7 1521-1 1522-0 1522-0 1522-1 1522-1 1522-7 1522-7	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 N WH/TIME 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY AND	DEPTH 00000 00010 00020 00021 00030 00043 00050 00075 00075 00100 00121 00100 00125 00130 00178 00200 00250 00250 00250	SHIP 3L O5 TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.76 18.78 18.76 18.76 18.78 18.76 18.76 18.76 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76	WET I BAROU CL OUI SAL 36.36 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.13 26.14 26.15 26.13 26.14 26.14 26.16 26.16 26.17 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.050 00.094 00.142 00.192 00.238 00.285	SND VEL 1520.2 1520.2 1520.4 1520.5 1520.5 1520.7 1520.9 1521.6 1521.6 1521.6 1522.0 1522.0 1522.3 1522.3 1522.3 1522.3	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 M 50 20 W UM/TIME 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY HOUR STO OBS	DEPTH 00000 00010 00020 00021 00031 00043 00050 00065 000150 00100 00125 00130 00150 00150 00150 00150	SHIP 3L O5 OATA USE 1 AREA O5 TEMP 18.74 18.74 18.73 18.67 18.73 18.67 18.74 18.73 18.67 18.64 18.73 18.65 1	WET I BAROU CL OUI SAL 36.36 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.13 26.13 26.13 26.13 26.13 26.14 26.16 26.16 26.16 26.17 26.15 26.10 26.20 26.20 26.24 26.26 26.29 26.36	33 SEA CL/TR DYNDPTH 00.001 00.019 00.038 00.056 00.094 00.142 00.190 00.285 00.285	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-5 1520-7 1520-7 1521-7 1521-7 1521-1 1522-0 1522-0 1522-1 1522-1 1522-7 1522-7	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 N WH/TIME 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY HOUR STD OBS	H 01 07 19-2 DEPTH 00000 00000 00010 00020 00021 00030 0005 00075	SHIP 3L O5 O5 OF TEMP 18.74 18.74 18.73 18.73 18.67 18.70 18.70 18.76 18	SAL 36.36 36.36 36.36 36.36 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.13 26.14 26.15 26.13 26.14 26.14 26.16 26.16 26.17 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18 26.18	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238 00.285 00.378 00.470	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-5 1520-7 1520-9 1521-4 1521-7 1521-7 1522-0 1522-1 1522-1 1522-7 1522-7 1522-7 1522-7 1522-7 1522-7 1522-7 1523-7	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W WH/TIME 19.2 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY AVENT D	DEP TH OOOOO OOO 10 OOO 20 OOO 21 OOO 30 OOO 21 OOO 30 OOO 25 OOO 75 OOO 10 OOI 20 OOI 20 OOO 75 OOI 30 OOI 50 OOI 76 OOI 76 OOI 76 OOI 76 OOI 76 OOI 76 OOI 70 OOI 70	SHIP 3L O5 TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.67 18.68 18.78 18.70 18.70 18.70 18.71 18.72 18.73 18.65 18	WET 1 BAROU CL OUI SAL 36.36 36.35 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.15 26.13 26.14 26.15 26.12 26.20 26.24 26.26 26.29 26.36 26.44 26.49	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238 00.285 00.378 00.470	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-7 1520-7 1521-4 1521-6 1521-1 1521-7 1522-0 1522-0 1522-1 1522-7 1522-7 1523-9 1523-9	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 N WH/TIME 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY AND	DEP TH 00000 00000 00010 00020 00021 00030 00043 00055 00075 00100 00125 00100 00127 00300 T00350 00441 00500 00527	SHIP 3L O5 TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.67 18.68 18.67 18.70 18.70 18.71 18.65 18	WET 1 BAROU CL OUI SAL 36.36 36.35 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.15 26.13 26.14 26.15 26.12 26.20 26.24 26.26 26.29 26.36 26.44 26.49	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238 00.285 00.378 00.470	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-7 1520-7 1521-4 1521-6 1521-1 1521-7 1522-0 1522-0 1522-1 1522-7 1522-7 1523-9 1523-9	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W WH/TIME 19.2 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY HOUR STD OBS STD	H 01 07 19-2 DEPTH 00000 00000 00000 00000 00000 00000 0000	SHIP 3L O5 TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.67 18.67 18.69 18.70 18.72 18.74 18.75 18.76 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.77 18.76 18.77 18.76 18.77 18.77 18.77 18.78 18.79 18.70 18	WET 1 BAROU CL OUI SAL 36.36 36.35 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.15 26.13 26.14 26.15 26.12 26.20 26.24 26.26 26.29 26.36 26.44 26.49	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238 00.285 00.378 00.470	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-7 1520-7 1521-4 1521-6 1521-1 1521-7 1522-0 1522-0 1522-1 1522-7 1522-7 1523-9 1523-9	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W W/TIME 19.2 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY AND	DEP TH 00000 00000 00010 00020 00021 00030 00043 00055 00075 00100 00125 00100 00127 00300 T00350 00441 00500 00527	SHIP 3L O5 O5 OF TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.70 18.70 18.73 18.65 18	WET 1 BAROU CL OUI SAL 36.36 36.35 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.15 26.13 26.14 26.15 26.12 26.20 26.24 26.26 26.29 26.36 26.44 26.49	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238 00.285 00.378 00.470	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-7 1520-7 1521-4 1521-6 1521-1 1521-7 1522-0 1522-0 1522-1 1522-7 1522-7 1523-9 1523-9	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80
CONSEC LAT LONG OS	0013 38 20 N 50 20 W WH/TIME 19.2 19.2 19.2 19.2 19.2 19.2 19.2	MONT DAY HOUR STD OBS STD	DEP TH O0000 00000 00010 00021 00043 00055 00065 00100 00100 00100 00100 00100 00100 00100 00150 00178 00200 00400 00500 00527 00600 00700	SHIP 3L O5 TEMP 18.74 18.74 18.74 18.73 18.67 18.67 18.67 18.67 18.69 18.70 18.72 18.74 18.75 18.76 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.76 18.77 18.77 18.76 18.77 18.76 18.77 18.77 18.77 18.78 18.79 18.70 18	WET 1 BAROU CL OUI SAL 36.36 36.35 36.36 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.35 36.36 36.35	SIGMA-T 26.14 26.14 26.14 26.14 26.14 26.15 26.15 26.15 26.15 26.13 26.14 26.15 26.12 26.20 26.24 26.26 26.29 26.36 26.44 26.49	33 SEA CL/TR DYNDPTH 00.000 00.019 00.038 00.056 00.094 00.142 00.190 00.238 00.285 00.378 00.470	SND VEL 1520-2 1520-2 1520-5 1520-5 1520-7 1520-7 1521-4 1521-6 1521-1 1521-7 1522-0 1522-0 1522-1 1522-7 1522-7 1523-9 1523-9	WIND-SPD WIND-FOR WEATHER	X1	TRACE DURAT ORIG	TION A4 026		5 SQ 2 SQ 1 SQ	UARE 3 UARE 80 UARE 80

Table XII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC GALLATIN, 5–8 January 1972, Prepared from NODC Listing No. 31–1971.—Continued

REFID 31 1971 CONSEC 0014 LAT 37 50 N LONG 050 20 M	MONT	H 01 07 23.0	BOTOP 05295 SHIP 3L DATA USE 1 AREA . 05	BARD			IGT PER	WIND-DIR WIND-SPO WIND-FOR WEATHER	24	TRAC	NANSEN E DIR TION A4 026		5 2	N SQ 1207 SQUARE 3 SQUARE 60 SQUARE 70
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SAD VEL	OXYG	P04	TOT P	NOZ	NO3	\$103	PH
	STO	00000	19.32	36.26	25.92	00.000	1521 .7							
23-0	085	00000	19.32	36.263	25.92		1521.7							
	STD	00010	19.32	36.26	25.92	00.021	1521.9							
	STO	00020	19.32	36.26	25.92	00.042	1522.1							
23.0	085	00021	19.32	36.255	25.91		1522.1							
	STD	00030	19.20	36.25	25.9A	00.063	1521.9							
23.0	085	00041		36.249										
	STO	00050	18.95	36.30	26-04	00.104	1521 -6							
23.0	085	00062		36.316										
	STD	00075	18-65	36.27	26.09	00.153	1521 -1							
23.0	085	00082	18.57	36.246	26.10		1521.0							
	STD	00100	18.34	36.25	26.16	00.201	1520.6							
43.0	085	00124	18.13	36.252	26.22		1520.4							
	STD	00125	18.13	36.26	26.22	00.248	1520.4							
	STD	00150	18.10	36.42	26.36	00.293	1520.9							
23.0	085	00169	18.07	36.523	26.44		1521.3							
	STD	00200	18.01	36.51	26.44	00.378	1521 .6							
	STO	00250	17.88	36.48	26.45	00.461	1522 . 0							
	STD	00300	17.72	36.44	26.46	00.545	1522.3							
23.0	OBS	T00333	17.60	36.410	26.47		1522.5							
	STD	00400	17-30	36-33	26.48	00.714	1522.6							
23.0	OBS	00418	17.21	36.326	26.50		1522.6							
	STD	00500	16.74	36.36	26.64	00.878	1522.6							
23.0	085	00500	16.74	36.358	26.64		1522.6							
23.0	085	T01253	05.25	35.291	27.90		1493.2							
						******	7 -5 7 -5							

REFID 31 1971 CONSEC 0015 LAT 37 20 N LONG 050 20 W	DAY	1972 H 01 08 02•7	BOTOP 05303 SHIP 3L DATA USE 1 AREA 05	BARC	TEMP 19.0 BULB 17.8 METR 1004.0 NO T/A 6/8		IGT PER 3 3	WIND-DIR WIND-SPD WIND-FOR WEATHER	20	TR AC	NANSEN E DIR TION A4 026		TEN SQ 1207 5 SQUARE 3 2 SQUARE 60 1 SQUARE 70
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P94	TOT P	NO2	NO3	S103 PH
	STD	00000	18.20	36.47	26.37	00.000	1518.8						
02.7	085	00000	18.20	36-471	26.37		1518.8						
02	STD	00010	18.19	36.44	26.35	00.017	1518.9						
	STO	00020	18.18	36.43	26.34	00.034	1519.1						
02.7	085	00024	18.18	36.429	26.34		1519.1						
02	STD	00030	18.20	36.44	26.34	00.051	1519.3						
02.7	085	00044	18.22	36.450	26.34	00.071	1519.6						
02.1	STD	00050	18.21	36.43	26.33	00-085	1519.6						
02.7	085	00068	18.21	36.415	26.32	00.003	1519.9						
02	STO	00075	18.22	36.43	26.33	00-128	1520-1						
02.7	085	00088	18.24	36.442	26.33	00.120	1520.4						
02.1	STO	00100	18.23	36.44	26.34	00-171	1520.5						
	STD	00125	18.22	36.44	26.34	00.215	1520.9						
02.7	085	00133	18.22	36-444	26.34	00.213	1521.0						
02.1	STO	00150	18.22	36.43	26.33	00.258							
02.7	085	00176	18.21	36.419	26.32	00.236	1521.7						
02.7	STO	00200	18.02	36.43	26.37	00.346	1521.6						
	STO	00250	17.70	36.44	26.47	00.430	1521.4						
02.7	085	00265	17.62	36.444	26.49	00.430	1521.5						
02.1	STD	00300	17.50	36.40	26.48	00.513	1521.6						
02.7	OBS	T00352	17.31	36.356	26.50	00.313	1521.5						
02.1	STO	00400	17.12	36.35	26.54	00.678	1522.1						
02.7	085	00441	16.94	36.348	26.58	00.070	1522.2						
05.7	085	T01987	03.94	34.976	27.79		1499.7						
09.1	STD	02000	03.93	34.98	27.80		1499.9						
	STO	02500	03.53	34.98	27.84		1506.7						
05.7	085	02525											
05.1	STO	03000	03.51	34.982	27.84		1513.5						
05.7	085	T03065	03.10		27.86		1514.4						
05.7	085	T03609	02.62	34.946	27.86		1522.3						
07.1	003	103009	v2.02	33-113	20.03		1322.3						

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.

REFID 31 8296 CONSEC 0001 LAT 47 00.0A LONG 048 59.0W CASTNUM/TIME	MONTH 04 0AY 07 HOUR 19.9	80TOP 00090 SHIP EY DATA USE 1 AREA 05 TEMP - 1.31 - 1.33 - 1.37 - 1.37 - 1.41 - 1.44 - 1.44 - 1.48	32.86	DIR HGY PER 18 1 2 SEA CL/TR DYNDPTH SND VEL 00-000 1440-2 1440-2 00-016 1440-3 1440-3 00-032 1440-3 1440-3 00-048 1440-3 1440-3 1440-4 1440-7	WIND-SPD 13 WIND-SPD 13 WIND-FOR MEATHER X4	INST STD RECORDER TRACE OIR D DURATION OO.1 ORIG IIP 110	TEN 52 1306 5 SQUARE 46 2 SQUARE 48 1 SQUARE 78 S123 P4
REFID 31 8296 CONSEC 0002 LAT 47 00.0N LONG 048 34.0W CASTNUM/TIME	MONT4 04 DAY 07 HOUR 22,1	1,0TOP 00108 SMIP EY DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.36 - 1.39 - 1.38 - 1.39 - 1.46 - 1.54 - 1.55 - 1.66 - 1.66	SAL SISMA-T 32.82 26.42 32.82 26.42 32.82 26.42 32.818 26.42 32.82 26.42 32.82 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.81 26.42 32.82 26.45 32.94 26.54	DIR MGT PER 20 3 2 SEA CL/TR 00.000 1439.9 1440.0 00.016 1440.1 1440.1 1440.3 1440.3 1440.3 1440.3 1440.3 1440.3 1440.3 1440.3	WIND-DIR 19 WIND-SPD 13 WIND-FOR WEATHER X6 DXYG P34	INST SYD RECORDER TRACE DIR DOWNATION 00.1 ORIG IIP 110	
REFID 31 8296 CONSEC 0003 LAT 47 00-ON LONG 048 15-OM CASTNUM/TIME 00-2	YEAR 1972 404TH 04 0AY 08 HOUR 00.7 LVLTYP DEPTH 0BS 00009 STD 00020 0BS 00021 STD 00032 0BS 00047 STD 00050 3BS 00050 STD 00075 0BS 00075 785 00075 785 00075 785 00075 785 00075 785 00070 0BS 001070 0BS 00100	80TDP 00121 SHIP EV DATA USE 1 AREA 05 FEMP - 1.36 - 1.35 - 1.35 - 1.35 - 1.42 - 1.42 - 1.42 - 1.42 - 1.54 - 1.54 - 1.64 - 1.64	AIR TEMP 00.6 MET BULB -07.6 BAROMETR 1014-6 CLOUD V/A SAL SIGMA-T 32.813 26.41 32.81 26.41 32.81 26.41 32.81 26.41 32.81 26.41 32.81 26.41 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 26.42 32.82 32.82 32.82 32.82 32.82 32.82 32.82 32.82 32.82 32.83 33.84 32.92 36.51	DIR HGT PER 20 2 3 SEA CL/TR DYNDPTH SND VEL 1440-1 1440-3 1440-3 1440-5 1440-5 1440-5 1440-5 1440-3 1440-2 1440-2 1440-4 1440-4	MINO-DIR 19 #IND-SPD 13 WIND-F3P WEATHER X4 JXYG P34	INST STD RECORDER TRACE DIR D DURATION OO.1 ORIS HP 110 TOT P NO2 NO3	

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC		829	NO.	R 1972	SHIP EV	WET	TESP 01.1	18	GT PER	WIND-DIR		TRACE	STO REC	0	5	N SO I	4
		01			DATA USE		METR 1012.5			WIND-F3R		DURA		00.1		SQUARE	
LONG 0	47	50	M HO	R 03.3	AREA 0	5 CLOU	O T/A	CL/TR		#E4 THES	X4	ORIG	110 110		1	SQUARE	77
CASTA	UM/	TIME	F TA	ОЕРТН	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXYG	P34	ror P	402	NO3	5133	pri	
		03.3	085	00011	- 1.37	32.856	26.45		1440.1								
			STD	00020	- 1.37	32.86	26.45		1440.2								
			STO	00030	- 1.38	32.85	26.45		1440-4								
			085	000 31	- 1-38	32.854	26.45		1440.4								
			085	00037	- 1-41	32.845	26.44		1440.3								
			085	00049	- 1-59	32.893	26.48		1439.8								
			STD	00050	- 1.59	32.89	26.49		1439.8								
			085	00051	- 1.59	32-896	26.49		1439.8								
			085	00068	- 1.54	33.025	26.59		1440.5								
			STD	00075	- 1.41	33-10	26-65		1441.3								
			085	00075	- 1.41	33.105	26.65		1441.3								
			OBS	00081	- 1.23	33-167	26.70		1442.4								
			085	00087	- 1.42	33.171	26.71		1441-6								
			570	00100	- 1.28	33.27	26.78		1442.6								
			085	00101	- 1-27	33.277	26.79		1442.7								
			STD	00125	- 1.31	33.29	26.80		1442.9								
			085	00126	- 1-31	33-291	26.80		1442.9								
			065	001 34	- 1.32	33.313	26.82		1443.0								
			085	00139	- 0-77	33-396	26.87		1445.8								
			STD	00150	- 0.77	33.40	26.87		1446.0								
			085	001 51	- 0.77	33.396	26.87		1446.0								

REFID CONSEC LAT LONG	47	8296 0005 05 N 24 W	MONT	1972 4 04 08 07.7	BOTOP GGSE SHIP EV DATA USE AREA O	WET BARD	TEMP 02.6 BULB 02.2 METR 1009.5 D T/A	21		dino-oir Wind-Spo Wind-for Weather	53	TRACE		00.1	5 2	SQUARE 66 SQUARE 66 SQUARE 71	6
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXYG	P)4	TOT P	NOZ	NO3	5133	PH	
			STD	00000	- 1.23	32.90	26.49	00.000	1440.7								
		07.7	OBS	00003	- 1.23	32.905	26-49		1440.7								
			STD	00010	- 1.24	32.91	26.49	00.016	1440.8								
			STO	00020	- 1.24	32.91	26.49	00.031	1440.9								
			OBS	00025	- 1.25	32.918	26.50		1441.0								
			STD	00030	- 1.26	32.97	26.54	00.046	1441 -1								
			STD	00050	- 1.28	33.16	26.69	00.075	1441 -6								
			085	00050	- 1.28	33.164	26.70		1441 -6								
			OBS	00073	- 1.22	33-288	26.79		1442.5								
			STD	00075	- 1.22	33.29	26.80	00.107	1442.5								
			STO	00100	- 1.18	33.40	26-88	00.138	1443.2								
			085	00100	- 1.18	33,399	26.88		1443.2								
			085	00103	- 1.14	33.412	26.89		1443.5								
			OBS	00109	- 1.35	33.487	26.96		1442.7								
			085	00115	- 0.76	33.439	26.90 +		1445.5								
			085	00121	- 0-63	33.462	26.91		1446.3								
			STO	00125	- 0.69	33.53	26.97	00.166	1446-1								
			OBS	00125	- 0-69	33-530	26.97		1446.1								
			085	001 30	- 0.56	33.532	26.97		1446.8								
			OBS	00142	- 0.25	33-556	26.97		1448.5								
			STO	00150	- 1.01	33.51	26.97	00.193	1445.0								
			085	00150	- 1.03	33.509	26.97		1444.9								
			065	00153	- 1.08	33.610	27-05		1444.9								
			085	00161	- 0.62	33.666	27.08		1447.3								
			085	00165	- 0.37	33.785	27.16		1448.6								
			OBS	00168	00.06	33.774	27.14		1450 - 6								
			OBS	00189	00-48	33.921	27.23		1453.1								
			085	00191	00.65	33.909	27.21		1453.9								
			STO	00200	90-85	33.96	27.24	00.241	1454.9								
			OBS	00201	00.85	33.969	27.25		1455.0								
			085	00219	01.36	34.165	27.37		1457.9								
			085	00275	01.79	34.322	27.47		1460.1								
			ORS	00249	02.18	34.369	27-47		1462.3								
			STO	00250	02.18	34.37	27.47	90.278	1462.3								
			082	00273	02.52	34.470	27-53		1464.3								
			085	00284	03.05	34.586	27.57		1466.9								
			STD	00300	03.16	34.59	27.57	00.308	1467-7								
			085	00302	03.18	34.596	27.57		1467-8								
			nes	00305	03-21	34.608	27.57		1468.0								
							*****	*******									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

NSEC	9296		1972	80 TOP 0069				GT PER	ALVO-DIR					CORDER		N 53
	0006	DAY	04	SHIP EV	WET			3 2	WIND- SPU			ACE		0		SQUAR
	09 W		11.3	DATA USE	5 CLOU	METR 1007.1	SEA CL/TR		WEATHER		00	ITAS	IP 11	5.00		SQUAR
. 041		M.O.	,	*****	CEOO	,	Cerri		acalur K	**	UK					24044
CASTNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	101	P	NO ₂	NO3	\$133	p4
		STD	00000	- 1.11	32.93	26.50	00.000	1441-3								
	11.3	095	00000	- 1.11	32.929	26.50	2000	1441.3								
		STO	00010	- 1.13	32.95	25.52	00.015	1441 -4								
		STD	00020	- 1-16	32.97	26.53	00.031	1441.4								
		282	00025	- 1.18	32.975	26.54		1441.4								
		SID	00030	- 1.21	33.03	26.59	00.045	1441.4								
		STD	20050	- 1.32	33.22	26.74	00.073	1441.5								
		ORS	00160	- 1.32	33.224	26.75	00 .00	1441 -5								
		STO	00075	- 1-44	33.33	26.83	00.105	1441.5								
		STO	00100	- 1.45	33.333	26.84	00.134	1441 -5								
		085	00100	- 1.55 - 1.55	33.449	26.93	00.134	1441.6								
		085	00103	- 1.57	33.452	26.94		1441.5								
		085	00106	- 1.55	33.488	26.97		1441 - 7								
		085	00109	- 1.41	33.602	27.05		1442 .6								
		UBS	00112	- 1-16	33.618	21.06		1443.8								
		DBS	00115	- 1.00	33.569	27.01 *		1444 .6								
		DAS	00124	- 0.88	33.587	27.03		1445.3								
		510	00125	- 0.85	33.59	27.03	00.161									
		nes	00132	- 0.57	33.671	27.08		1447.0								
		UBS	00139	- 0.94	33.662	27.09		1465.4								
		OBS	00144	- 0.76	33.721	27.13		1446.4								
			00150	- 0.56	33.81	21.20	00-185	1447.5								
		085	00151	- 0.50	33.829	27.21		1447.9								
		385	00157	00.27	33.944	27.26		1451.7								
		085	00175	00.58	33.492	27.28		1453 - 4								
		nas	00178	00.77	34.216	27.29		1454.4								
		085	00188	01.01	34.081	27.33		1455 - 7								
		085	00199	01.37	34.131	27.34		1457.6								
		STD	00200	01 - 38	34.13	27.35	00.225	1457.6								
		OBS	00225	01.66	34.230	27.40		1459.4								
		JAS	00229	01.77	34.316	27.46		1460.1								
		065	00233	02.04	34.333	27.46		1461 .4								
		DBS	00249	02-14	34-330	27.45	nata anna	1462.1								
		STO	00250	02.13	34.34	27.45	00.260	1462.0								
		085	00252	02.12	34.368	27.48		1462.1								
		085	00259	02.39	34.418	27.52		1463.4								
		510	00274	02.62	34.473	27.54	00.291	1466.6								
		085	00300	02.92	34.535	27.54	00.211	1466 - 6								
		285	00325	03.04	34.563	27.55		1467.5								
		OBS	00337	02.87	34.528	27.54		1467.0								
		nes	00347	02.90	34.574	27.58		1467.4								
		DAS	00385	03-13	34.597	27.57		1469.0								
		STD	00400	03.27	34.62	27.58	00.347	1469.8								
		OBS	00400	03.27	34.625	27.58		1469.8								
		085	00425	03.40	34.648	27.59		1470.9								
				03.57	34.696	27.61		1472.1								
		085	00452			27.66		1473.8								
		085	00469	03.88	34.793											
		085	00469	03.88	34.782	27.64	00 300	1474.0								
		OBS OBS STD	00469 00475 00500	03.88 03.90 04.01	34.782	27.64	00.398	1474.9								
		085 085 510 085	00469 00475 00500 00501	03.88 03.90 04.01 04.01	34.782 34.82 34.823	27.64 27.67 27.67	00.398	1474.9 1474.9								
		085 085 510 085 085	00469 00475 00500 00501 00524	03.88 03.90 04.01 04.01	34.782 34.82 34.823 34.843	27.64 27.67 27.67 27.68	00.398	1474.0 1474.9 1474.9 1475.6								
		085 510 085 085 085	00469 00475 00500 00501 00524 00554	03.88 03.90 04.01 04.01 04.07	34.82 34.82 34.823 34.843 34.851	27.64 27.67 27.67 27.68 27.68	00.398	1474.0 1474.9 1474.9 1475.6 1476.2								
		085 085 510 085 085 085	00469 00475 00500 00501 00524 00554	03.88 03.90 04.01 04.01 04.07 04.10	34.782 34.82 34.823 34.843 34.851 34.855	27.64 27.67 27.67 27.68 27.68 27.68		1474.0 1474.9 1474.9 1475.6 1476.2 1476.6								
		085 510 085 085 085	00469 00475 00500 00501 00524 00554	03.88 03.90 04.01 04.01 04.07	34.82 34.82 34.823 34.843 34.851	27.64 27.67 27.67 27.68 27.68	00.398	1474.0 1474.9 1474.9 1475.6 1476.2								
		085 085 510 085 085 085 085	00469 00475 00500 00501 00524 00554 00579	03.88 03.90 04.01 04.01 04.07 04.10 04.08	34.782 34.82 34.823 34.843 34.851 34.855 34.86	27.64 27.67 27.67 27.68 27.68 27.68 27.68		1474.9 1474.9 1474.9 1475.6 1476.2 1476.6								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

ONSEC AT		8296 0007 02 N 56 W	DAY	1972 4 04 08 14.6	SHIP EV DATA USE 1 ARFA 35	MET OF BARD	SULB 03.9 METR 1007.1		GT PER	WIND-DIR WIND-SPD WEATHER	3)	TRACE	DIR	CORDER D	2	SQUARE SQUARE SQUARE 6 SQUARE 7
CAST	NUM/	114E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-F	DYNOPTH	SND VEL	TXTG	P74	101 P	432	NO3	5173	
			STD	00000	- 1.19	33.32	26.82	00.000	1441.4							
		14.6	065	10000	- 1.19	33.316	26.82	00.000	1441 -4							
			085	00004	- 1.19	33.314	26.81		1441.5							
			STD	00010	- 1.19	33.32	26.82	00.012	1441 -6							
			STD	00020	- 1.19	33.33	26.83	00.025	1441.8							
			085	00026	- 1.19	33.334	26.83	00.037	1441 .9							
			085	00030	- 1.23 - 1.51	33.37	26.99	00.037	1441.8							
			STO	00050	- 1.54	33.53	27.00	00.059	1440.9							
			085	00056	- 1.66	33.574	27.04		1440.5							
			OBS	00064	- 1.67	33.604	27.06		1440.6							
			nes	00070	- 1.16	33.655	27.09		1443.2							
			385	00074	- 1.02	33.676	27.10	00 000	1444.0							
			085	00075	- 1.02	33.68	27.10	00.085	1444.0							
			STO	00100	- 0.62	33.92	27.28	00-107	1446.6							
			085	00101	- 0.50	33.930	27.29		1447.2							
			085	00105	- 0-25	33.923	27.27		1448.4							
			STO	00125	- 0.14	33.94	27.28	00.127	1449.3							
			STD	00150	00.01	34-06	27.37	00.146	1450.5							
			085	00153	00.03	34.090	27.39		1450.7							
			085	00169	00.64	34.182	27.43		1453.8							
			085	00174	00.89	34.206	27.44		1455.1							
			085	001 78	00.98	34.241	27.46		1455 -6							
			085	00186	01.51	34.357	27.52		1458 - 3							
			085	00190	02-17	34.442	27.53		1461 .4							
			085	00194	02.46	34.497	27.55		1462.8							
			085	00200	02.48	34.50	27.55	00.177								
			510	00250	03.00	34.61	21.59	00.204	1464.3							
			085	00251	03.06	34-619	27-60	00.20	1466.5							
			085	00257	03.44	34.683	27.61		1468.3							
			085	00273	03.58	34.745	27.65		1469.2							
			570	00300	03.74	34.77	27.65	00-229	1470.4							
			085	00306	03.78	34.781	27.66		1470.7							
			085	00352	03.91	34.828	27.68		1471 -6							
			085	00376	04.04	34.865	27.70		1473.0							
			STO	00400	04.07	34.88	27.70	00.275	1473.6							
			085	00401	04.07	34-879	27.70		1473.6							
			085	00424	04.08	34.889	27.71		1474.0							
			085	00455	04.08	34.896	27.72		1474.6							
			510	00473	04.07	34.900	27.72	00.318	1474.8							
			085	00502	04.07	34.904	27.72	00.318	1475.3							
			OBS	00531	04-07	34.908	27.73		1475.8							
			085	00549	04-06	34.910	27.73		1476.1							
			085	00578	04.05	34.912	27.73		1476-5							
			STD	00600	04.05	34.91	27.73	00.362	1476.9							
			085	00602	04.05	34-915	27.73		1416.4							
			08 S	00653	04.04	34.917	21.74		1477.7							
			085	00674	04.03	34.919	27.74		1478.0							
			STO	00700	04.03	34.92	27.74	00-405	1478.4							
			085	00700	04.03	34.924	27.74		1478 -4							
			085	00724	04.02	34.926	27.75		1478.8							
			085	00750	04-04	34.935	27.75		1479.3							
			STD	00776	04.04	34.938	27.75	00.447	1479.8							
			085	00800	04.03	34.941	27.76	30.447	1480 -1							
			STD	00900	04.00	34.95	27.77	00.490	1481.7							
			085	00900	04.00	34.955	27.77		1481 . 7							
			STD	01000	03.95	34.96	27.79	00.532	1483.2							
			OBS	01000	03.95	34.965	27.79		1483.2							
			085	01016	03.94	34.964	27.79		1483.4							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CASTN	17		LVLTYP	DEPTH			D T/A	CL/TR		WEA THER	X.	OR 1G	119 110		1	SOUARE	76
	17	.6		DEFIN	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	DXYG	P34	TOT .	402	NO3	5133		
	17	.6	STO	00000	02.95	33.96	27.08	00.000	1461.0								
			085	00003	02.95	33.963	27.08		1461.0								
			STD	00010	02.95	33.96	27.09	00.010	1461.2								
			STD	00020	02.95	33.97	27.09	00.020	1461 - 4								
			SID	00024	02.95	33.967	27.09	00.030	1461-5								
			085	00049	02-86	33.976	27.10	00.030	1461 .4								
			STD	00050	02.86	33.98	27.10	00.049	1461 -4								
			085	00054	02.82	33.952	27.09		1461.3								
			OBS	00057	02.66	33.915	27.07		1460 .6								
			085	00060	02.58	33.961	27.12		1460.4								
			085	00074	02.69	33.995	27-13		1461 .1								
			STD	00075	02.69	34.00	27.13	00.073	1461.1								
			OBS	00100	02.67	33.999	27.14	00.091	1461.6								
			085	00124	02.77	34.044	27.17		1462-4								
			STO	00125	02.77	34.04	27.16	00-120	1462-4								
			085	00127	02.76	34.022	27.15		1462.3								
			OBS	00133	02.49	34.090	27.23		1461 -4								
			085	00135	02.56	34.104	27.23		1461.7								
			085	00143	01.89	34-083	27.27		1458.9								
			085	00148	01.60	34-103	27-31	00 141	1457.7								
			985	00150	02.07	34.20	27.35	00-141	1467.5								
			085	00163	04.14	34.517	27.41		1469.5								
			085	00169	04.16	34.518	27.41		1469-7								
			085	00174	04-40	34.559	27.41		1470.8								
			085	00199	04-68	34.666	27.47		1472.5								
			STD	00200	04.67	34.67	27.47	00.176	1472.5								
			085	00223	04.63	34.751	27.54	00.205	1472 -8								
			STD	00250	04.92	34.862	27.59	00,205	1474.6								
			085	00277	04.72	34.836	27-60		1474.2								
			085	00287	04.47	34.838	27.63		1473.3								
			DBS	00298	04.64	34.872	27.64		1474.3								
			STO	00300	04.66	34.88	27.64	00-231	1474-4								
			OBS	00327	04.81	34.912	27.65		1475.5								
			OBS	00332	04-80	34.915	27.65		1475.6								
			085	00348	04.73	34.908	27.65		1475.5								
			085	00354	04-67	34.862	27.63		1475.3								
			085	00373	04.49	34.886	27.66		1474.9								
			085	00398	04.38	34.893	27.68		1474.9								
			STD	004 00	04.39	34.89	27.68	00.279	1474.9								
			OBS	00427	04-44	34.919	27-70		1475.6								
			UBS	00452	04.36	34.902	27-69		1475.7								
			085	00461	04.31	34.911	27.70		1475.6								
			085 085	00475	04.31	34.914	27.71		1475.9								
			STD	00500	04.24	34.91	27.71	00.324	1476.0								
			085	00525	04.22	34.916	27-72	30. 32.4	1476.3								
			OBS	00576	04.19	34.922	27.73		1477.1								
			085	00599	04.15	34.923	27.73		1477.3								
			STD	006 00	04.15	34.92	27.73	00-368	1477.3								
			oes	00626	04.18	34.930	27.73		1477-9								
			of s	00656	04.17	34.927	27.73		1478.3								
			0.45	00679 00698	04-13	34.928	27.74		1478-5								
			STO	00700	04-11	34.93	27.74	00.411	1478.8								
			085	00706	04-11	34.927	27.74	3017.8	1478-9								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT 41 LONG 046	0009	DAY	1 04	SHIP EV DATA USE	MFT BARO	TEMP 05.0 BULB 03.9 METR 1007.1 D T/A		GT PER	WIND-SP WIND-FO WEATHER	23	DURA	STO RECEDIR	00.) 5	SOUARE SOUARE SOUARE	6
CASTNU	4/T14E	LALIAb	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P14	101 6	, vos	NO3	\$133	P4	
		STO	00000	01.82	33.84	27.08	00.000	1455.9								
	20.2	510	00008	01.82	33.845	27.08	00.010	1456.0								
		085	00010	01.82	33.845	27.08		1456-1								
		nes	00019	01.82	33.844	27.08		1456.2								
		STD	00020	01.82	33.84	27.08	00.020	1456.2								
		OBS	00030	01-79	33.854	27.09		1456.3								
		STD	00050	01.80	33.86	27.09	00.049	1456.6								
		085 085	00050	01.80	33.857	27.09		1456.6								
		085	00070	01.95	33,914	27.13		1457.7								
		OBS	00075	02.26	33.94	27.13	00-073	1459.2								
		085	00079	02.47	33.991	27.13		1460.3								
		085	00090	02.80	34.006	27.13		1461 -9								
		085	00100	02.90	34.00	27.12	00.097	1462.5								
		085	00110	03.01	34.032	27.13		1463.1								
		085	00125	03-23	34-09	27.16	00.121	1464.4								
		OBS	00131	03.24	34.092	27.16		1464.5								
		OBS	00136	01.67	34-026	27.24		1457.7								
		08 S	00140	01.64	34.042	27.25		1457.7								
		STO	00150	02.14	34-25	27-38	00.141	1460.3								
		085	00150	02.20	34.258	27.38		1460.6								
		085	00175	03.22	34.26 P	27.300										
		STO	00200	03.64	34.37	27.35	00.178	1467.8								
		085	00200	03.65	34.488	21.35		1467-8								
		085	00248	04-42	34.596	21.44		1472.2								
		OBS	00250	04.46	34.61	27.45	00.213	1474.3								
		STD	00300	04.67	34.81	27.58	00.244	1474.3								
				04-67	34-808	27.58		1474.3								
		085	00300													
0FF10 31	8294	085	00311	04-64	34-826	27.60		1474.4	4140-018	,,	7241	SIa bree	mac#			
REFID 31 CONSEC LAY 47 LONG 046	0010 05 N		00311 1972 1 04 08		34-826 AIR T	27.60 ***** Eup 02-2 ULB 01.7 ETR 1010-5	DIR HG 21 2 SEA CL/TR	1676.4 *	MIND-DIR MIND-SPD MIND-FOR MEATHER	1)	TRACE		DRDER D 00+1	5 5	SOUARE	4
CONSEC LAT 47	0010 05 N 04 W	YEAR HONT	00311 1972 1 04 08	BOTDP 00311 SMIP EV DATA USE 1	AIR TO WET B	27.60 ••••• Eup 02-2 ULB 01.7 ETR 1010.5	DIR HG 21 2 SEA CL/TR	1676.4 *	MIND-LOW	1)	TRACE	DIR	0	5 5	QUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	YEAR MONTH DAY HOUR	00311 1972 04 08 22.6 DEPTH	BOTOP 00311 SHIP EV DATA USE 1 AREA 05	AIR TO WET B BAROM CLOUD	27.60 •••••• Eqp 02-2 ULB 01-7 ETR 1010-5 T/4 SIGMA-T	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	YEAR HONT-DAY HOUR	00311 1972 1 04 08 22.6 DEPTH 00009 00010	BOTDP 00311 SHIP EV DATA USE 1 AREA 05	AIR TO WET B B BAROW CLOUD SAL 33.535 33.54	27.66 ••••• Eqp 02-2 ULB 01.7 ETR 1010.5 T/4 SIGNA-T 26.92 26.92	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	YEAR HONT - DAY HOUR	00311 1972 1 04 08 22.6 DEPTH 00009 00010	04-64 BOTOP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55	AIR TO WET B BAROW CLOUD SAL 33.535 33.54 33.540	27.66 eeeee Eqp 02-2 U.B 01.7 ETR 1010-5 T/4 SIGMA-T 26.92 26.92 26.92	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DAY HOUR	00311 1972 104 08 22.6 DEPTH 00009 00010 00012 00020 00030	04-64 BOTDP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49	AIR T WET B BAROM CLOUD SAL 33.535 33.54 33.55 33.55 33.57	27.66 eeeee Eqp 02-2 ULB 01.7 ETR 1010-5 T/A SIGNA-T 26.92 26.92 26.93 26.95	DIR HG 21 2 SEA CL/TR	1 PER 3 SND VEL 1449.9 1450.0 1450.0	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	YEAR MONT DAY HOUR LYLTYP OBS STD OBS STD OBS	00311 1972 1 04 08 22-6 DEPTH 00009 00010 00012 00020 00039	04-64 80TDP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.54 00.55 00.52 00.49	AIR T WET B BAROM CLOUD SAL 33.535 33.540 33.550 33.57 33.57	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-Y 26.92 26.92 26.93 26.95 26.97	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DAY HOUR LYLTYP OBS STD OBS OBS OBS	00311 1972 1 04 08 22.6 DEPTH 00009 00012 00020 00030 00039 00045	04-64 80TDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93	34-826 AIR T NET B BAROW CLOUD SAL 33-535 33-54 33-55 33-54 33-57 33-59 33-88 P	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.93 26.97 27.210 27.240	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT DAY HOUR LYLTYP OBS STD OBS OBS OBS	00311 1972 0 04 08 22-6 DEPTH 00009 00010 00012 00020 00039 00042 00042 00045	04-64 BOTDP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41	34-826 AIR T NET B BARON CLOUD SAL 33.535 33.540 33.540 33.557 33.57 33.594 P 33.96 P	27.66 Eqp 02-2 ULB 01.7 ETR 1010.5 T/4 SIGMA-T 26.92 26.92 26.93 26.95 26.97 27.210 27.240 27.15 6	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL 1449.9 1459.0 1450.0 1450.1	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT: DAY HOUR LYLTYP OBS STD OBS OBS STD OBS STD OBS OBS	00311 1972 1 04 08 22-6 DEPTH 00009 00010 00012 00020 00030 00039 00042 00045 00045 00050	04-64 80TDP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.50	34-826 AIR T WET B BAROW CLOUD SAL 33.535 33.554 33.540 33.540 33.57 33.57 33.57 33.57 33.59 33.88 P 33.88 P	27.60 ••••• Eqp 02-2 ULB 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.93 26.95 26.97 27.210 27.240 27.15 • 27.12 • 27.10	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1450.9 1455.1	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT A DAY HOUR LYLTYP CHS STD	00311 1972 0 04 08 22.6 DEPTH 00009 00010 00020 00030 00030 00039 00045 00045 00051 00051	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55	34-826 AIR T NET B BAROW CLOUD SAL 33-535 33-54 33-54 33-57 33-57 33-59 33-88 P 33-883 33-83 33-83	27.60 ••••• ENP 02-2 ULB 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.97 27.210 27.15 27.10 27.08	DIR HG 21 2 SEA CL/YR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1450.1 1450.3 1450.3	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT-DAY HOUR CONSTRUCTOR	00311 1972 04 08 22.6 DEPTH 00009 00010 00012 00032 00039 00042 00051 00051 00051 00051 00051	04-64 80TDP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.50	34-826 AIR T WET B BAROW CLOUD SAL 33.535 33.554 33.540 33.540 33.57 33.57 33.57 33.57 33.59 33.88 P 33.88 P	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.93 26.95 26.97 27.210 27.240 27.15 • 27.10 27.08 27.07	DIR HG 21 2 SEA CL/YR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1450.9 1455.1	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT DAY HOUR CONSTRUCTOR STD OBS STD	003 11 1972 06 22-6 0EPTH 00009 00010 00012 00039 00042 00051 00051 00051 00051 00075 00080 00105	04-64 80TDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.50 01.57 01.66 01.71	34-826 AIR T WET B BAROW CLOUD SAL 33-535 33-54 33.555 33.57 33.59 33.88 P 33-889 33.88 P 33-889 33.88 P 33-889 33.88 P 33-889	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.93 26.97 27.210 27.240 27.15 • 27.12 • 27.12 • 27.12 • 27.17 27.12 17.11	DIR HG 21 2 SEA CL/YR	1474.4 T PER 3 SND VEL 1449.9 1459.0 1450.0 1450.0 1450.1 1455.3 1455.3 1455.9 1456.8 1457.2	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT DAY NO DAY NO DAY NO DAY STD OBS STD	00311 1972 04 08 22.6 DEPTH 00009 00010 00012 00020 00030 00042 00042 00051 00045 00051 00075 00080 00100 00105	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96	34-826 AIR T MET B BAROW CLOUD SAL 33.535 33.54 33.554 33.559 33.594 33.680 P 33.680 P 33.680 S 33.675 33.806 33.875	27.60 ENP 02-2 ULB 01.7 ETR 1010.5 T/A SIGNA-T 26.92 26.92 26.93 26.95 26.97 27.210 27.15 27.10 27.08 27.07 27.11 27.12 27.12	DIR HG 21 2 SEA CL/YR	1474.4 FER 3 SND VEL 1449.9 1450.0 1450.0 1450.0 1450.1 1454.9 1455.3 1455.1 1456.8 1457.2 1458.6	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DOWN - NO	00311 1972 04 08 22-6 DEPTH 00009 00010 00012 00020 00039 00042 00045 00048 00050 00051 00075 00080 00100 00105 00105 00125 00125	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.73	34-826 AIR T MET B BAROW CLOUD SAL 33.535 33.54 33.554 33.559 33.594 33.690 33.806 33.833 33.806 33.836 33.836 33.836 33.836 33.836 33.836 33.836 33.836	27.60 Eqp 02-2 ULB 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.97 27.210 27.249 27.15 9 27.10 27.08 27.07 27.11 27.12 27.10 27.00	DIR HG 21 2 SEA CL/YR	1 FER 3 SND VEL 1449-9 1449-9 1450-0 1450-0 1450-1 1455-1 1455-3 1455-3 1457-2 1458-6 1458-6 1458-6	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT-DAY HOUR CONSTRUCTORS STD OBS STD OB	00311 1972 04 08 22.6 DEPTH 00009 00010 00012 00039 00042 00039 00042 00051 00075 00048 00050 00051 00075 00080 00105 001	04-64 80TDP 00311 SMTP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.55 01.57 01.66 01.71 01.96 01.93 01.173 01.43	34-826 AIR T WET B BAROW CLOUD SAL 33-535 33-54 33-55 33-57 33-59 33-88 P 33-889 33-863 33-81 33-809 33-863 33-81 33-809 33-863	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.93 26.97 27.210 27.15 27.10 27.08 27.12 27.12 27.12 27.10 27.08 27.12 27.12 27.10 27.08 27.12	DIR HG 21 2 SEA CL/YR	1474.4 T PER 3 SND VEL 1449.9 1459.0 1450.0 1450.0 1450.1 1455.3 1455.3 1455.9 1456.8 1457.6 1458.6	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DOWN - NO	00311 1972 04 08 22-6 DEPTH 00009 00010 00012 00020 00039 00042 00045 00048 00050 00051 00075 00080 00100 00105 00105 00125 00125	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.73	34-826 AIR T MET B BAROW CLOUD SAL 33.535 33.54 33.554 33.559 33.594 33.690 33.806 33.833 33.806 33.836 33.836 33.836 33.836 33.836 33.836 33.836 33.836	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.93 26.95 27.12 27.15 27.10 27.08 27.12 27.12 27.10 27.00	DIR HG 21 2 SEA CL/YR	1 FER 3 SND VEL 1449-9 1449-9 1450-0 1450-0 1450-1 1455-1 1455-3 1455-3 1457-2 1458-6 1458-6 1458-6	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DAY HOUR STD OBS STD	00311 1972 04 08 22.6 DEPTH 00009 00010 00012 00020 00039 00039 00045 00045 00051 00051 00070 00000 00105 00105 00105 00105 00105 00105 00105 00105 00105 00105	04-64 BOTDP 00311 SMTP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.40 01.55 01.57 01.66 01.71 01.96 01.73 01.43 01.01 00.74 02.53	34-826 AIR T MET B BAROW CLOUD SAL 33.535 33.54 33.557 33.594 33.86 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87 33.886 33.87	27.60 Eqp 02-2 U.B 01.7 FTR 1010-5 T/A SIGMA-T 26.92 26.92 26.92 26.92 26.97 27.210 27.29 27.15 9 27.10 27.12 9 27.10 27.12 10 27.12 9 27.10 27.12 27.10 27.12 27.10 27.12 27.10 27.12 27.10 27.12 27.10 27.12 27.12 27.10 27.12 27.12 27.13 27.29	DIR HG 21 2 SEA CL/YR	1 FER 3 SND VEL 1449-9 1449-9 1450-0 1450-0 1450-1 1455-1 1455-3 1455-3 1455-3 1455-3 1456-3 1458-5 1458-5 1458-5	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR NUMT - DAY NAME -	00311 1972 04 08 22.6 DEPTH 00009 00010 00012 00020 00039 00039 00039 00045 00050 00050 00050 00050 00050 001050	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.71 01.96 01.93 01.41	34-826 AIR T WET B BAROW CLOUD SAL 33.535 33.54 33.554 33.557 33.48 P 33.486 33.836 33.836 33.866 33.863 33.809 33.866 33.875	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.92 26.93 26.97 27.210 27.15 27.10 27.08 27.07 27.11 27.12 27.12 27.12 27.13 27.12 27.13 27.12 27.13 27.12 27.13 27.22 27.29 27.31	DIR HG 21 2 SEA CL/YR	1 FER 3 SND VEL 1449-9 1449-9 1450-0 1450-0 1450-1 1455-1 1455-3 1455-3 1455-3 1455-3 1455-3 1455-3 1455-3 1456-1 1456-3 1456-3	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT DAY HOUR DAY HOUR DBS STD OBS OBS STD OBS ST	00311 1972 04 08 22-6 DEPTH 00009 00010 00012 00039 00042 00039 00045 00051 00075 00080 00100 00105	04-64 80TDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96 01.73 01.73 01.01 00.74 02.53 03.19 03.26	34-826 AIR T NET B BAROW CLOUD SAL 33.535 33.540 33.455 33.594 33.488 P 33.488 P 33.486 33.836 33.836 33.836 33.836 33.836 33.836 33.836 33.847 33.888 33.836 33.847 33.888 33.836 33.847 33.888	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.97 27.21 27.12 27.10 27.08 27.07 27.11 27.12 27.10 27.08 27.07 27.11 27.12 27.13 27.12 27.13 27.22 27.13 27.22 27.37 27.44	DIR HG 21 2 SEA CL/YR	1474.4 FER 3 SND VEL 1449.9 1459.0 1459.0 1459.1 1455.1 1455.3 1455.4 1457.2 1456.5 1457.3 1456.1 1456.5 1457.4 1456.5 1457.4 1456.5 1457.4 1456.5	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT - DAY HOUR DAY HOUR DBS STD OBS OBS STD OBS OBS STD OBS	003 11 1972 04 08 22-6 DEPTH 00009 00010 00010 00010 00010 00039 00042 00039 00042 00051 00075 00080 00105	04-64 BOTDP 00311 SMTP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01-41 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.41 01.93 01.91	34-826 AIR T MET B BAROW CLOUD SAL 33.535 33.54 33.57 33.594 33.86 33.87 33.886	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.97 27.21 27.15 27.10 27.08 27.07 27.11 27.12 27.10 27.08 27.07 27.11 27.12 27.13 27.22 27.31 27.37 27.44 27.42 27.45	DIR HG 21 2 SEA CL/YR	1474.4 FER 3 SND VEL 1449.9 1459.0 1459.0 1459.1 1455.3 1455.3 1455.3 1455.1 1456.5 1457.2 1456.5 1457.6 1456.5 1457.6 1456.7 1466.7	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR NUMT - DAY NUME - NUMBER	003 11 1972 04 08 22.6 08 22.6 00010 00012 00020 00030 00039 00045 00050 00050 00010 00010 00010 00010 00010 00010 00010 00010	04-64 80TDP 00311 SMTP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.50 01.57 01.66 01.71 01.93 01.71 01.93 01.71 01.93 01.73 01.43 01.01 00.74 02.53 03.19 03.26 03.49 03.75 03.81	34-826 AIR T MET B BARROW CLOUD SAL 33.535 33.540 33.557 33.594 33.86 33.87 33.88	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.97 27.21 27.15 27.10 27.08 27.07 27.11 27.12 27.10 27.08 27.07 27.11 27.12 27.13 27.22 27.31 27.37 27.44 27.42 27.45	DIR HG 21 2 SEA CL/YR	1 474 .4 5 ND VEL 1449 .9 1449 .9 1450 .0 1450 .0 1450 .1 1455 .1 1455 .3 1455 .3 1455 .3 1455 .3 1455 .3 1455 .3 1455 .3 1455 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3 1456 .3	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT - DAY HOUR DAY HOUR DBS STD OBS OBS STD OBS OBS STD OBS	003 11 1972 04 08 22.6 DEPTH 00009 000 10 00012 00020 00030 00051 00042 00051 00051 00075 00080 00105	04-64 80TDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.49 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.41 01.96 01.93 01.41 01.73 01.74 02.53	34-826 AIR T NET B BAROW CLOUD SAL 33.535 33.54 33.557 33.573 33.594 33.88 P 33.886 33.836 33.806 33.836 33.806 33.836 33.807 33.806 33.836 33.809	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/4 SIGMA-T 26.92 26.92 26.93 26.95 27.24 27.15 27.10 27.10 27.10 27.10 27.10 27.12 27.11 27.12 27.12 27.13 27.12 27.13 27.29 27.37 27.44 27.42 27.45 27.46 27.46	DIR HG 21 2 SEA CL/YR	1474.4 FER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1455.1 1455.3 1455.3 1455.3 1455.3 1455.3 1455.6 1456.5 1456.7 1466.7 1466.7	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT DAY HOUR STD OBS OBS STD OBS OBS OBS STD OBS STD OBS OBS STD OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS	003 11 1972 04 08 22.6 DEPTH 00009 000 10 000 12 000 12 000 20 000 30 000 10 0	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.41 01.73 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53 03.49 03.75 03.81 03.91 03.91 04-17	34-826 AIR T NET B BAROW CLOUD SAL 33.535 33.54 33.557 33.543 33.594 33.886 33.836 33.836 33.836 33.809 33.806 33.836 33.809 33.806 33.836 33.809	27.60 ENP 02-2 ULB 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.93 26.95 27.12 27.12 27.10 27.10 27.12 27.12 27.12 27.12 27.12 27.12 27.12 27.12 27.12 27.13 27.22 27.29 27.37 27.44 27.42 27.45 27.46 27.45 27.46 27.45	DIR HG 21 2 SEA CL/YR	1474.4 FER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1455.1 1455.3 1455.3 1455.3 1455.3 1455.3 1456.7 1456.8 1457.6 1456.3 1456.7 1466.7 1466.7 1466.7	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR NUMT - DAY NUME -	003 11 1972 04 08 22-6 DEPTH 00009 00010 00012 00039 00042 00039 00051 00075 000180 00105 00125	04-64 80TDP 00311 SHIP EV DATA USE 1 AREA 05 TEMP 00.54 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.55 01.57 01.66 01.50 01.71 01.93 01.73 01.01 00.74 02.53 01.01 00.74 02.53 03.49 03.75 03.61 03.91 03.75	34.826 AIR T BAROW CLOUD SAL 33.535 33.540 33.555 33.574 33.88 P 33.88 P 33.88 P 33.836 34.657 34.677 34.677 34.677 34.677	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.97 27.210 27.240 27.15 • 27.12 • 27.12 • 27.12 27.11 27.12 27.12 27.12 27.12 27.13 27.22 27.12 27.13 27.22 27.37 27.46 27.45 27.45 27.45 27.45	DIR HG 21 2 SEA CL/YR	1476.4 T PER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1450.1 1455.3 1455.9 1455.9 1455.9 1455.9 1455.9 1455.7 1466.7 1466.7 1466.7 1466.7 1466.7 1466.7 1467.4 1470.4 1470.4 1470.4 1470.5	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DAY HOUR STD OBS STD OBS	003 11 1972 08 22-6 DEPTH 00009 00010 00012 00039 00042 00039 00045 00051 00075 00013 00137 00142 00150 00137 00145 00137 00146 00171 00171 00170 00150	04-64 80TDP 00311 SMTP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.49 01.40 01.50 01.55 01.57 01.66 01.50 01.71 01.93 01.73 01.01 00.74 02.53 03.26 03.26 03.49 03.75 03.61 03.91 03.91 04.17 04.17	34.826 AIR T B BAROW CLOUD SAL 33.535 33.540 33.555 33.57 33.594 33.88 P 33.88 P 33.88 P 33.863 33.81 33.809 33.86 33.83 33.81 33.809 33.86 33.83 33.81 33.85 33.87 3	27.66 ••••• FERP 02-2 ULB 01.7 FER 1010.5 T/A SIGMA-T 26.92 26.97 27.219 27.15 26.97 27.219 27.15 27.10 27.08 27.12 27.11 27.12 27.12 27.12 27.12 27.12 27.13 27.22 27.12 27.13 27.44 27.45 27.46 27.46 27.49	DIR HG 21 2 SEA CL/TR	1474.4 T PER 3 SND VEL 1449.9 1449.9 1450.0 1450.0 1450.1 1450.1 1455.3 1455.9 1455.9 1455.9 1455.9 1455.7 1466.9 1465.7 1466.9 1465.7 1466.9 1465.7 1466.9 1467.4 1470.4 1470.6 1470.6 1470.3 1472.9 1473.9	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT - DAY MOUR LVLTYP GRS STD GRS	003 11 1972 04 08 22.6 0EPTH 00009 00010 00012 00020 00030 00042 00051 00045 00051 00075 00080 00105 00105 001154 0011554 00115554 00115554 001155554	04-64 80TDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.49 01.46 01.55 01.57 01.66 01.71 01.96 01.93 01.41 01.73 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53 01.01 00.74 02.53	34-826 AIR T MET B BARROW CLOUD SAL 33.535 33.540 33.554 33.594 33.480 P 33.480 P 33.480 P 33.480 P 33.481 33.480 33.475 33.481 33.480 33.475 33.481 33.480 33.475 33.481 33.480 33.475 33.481 33.480 33.475 33.481 33.480 33.477 34.711 34.469 34.531 34.469 34.531 34.469 34.531 34.469	27.60 Eqp 02-2 ULB 01.7 ETR 1010.5 T/A SIGNA-T 26.92 26.92 26.92 26.97 27.210 27.15 e 27.12 e 27.10 27.08 27.12 e 27.12 e 27.12 e 27.12 e 27.12 e 27.13 27.22 27.13 27.27 27.14 27.15 e 27.16 27.17 27.18 27.19 27.19 27.10 27.10 27.10 27.11 27.12 27.10	DIR HG 21 2 SEA CL/TR	1 474 . 4 SND VEL 1449 . 9 1449 . 9 1449 . 9 1449 . 9 1450 . 0 1450 . 0 1450 . 0 1450 . 1 1455 . 1 1455 . 1 1455 . 3 1455 . 1 1455 . 3 1455 . 1 1455 . 3 1455 . 1 1456 . 3 1456 . 3 1466 . 9 1466 . 9 1466 . 9 1466 . 9 1466 . 9 1467 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 6 1473 . 3 1473 . 3	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR MONT - DAY MONT -	003 11 1972 04 08 22.6 DEPTH 00009 00010 00012 00020 00039 00039 00039 00039 00051 00051 00051 00070 00010 00105	04-64 BOTDP 00311 SMIP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.93 01.41 01.46 01.55 01.57 01.66 01.71 01.96 01.73 01.43 01.01 00.74 02.53 03.19 03.75 03.81 03.97 03.49 03.75 03.81 03.91 04.74 04.90 04.81	34-826 AIR T MET B BARROW CLOUD SAL 33.535 33.540 33.557 33.594 33.480 P 33.488 P 33.480 P 33.486 P 33.481 33.491 34.791 34.791 34.791	27.60 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 T/A SIGMA-T 26.92 26.92 26.92 26.97 27.20 27.15 27.10 27.12 27.13 27.29 27.31 27.37 27.44 27.45 27.46 27.45 27.46 27.55 27.46 27.55	DIR HG 21 2 SEA CL/TR	1 474 . 4 5 ND VEL 1449 . 9 1449 . 9 1449 . 9 1450 . 0 1450 . 0 1450 . 0 1450 . 0 1450 . 1 1455 . 1 1455 . 3 1455 . 3 1455 . 3 1455 . 3 1455 . 3 1455 . 3 1455 . 3 1456 . 3 1456 . 3 1456 . 3 1456 . 3 1456 . 3 1457 . 3 1466 . 9 1466 . 9 1466 . 9 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 6 1	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4
CONSEC LAT 47 LONG 046	0010 05 N 04 W	VEAR HONT - DAY HOUR STD OBS STD OBS	003 11 1972 08 22-6 DEPTH 00009 00010 00010 00010 00039 00042 00039 00042 00051 00075 00080 00105 0	04-64 80TDP 00311 SMTP EV DATA USE 1 AREA 05 TEMP 00.54 00.55 00.52 00.49 00.45 00.20 00.49 01.40 01.55 01.57 01.66 01.71 01.66 01.71 01.93 01.73 01.01 00.74 02.53 03.91 03.75 03.81 03.91 03.75 03.81 03.91 03.77 04.17	34-826 AIR T B BAROW CLOUD SAL 33.535 33.540 33.455 33.594 33.488 P 33.486 33.836 33.806 33.807 33.809 33.807 33.809	27.66 ••••• Eqp 02-2 U.B 01.7 ETR 1010.5 1/A SIGMA-T 26.92 26.92 26.92 26.97 27.210 27.15 27.10 27.08 27.12 27.12 27.12 27.12 27.12 27.12 27.12 27.13 27.12 27.13 27.12 27.13 27.12 27.13 27.14 27.46 27.46 27.47 27.48 27.48 27.49 27.48 27.49 27.49 27.49 27.40 27.79 27.11 27.12 27.13 27.12 27.13 27.29 27.46 27.47 27.48 27.49 27.48 27.49 27.48 27.55 27.56	DIR HG 21 2 SEA CL/TR	1 474 . 4 SND VEL 1449 . 9 1449 . 9 1449 . 9 1449 . 9 1450 . 0 1450 . 0 1450 . 0 1450 . 1 1455 . 1 1455 . 1 1455 . 3 1455 . 1 1455 . 3 1455 . 1 1455 . 3 1455 . 1 1456 . 3 1456 . 3 1466 . 9 1466 . 9 1466 . 9 1466 . 9 1466 . 9 1467 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 4 1470 . 6 1473 . 3 1473 . 3	WIND-SPD WIND-FOR WEATHER	X5	TRACE DURAT OR IG	IIP 110	00-1	2 5	SQUARE SQUARE SQUARE	4

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 9296 CONSEC 0011 LAT 47 02 N LONG 045 50 H	DAY	1972	SHIP EV DATA USE L AREA 05	BARO	TEMP 01.7 AULH 01.1 MFTR 1010.8		GT PER	MIND-DIR MIND-SPO MIND-FOR MEATHER	33 12 X5	DUR	STO RECEDIRENTED	00.1	2	N S2 130 S2UARE SQUARE 6 SQUARE 7	*
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	DXYG	P34	101	P NO2	NO3	5133	Pri	
	510	00000	. 02.97	33.93	27.06	00.000	1461-0								
00.0	STO	00010	02.97	33.929	27.06	00.010	1461 - 1								
	STO	00020	03-02	33.96	27.10	00.020	1461 . 7								
	MAS	00021	03-03	33.991	27.10		1461.7								
	785	00030	03.11	34.00	27.10	00.030	1467 -2								
	510	00050	03.23	34-009	27.10	00.049	1462.4								
	DAS	00050	03.23	34.024	27.11		1463 -1								
	085	00015	02.70	34.00	27-14	00.073	1461.2								
	DAS	00096	02.52	34.018	27.14		1460.8								
	STO	00100	02.53	34.04	27.18	00-096	1460-9								
	DAS	00100	02.54	34.048	27.19		1461 .0								
	085	00155	03.51	34.405	27.38		1463-0								
	STD	00125	03.76	34.45	27.39	00.115	1467.2								
	OBS	00126	03.89	34.471	27.40		1467 -8								
	510	00150	04.36	34.57	27.40	00.134	1471.4								
	085	00152	04.65	34.579	27.40		1471.5								
	STD	00175	04.30	34.644	27.54	00.166	1470.5								
	285	00200	04.59	34.749	27.54	00.100	1472.2								
	CAC	00227	04.75	34.804	27.57		1473.5								
	370	00250	04.55	34.82	27.61	00.193	1473.0								
	085	00256	04.53	34.825	27.61		1473.1								
			3010p 00291	AIR	TEMP 01.1		GT PER	WIND-DIR	••		T STD RE	C 00 0 C 0	**	N 52 130	
REFID 31 8296 CONSEC 0012		1972	SHIP EV	WET	BULB 00.6	04		#IND-SPD	10		CE DIR	3	5	SOUARE	4
LAT 47 21 N	DAY	09	DATA USE 1	BARO	METR 1010.5	SEA		WIND-FOR		DIR	MOITA	07.1		SQUARE (
LING 045 46 W	HOUR	02.5	AREA 35	CFUO	7/4	CLITA		AFA THER	*5	041	G 11P 11	0		SPUARE	"
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	3XFG	P 34	101	P ND2	NO3	\$133	P4	
	SID	00000	- 0.60	33.52	76.96	00.000	1444.5								
02.5	985	00004	- 0.60	33.525	26.96		1444.6								
	STO	00009	- 0.62	33.548	26.98 26.98	00.011	1444.6								
	STO	00020	- 0.57	33.56	26.99	00.022	1445.0								
	085	00020	- 0.56	33.560	25.99		1445 .1								
	STD	00030	- 0.45	33.615	27.03	00.032	1445.8								
	OBS	00043	00.10	33.689	27.07		1449.6								
	nes	00049	00.31	33.744	27.10	00.052	1449.8								
	510	00050	00.65	33.74	27.10	00.052	1451 - 5								
	085	00059	00.98	33.859	27.10		1453.1								
	STO	00075	01.59	33.93	27.17	00-076	1456 - 2								
	085	00091	01.23	33.887	27.16		1454.8								
	385	00036	01.20	33.881	27.16		1454.8								
	DBS	00100	00.77	33.77	27.10 *	00.100	1452.8								
	OBS	00107	00.20	33.884	27.22		1450.4								
	STO	00125	00.45	34.05	27.34	00-121	1452.1								
	085	00127	01.02	34.072	27.35		1452.5								
	085	00145	01.27	34.232	27.43 27.43		1456 -4								
	510	00150	01.67	34.27	27.43	00.139	1458.3								
	085	00150	02.03	34.271	27.47		1460 -0								
	OBS	00165	04.42	34.639	27.48		1470.8								
	085	00176	04.36	34.604	27.45 *	00.170	1470.7								
	OBS	00200	04.85	34-74	27.51	00.170	1473.6								
	085	00229	04.74	34.755	27.53		1473.4								
	510	00250	04.74	34.91	27.58	00.199	1473.8								
	085	00252	04.72	34.821	27.59		1473.9								
					*****		. /								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0013 LAT 47 49 N LONG 045 50 M	YFAR 1972 MONTH 04 DAY 03 HOUR 06.4	BOTOP 006/7 SHIP EV DATA USE I AREA 05	BAROME CLOUD	TR 1007.9	DIR HGT PER DT 2 2 SEA CL/TR	ATNO-DIR ATNO-SPO ATNO-FIR WEATHER	17	INST STO RETRACE DIR DIRATION GRIG IIP II	07.6	2 5	S2 1306 QUARE 4 QUARE 64 QUARE 75
CASTNUM/TIME L	VETYP DEPTH	TEMP	SAL	SIGMA-T	STATE OF STATE	1 1846	*)*	TOT P NO2	103	5133	P4
06.4	STD 00000 085 00004	- 0.16									
00.4	510 00010	- 0.16									
	STD 00020	- 0.07									
	\$10 00030	- 0.06									
	00030 00037	- 0.06									
	085 00045	01.08									
(STD 00050	01.46									
(00053	01.70									
	STD 00075	02.16									
	185 00085	02.38									
	00092 085 00096	01.55									
	510 00100	01.17									
(085 00100 085 00105	01-11									
(00109	00.10									
	085 00113 085 00117	00.09									
(00122	00.45									
	STD 00125	00.53									
;	OBS 00130	00.55									
(DBS 00138	01.19									
	STD 00150	01.43									
	00153	01-57									
	00157 085 00160	01.92									
	86100 280	02.23									
	00171 085 00174	02.59									
	085 00177	02.78									
	085 00181 085 00185	02.88									
(00189	03.43									
	085 00193 085 00196	04-07									
	STD 00200	04.67									
	085 00201 085 00209	04.67									
	185 00212	04.63									
	085 00216 085 00225	04-87									
	085 00233 085 00237	04.70									
(00241	04.67									
	085 00244 085 00249	04-83									
	STD 00250	04-17									
	085 00253 085 00257	04.17									
(185 00261	03.92									
	DBS 00267	04-13									
(00293	04.10									
	00298 STD 00300	04.10									
	00301	03.97									
	STD 00400	03.94									
	085 00417 085 00428	04-10									
	DBS 00454	04-12									
	085 00478 STD 00500	04.10									
	00501	04.08									
	085 00528 085 00550	04.11									
	085 00579	04.14									
	STD 00600 085 00602	04.14									
(00630	04.09									
	ORS 00649	04.14									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CASTMUMPTICE LYCTP DEPTH TEMP SAL S124A-1 DYNOPH SAD WE DEFG P1: 10 F NO. S138 P4 10.3 105 00000 - 1.11 33.44 24.95 00.000 1442.0 105 00000 - 1.07 33.450 26.95 1442.2 10.3 105 00000 - 1.07 33.450 26.95 1442.2 10.3 10 00000 - 1.07 33.450 26.95 00.001 1442.3 10.3 10 00000 - 1.07 33.450 26.95 00.001 1442.3 10.3 10 00000 - 1.01 33.53 27.450 00.002 1442.7 10.3 10 00000 - 1.03 33.53 27.450 00.002 1442.7 10.5 10 00000 - 0.07 33.450 27.00 00.002 1442.7 10.5 10 00000 - 0.07 33.550 27.00 00.002 1442.7 10.5 10 00000 - 0.07 33.551 27.00 00.003 1443.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1443.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1443.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1443.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 - 0.087 33.551 27.00 00.053 1444.7 10.5 10 00000 00.00 00.00 33 14.00 27.14 10.5 10 00000 00.00 00.00 33 14.00 27.14 10.5 10 00000 00.00 00.00 33 14.00 27.14 10.5 10 00000 00.00 00.00 33 14.20 27.14 10.5 10 00000 00.	CONSECUTATIONS		12	THOM PAC P	1972 H 04 09 10.3	BOTOP 01137 SHIP EV DATA USE 1 AREA 05	BARO	TEMP OL-1 SULR 00-6 METR 1004-5 D T/4	12	GT FER	WIND-OIR WIND-SPD WIND-FOR WEATHER	1)	DURAT	DIR	00.4	2	N 52 1306 SQUARE 4 SQUARE 84 SQUARE 85
10_1 mit		. MM			DEATH	****		517ma_1	n¥une Iu	Sun Wei	3446		101 P	***	403		
10-1 BBS 00000 - 1.11 31.462	CAS		1140								3410			407	***	3.,,	
OBS			10 1	STO					00.000								
STO 00016 -1.00 31.40 24.95 00.011 44.25 14.45							33.480										
STID 00020 - 1-01 31-35				STO	01000	- 1.09	33.49	26.95	00.011	1442.3							
Color								26.96	00 000								
\$17 00010									00.022								
085 00045 - 1.07 33.629 77.06 1444.4 105.00 105.00 106.7 107.05 1									00.033								
110 00050 - 0.87 33.67 27.09 00.05 1444.2 085 00060 - 0.78 33.67 27.09 085 00060 - 0.78 33.836 27.27 085 00060 - 0.78 33.836 27.27 085 00075 00.09 34.07 27.37 00.07 085 00075 00.09 34.07 27.37 00.07 085 00075 00.09 34.07 27.38 1450.7 085 00070 00.13 34.094 27.38 1450.7 085 00100 01.13 34.094 27.44 085 00100 01.13 34.241 27.44 085 00100 01.15 34.241 27.44 085 00100 01.15 34.38 27.51 00.107 1450.8 085 00110 01.25 31.85 34.38 27.51 00.107 1450.8 085 00110 02.26 31.85 34.38 27.51 00.107 1450.8 085 00110 02.26 31.85 34.38 27.51 00.107 1450.8 085 00110 02.26 31.85 34.572 27.60 00.107 1450.8 085 00110 02.26 31.85 34.572 27.60 00.107 1450.8 087 00100 01.27 34.65 27.55 00.107 1450.8 087 00100 01.27 34.65 27.50 00.107 1450.8 087 00100 01.27 34.65 27.50 00.107 1450.8 087 00100 01.27 34.65 27.50 00.107 1450.8 088 00110 02.00 13.37 34.65 27.50 00.107 1450.8 089 00100 00.27 01.27 34.65 27.50 00.107 1450.8 080 00100 00.27 01.27 34.65 27.50 00.107 1450.8 081 00100 00.27 01.27 34.65 27.50 00.107 1450.8 081 00100 00.27 01.27 34.65 27.50 00.107 1450.8 081 00200 00.37 34.65 27.50 00.107 1450.8 081 00200 00.37 34.65 27.50 00.107 1450.8 081 00200 00.37 34.65 27.50 00.107 1450.8 081 00200 00.37 34.65 27.50 00.107 1450.8 082 00276 01.47 34.78 27.60 00.107 1450.8 083 00376 00.407 1450.8 085 00376 00.407 1450.8 086 00376 00.407 1450.8 087 00400 04.11 34.800 27.70 00.107 1470.8 085 00376 04.00 04.13 34.800 27.70 00.107 1470.8 085 00376 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.13 34.800 27.70 00.107 1470.8 085 00507 04.00 04.00 34.800 27.70 00.107 1470.8 085 00507 04.00 04.00 34.800 27.70 00.107 1470.8 085 00507 04.00 04.00 34.800 27.70 00.107 1470.8 085 00507 04.00 04.00 34.800 27.70 00.107 1470.8 085 00507 04.00 04.00 34.800 27.70 00				085	00043	- 1.02	33-629	27.06		1443.4							
085									00 053	1444.2							
785 00062 - 0.79 33.836 27.22 1446.1 085 00073 - 0.00 34.07 27.37 08.0073 - 0.00 34.07 27.37 08.0083 00073 - 0.00 34.07 27.37 08.0083 00100 01.30 34.24 27.44 08.0100 01.31 34.24 27.44 08.0100 01.31 34.24 1 27.44 18.55 8 08.0100 01.31 34.24 1 27.44 18.55 8 08.0100 01.31 34.24 1 27.44 18.55 8 08.0102 01.31 34.24 1 27.44 18.55 8 08.0125 01.25 8 34.317 77.48 08.0125 01.25 8 34.317 77.48 08.0127 01.28 34.316 27.51 08.0139 02.24 34.57 2 27.60 1442.7 144						- 0.89			00.033								
\$17 00075 00.00 34.07 27.37 00.074 1449.6 085 00100 00.11 34.096 27.38 1459.7 085 001100 01.31 34.294 27.44 00.091 1459.8 085 001125 01.85 34.38 27.51 00.107 1459.8 085 00125 01.85 34.38 27.51 00.107 1459.8 085 00127 01.85 34.38 27.51 00.107 1459.8 085 00128 01.85 34.38 27.51 00.107 1459.8 085 00139 02.63 34.38 27.51 00.107 1459.8 085 00139 02.63 34.38 27.55 00.107 1459.8 085 00148 03.01 34.500 27.56 00.107 1469.5 085 00148 03.01 34.500 27.56 00.107 1469.5 085 00150 03.02 34.55 27.59 00.121 1469.5 087 00150 03.02 34.65 27.59 00.148 1469.0 087 00170 002.00 03.77 34.65 27.50 00.148 1469.0 087 00200 03.77 34.65 27.50 00.148 1469.0 088 00220 03.77 34.65 27.50 00.148 1469.0 089 00250 03.77 34.65 27.50 00.148 1469.0 080 00250 03.77 34.65 27.60 00.171 1469.8 080 00250 03.77 34.65 27.60 00.171 1469.8 080 00250 03.77 34.65 27.60 00.171 1470.4 080 00250 03.77 34.65 27.60 00.171 1470.4 080 00250 03.77 34.65 27.60 00.171 1470.4 080 00250 03.77 34.68 27.60 00.171 1470.4 080 00250 03.77 34.68 27.60 00.171 1470.4 080 00325 03.29 34.888 27.70 00.187 1470.4 081 00349 04.06 34.887 27.60 00.171 1470.4 085 00350 04.11 34.892 27.71 00.288 1473.9 085 00450 04.11 34.892 27.71 00.288 1473.9 085 00450 04.00 34.892 27.71 110.00 1470.4 085 00527 04.00 34.892 27.71 110.00 1470.4 085 00520 04.01 34.892 27.71 110.00 1470.4 085 00620 04.00 34.892 27.71 110.00 1470.4 085 00620 04.00 34.892 27.71 110.00 1470.4 085 00620 04.00 34.892 27.71 110.00 1470.4 085 00620 04.00 34.902 27.72 1477.4 085 00620 04.00 34.902 27.72 1477.4 085 00620 04.00 34.902 27.72 1477.4 085 00620 04.00 34.902 27.77 110.00 1470.4 085 00620 04.00 34.902 27.77 110.00 1470.4 085 00620 04.00 34.902 27.77 110.00 1470.0 085 00620 04.00 34.902 27.77 110.00 1480.0 085 00620 04.00 34.902 27.77 110.00 1480.0 085 00600 04.00 34.902 27.77 110.00 1480.0 085 00600 04.00 34.902 27.77 110.00 1480.0 085 00600 04.00 34.902 27.77 110.00 1480.0 085 00600 04.00 34.902 27.77 110.00 1480.0 086 00700 0700 0700 0700 0700 0700 0700				785	00062	- 0.79	33.836	21.22		1445.1							
085 00070 00.31 34.090 27.18 1.59.7 085 00100 01.30 34.24 77.44 00.001 1.59.8 085 00114 01.59 34.31 77.44 00.107 1.59.8 085 00125 01.88 34.38 27.51 00.107 1.59.8 085 00126 01.80 1.30 34.24 77.60 1.49.0 085 00127 01.88 34.38 27.51 00.107 1.59.8 085 00128 02.53 34.58 27.51 00.107 1.59.8 085 00134 02.0 33.55 34.58 27.55 00.107 1.69.8 085 00140 01.0 33.55 34.61 27.55 00.107 1.66.5 085 00174 03.25 34.61 27.55 00.148 1.66.0 085 00176 03.25 34.61 27.55 00.148 1.66.0 085 00176 03.25 34.64 27.59 00.148 1.66.0 085 00176 03.35 34.64 27.59 00.148 1.66.0 086 00176 03.37 34.64 27.59 00.148 1.66.0 087 00170 03.37 34.64 27.63 00.173 1.66.0 087 00170 03.37 34.64 27.63 00.173 1.67.0 087 00170 03.35 34.69 27.63 00.173 1.67.0 087 00290 03.35 34.69 27.63 00.173 1.67.0 088 00276 03.47 34.78 77.65 1.66.0 088 00277 03.18 34.78 77.65 1.66.0 088 00376 04.00 34.8 34.78 77.65 1.66.0 088 00377 04.00 1.34 34.88 77.65 1.66.0 088 00377 04.10 34.88 77.67 00.197 1.47.7 085 00379 03.18 34.78 77.65 1.67.0 085 00379 04.13 34.89 77.67 00.197 1.47.7 085 00370 04.00 34.13 34.88 77.67 00.197 1.47.7 085 00370 04.13 34.89 77.7 085 00370 04.13 34.89 77.7 087 00400 04.1 34.89 77.7 087 00400 04.1 34.89 77.7 088 00577 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.89 77.7 089 00540 04.00 34.90 77.7 089 00540 04.00 34.90 77.7 089 00540 04.00 34.90 77.7 089 00540 04.00 34.90 77.7 089 00540 04.00 34.90 77.7 089 00540 04.00 34.90 77.7 089 00540 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 04.00 34.90 77.7 089 00760 07760 07760 07760 07760 07760 07760 07760 07760 07760 07760 07760 0776																	
OBS OOOR O				510			34.07		00.074	1449.6							
STD 00100				OBS			34.209										
085 00114 01-59 34-317 27-48 1457-4 STD 00125 01-85 34-38 27-51 00.107 1458-8 1085 00127 01-86 34-38 27-51 1459-0 1085 00119 02-88 34-38 27-51 1459-0 1085 00119 02-88 34-38 27-51 1459-0 1085 00119 03-01 34-560 27-56 01-1462-7 1085 00149 03-01 34-560 27-56 01-1462-7 1085 00174 03-25 34-61 27-57 1466-0 1085 00174 03-25 34-61 27-57 1466-0 1085 00174 03-25 34-61 27-57 1466-0 1085 00174 03-25 34-61 27-57 1466-0 1085 00174 03-25 34-64 27-59 1466-0 1085 00174 03-25 34-64 27-63 1467-0 1085 00250 03-33 34-64 27-63 1467-0 1085 00251 03-35 34-64 27-63 1467-0 1085 00276 03-47 34-738 27-65 1466-0 1085 00276 03-67 34-738 27-67 00.107 1470-6 1085 00279 03-78 34-79 27-67 00.107 1470-6 1085 00279 03-78 34-79 27-67 00.107 1470-6 1085 00374 04-10 34-847 27-68 1473-9 1085 00374 04-10 34-847 27-68 1473-9 1085 00374 04-10 34-87 27-69 1473-9 1085 00401 04-14 34-87 27-69 1473-9 1085 00401 04-14 34-87 27-69 1473-9 1085 00401 04-14 34-87 27-69 1473-9 1085 00401 04-14 34-87 27-69 1473-9 1085 00401 04-14 34-87 27-69 1473-9 1085 00401 04-14 34-87 27-70 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00401 04-14 34-89 27-71 1473-9 1085 00400 04-11 34-89 27-71 1473-9 1085 00400 04-11 34-89 27-71 1473-9 1085 00400 04-11 34-89 27-71 1473-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 00400 04-04 34-90 27-72 1477-9 1085 0040								27.44	00.091	1455.8							
\$10 00125 01.85 34.36 27.51 00.107 1458.8 1085 00126 02.35 34.36 27.50 1459.0 1085 00130 02.35 34.36 27.50 1462.7 1085 00130 02.63 34.362 27.50 00.121 1462.7 1085 00140 03.03 34.363 27.57 1085 00174 03.25 34.613 27.57 1085 00174 03.38 34.643 27.57 1085 00174 03.38 34.643 27.59 1467.0 1085 00174 03.37 34.65 27.50 00.121 1466.9 1085 00274 03.37 34.668 27.60 10.121 1466.9 1085 00275 03.37 34.668 27.60 10.121 1466.9 1085 00275 03.37 34.668 27.60 10.121 1466.9 1085 00275 03.37 34.668 27.60 10.121 1467.0 1085 00275 03.37 34.68 27.60 10.121 1467.0 1085 00275 03.38 34.69 27.60 10.121 1467.0 1085 00275 03.78 34.793 27.67 1467.0 1085 00275 03.78 34.793 27.67 1470.6 1085 00375 03.78 34.793 27.67 1470.6 1085 00375 03.78 34.793 27.67 1470.6 1085 00375 03.79 34.858 27.70 1471.7 1085 00375 03.79 34.868 27.70 1471.7 1085 00375 03.19 04.10 34.878 27.70 1471.7 1085 00375 03.19 04.10 34.878 27.70 1471.7 1085 00375 04.11 34.884 27.70 1471.7 1085 00451 04.14 34.875 27.40 00.243 1473.9 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.70 1471.7 1085 00451 04.14 34.882 27.71 1475.0 1085 00452 04.11 34.884 27.70 1471.7 1085 00452 04.11 34.890 27.71 1471.7 1085 00452 04.00 34.895 27.71 1471.7 1085 00452 04.00 34.890 27.71 1471.7 1085 00452 04.00 34.890 27.71 1471.7 1085 00452 04.00 34.890 27.71 1471.0 1085 00452 04.00 34.890 27.71 1471.0 1085 00452 04.00 34.890 27.71 1471.0 1085 00452 04.00 34.890 27.71 1471.0 1085 00452 04.00 34.890 27.77 1471.0 1085 00452 04.00 34.890 27.77 1471.0 1085 00452 04.00 34.890 27.77 1471.0 1085 00452 04.00 34.890 27.77 1471.0 1085 00452 04.00 34.890 27.77 1471.0 1085 00452 04.00 34.890 27.77 1471.0 1085 00450 04.00 34.890 27.77 1471.0 1085 00450 04.00 34.890 27.77 1471.0						01.31	34.241	27.44									
185 00125 01.88 34.986 27.51 1499.0 1461.4 1461.4 187.0 18								27.48	00 107								
085 00136 02.55 34.572 27.60 1461.4 085 00149 02.63 34.572 27.60 1462.7 085 00169 03.02 34.560 27.56 00.121 1464.5 085 00174 03.25 34.613 77.77 1466.0 087 00174 03.25 34.613 77.77 1466.0 087 00174 03.25 34.613 77.77 1466.0 087 00174 03.25 34.613 77.79 1467.0 087 00175 03.38 34.640 77.79 1467.0 087 00274 01.25 34.648 77.60 088 00274 03.35 34.69 27.63 1467.8 088 00274 03.35 34.69 27.63 1467.8 088 00276 03.47 34.673 77.67 1467.8 088 00271 03.57 34.69 27.63 1467.8 088 00276 03.47 34.79 27.67 1470.6 089 00251 03.37 34.658 77.70 0.147 1470.6 089 00255 03.33 34.658 77.70 0.147 1470.6 089 00376 04.64 34.67 77.89 1477.9 089 00400 04.16 34.67 77.89 1477.9 085 00400 04.16 34.687 77.70 1477.9 085 00401 04.16 34.687 77.70 1477.9 085 00401 04.16 34.687 77.70 1477.9 085 00400 04.16 34.687 77.70 1477.9 085 00401 04.16 34.687 77.70 1477.9 085 00401 04.16 34.687 77.70 1477.9 085 00400 04.11 34.687 77.70 1477.9 085 00400 04.11 34.687 77.70 1477.9 085 00400 04.11 34.687 77.70 1477.9 085 00400 04.11 34.680 77.71 1478.4 085 00400 04.11 34.690 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.71 1478.4 085 00400 04.00 34.692 77.72 1477.4 085 00400 04.00 34.692 77.72 1477.4 085 00400 04.00 34.692 77.72 1477.4 085 00400 04.00 34.692 77.72 1477.4 085 00400 04.00 34.692 77.72 1477.4 085 00400 04.00 34.692 77.72 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 77.77 1477.4 085 00400 04.00 34.692 7									00.10.								
085 00119 02.63 34.572 27.60 1462.7 087 00160 03.01 34.560 27.56 00.121 1464.6 088 00150 03.02 34.56 27.56 00.121 1464.6 088 00150 00150 03.02 34.56 27.56 00.121 1464.6 088 00150 00150 03.02 34.56 27.59 00.148 1467.0 085 00200 03.37 34.640 27.59 00.148 1467.0 085 00226 03.25 34.600 27.60 1466.9 510 00250 03.35 34.600 27.60 1466.9 108 00276 03.47 34.638 77.65 1467.8 108 00276 03.47 34.738 77.65 1467.8 108 00276 03.47 34.738 77.65 1467.8 108 00275 03.33 34.69 27.67 00.197 1471.7 108 00250 03.34 34.673 77.70 01.197 1471.7 108 00374 04.10 34.687 27.69 1473.3 108 00374 04.10 34.687 27.69 1473.3 108 00401 04.14 34.687 27.69 0.243 1473.9 108 00401 04.14 34.687 27.69 0.243 1473.9 108 00401 04.14 34.687 27.69 0.243 1473.9 108 00401 04.14 34.687 27.10 1474.4 108 00401 04.14 34.687 27.10 1474.4 108 00401 04.14 34.687 27.10 1474.4 108 00401 04.14 34.687 27.10 1474.4 108 00401 04.14 34.687 27.10 1474.4 108 00400 04.11 34.89 27.71 1475.4 108 00500 04.11 34.89 27.71 1475.4 108 00500 04.11 34.89 27.71 1475.4 108 00500 04.60 04.60 34.89 27.71 1475.6 108 00500 04.60 04.60 34.89 27.71 1475.6 108 00500 04.60 04.60 34.89 27.71 1475.6 108 00500 04.60 04.60 34.89 27.71 1476.6 108 00500 04.60 04.60 34.89 27.71 1476.6 108 00500 04.60 04.60 34.89 27.71 1476.6 108 00500 04.60 04.60 34.89 27.71 1476.6 108 00500 04.60 04.60 34.89 27.77 1476.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 34.89 27.77 1477.6 108 00500 04.60 04.60 04.89 27.77 1477.6 108 00500 04.60 04.60 04.89 27.77 1477.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.6						02.35	34.544										
STD 00150 03.02 34.66 27.56 00.121 166.6 0185 00174 03.25 34.613 27.57 1466.0 STD 00200 03.38 34.649 27.59 1467.0 OS 00274 03.25 34.648 27.50 00.148 1467.0 STD 00250 03.35 34.648 27.63 00.173 1467.8 OS 00251 03.35 34.648 27.63 00.173 1467.8 OS 00251 03.35 34.648 27.63 1467.8 OS 00251 03.35 34.648 27.63 1467.8 OS 00250 03.78 34.79 27.67 1467.8 OS 00300 03.78 34.79 27.67 04.66 OS 00300 03.78 34.858 27.70 1471.7 OS 00349 04.66 34.847 27.68 1472.7 OS 00349 04.66 34.847 27.68 1472.7 OS 00349 04.10 34.867 27.60 1473.3 STD 00400 04.14 34.87 27.60 1473.9 OS 00400 04.14 34.87 27.60 1473.9 OS 00451 04.11 34.852 27.70 1474.7 OS 00451 04.11 34.857 27.71 1474.7 OS 00451 04.11 34.857 27.71 1474.7 OS 00452 04.11 34.857 27.71 1474.7 OS 00527 04.11 34.857 27.71 1475.7 OS 00527 04.10 34.892 27.71 00.288 1474.4 OS 00577 04.08 34.897 27.72 1477.8 OS 00577 04.08 34.897 27.72 1477.8 OS 00577 04.08 34.897 27.72 1477.8 OS 00600 04.08 34.899 27.72 1477.8 OS 00600 04.08 34.899 27.72 1477.8 OS 00600 04.08 34.990 27.72 1477.8 OS 00600 04.08 34.990 27.72 1477.8 OS 00600 04.05 34.90 27.72 1477.8 OS 00600 04.05 34.91 27.73 1478.4 OS 00757 04.65 34.91 27.73 1479.9 OS 00757 04.65 34.91 27.73 1479.9 OS 00600 04.06 34.90 27.77 1479.9 OS 00760 04.06 34.91 27.77 1479.9 OS 00760 04.07 34.90 27.77 1479.9 OS 00760 04.07 34.90 27.77 1479.9 OS 00760 04.07 34.90 27.77 1479.9 OS					001 39	02.63	34.572										
185 00174 03.25 34.613 27.57 1466.0 185 00199 03.38 34.649 27.59 00.148 1467.0 185 00200 03.37 34.65 27.59 00.148 1467.0 185 00250 03.35 34.649 27.60 1466.9 185 00276 03.35 34.649 27.63 1467.8 185 00276 03.47 34.718 27.65 1467.8 185 00276 03.47 34.718 27.65 1467.8 185 00276 03.78 34.79 27.67 00.197 1470.6 185 00270 03.78 34.79 27.67 00.197 1470.6 185 00300 03.78 34.79 27.67 00.197 1470.6 185 00300 03.78 34.79 27.67 00.197 1470.6 185 00300 03.78 34.79 27.67 00.197 1470.6 185 003174 04.10 34.869 27.00 1477.7 185 00401 04.14 34.875 27.69 00.243 1473.9 185 00401 04.14 34.875 27.69 00.243 1473.9 185 00401 04.14 34.887 27.70 1473.9 185 00401 04.14 34.887 27.71 1474.6 185 00490 04.11 34.880 27.71 1475.7 185 00490 04.11 34.880 27.71 1475.0 185 00577 04.10 34.887 27.71 1475.6 185 00577 04.10 34.89 27.71 1475.6 185 00577 04.00 34.89 27.71 1475.6 185 00507 04.10 34.89 27.71 1475.6 185 00507 04.10 34.89 27.71 1475.6 185 00507 04.10 34.89 27.71 1475.6 185 00507 04.10 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.89 27.71 1475.6 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.72 1477.0 185 00507 04.00 34.99 27.73 1477.0 185 00507 04.00 34.99 27.73 1477.0						03.01			00 121	1464.5							
(185 00199 03.38 34.649 27.59 00.148 1467-0 185 00224 03.25 34.668 27.60 01.466.8 186 00251 03.35 34.698 27.63 01.13 1467-8 186 00251 03.35 34.698 27.63 01.13 1467-8 186 00251 03.35 34.698 27.63 01.13 1467-8 187 00250 03.37 34.79 27.67 7.70.4 187 00300 03.78 34.79 27.67 7.70.4 187 00300 03.78 34.79 27.67 7.70.4 188 00349 04.06 34.847 27.68 1472-7 188 00349 04.06 34.847 27.68 1472-7 189 00300 04.14 34.87 27.69 00.243 1473-9 180 00301 04.14 34.87 27.69 00.243 1473-9 181 00400 04.14 34.87 27.69 00.243 1473-9 185 00431 04.14 34.882 27.70 1473-7 185 00450 04.11 34.882 27.70 1473-7 185 00577 04.10 34.880 27.71 1473-7 185 00577 04.10 34.89 27.71 1473-7 185 00577 04.10 34.89 27.71 1473-7 185 00577 04.10 34.89 27.71 1473-7 185 00577 04.10 34.89 27.71 1473-7 185 00577 04.10 34.89 27.71 1473-7 185 00577 04.08 34.89 27.71 1473-8 185 00577 04.08 34.89 27.71 1473-8 185 00577 04.08 34.89 27.71 1473-8 185 00577 04.08 34.89 27.71 1473-8 185 00577 04.08 34.89 27.71 1473-8 185 00577 04.08 34.89 27.71 177 1473-8 185 00577 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.72 1477-8 185 00570 04.08 34.99 27.72 1477-8 185 00572 04.08 34.99 27.72 1477-8 185 00572 04.08 34.99 27.72 1477-8 185 00572 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.72 1477-8 185 0050 04.08 34.99 27.77 1478-8 185 0050 04.08 34.99 27.77 1478-8 185 0050 04.08 34.99 27.77 1478-8 185 0050 04.08 34.99 27.77 1478-8 185 0050 04.08 34.99 27.77 1488-8 185 0050 04.08 34.99 27.77 1488-8 186 0057 04.09 34.99 27.77 1488-8 187 0050 04.08 34.99 27.77 1488-8 188 0050 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 34.99 27.77 1488-8 189 00750 04.08 14						03.02	34.613		00.121								
STD 00200 03.37 34.665 27.59 00.148 1667.0 1666.9 STD 00250 03.35 34.668 27.60 1666.9 STD 00250 03.35 34.604 27.63 00.173 1667.8				as s		03.38	34.649	27.59		1467.0							
\$10 00251 03-35 34-69 27-63 00-173 1467-8 1667-8 1085 00276 03-47 34-786 77-65 1467-8 1467-8 1685 00279 03-78 34-79 27-67 00-197 1470-6 1470-6 1685 00329 03-78 34-79 27-67 00-197 1470-6 1470-6 1685 00325 03-93 34-858 27-70 01-197 1470-6 1471-7 1685 00349 04-06 34-847 27-68 1472-7 1686 1473-3 17-6 1471-7 1685 00374 04-10 34-869 27-69 00-243 1473-9 147							34.65	27.59	00-148								
185 00251 03-35 34-094 27.63 1446.8 186 00279 03-78 34-79 27.67 1470.6 187 00300 03-78 34-79 27.67 00.197 1470.6 188 00325 03-93 34-858 27.70 0.197 1470.6 188 00326 03-79 04.06 34-85 27.70 1471.7 188 00349 04.06 34-85 27.69 1473.3 189 00349 04.06 34-85 27.69 1473.3 189 00349 04.01 34-85 27.69 00.243 1473.9 185 00431 04-14 34-85 27.69 00.243 1473.9 185 00431 04-13 34-882 27.70 1474.7 185 00453 04-13 34-884 27.70 1474.7 185 00453 04-13 34-884 27.70 1474.7 185 00453 04-13 34-884 27.70 1475.4 187 00500 04-11 34-89 27.71 1475.4 187 00500 04-11 34-89 27.71 1475.4 187 00500 04-11 34-89 27.71 1475.4 185 00500 04-11 34-89 27.71 1475.4 185 00500 04-11 34-89 27.71 1475.4 185 00500 04-11 34-89 27.71 1475.4 185 00500 04-11 34-89 27.71 1475.4 185 00500 04-10 34-89 27.71 1475.4 186 00500 04-10 34-89 27.71 1475.4 187 00500 04-10 34-89 27.71 1475.4 187 00500 04-10 34-89 27.71 1475.4 187 00500 04-10 34-89 27.71 1475.4 188 00507 04-00 34-89 27.72 1475.4 188 00507 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-89 27.72 1477.6 189 00500 04-00 34-90 27.72 1477.6 189 00500 04-00 34-90 27.72 1477.6 189 00500 04-00 34-90 27.72 1477.6 189 00500 04-00 34-91 27.73 1478.6 189 00700 04-00 34-91 27.73 1478.6 189 00700 04-00 34-91 27.73 1478.6 189 00700 04-00 34-91 27.73 1478.6 189 00700 04-00 34-91 27.73 1478.6 189 00800 04-00 34-91 27.74 1480.6 189 00800 04-00 34-91 27.75 1480.6 189 00800 04-00 34-92 27.74 1480.6 189 00800 04-00 34-92 27.74 1480.6 189 00800 04-00 34-92 27.74 1480.6 189 00800 04-00 34-92 27.75 1480.6 189 00800 04-00 34-92 27.75 1480.6 189 00800 04-00 34-92 27.75 1480.6 189 00900 04-01 34-93 27.75 1480.6 189 00900 04-01 34-93 27.75 1480.6 189 00900 04-01 34-93 27.75 1480.6								27.60	00-173								
185 00276 03.47 34.738 27.65 1468.6 1470.6 1870.0 03.07 04.07 03.08 03.03 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 04.07 03.08 03.07 03.08 03.0								27.63	00.173								
\$\begin{array}{cccccccccccccccccccccccccccccccccccc								27.65									
1985 10349 04.06 34.847 27.68 1472.7 1985 10349 04.06 34.847 27.68 1472.7 1985 10349 04.06 34.867 27.69 1473.3 1985 10340 04.10 34.869 27.69 1473.3 1985 10340 04.14 34.87 27.69 1473.9 1985 10341 04.14 34.875 27.69 1473.9 1985 10341 04.14 34.875 27.69 1473.9 1985 10341 04.14 34.882 27.70 1474.4 1985 10349 04.11 34.882 27.71 1475.6 1985 10349 04.11 34.890 27.71 1475.6 1985 10357 04.01 34.890 27.71 1475.6 1985 10357 04.01 34.892 27.71 1475.6 1985 10357 04.03 34.890 27.71 1475.6 1985 10357 04.03 34.890 27.71 1475.6 1985 10357 04.08 34.897 27.72 1475.6 1985 10357 04.08 34.899 27.71 1475.6 1985 10357 04.08 34.899 27.71 1475.6 1985 10360 04.08 34.899 27.72 1477.0 1985 10360 04.08 34.899 27.72 1477.0 1985 10360 04.08 34.899 27.72 1477.0 1985 10360 04.08 34.90 27.72 1477.0 1985 10365 04.08 34.90 27.72 1477.0 1985 10365 04.08 34.90 27.72 1477.8 1985 10365 04.08 34.90 27.72 1477.8 1985 10365 04.08 34.90 27.72 1477.8 1985 10365 04.08 34.90 27.72 1477.8 1985 10365 04.08 34.90 27.73 1478.6 1985 10365 04.08 34.91 27.73 1478.6 1985 10372 04.05 34.91 27.73 1478.6 1985 10372 04.05 34.91 27.73 1479.0 1985 10372 04.05 34.91 27.73 1479.0 1985 10372 04.05 34.91 27.73 1479.0 1985 10372 04.05 34.91 27.73 1479.0 1985 10372 04.05 34.91 27.73 1479.0 1985 10383 04.05 34.92 27.74 1480.2 1985 10383 04.05 34.92 27.75 1481.8 1482.4 1482.4 1482.4 1482.4 1482.6 1482.9 1483.0 1485 10380 03.97 34.93 27.75 1482.4 1480.2 1482.4 1482.4 1482.4 1482.4 1482.6 1482.7 1482.6 1482.9 1483.0 1484.1																	
085 00374 04.06 34.847 27.68 1472.7 085 00374 04.10 34.869 27.69 1473.3 S1D 00400 04.14 34.87 27.69 1473.9 085 00431 04.14 34.875 27.69 1473.9 085 00431 04.14 34.882 27.70 1474.4 085 0049 04.13 34.884 27.71 1475.0 S1D 00500 04.11 34.887 27.71 1475.4 S1D 00500 04.11 34.890 27.71 1475.4 S1D 00507 04.10 34.892 27.71 1475.4 O85 00527 04.10 34.892 27.71 1475.8 O85 00577 04.08 34.892 27.71 1475.8 S1D 00500 04.08 34.892 27.71 1475.8 S1D 00500 04.08 34.90 27.72 1476.6 S1D 00500 04.08 34.90 27.72 1477.0 O85 00577 04.08 34.99 27.72 1477.0 O85 00625 04.08 34.90 27.72 1477.0 O85 00625 04.08 34.90 27.72 1477.0 O85 00625 04.08 34.90 27.72 1477.8 O85 00703 04.06 34.90 27.73 1477.8 O85 00703 04.06 34.90 27.73 1478.6 O85 00704 04.06 34.91 27.73 1478.6 O85 00705 04.06 34.91 27.73 1479.4 O85 00600 04.06 34.92 27.74 00.421 1480.2 O85 00600 04.05 34.92 27.74 00.461 1480.2 O85 00600 04.05 34.92 27.74 00.461 1481.7 O85 00600 04.05 34.92 27.75 00.466 1481.7 O85 00600 04.07 34.92 27.75 1482.0						03.78	34-79	27.67	00.197								
STD 00400 04-14 34-869 27-69 00-243 1473-9 URS 00401 04-14 34-875 27-69 00-243 1473-9 URS 00401 04-14 34-875 27-69 1473-9 URS 00401 04-14 34-875 27-70 1474-4 URS 00490 04-13 34-887 27-70 1474-7 URS 00499 04-11 34-887 27-71 1475-0 URS 00507 04-11 34-890 27-71 00-288 1475-4 STD 00500 04-11 34-89 27-71 00-288 1475-4 URS 00527 04-10 34-895 27-71 1475-8 URS 00577 04-09 34-895 27-71 1475-8 STD 00600 04-08 34-90 27-72 04-32 1477-0 URS 00602 04-08 34-90 27-72 04-32 1477-0 URS 00602 04-08 34-90 27-72 1477-8 URS 00602 04-08 34-90 27-72 1477-8 URS 00603 04-07 34-906 27-73 1477-8 URS 00605 04-07 34-906 27-73 1478-6 URS 00700 04-06 34-91 27-73 1478-6 URS 00700 04-06 34-91 27-73 1478-6 URS 00700 04-06 34-91 27-73 1478-6 URS 00702 04-06 34-91 27-73 1478-6 URS 00704 04-06 34-91 27-73 1478-6 URS 00705 04-06 34-91 27-73 1478-6 URS 00705 04-06 34-91 27-73 1478-6 URS 00803 04-05 34-91 27-74 1480-2 URS 00803 04-05 34-92 27-75 1480-6 URS 00804 04-06 34-917 27-74 1480-2 URS 00804 04-06 34-917 27-75 1480-6 URS 00805 04-06 34-917 27-75 1480-6 URS 00806 04-05 34-91 27-75 1480-6 URS 00806 04-05 34-91 27-75 1480-6 URS 00809 03-97 34-929 27-75 1480-0 URS 00900 03-97 34-930 27-76 00-510 1480-0							34.847	27.68									
URS 00401 04-14 34-875 27-69 1473-9 085 00491 04-14 34-882 27-70 1474-4 085 00493 04-13 34-884 77-70 1475-0 085 00490 04-11 34-890 27-71 1475-0 085 00502 04-11 34-890 27-71 1475-4 085 00502 04-10 34-895 27-71 1475-8 085 00577 04-10 34-895 27-71 1475-8 085 00577 04-00 34-895 27-71 1476-8 085 00577 04-00 34-895 27-71 1476-2 085 00577 04-00 34-895 27-72 1477-0 085 00602 04-08 34-90 27-72 00-332 1477-0 085 00602 04-08 34-90 27-72 1477-0 085 00605 04-08 34-90 27-72 1477-8 085 00605 04-08 34-90 27-72 1477-8 085 00650 04-08 34-90 27-72 1477-8 085 00650 04-07 34-906 27-73 1478-6 085 00703 04-06 34-91 27-73 1478-6 085 00703 04-06 34-91 27-73 1478-6 085 00704 04-06 34-91 27-73 1478-6 085 00705 04-06 34-91 27-73 1478-6 085 00705 04-06 34-91 27-73 1478-6 085 00705 04-06 34-91 27-73 1478-6 085 00706 04-06 34-91 27-73 1478-6 085 00706 04-06 34-91 27-73 1478-6 085 00706 04-06 34-91 27-73 1478-6 085 00706 04-06 34-91 27-73 1478-6 085 00706 04-06 34-91 27-73 1478-6 085 00706 04-06 34-91 27-73 1478-6 085 00800 04-05 34-91 27-74 1480-2 085 00800 04-05 34-91 27-74 1480-2 085 00800 04-05 34-92 27-74 1480-2 085 00800 04-05 34-92 27-74 1480-2 085 00800 04-05 34-92 27-75 1481-8 085 00900 03-97 34-920 27-75 1482-9 085 00900 03-97 34-920 27-75 1482-9 085 00900 03-97 34-920 27-75 1482-9 085 00900 03-97 34-930 27-75 1482-9 085 00900 03-98 34-930 27-75 1482-9 085 00900 03-98 34-930 27-75 1482-9 085 00900 03-98 34-930 27-76 00-510 1483-0						04.10	34.869	27.69		1473.3							
085 00451 04-14 34-882 27.70 1474-4 085 00453 04-13 34-884 77.70 1475-0 085 00499 04-11 34-890 27.71 1475-0 085 00509 04-11 34-890 27.71 1475-4 085 00509 04-11 34-892 27.71 1475-4 085 00527 04-10 34-892 27.71 1475-8 085 00577 04-10 34-895 27.71 1476-2 085 00577 04-08 34-895 27.71 1476-2 STD 00600 04-08 34-897 27.72 1476-6 STD 00600 04-08 34-899 27.72 00-332 1477-0 085 00622 04-08 34-899 27.72 1477-0 085 00625 04-08 34-899 27.72 1477-0 085 00625 04-07 34-90 27.72 1477-8 085 00626 04-07 34-90 27.72 1477-8 085 00676 04-07 34-90 27.72 1477-8 085 00703 04-06 34-91 27.73 1478-6 085 00703 04-06 34-91 27.73 1478-6 085 00724 04-06 34-91 27.73 1478-6 085 00724 04-06 34-91 27.73 1478-0 085 00724 04-06 34-91 27.73 1478-0 085 00724 04-06 34-91 27.73 1478-0 085 00724 04-06 34-91 27.73 1478-0 085 00784 04-06 34-91 27.73 1478-0 085 00800 04-05 34-91 27.74 1480-2 085 00800 04-05 34-92 27.74 1480-2 085 00800 04-05 34-92 27.74 1480-2 085 00800 04-05 34-92 27.74 1480-2 085 00800 04-05 34-92 27.74 1480-2 085 00800 04-05 34-92 27.74 1480-2 085 00800 04-05 34-92 27.75 1481-0 085 00800 04-05 34-92 27.75 1481-0 085 00800 03-97 34-920 27.75 1481-0 085 00900 03-97 34-920 27.75 1482-4 085 00900 03-97 34-920 27.75 1482-4 085 00900 03-97 34-920 27.75 1482-4 085 00900 03-97 34-930 27.76 00.510 1483-0 085 00900 03-98 34-930 27.76 00.510 1483-0				SID		04.14		27.69	00.243								
085 00453 04-13 34-884 27.71 1475-0 085 00499 04-11 34-890 27.71 1475-0 085 00502 04-11 34-890 27.71 1475-4 085 00502 04-10 34-895 27.71 1475-8 085 00577 04-10 34-895 27.71 1475-8 085 00577 04-00 34-895 27.71 1476-8 085 00577 04-00 34-895 27.72 1477-0 085 00602 04-08 34-90 27.72 00-332 1477-0 085 00602 04-08 34-899 27.72 1477-8 085 00602 04-08 34-90 27.72 1477-8 085 00605 04-08 34-90 27.72 1477-8 085 00605 04-08 34-90 27.72 1477-8 085 00650 04-08 34-90 27.72 1477-8 085 00650 04-07 34-906 27.73 1478-2 085 00703 04-06 34-91 27.73 1478-6 085 00703 04-06 34-91 27.73 1478-6 085 00704 04-06 34-91 27.73 1478-6 085 00705 04-06 34-91 27.73 1478-6 085 00705 04-06 34-91 27.73 1478-6 085 00705 04-06 34-91 27.73 1478-6 085 00705 04-06 34-91 27.73 1478-6 085 00706 04-06 34-91 27.73 1478-6 085 00706 04-06 34-91 27.73 1478-6 085 00707 04-06 34-91 27.73 1478-6 085 00709 04-06 34-91 27.73 1478-6 085 00800 04-05 34-91 27.74 1480-2 085 00803 04-05 34-91 27.74 1480-2 085 00803 04-05 34-92 27.74 1480-2 085 00803 04-05 34-92 27.74 1480-2 085 00804 04-05 34-92 27.75 1480-2 085 00809 03-97 34-922 27.75 1480-0 085 00900 03-97 34-920 27.75 1480-0 085 00900 03-97 34-920 27.75 1480-0 085 00900 03-97 34-920 27.75 1480-0 085 00900 03-97 34-920 27.75 1480-0 085 00900 03-97 34-930 27.75 1480-0 085 00900 03-97 34-930 27.75 1480-0																	
085								21.70									
\$10 00502 04-11 34-89 27.71 00-286 1475-6 085 00527 04-10 34-895 27.71 1475-8 085 00549 04-09 34-895 27.71 1476-2 085 00517 04-08 34-897 27.72 1477-0 085 00600 04-08 34-899 27.72 1477-0 085 00602 04-08 34-899 27.72 1477-0 085 00602 04-08 34-899 27.72 1477-0 085 00602 04-08 34-899 27.72 1477-4 085 00625 04-07 34-903 27.72 1477-4 085 00605 04-07 34-903 27.72 1477-8 085 00676 04-07 34-903 27.72 1477-8 085 00700 04-06 34-91 27.73 1478-2 \$10 00700 04-06 34-91 27.73 1478-6 085 00703 04-06 34-91 27.73 1478-6 085 00703 04-06 34-91 27.73 1478-6 085 00704 04-06 34-91 27.73 1478-6 085 00705 04-05 34-91 27.73 1479-0 085 00706 04-05 34-91 27.73 1479-0 085 00704 04-06 34-91 27.73 1479-0 085 00704 04-06 34-91 27.73 1479-0 085 00803 04-05 34-92 27.74 00-421 1480-2 085 00803 04-05 34-92 27.74 1480-2 085 00804 04-04 34-922 27.74 1480-2 085 00804 04-04 34-922 27.74 1480-2 085 00910 04-00 34-927 27.75 1481-0 085 00910 04-00 34-927 27.75 1481-0 085 00900 03-94 34-930 27.75 1482-0 085 00900 03-94 34-930 27.75 1482-0 085 00900 03-97 34-920 27.75 1482-0 085 00900 03-95 34-930 27.75 1482-0 085 00900 03-95 34-930 27.75 1482-0 085 00900 03-96 34-930 27.76 00-510 1483-0				OBS	03476	04.11	34.887	27.71		1475-0							
085 00527 04.10 34.892 27.71 1475.6 085 00549 04.09 34.895 27.71 1476.2 085 00577 04.08 34.897 27.72 1476.6 087 00600 04.08 34.899 27.72 1477.0 088 00602 04.08 34.899 27.72 1477.0 085 00625 04.08 34.899 27.72 1477.0 085 00650 04.07 34.906 27.73 1477.8 085 00676 04.07 34.906 27.73 1478.6 085 00700 04.06 34.91 27.73 1478.6 085 00700 04.06 34.91 27.73 1478.6 085 00724 04.06 34.91 27.73 1478.0 085 00725 04.06 34.91 27.73 1478.0 085 00726 04.06 34.91 27.73 1479.0 085 00726 04.05 34.91 27.73 1479.0 085 00706 04.06 34.91 27.73 1479.0 085 00707 04.06 34.91 27.73 1479.0 085 00708 04.06 34.91 27.73 1479.0 085 00709 04.06 34.91 27.73 1479.0 085 00709 04.06 34.91 27.73 1479.0 085 00800 04.05 34.91 27.74 1479.9 085 00800 04.05 34.91 27.74 1479.9 085 00800 04.05 34.92 27.74 1479.9 085 00800 04.05 34.92 27.74 1479.9 085 00800 04.05 34.92 27.74 1479.9 085 00800 04.05 34.92 27.74 1479.9 085 00800 04.05 34.92 27.75 1479.0 085 00800 04.05 34.92 27.75 1479.0 085 00800 04.05 34.92 27.75 1479.0 085 00800 04.05 34.92 27.75 1479.0																	
085 00577 04.08 34.895 27.71 1476.6 S1D 0600 04.08 34.899 27.72 1477.0 U85 00602 04.08 34.899 27.72 1477.0 U85 00602 04.08 34.899 27.72 1477.0 U85 00605 04.07 34.903 27.72 1477.4 U85 00650 04.07 34.903 27.72 1477.8 U85 00676 04.07 34.903 27.72 1477.8 S1D 00700 04.06 34.91 27.73 1478.6 U85 00703 04.06 34.91 27.73 00.371 1478.6 U85 00703 04.06 34.91 27.73 1478.6 U85 00705 04.06 34.91 27.73 1479.0 U85 00705 04.06 34.91 27.73 1479.0 U85 00800 04.05 34.91 27.73 1479.0 U85 00800 04.05 34.91 27.73 1479.0 U85 00803 04.05 34.92 27.74 00.421 1479.9 S1D 00800 04.05 34.92 27.74 00.421 1480.2 U85 00803 04.05 34.92 27.74 1480.6 S1D 00900 04.01 34.92 27.74 1480.6 S1D 00900 04.01 34.92 27.75 1481.0 S1D 00900 03.97 34.928 27.75 1482.4 S1D 00900 03.97 34.928 27.75 1482.4 S1D 00900 03.99 34.928 27.75 1482.4 S1D 00900 03.99 34.928 27.75 1482.4 S1D 00900 03.99 34.930 27.76 00.510 1482.0									00.288								
085										1476.2							
\$10 00600 04.08 34.90 27.72 00.332 1477.0 085 00602 04.08 34.899 27.72 1477.4 085 00625 04.08 34.902 27.72 1477.4 085 00650 04.07 34.906 27.73 1478.6 085 00700 04.06 34.91 27.73 00.377 1478.6 085 00701 04.06 34.90 27.73 1478.6 085 00702 04.06 34.91 27.73 1478.6 085 00702 04.06 34.91 27.73 1478.6 085 00704 04.06 34.91 27.73 1478.6 085 00705 04.05 34.91 27.73 1479.0 085 00706 04.05 34.91 27.74 1479.9 \$10 00800 04.05 34.92 27.74 00.421 1480.2 085 00803 04.05 34.92 27.74 1480.6 085 00803 04.05 34.92 27.74 1480.6 085 00806 04.05 34.92 27.74 1480.6 085 00806 04.06 34.92 27.75 1480.6 085 00800 04.06 34.92 27.75 1482.9 \$10 00900 04.01 34.92 77.75 1481.8 085 00910 04.00 34.927 27.75 1482.0 085 00900 03.97 34.928 27.75 1482.0 085 00900 03.97 34.928 27.75 1482.0 085 00900 03.97 34.930 27.75 1482.0 085 00900 03.97 34.930 27.75 1482.0 085 00900 03.97 34.930 27.75 1482.0				085	00577	04.08	34.897	27.72		1476.6							
085 00625 04.08 34.902 27.72 1477.8 085 00650 04.07 34.906 27.72 1477.8 085 00676 04.07 34.906 27.73 1478.2 \$1D 00700 04.06 34.91 27.73 00.377 1478.6 085 00703 04.06 34.909 27.73 1478.6 085 00724 04.05 34.911 27.73 1478.6 085 00725 04.05 34.911 27.73 1478.6 085 00784 04.05 34.912 27.73 1479.0 085 00784 04.05 34.912 27.74 1479.9 \$1D 00800 04.05 34.92 27.74 00.421 1480.2 085 00803 04.05 34.92 27.74 1480.2 085 00806 04.05 34.92 27.74 1480.6 085 00806 04.06 34.922 27.74 1480.6 085 00806 04.06 34.92 27.75 1481.8 \$1D 00900 04.01 34.92 77.75 1481.8 \$1D 00900 03.97 34.92 77.75 1482.0 \$1BS 00924 03.99 34.92 77.75 1482.0 \$1BS 00900 03.97 34.920 27.75 1482.0 \$1BS 00900 03.97 34.930 27.76 00.510 1483.0 \$1D 00900 03.94 34.930 27.76 00.510 1483.0						04.08	34.90		00.332	1477.0							
085 00676 04-07 34-903 27-72 1477-8 085 00700 04-06 34-91 27-73 1478-6 085 00703 04-06 34-91 27-73 1478-6 085 00724 04-06 34-91 27-73 1478-6 085 00725 04-05 34-913 27-73 1479-0 085 00726 04-05 34-913 27-73 1479-0 085 00726 04-05 34-913 27-73 1479-0 085 00728 04-05 34-91 27-74 1479-9 085 00803 04-05 34-92 27-74 00-421 1480-2 085 00803 04-05 34-92 27-74 1480-2 085 00805 04-05 34-92 27-74 1480-2 085 00805 04-05 34-92 27-74 1480-2 085 00806 04-05 34-92 27-74 1480-2 085 00807 04-06 34-92 27-75 1480-6 085 00849 04-04 34-922 27-74 1480-6 085 00910 04-00 34-92 77-75 1480-0 085 00920 03-97 34-920 27-75 1482-0 085 00920 03-97 34-920 27-75 1482-0 085 00920 03-97 34-920 27-75 1482-0 085 00920 03-97 34-930 27-75 1482-0 085 00920 03-97 34-930 27-75 1482-0 085 00900 03-94 34-930 27-76 00-510 1483-0 085 01000 03-92 34-930 27-76 00-510 1483-0							34-899			1477-4							
085																	
085 00703 04.06 34.909 27.73 1478-6 085 00724 04.06 34.911 27.73 1479.0 085 00752 04.05 34.913 27.73 1479.4 085 00800 04.05 34.917 27.74 1479.9 085 00803 04.05 34.92 27.74 00.421 1480.2 085 00826 04.04 34.922 27.74 1480.2 085 00826 04.04 34.922 27.74 1480.6 085 00826 04.04 34.922 27.74 1480.6 085 00809 04.04 34.922 27.74 1480.6 085 00809 04.04 34.922 27.75 1481.8 085 00910 04.00 34.92 77.75 1481.8 085 00924 03.99 34.928 27.75 1482-0 085 00900 03.97 34.929 27.75 1482-0 085 00900 03.97 34.930 27.76 00.510 1482-9 085 00900 03.94 34.930 27.76 00.510 1483-0 085 00900 03.95 34.930 27.76 00.510 1483-0				085	00676	04.07	34.906	27.73		1478-2							
085 00724 04-06 34-911 27,73 1479-0 (185 00752 04-05 34-913 27,73 1479-4 (185 00784 04-05 34-917 27,74 1479-9 STD 00800 04-05 34-92 27,74 1479-9 STD 00803 04-05 34-92 17,74 1480-2 (185 00803 04-05 34-92 17,74 1480-2 (185 00826 04-04 34-922 27,74 1480-6 (185 00849 04-04 34-92 27,74 1480-6 STD 00900 04-01 34-93 27,75 1481-0 D85 00849 04-04 34-92 27,75 1481-0 D85 00910 04-01 34-93 27,75 1481-8 U85 00924 03.99 34-928 27,75 1482-4 U85 00990 03-97 34-928 27,75 1482-4 STD 01000 03-92 34-93 27,76 00.510 1482-9 STD 01000 03-92 34-93 27,76 00.510 1483-0					00700	04.06	34.91		00.377								
(BS 00752 04-05 34-913 27.73 1479-4 (BS 00764 04-04 34-917 27.74 1479-9 \$TD 00800 04-05 34-92 27.74 00.421 1480-2 (BS 00803 04-05 34-92 27.74 1480-2 (BS 00804 04-04 34-922 27.74 1480-6 (BS 00804 04-04 34-922 27.74 1480-6 (BS 00809 04-04 34-922 27.74 1480-6 (BS 00900 04-01 34-93 27.75 00.466 1481.7 (BS 00910 04-00 34-92 27.75 1481.8 (BS 00924 03-99 34-92 27.75 1482-0 (BS 00990 03-97 34-920 27.75 1482-0 (BS 00990 03-94 34-930 27.76 00.510 1482-9 \$TD 01000 03-92 34-93 27.76 00.510 1483-0 (BS 00990 03-95 34-93 27.76 00.510 1483-0							34.909	27.73									
185 00784 04.04 34.91 27.74 1479.9 \$TD 00800 04.05 34.92 27.74 00.421 1480.2 UBS 00803 04.05 34.92 127.74 1480.2 UBS 00805 04.04 34.922 27.74 1480.6 UBS 00849 04.04 34.922 27.74 1480.6 STD 00900 04.01 34.93 27.75 1481.0 STD 00900 04.01 34.93 27.75 00.466 1481.7 UBS 00910 04.00 34.927 27.75 1481.8 UBS 00924 03.99 34.928 27.75 1482.0 UBS 00900 03.97 34.928 27.75 1482.4 UBS 00900 03.94 34.930 27.76 00.510 1482.9 STD 01000 03.92 34.93 27.76 00.510 1483.0 UBS 00900 03.92 34.93 27.76 00.510 1483.0																	
085 00803 04.05 34.921 27.74 1480.2 085 00826 04.04 34.922 27.74 1480.6 085 00849 04.04 34.92 27.75 1481.0 STD 00900 04.01 34.93 27.75 00.466 1481.7 085 00910 04.00 34.92 27.75 1481.8 D85 00924 03.99 34.927 27.75 1482.0 085 00950 03.97 34.929 27.75 1482.4 U85 00900 03.94 34.93 27.76 00.510 1482.9 STD 01000 03.92 34.93 27.76 00.510 1483.0 085 01085 03.85 34.931 27.77 1484.1					00784	04.04	34.917	27.74									
785 00826 04.04 34.922 27.74 1480.6 785 00849 04.04 34.922 27.74 1481.0 \$TD 00900 04.01 34.93 27.75 00.466 1481.7 (85 00910 04.00 34.927 27.75 1481.8 085 00924 03.99 34.928 27.75 1482.0 (85 00930 03.97 34.928 27.75 1482.4 (85 00990 03.94 34.930 27.76 1482.9 \$TD 01000 03.92 34.93 27.76 00.510 1483.0 (85 00930 03.94 34.93 27.76 00.510 1483.0						04-05	34.92		00,421								
785 00849 04.04 34.92 27.74 1481.0 \$TD 00900 04.01 34.93 27.75 00.466 1481.7 185 00910 04.00 34.927 27.75 1481.8 185 00924 03.99 34.928 27.75 1482.0 185 00950 03.97 34.928 27.75 1482.4 185 00990 03.94 34.930 27.76 1482.9 \$TD 01000 03.92 34.93 27.76 00.510 1483.0 185 00985 03.85 34.931 27.77 1484.1						04.05	34.921	27.74									
\$10 00900 04.01 34.93 27.75 00.466 1481.7 (185 00910 04.00 34.927 27.75 1481.8 (185 00924 03.99 34.928 27.75 1482.0 (185 00950 03.97 34.928 27.75 1482.0 (185 00990 03.94 34.930 27.76 1482.9 \$10 01000 03.92 34.93 27.76 00.510 1483.0 (185 00950 03.93 34.93 27.76 00.510 1483.0										1481.0							
085 00924 03.99 34.928 27.75 1482-0 095 00950 03.97 34.929 27.75 1482-4 085 00990 03.94 34.930 27.76 1482-9 5TD 01000 03.92 34.93 27.76 00.510 1483-0 085 01085 03.85 34.931 27.77 1484-1				STD	00900	04.01	34.93	27.75	00.466	1481.7							
785 00950 03.97 34.929 27.75 1482.4 185 00990 03.94 34.930 27.76 1482.9 STD 01000 03.92 34.93 27.76 00.510 1483.0 185 01085 03.85 34.931 27.77 1484.1																	
UBS 00990 03.94 34.930 27.76 1482-9 STD 01000 03-92 34.93 27.76 00.510 1483-0 CMS 01085 03-85 34.931 27.77 1484-1				085	00924			27.75		1482-4							
STD 01000 03-92 34-93 27.76 00.510 1483-0 045 01085 03-85 34-931 27.77 1484-1					00990	03.94	34.930										
nAS 01085 03-85 34.931 27.77 1484-1				STD	01000	03-92	34.93	27.76	00.510	1483.0							
				085	01085	03-85	34.931	27,77		1484.1							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LONG			THOM	1972 4 04 09 13.0	SHIP EV DATA USE L AREA 05	BARO	TEMP 01-1 BULB 00-0 METR 1009-1	20	IGT PER 2 2	HIND-DIR HIND-SPD HIND-F3R HEATHER	13	DUR	STO REDIR	00.9	5	SQUARE SQUARE SQUARE S	4
CAS	TNUM	/T14E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL)XYG	P)4	101	NO2	NO3	5133	P4	
			STD	00000	00.17	33.83	27.17	00.000	1449.4								
		13.0	085	00004	00.17	33.829	27.17		1448.5								
			STO	00010	00.13	33.84	27.18	00.009	1448.4								
			STD	00020	00.08	33.85	27-20	00.018	1448.4								
			STD	00023	00.06	33.859	27.20	00.027	1448.4								
			085	00043	00.03	33.897	27.24	00.027	1448.6								
			085	00046	00.05	33.957	21.28		1448.8								
			085	00048	00.17	33,982	27.30		1449.5								
			STO	00050	00.20	33.99	27.30	00.043	1449.6								
			085	00067	00-58	34.150	27.41		1451.9								
			085	00073	00.94	34.247	21.47	00.061	1453.7								
			CBS	00098	00.98	34.26	21.52	00.061	1456.4								
			STD	00100	01.43	34.36	27.53	00.076	1456.5								
			085	00123	01.71	34.439	27.57		1458.3								
			STO	00125	01.73	34.44	21.57	00.089	1458.4								
			085	00143	02.08	34.495	27.58		1467.3								
			nes	00149	02.24	34.576	27-63		1461.2								
			STD 085	00150	02.48	34.612	27.64	00.102	1461.5								
			OAS	00182	03.09	34.669	27.63		1465.6								
			085	001 98	03.14	34.674	27.63		1466.0								
			STO	00200	03.15	34.68	21.63	00.126	1466 -1								
			085	00225	03.33	34.705	21.64		1467.3								
			085	00234	03-67	34.740	27.63		1469.0								
			085	00239	03.48	34.719	27.64	00.149	1468.2								
			085	00250	03.31	34.73	21.66	00.149	1467.7								
			085	002 74	03.86	34.837	27.69		1470.6								
			085	00298	04.15	34.872	21-69		1472.2								
			STD	00300	04.15	34.87	27.69	00.172									
			DBS	00327	04.15	34.880	27.70		1477.7								
			085	00349	04.14	34.883	27.70		1473.0								
			STD	00400	04.14	34.889	27.71	00.216	1473.5								
			085	00400	04.13	34.892	27.71	00.210	1473.9								
			CBS	00423	04-12	34.895	27.71		1474.2								
			085	00450	04.12	34.898	27.71		1474.6								
			085	00475	04-11	34.901	21.72		1475.0								
			085	00524	04-11	34.90	21.72	00-260	1475.4								
			STO	00600	04.08	34.90	21.72	00.303	1477.0								
			285	00600	04-08	34.904	27.77	,.,	1477.0								
			085	00612	04-11	34.917	27.73		1477.3								
			STO	00700	04.02	34.92	21.75	00.347	1478 -4								
			085	00.0	04-02	34.924	21.15		1478.4								
			STD	00800	03.92 03.92	34.92	27.75	00.390	1479.6								
			STO	00900	03.84	34.920	27.75	00.433	1481.0								
			085	00900	03.84	34.924	21.76		1481 .0								
			STD	01000	03.75	34.94	27.78	00-475	1482.3								
			085	01000	03.75	34.937	27.78		1482.3								
			STD	01100	03-69	34.94	27.79	00.516	1483.7								
			085	01100	03.69	34.939	27.79		1483.7								
			STO	01200	03.66	34.94	27.79	00.558	1485.3								
			085	01291	03.66	34.937	27.79		1486.9								
							*****	******									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC	45		MONT	1 04	SHIP EV DATA USE 1	MET BARD	SULB 03.3	SEA	GT PER	#140-71R #140-5PD #140-F3R	1)	DU	ACE	STO REC DIR LON	03.2	5	S2UARE 52JARE 6
LUNG O	146	00 M	HOUR	07.4	AREA 05	CLOU	7/4	CL/TP		MEN THES	XI	UR	16	116 110		1	SQUARE 5
CASTN	UM/	TIME	LVLTYP	DEPTH	TEMP	SAL	5134A-T	DYNDPTH	SND VEL	DX F G	P34	ror	P	402	v03	\$133	21
			510	00000	07.04	34.14	26.92	00.000	1478.3								
		07.4	085	20000	07.04	34.343	76.92		1478 -4								
			STO	00010	07-05	34.34	25.92	00.011	1478.5								
			385	00020	07.06	34.38	25.95	00.023	1478.8								
			085	00026	07.30	34.426	26.95		1479.9								
			STO	00030	07.21	34.41	26.95	00.034	1479.6								
			ORS	00049	97.13	34.407	26.95		1479.4								
			OAS	00049	07.29	34.461	76.97		1480.3								
			URS	00050	07.26	34.45	26.97	00.056	1480.2								
			\$10	00075	07.29	34.54	27.04	00.083	1480.8								
			DAS	00077	07-39	34.566	27.04		1481.3								
			085	00086	96.46	34.399	27.04		1477.6								
			085	00090	06-50	34.435	27.06		1477.8								
			STO	00100	05.27	34.24	27.06	00.109	1472.7								
			785	00101	05.31	34.260	27.07	00.104	1473.0								
			085	00111	07.07	34.637	27.14		1480.7								
			085	00119	36.98	34.639	27.16		1480.5								
			085	00125	06.86	34.61	27.15	00-134	1480.0								
			085	00125	06.86	34.607	27.15		1480.0								
			085	00140	05-69	34.454	27.18		1475.4								
			085	00148	05-47	34.480	27.23		1474.7								
			STO	00150	05.45	34.47	27.22	00.156	1474.6								
			785	00163	05.22	34.426	27.22		1473.8								
			085	00181	04.35	34.461	27.26		1473.5								
			OBS	00199	04.40	34.460	27.34		1471.1								
			STO	00500	04.40	34.46	27.34	00.198	1471.1								
			085	00204	04.46	34.513	27.37		1471.5								
			085	00211	05.10 05.30	35.86 P 34.657	24.370		1475.3								
			OBS	00224	05.45	34.729	21.43		1476.2								
			085	00249	05.13	34.695	21.44		1475.2								
			STO	00250	05-13	34.70	21.44	00.234	1475.3								
			085	00273	05.13 05.05	34.767	27.50		1475.7								
			STO	00300	05.06	34.81	27.54	00.265	1475.9								
			OBS	00326	05.12	34.860	27.57		1476.7								
			085	00332	05-11	34-876	27.59		1476.8								
			OBS	00344	35.13	34.884	27.59		1477.1								
			085	00375	05.12	34.901	27.62		1476.9								
			STD	00400	04.91	34.90	27.63	00.321	1477.1								
			085	00400	04.91	34.904	27.63		1477-1								
			285 085	00429	04.73	34.912	27.68		1476.9								
			085	004 78	04.56	34.923	27.69		1477.0								
			STD	00500	04-51	34.92	27.69	00.370	1477.1								
			085	00501	04.51	34.924	27.69		1477.2								
			OBS	00532	04.75	34.981	27.71		1478 - 7								
			510	00600	04.64	34.964	27.71	00.415	1478.7								
			085	00600	04.45	34.974	27.74	00.417	1478.6								
			OBS	00650	04.36	34.943	27.72		1479.0								
			STD	00667	04.26	34.946	27.74		1478.9								
			085	00704	04.26	34.95	21.74	00.459	1479.4								
			OBS	00725	04-16	34.923	27.73		1479.4								
			280	00785	04.27	34.965	27.75		1480.9								
			STD	00800	04.29	34.97	27.75	00.503	1481.2								
			085	00835	04.30	34.977	27.76		1481.9								
			STD	00900	04.11	34.96	27.76	00.546	1482.3								
			085	00901	04.11	34.958	21.76	00.540	1482.2								
			OBS	00952	04.09	34.950	27.76		1482.9								
			DAS	00989	04.16	34.968	27.77		1483-8								
			085	01000	04.17	34.97	27.76	00.590	1484.1								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	31 8296 0017 46 00 N 46 22 W	DAY	1972 1 04 10 10.8	SHIP EV DATA USE 1 AREA 35	BARON CLOUS	ULB 09-4 ETR 1008-8		IGT PER	MIND-SPD MIND-FOR MEATHER	0+	TRACE DURAT		00.5	2	SQUAR SQUAR	E 6
CASTN	Um/114F	LYLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXYG	P)4	TOT P	NOZ	NO3	5173	P4	
		STD	00000	06.36	34.18	26.88	00.000	1475.4								
	10.8	085	00003	06.36	34-176	26.88		1475.5								
		985	00006	06.63	34.312	26.95		1476.8								
		085	80000	07.09	34.389	26.95		1478.7								
		STO	00010	07.14	34.38	26.93	00.012	1479.0								
		OBS	00012	07.23	34.367	26.91		1479.3								
		STO	00020	07.27	34.39	26.92	00-023	1479.6								
		085	00027	07.33	34.409	26-93		1480.0								
		STO	00030	07.35	34.42	26.93	00.034	1480.2								
		085	00057	07.63	34.542	26.99	00-057	1481.4								
		STO	00075	07.80	34.58	27.00	00.084	1481.8								
		285	00075	07-81	34.586	27.00	00.004	1482.9								
		nes	00095	07.57	34.526	26.99		1482.2								
		STO	00100	07.33	34.58	27.06	00.110	1481.4								
		ORS	00100	07.30	34.588	27.07		1481.3								
		085	00107	07.10	34.631	27.14		1480.7								
		085	00114	06.75	34.629	27-18		1479.5								
		085	00117	06.42	34.620	27.22		1478.2								
		085	00123	06.28	34.624	27.24		1477.7								
		085	00125	06.26 06.24	34.62	27.24	00.134	1477-7								
		085	00148	05.88	34.553	27.24		1477.6								
		STO	00150	05.62	34.53	27.25	00.155	1475.4								
		085	00153	05-26	34.492	27.26	00.199	1473.9								
		UBS	00156	05.13	34.478	27.27		1473.4								
		085	00162	05-20	34-535	27.30		1473.9								
		085	00166	05.15	34.617	27.38		1473.9								
		085	00174	05.59	34.681	27.37		1475.9								
		085	001 77	05.61	34.662	27.36		1476.0								
		STD	00200	05.52	34.67	27.37	00.195	1476.0								
		085	00500	05.51	34.666	27.37		1476.0								
		085	00224	05.11	34.576	27.35		1474.6								
		085	00234	04.60	34.600	27.43		1473.1								
		085	00246	04.46	34.616	27.45		1472.7								
		STO	00250	04-54	34.70	27.51	00.229	1472.8								
		285	00250	04.56	34.714	27.52		1472.9								
		085	00271	05.05	34.797	27.53		1475.4								
		085	00275	05-28	34-892	27.58		1476.5								
		085	00278	05.64	34.921	27.56		1478.1								
		085	18500	05.73	34-913	27.54		1478.5								
		STO	00300	05.42	34.88	27.55	00.259	1477.5								
		085	60303	05.41	34-877	27.55		1477.5								
		085	00306	05.42	34.902 34.896	27.57		1477.6								
		085	00326	05.27	34.892	27.58		1477.4								
		085	00352	05.11	34.918	27.62		1477-2								
		085	00383	05.05	34.938	27.64		1477.4								
		STO	00400	05.00	34.93	27.64	00.313	1477.5								
		085	00400	05-00	34.931	27.64		1477.5								
		085	00427	04.72	34.927	27.67		1476.8								
		085	00443	04.58	34.937	27.69		1476.5								
		085	00468	04-58	34.939	27.70		1476.9								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 3296 CONSEC 0018 LAT 46 04 N LONS 046 46 M	YEAR MONT- DAY HOUR	1 04	SHIP EV DATA USE 1 AREA CS	AIR S WET S BARDS C4 OUS		DIR H 09 SEA CL/TR	GT PFR	ATMO-DIR WIND-SPD WIND-F DR WEATHER	12	THAC F		07-5	2	N SO L3 SOUARE SOUARE SOUARE SOJARE	66
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXAC	P14	TOT P	102	NO3	5173	P4	
	STO	00000	00.15	33.24	26.70	00.000	1447.5								
12.8	085	00004	00.15	33.238	26.70		1447.5								
	510	00010	00.70	33-32	26.73	00.013	1450.3								
	510	00019	01.03	33.481	26.85	00.026	1452.2								
	385	00024	00.16	33.735	27.10		1448.7								
	285	00030	01.08 P	33.881	27.160	00.036	1459.0								
	185	00030	01.99 P	34.040	27.232										
	085	00033	03-47	34.34 P	27.14 *		1467.2								
	OBS	00038	04.85	34.255	27.12		1470.0								
	OBS	00046	05.05	34.147	27.02 *		1471.3								
	785	00049	05.43	34.272	21.07	00 054	1472.6								
	085	00050	05.53	34.490	27.13	00.054	1474.5								
	085	00054	05.95	34.259	27.00 *		1474.8								
	785	00060	06.02	34.438	27.09		1475.3								
	085 085	00069	05.76	34.413	21.14		1474.5								
	STO	00075	05-33	34.27	27.08	00.079	1472.6								
	085	00090	04.54	34.181	27.10		1469.3 1468.3								
	STD	00100	03.85	34.22	27.21	00.102	1466.8								
	185	00101	03.84	34.230	27.21		1466.3								
	UBS	00113	04.11	34.295	21.24		1468.2								
	OBS	00115	04.07	34.318	27.26		1469.3								
	085	00124	04.56	34.499	21.35		1470.6								
	UBS	00125	04.66	34.51	27.35	00-123	1471.0								
	785 285	00142	05.47	34.650	27.36		1474.9								
	035	00148	05.94	34.692	27.36		1476.2								
	STO	00150	05.97	34.68	27.33	00.142	1477.0								
	MBS	00156	06.13	34.683	27.33		1478.0								
	JBS	00163	06.14	34.664	27.29 * 27.30		1477.7								
	285	00174	25.47	34.636	27.35		1475.3								
	STO	00230	75.38 C5.43	34.665	27.39	00.179	1475.4								
	185	00210	05-57	34.716	27.40		1476.4								
	085	00213	05.55	34.776	21.45		1476.5								
	785	00223	05.93	34.818	27.44		1478.2								
	STD	00250	04.77	34.569	27.46	00.214	1473.7								
	085	00275	04.64	34.725	27.52		1473.7								
	085	00285	34.86	34.847	27.54		1474.9								
	085	00283	05.41	34.951	27.57		1475.9								
	STO	00100	05.41	34.92	27.59	00.244	1477.5								
	085	00327	05.26	34.899	27.59		1477.3								
	085	00373	05.22	34.955	27.63		1478.0								
	510	00400	05.16	34.972	27.66	00.296	1478.2								
	085 085	00424	05.16	34.988	21.67		1478.6								
	OBS	00447	05.12	34.997	27.68		1473.9								
	nes nes	00451	05.12	34.995	27.68		1478.9								
	STD	00500	04- 91	34.98	27.69	00.344	1478.9								
	UBS	00500	04.91	34.985	27.70		1478.9								
	ORS	00550	04.80	34 - 983	27.71		1479.2								
	085	00599	04.75	34.979	27.71		1479.5								
	STD	00600	04.71	34.98	27.72	00.391	1479.7								
	085	00625	04.57	34.946	27.70		1479.5								
	STO	00700	04-23	34.94	27.74	00.435	1479.3								
	085	00724	04.23	34.942	27.74		1479.3								
	085	00751	04.20	34.942	27.75		1480.0								
	STO	00800	04-17	34.95	27.75	00.479	1480.7								
	STD	00802	04.17	34.946	27.75	00.523	1482.0								
	STD OBS	01000	03.81	34.94	27.78	00-566	1482.5								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0319 LAT 46 12 N	MONT	1972 4 04 10	BOIDP 01248 SHIP FV DATA USE 1	AIR WET BARD		10	GT PER	#IND-71R #IND-5>D #IND-F)R	1 6	DURA		03.4	5 2	N SO 13 SQUARE SOUARE	66
LONG 047 00 W	HOUR	15.0	AREA JS	CLUU	7/4	CL/TR		#EA THER	*1	ORIG	119 113		1	SQJARE	67
CASTNUM/TIME	LALLAS	DEDTH	TEMP	SAL	SISMA-1	DYNDPTH	SND VEL	3XYG	274	101 P	ADS	NO3	5133	P4	
	510	00000	- 0.64	33.00	25.54	00.000	1443.6								
15.0	085	00005	- 0.64	32.997	25.54		1443.6								
	510	00013	- 0.79	32.97	26.57	00.015	1443.0								
	085	00010	- 0.82	32.967	25.65		1441.5								
	385	00015	- 1.15 - 1.32	33.232	26.75		1441.0								
	510	00020	- 1.41	33.26	26.77	00.029	1440.7								
	DAS	00021	- 1.42	33.279	25.79		1440.6								
	085	00024	- 1.42	33.370	26.87		1441.9								
	STO	00030	- 1.33	33.39	26.88	00.041	1441.4								
	UHS	00049	- 1.13	33.480	25.95		1442.8								
	STO	00050	- 1.13	33.441	25.95	00-064	1442.8								
	085	00051	- 1.12	33.491	25.96		1442.9								
	085	30773	- 0.54 - 0.53	31.617	21.04	00.091	1446 - 2								
	STO	00076	- 0.52	33.620	27.04	00.571	1446.2								
	1195	00079	- 0.59	33.629	27.05		1446.0								
	UBS	00032	- 0.49	33.729	27.12		1446.6								
	DAS	00045	- 0.28	33.749	27.13		1447.7								
	510	00100	- 0.02	33.83	27.18	00.115	1449.2								
	DAS	00100	00.01	33.834	27.19		1449.4								
	กลร	00104	00.22	33.473	21.21		1450.5								
	085	00115	- 0.03 - 0.0H	33.870	21.22		1449.5								
	510	00118	00.03	33.94	27.27	01.136	1449.4								
	DAS	00125	00.03	33.941	21.27	0	1450.0								
	035	00145	00.30	34.038	27.34		1451.7								
	085	00149	00.46	34-106	27.38		1452.6								
	SIO	00150	00.50	34.11	27.38	00.155	1452.8								
	785	00165	00.87	34.194	27.43		1454.7								
	OAS	00172	01.44	34.251	21.44		1457.6								
	URS	89 100	01.72	34. 133	27.48		1459.7								
	985	00224	01.81	34.512	27.57	00.183	1462.9								
	ORS	00227	02.53	34.500	27.55		1463.6								
	510	00257	02.82	34.57	27.58	00.217	1465.4								
	085	00250	02.83	34.570	27.58		1465.4								
	385	00275	03.12	34.509	27.58		1467-1								
	DBS	00298	03.21	34.630	27.59		1467.9								
	510	00300	03.22	34.63	27.59	00.243	1468.0								
	UBS	00324	03.42	34.581	27.61		1469.3								
	185	00352	03.70	34.153	27.65		1472.0								
	085	00398	04.02	34.860	27.69		1473.3								
	STO	00400	04.02	34.96	27.69	00-292	1475.3								
	785	00425	04.12	34.855	27.68		1474.2								
	085	00451	04.38	34.498	27.69		1475 . 4								
	285	00474	04.67	34.955	27.70		1477.4								
	510	00500	04.66	34-77	27.71	00.337	1477.8								
	085	00525	04.65	34.967	27.71		1478.2								
	GBS	00549	04.62	34.475	27.72		1478.5								
	085	00574	04.47	34.948	27.72		1478 .2								
	SID	00600	04.38	34.94	27.72	00.382	1478.3								
	085	00600	04.38	34.444	21.72		1478.3								
	OBS	00424	04.34	34.941	27.72		1479.5								
	388	00551	04.42	34.982	27.75		1479.3								
	510	00677	04.38	34.956	27.74	00.427	1479.6								
	285	00701	04.38	34.967	27.74	00.421	1480 -0								
	085	00724	04-38	34.960	27.74		1480.4								
	085	00752	04.24	34-949	21.74		1480 - 3								
	OBS	00773	04.25	34.753	27.74		1480.6								
	510	00300	04.20	34.94	27.74	00.471	1480.8								
	ORS	00800	04.20	34.941	27.74		1480 .8								
	085	00828	04-17	34.945	21.75		1481.5								
	085	00953	04.15	34.945	27.75		1481.9								
	STO	00900	04.14	34.95	27.75	00.516	1482 - 3								
	ORS	00903	04-14	34.946	27.75		1482 .3								
	785	00930	04.14	34.949	21.75		1482 -8								
	OBS	00949	04.14	34.950	27.75		1483-1								
	OBS	00989	04.10	34.937	27.75		1483.6								
					*****	*******	•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0020	YEAR I		8010P 00936 SHIP EV	AIR I			GT PER	4140-01R		INST	STO REC			52 1306
CONSEC 0020	MONT4	10	DATA USE 1		OL4 01.7	SEA	5 3	WIND-SPD	2)	DURA	FDIR	07.3	5 5	DUARE 6
LONG 047 14 W	HOUR I		ARFA 05	CLOU	1/1	CL/TR		HEATHER	XI		11P 110		1 5	JARF 67
CAS'NUMITIME L	VLTYD	DEPTH	TEMP	SAL	SISMA-T	DYNDPTH	SND VEL	DXYG	P)4	101 P	102	VO3	5173	24
	510	00000	- 0.87	33.03	26.57	00.000	1442.5							
	280	10000	- 0.87	33.026	26.57		1447.5							
	TAS	00000	- 0.97	33.022	25.57	11	1442 - 7							
	STO	00000	- 0.89	33.06	26.57	00.015	1442.6							
	085	00024	- 1.03	33.082	26.62	00.024	1442.3							
	STO	00030	- 0.98	33.09	26.63	00.044	1442.6							
		00032	- 0.95	33.202	26.72		1442.9							
	085	00037	- 0.91	33.531	26.98		1443.7							
	nes	20244	90.42	33.633	21.00		1450.1							
	085	00044	00.23	33.632	27.01		1449-2							
	510 085	00050	00.24	33.67	27.04	00.069	1449.4							
		00063	00.25	33.722	27.12		1452.5							
	085	00074	01.28	33.918	27.18		1454.8							
	STD	00075	01.32	33.92	27.18	00.092	1455.0							
	OBS OBS	00077	01.64	33.952	27-18		1456.5							
		00094	02.39	34.029	27.15		1462.0							
	085	00099	02.95	34.034	27.14		1462.8							
		00100	23.01	34.03	27.13	00.115	1463.0							
		00105	03.03	33.851	27.11		1463.1							
	085	00124	01.31	33.825	27.10		1455 . 6							
	STO	00125	01.24	33.82	27.10	00.139	1455.3							
	085 085	00144	- 0.23	33.764	27.14		1448.9							
		00150	- 0.31 - 0.38	33.82	21.20	00.162	1448.4							
	OBS	00157	- 0.43	33.849	27.22		1448.2							
		00156	- 0.16	34-021	27.35		1449.8							
	nas nas	001 99	00.13	34.052	27.36		1455.2							
	STD	00200	00.86	34.17	27.41	00.201	1455 . 3							
		00212	01-13	34.228			1456.9							
		00215	01.29	34.273	27.46		1458.2							
		00724	01.55	34 - 333	27.49		1459.1							
	085	00230	01.80	34.330	27.47		1460.3							
	STO	00249	01.93	34.360	27.49	00.234	1461.2							
	085	00273	01.92	34.369	27.49	00.23.	1461.6							
	OBS	00292	01.90	34.380	27.49		1461.6							
	085	00290	02.20	34.448	27.53		1463.2							
	STO	00300	02.23	34.45	27.53	00.264	1463.5							
	nBS	00324	02.67	34.524	27.56		1465.9							
	085 085	00349	02.97	34.580	27.57		1467.7							
	085	00399	03 - 44	34.704	27.63		1470.7							
	STO	00400	03.45	34.71	27.63	00.318	1470-7							
	08 S 08 S	00426	03.74	34.783	27.66		1472.5							
	OBS	00476	04.00	34.864	27.70		1474.5							
	STO	00500	04.03	34.88	27.71	00.365	1475 - 1							
	nes Jes	00500	04.04	34.877	27.71		1475.1							
	OBS	00550	04.04	34.895	27.72		1476 -0							
	OBS	00577	04-04	34.900	27.72		1476.4							
	510	005 99	04.04	34.905	27.73	00.409	1476.8							
	085	00628	04.04	34.911	27.73	00.10	1477.3							
	285	00652	04.04	34.914	27.74		1477.7							
	510	00676	04.04	34.917	27.74	00.453	1478.1							
	OBS	00701	04.03	34.921	27.74	00.477	1478.5							
	085	00726	04.03	34.923	27.74		1478.9							
	nBs	00748	04.06	34.930			1479.4							
	STO	00900	04.05	34.930	27.75	00.496	1480 . 2							
	ORS	00900	04.04	34.932	27.75		1480.2							
	nes nes	00829	04.03	34.732	27.75		1480.6							
	OBS OBS	00975	04.02	34.934	27.75		1481.3							
	STO	00900	04.02	34.94	27,75	00,540	1481.7							
	085	00904	04.02	34.937	27.76		1481.8							
					*****	******	•							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0021 LAT 46 18 N LONG 047 24 W	TAC	1972 4 04 10 18.7	SHIP EV DATA USE 1 AREA 05	BARO	TEMP 02-2 9ULB 01.1 METR 1011.9		GT PER	MIND-DIR MIND-SPD WIND-SPR WIND-SPR WIND-DIR	1)	DURA	STO REC	00.1	5	N SO LI SQUARE SQUARE SQUARE	66
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXYG	P)4	TOT P	NO2	NO3	\$133	P4	
	STO	00000	- 0.99	32.95	26.51	00.000	1441.9								
19.7	510	00000	- 0.99 - 1.00	32.949	26.51	00.015	1441.9								
	STD	00020	- 1.01	32.96	26.52	00.030	1442.1								
	STD	00025	- 1.01	32.965	26.53	00-046	1442.2								
	085	00031	- 1.08 - 1.10	32.93	26.50 *	00.046	1441.9								
	UBS	00046	- 1.36	33.097	26.64		1441 -1								
	STD 085	00050	- 1.43 - 1.46	33.13 33.156	26.67	00.075	1440.9								
	085	00073	- 1-34	33.275	26.79		1441.9								
	OAS	00075	- 1.32 - 1.04	33.29	26.80	C.108	1442.0								
	STD	00100	- 1.00	33.45	26.92	00.138	1444.1								
	510	00123	- 0.91	33.534	26.98	20	1445.1								
	085	00125	- 0.96 - 0.97	33.55 33.556	27.00	00.165	1444.9								
	MAS	001 30	- 0.76	33.539	26.98		1445.9								
	085	00133	- 0.74 - 1.03	33.520 33.514	26.97 25.97		1446.0								
	OBS	00148	- 1.16	33.525	26.98		1444.3								
	085	00150	- 1.17 - 1.27	33.53	26.99	00-192	1444.3								
	OBS	00165	- 0.59	33.753	27.15		1447-6								
	985	00175	- 0-27	33.774	27.15		1449.2								
	OBS	00179	- 0.25 - 0.39	33.787	27.16		1449.4								
	OBS	00198	00.13	34.006	27-32		1451.6								
	STD	00191	00.60	33.991	27.28 *	00.238	1453.8								
	085	00224	00.90	34.066	27.32	00.230	1455.8								
	510	00248	01.27	34.164	27.38		1458.0								
	085	00230	01.29	34.17	27.38	00-276	1460.3								
	STD	00300	02.03	34.35	27.47	00-310	1462.5								
	OBS	00301	02.06	34.360	27.48		1462.6								
	OBS	00337	02.54	34-481	27.53		1465.5								
	OBS	00349	02.73	34.525	27.55		1466.5								
	STO	00400	03.28 03.72	34.79	27.67	00.365	1472.0								
	085	00400	03.73	34.790	27-67		1472.0								
	085	00427	03.92	34.820	27.67		1473.3								
	nes	00465	04.02	34.854	27.69		1474.4								
					*****	******									
REFID 31 8296 CONSEC 0022	MONT-	1972	SHIP EV	MET S		DIR H	T PER	WIND-DIR		TRACE	STD REC	DEK	5	ST CS P	06
LAT 46 19.7N	DAY	10	DATA USE 1	BARO	TETR 1012.2	SEA		WIVD-FOR		DURAT	ION	00.2	2	SOJARE	66
LONG 047 35.0W	HOUR	20.4	AREA 05	CLOU) T/A	CL/TR		AEA THES	×1	ORIG	IIP 110		1	SQUARE	67
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	TOT P	NOS	NO3	\$133	pd	
Section 2	STD	00000	- 1.09	32.89	26.47 26.47	00.300	1441.3								
20.4	085 STD	00008	- 1.09	32.890	26.47	00.016	1441.4								
	085	00010	- 1.09	32.893	26.47		1441.5								
	STD 085	00020	- 1.09	32.89	26.47	00.031	1441 -6								
	SVD	00030	- 1.10	32.89	26.47	00.047	1441 .8								
	085	00030	- 1.10	32 - 894	26.47		1441.8								
	STD	00042	- 1.09 - 1.33	32.886	26.47	00.078	1442.0								
	OBS	00050	- 1.33	32.875	26.46	** ***	1441 -0								
	085	00075	- 1.51	33.009	26.58	00-116	1440.7								
	nes	00099	- 1.42	33.134	26.68		1441 . 7								
	STD	00100	- 1.42	33.13	26.68	00.152	1441.7								
	STD	00125	- 1-29	33-27	26.78	00.185	1443.0								
	STD	00143	- 1.00	33.441	26.91	00.215	1444.9								
	085	00162	- 1.00	33.465	26.93	30	1445.2								
	085	001 70	- 0.98	33,458	26.92		1445.4								
					•••••	• • • • • • • • • • • • • • • • • • • •									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 9296 CONSEC 0023 LAT 46 20 N LONG 047 45 H	MONTH 04	DATA USE 1 BAR	TEMP 00.6 BULB 00.0 COMETR 1012.2	OIR HGT PER 19 4 2 SEA CL/TR	ALNO-DLR 25 MIND-SPD 23 MIND-F3R WEATHER XI	INST STD RECORDER TRACE DIR D DURATION 00.1 ORIG IIP 110	
CASTNUM/TIME	LVLTYP DEPTH	TEMP SAL	SIGMA-T	DYNOPTH SND VEL	DXYG P34	TOT P NO2 NO3	SE33 P4
	STD 00000	- 0.89 32.89	26.46	00.000 1442.2			
21.8	085 00000 STD 00010	- 0.89 32.892 - 0.89 32.89	26.46	00.016 1442.4			
	085 00010 STD 00020	- 0.89 32.892 - 0.91 32.89	26.46	00.031 1442.5			
	OBS 00021 STD 00030	- 0.92 32.892	26.47	1442.5			
	085 00032	- 0.98 32.890	26.47	1442.3			
	085 00039 085 00043	- 1.13 32.878 - 1.28 32.930	26.46	1441.8			
	STD 00050 085 00050	- 1.35 32.98 - 1.35 32.983	26.55	00.078 1441.0			
	STD 00075	- 1.36 33.13	26-67	00.114 1441.6			
	OBS 00076 STD 00100	- 1.36 33.141 - 1.15 33.31	25.81	1441.6			
	085 00101 STD 00125	- 1.15 33.314 - 1.17 33.43	26.81	1443.3			
	085 00126	- 1.17 33.434	26.91	1443.8			
	085 00141	- 1.16 33.444		1444-1			

REFID 31 8296 CONSEC 0024			T BULB -00.6	DIR HGT PER	ALAD-DIE SP	TRACE DIR D	TEN SO 1306 5 SQUARE 4
LAT 46 25.01 LONG 048 12.01	N DAY 10	DATA USE 1 BA	ROMETR 1013.9	SEA CL/TR	WIND-FOR	DURATION 00.1	2 SQUARE 68
2010 010 1110			.,,			0×10 11. 110	. 303
CASTNUM/TIME			SIGMA-T	DYNOPTH SND VEL	DXYG PD4	TOT P NO? NO3	S103 P4
23.6	085 00012 STD 00020	- 1.12 32.89 - 1.11 32.90	26.47	1441.4			
	085 00021 STD 00030	- 1-11 32.89	6 26.47	1441.6			
	085 00030	- 1.14 32.88	9 26.47	1441.6			
	STD 00050 085 00050	- 1.25 32.90	0 26-48	1441.4			
	085 00059 STD 00075	- 1.32 32.87	26.46	1441.2			
	085 00075 STD 00100	- 1.38 32.90	7 26.49	1441 -2			
	085 00100	- 1.49 32.94	1 26.52	1441.2			
	085 00106	- 1.49 33.02		1441-4			
			•••••	********			
REFID 31 829	6 YEAR 1972	801DP 00099 AI	R TEMP -00.6	DIR HGT PER	HEND-DER 25	INST STO RECORDER	TEN 52 1306
CONSEC 002	MONTH 04	SHIP EV WE	BULB -00.6	10 4 1	WIND-SPD 22 WIND-SPD 22	TRACE DIR)	5 SQUARE 4
	HOUR 01.5		DUD T/A	CL/TR	MEATHER XI	ORIG IIP 110	2 SQUARE 68
CASTMUM/TIME	LVLTYP DEPTH	TEMP SAL	S IGMA-T	DYNDPTH SND VEL	DXYG P34	TOT P 402 403	S133 P4
01.5	STD 00000	- 1.00 32.91	26.48	00-000 1441.8			
01.5	085 00000 STD 00010	- 0.99 32.91	26.48	00.016 1441.9			
	STD 00020 085 00024	- 0-99 32-91	26.48	00.031 1442.1			
	STD 00030 085 00048	- 0.99 32.91	26.48	00.047 1442.3			
	STD 00050	- 1.02 32.91	26.48	00.078 1442.5			
	085 00059 085 00070	- 1.15 32.90 - 1.33 32.94	26.48	1442.0			
	STD 00075 085 00075	- 1.30 32.94	26.52	00.116 1441.6			
	085 00078	- 1.30 32.94 - 1.30 32.94	26.52	1441.6			
			*****	******			

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972. Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 COMSEC 0226 LAT 46 06 N LONG 048 29 W CASTNUM/TIME	MONTH 04 DAY 11 HOUR 04.1	0 - 0.86 0 - 0.86 0 - 0.86 5 - 0.86 5 - 0.86 3 - 0.93 9 - 1.10 0 - 1.13 9 - 1.23 5 - 1.23	SAL SITMA-I 32.90 25.47 32.90 26.47 32.90 26.47 32.90 26.47 32.309 26.47 32.488 26.46 32.488 26.45 32.489 26.45 32.990 26.51 32.930 26.51 32.931 26.51 32.930 26.51	0(R HGT PER 14 6 3 SEA CL/TR DYNDPTH SND VEL 00.000 1442.4 1442.4 00.016 1442.0 1442.8 1442.8 1442.1 00.079 1442.1 1441.9 1441.9 1441.9 1441.9	#140-11# 25 #140-500 23 #140-51# #E4 THF? X1 DXYG PJ4	INST STO RECORDER TRACE DIR DOUBLATION 00.1 ORIG (TO 117)	TEN S2 1306 5 SZUARE 4 2 SZUARE 68 1 SZUARE 59
			•••••				
REFID 31 8296 CONSEC 0027	YEAR 1972 WUNTH 04	AUTOP 00097 SHIP FV	WET BULB DO.D	DIR HGT PER 19 6 2	WIND-DIR 25 WIND-SPD 23	INST STD RECORDER TANCE DIR	TEN 50 1306 5 SQUARE 4
LONG 048 19 W	HOUR 05.0	DATA USF 1		SEA CL/TR	MEATHER XL	DURATION 00.3 ORIG TEP 117	2 SQUARE 68 1 SQUARE 68
CASTNUM/TIME	LVLTYP DEPT	H TEMP	SAL SIGMA-T	DYNDPTH SND VEL	3XYG P)4	TOT P NO2 NO3 S	133 P4
05.0	085 0001 STD 0002 OBS 0002 STD 0003 IBS 0004 STD 0003 STD 0003 OBS 00003	0 - 0.94 2 - 0.94 8 - 0.94 0 - 0.96 8 - 1.15 0 - 1.17 5 - 1.43 5 - 1.43	32.311 26.48 32.91 26.48 32.91 26.48 32.915 26.48 32.92 26.49 32.917 26.49 32.92 25.50 32.98 26.55 32.982 26.55	1442 .2 1442 .4 2442 .4 1442 .5 1442 .4 1441 .9 1441 .1 1441 .1			
			•••••	********			
RFFID 31 9296 CUMSFE DO28 LAT 45 59 N LONG 049 08 W	MONTH D4	antop ooli ship ey nata use l area os	BARGMETR 1015.9	20 5 2	4IVO-DIR 25 WIVO-SPD 25 WIVO-SPR WEATHER X)	INST STO RECORDER TRACE DIR 3 0/94 RTJN 03-1 ORIG TIP 110	TEN SO 1306 5 SUMARE 4 2 SOMARE 48 1 SOMARE 58
CASTNUMITIME	LYLTYP DEP	н тЕмр	SAL SIGMA-T	DYNOPTH SND VEL	DXYG P14	TOT P NO2 NO3 5	5133 P4
06.3	STD 0000 185 0001 185 0000	0.07	32.92 26.49 32.92 25.49 32.93 26.49 32.93 25.49 32.92 76.49 32.92 76.49 32.91 20.48 32.950 26.52 32.963 26.53 33.001 26.57 33.02 25.59 33.024 26.59 33.110 25.65 33.111 26.65 33.113 26.65	00.000 1441.9 1441.9 00.016 1442.0 1442.2 1442.2 00.046 1442.3 1442.5 1441.4 00.077 1441.4 00.114 1441.0 00.114 1441.2 1441.3 00.150 1443.3 1443.4 1441.9			
			*****	********			

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0029 LAT 45 52 N LONG 047 54 W	DAY	1972 1 04 11	SHIP EV DATA USE 1 AREA 05	BARO	SULB 00.0		GT PER 5 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	18	DURA	E DIR	RECORDER 00.1	TEN SQ 1306 5 SQUARE 4 2 SQUARE 46
COMG 047 34 W	HOUR	01.5		CLOOK	, ,,,	CLIIK		MEG IMER	~3	OKI	IIP	110	1 SQUARE 57
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	TOT #	40	2 NO3	S133 P4
	STO	00000	- 0.98	32.90	26.48	00.000	1441.8						
07.5	OBS	00000	- 0.98	32.905	26.48		1441.8						
	STO	00010	- 0.98	32.91	26.48	00.016	1442.0						
	STO	00020	- 0.97	32.91	26.48	00.031	1442 - 2						
	OBS	00026	- 0.97	32.906	26.48		1442 - 3						
	STO	00030	- 1.01	32.92	26.49	00.047	1442 .2						
	085	00048	- 1.30	32.994	26.56		1441.3						
	STD	00050	- 1.32	33.01	26.57	00.077	1441 -2						
	085	00051	- 1.35	33.023	26.58		1441.1						
	OBS	00058	- 1.38	33.069	26.62		1441 .2						
	085	00074	- 1.27	33.308	26.81		1442.3						
	STD	00075	- 1.27	33.31	26.81	00.111	1442.3						
	OBS	00097	- 1-16	33.418	26.90		1443.3						
	STO	00100	- 1-07	33.47	26.94	00.140	1443.9						
	085	00100	- 1.05	33.485	26.95		1444.0						
	OBS	00109	- 0.93	33-445	26.91 .		1444.6						
	085	00116	- 0.93	33.450	26.92		1444.8						
	STD	00125	- 0.94	33-45	26.92	00.169	1444.9						
	ORS	00125	- 0.94	33.453	26.92		1444.9						
	STO	00150	- 0.88	33.51	26-96	00.196	1445.6						
	085	00151	- 0.88	33.508	26.96		1445.6						
	082	001 75	- 0.77	33.565	27.00		1446.6						
	STD	00200	- 0.59	33.60	27.02	00.250	1447.9						
	DRS	00201	- 0.59	33.599	27.02		1447.9						
	OBS	00219	- 0.60	33.610	27.03		1448.2						

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8 CONSEC 0	0030	MONT DAY	1972 H 04	SHIP EV DATA USE	WET	TEMP 00.7 BULR 00.6	20	GT PER	#140-01R #140-5PD #140-FDR	15	TRACE		ORDER 00.4	5	N SO I	
LONG 047 38		HOUR	09.7	AREA 0		O T/A	CL/TR		4EA THE &		ORIG	119 110		i	SOJAR	57
CASTNUM/TI	ME L	VL T YP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P)4	101 P	102	NO3	5133	P-1	
09	.7	085	00009	- 0.82	32.939	26.50		1442.8								
		STO	00010	- 0.82	32.94	26.50		1442.8								
		STO	00020	- 0.82	32.95	26.50		1443-0								
		085	00022	- 0.82	32.947	26.51		1443.0								
		510	00030	- 0-61	33.12	26.64		1444.4								
		985	00030	- 0.61	33.121	26.64		1444.4								
		OAS	00033	- 0.86	33-147	26.67		1443.3								
		280	00036	- 1.00	33.262	26.77		1442.8								
		385	00050	- 0.89	33.454	26.92		1443.9								
		CBS	00053	- 0.84	33.450 33.527	26-01		1444.1								
		085	00058	- 1.02	33.527	26.98		1443.5								
		085	00069	- 0.96	33.547	27.00		1443.8								
		STO	000075	- 1.22	33.58	27.01		1442.8								
		085	00088	- 0.20	33.589	27.00		1447.9								
		085	00091	- 0.40	33.598	27.02		1447.0								
		OBS	00095	- 0.48	33.712	27.11		1446.9								
		510	00100	- 0.58 - 0.59	33.69	27.10		1446.5								
		085	00110	- 0.39	33.662	27.07 .		1447.5								
		385	00113	- 0.49	33.700	27.10		1447-1								
		085	00119	- 0-47	33.760	27.15		1447.4								
		OBS	00122	- 0.54	33.771	27.16		1447.1								
		310	00125	- 0.33 - 0.18	33.80 33.820	27.17		1448.2								
		STD	00150	00.02	33.87	27-21		1450.3								
		OBS	00151	00.04	33.877	27.22		1450.4								
		78 S	00172	00.37	34.015	27.31		1452.5								
		085	00177	00.60	34.065	27.34		1453.6								
		STD	00187	00.77	34.076	27.34		1454.6								
		085	00203	01.55	34.216	27.40		1458.5								
		OBS	00229	01-84	34.301	21,45		1460.4								
		STD	00250	01.92	34.31	27.45		1461 - 1								
		OBS	00258	01-97	34-315	27.45		1461.4								
		STO	00300	02.12	34.433	27.53		1462.6								
		DBS	00305	02.51	34.490	27.54		1464.8								
		OBS	00325	02.87	34.565	27.57		1466.8								
		OBS	00350	03.27	34.659	27.61		1469.1								
		385	00383	03.51	34.707	27.62		1470.7								
		285	00400	03.71	34.741	27.63		1471.9								
		nBs	00425	03.83	34.782	27.65		1472.9								
		OBS	00452	04.12	34.834	27.66		1474-6								
		085	00500	04-21	34.857	27.67		1475.4								
		285	00503	04.25	34.88	27.69		1476.0								
		085	00531	04.43	34.894	27.68		1477.3								
		085	00552	04.44	34.927	27.70		1477.7								
		OBS	00580	04.33	34.914	27.70		1477.7								
		STD	00600	04.36	34.92	27.71		1478.2								
		085	00626	04.28	34.915	27.71		1478 - 2								
		OBS	00677	04-21	34.917	27.72		1478.8								
		STD	00700	04-21	34.92	27.72		1479.2								
		OBS	00706	04-21	34.921	27.72		1479.7								
		STD	00800	04.13	34.915	27.73		1480.4								
		nes	00800	04.11	34.919	27.73		1480.4								
		280	00828	04.12	34.935	27.74		1481.0								
		OBS	00852	04.21	34.942	27.74		1481 . 7								
		OBS	00875	04.50	34.989	27.74		1483 -4								
		STD	00905	04.41	34.97	27.74		1483 - 4								
		าธร	00931	04.20	34.949	27.75		1483.0								
		085	00950	04.24	34.956	27.75		1483.5								
		OBS	00980	04.29	34-976	27.76		1484.3								
		OBS	01000	04.29	34.97	27.76		1484.6								
		083	01005	04.28	34.411	21.15		1404.0								
						*****	•••••	•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

10 31	8296			80 TOP 02121	AIR			GT PER	4140-018			STO RES			N 53 1
ISEC	0031			SHIP EV	WET			3 3	MIND-SPD	15	TRACE		0		SZUARF
	36 N		11	DATA USE		METR 1020.3			MIND-FOR	-1	DURAT		00-3		SQUARE
IG 047	29 4	HQUR	12.3	AREA OS	CLOU	0 1/4	CL/TR		dE4 THE ?	**	OKIG	119 110			242446
ASTNUM	TIME	LYLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	3XY G	P)4	101 P	402	NO3	5133	P4
		STD	00000	01.60	33, 36	26.73	00.000	1454.3							
	12.3	085	00002	01.60	33.379	26.73		1454.3							
		STD	00010	01.71	33.39	26.72	00.013	1454.9							
		085	00013	01.77	33.519	26.83		1455.4							
		085	00019	03.07	33.866	27.00		1461.7							
		510	00020	03.56	33.91	26.98	00.025	1463.9							
		nes	00024	05.06	34.029	26.92 *		1470.4							
		085	00027	05.29	34.037	26.90	00.037	1471 .4							
		STO	00030	05.29	34.04	26.93	00.057	1471.4							
		085	00073	05.24	34,102	26.96	00.000	1472.0							
		STD	00075	05.16	34.09	26.95	00.088	1471 -7							
		085	00082	04-72	34.001	26.94	00.00	1469.9							
		085	00098	04.27	33.979	26.97		1468.2							
		STD	00100	04.02	34.02	27.03	00.115	1467.3							
		085	00109	03.20	34.197	27.25		1464.2							
		085	00112	03.19	34.214	27.26		1464.2							
		085	00115	03.26	34.261	27.29		1464.6							
		085	00121	03.65	34.464	27.42		1466.7							
		510	00125	03.88	34.50	27.42	00.137	1467.7							
		085	001 38	04.40	34.576	27.43		1470 -2							
		510	00150	03-66	34.51	27.46	00.153	1467.2							
		085	00170	03.42	34.402	27.39 •		1466 -4							
		065	001 74	03.54	34.472	27.43		1467.1							
		085	00178	03.71	34.431	27.39 •		1467.8							
		STD	00200	03.50	34.427	27.45	00.186	1469.0							
		085	00200	03.91	34.545	27.46	00.100	1469.2							
		085	00224	04.64	34.689	27.49		1472.8							
		STD	00250	04.65	34.78	27.56	00.216	1473-4							
		085	00251	04-65	34.784	27.57		1473.4							
		STO	00300	04-69	34.83	27.60	00.244	1474.4							
		085	00304	04-80	34.856	27.61		1475.0							
		085	00318	05.21	34.943	27.63		1477.0							
		085	00330	05-21	34-950	27.63		1477.2							
		085	00351	05.13	34.951	27.64		1477.3							
		nes	00381	05.07	34.959	21.66		1477.5							
		STD	00400	05.09	34.98	27.67	00.294	1477.9							
		085	00405	05.09	34.979	27-67		1478.0							
		280	00425	05.09	34.992	27.68		1478.4							
		085	00451	05.06	35.006	27.69		1478.7							
		570	00499	04.97	35.011	27.71	00.342	1479.1							
		085	00526	04-89	35.000	27.71	00.342	1479.2							
		280	00551	04.80	34.996	27.72		1479.3							
		085	00574	04.77	34.994	27.72		1479.5							
		085	00599	04.64	34.987	27.73		1479.4							
		STD	006 00	04.64	34.99	27.73	00.387	1479.4							
		085	00646	04.58	34.985	27.73		1480.0							
		085	00676	04.48	34.976	27.74		1480.0							
		STO	00700	04.47	34.97	27.74	00.431	1480 -4							
		085	00702	04.47	34.974	27.74		1480.4							
		085	00731	04.40	34.980	27.75		1480.6							
		285	00749	04.38	34.974	27.75		1480-8							
		085	00776	04-30	34.963	27.75		1480.9							
		STD	00798	04-26	34.96	21.75	00.475	1481 -1							
		085	00800	04.26	34.957	27.75	30.473	1481 -8							
		085	00873	04-19	34.955	27.75		1482.0							
		STO	00900	04.22	34.96	27.75	00.519	1482.6							
		085	00901	04.22	34.963	27.75	30.214	1482.6							
		085	00930	04.15	34.956	27.76		1482.8							
		085	00956	04.12	34.949	27.75		1483.1							
		STD	01000	04.04	34.94	27.76	00.564								
		085	01003	04.03	34.943	27.76		1483 - 5							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8234 CUNSEC 0032 LAT 45 25 N LONG 047 00 d	TANT	1972 4 04 11 14.9	SHIP FV DATA USE 1				GT PER	HIND-DIR HIND-SPD HIND-FOR WEATHER	15	DURAT		07.4	2	N SO 13 SOUARE SOUARE SOJARE	46
C451NUM/11MF	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	Эхүс	P)4	101 P	V02	NO3	\$123	P1	
	SIO	00000	00.85	34.27	25.88	22.200	1477.5								
14.9	230	10000	06.35	34.267	26.88		1477.5								
	SID	00004	06.84	34.260	26.88	00.012	1477.6								
	STO	00220	06.84	34.32	26.92	00.023	1477.9								
	10.5	00025	06.85	34.340	26.94		1478.0								
	185 510	00029	07.07	34.4H5 34.49	27.03	00.034	1479.2								
	STD	00050	08-15	34-68	27.02	00.055	1483.9								
	STO	00375	08.88	34.83	27.02	00.085	1487.3								
	ORS	00075	08.88	34.827	27.02		1487.9					'			
	SIN	001 00	08.91	34.94	27.03	00.108	1487.8								
	ORS	00101	08.84	34.830	27.03		1487.6								
	095	001 08	08.38	34.854	21.12		1486.0								
	285	00114	09.26	34.841	27.13		1485.6								
	OBS	00117	08.13	34.861	27.14		1485 -1								
	DAS	00123	08.29	34.925	27.19		1486.0								
	310	00125	08-32	34.95	27.20	00.133	1486.1								
	095	00128	08.61	35.001	27.20		1487.4								
	TAS	00131	08.71	34.983	27.17 *		1487.8								
	STD	00150	07.90	34.83	27-18	00.156	1484.8								
	UBS	00151	07.88	34.829	27.18		1484.7								
	ngs ngs	00156	08.03	34.866	27.18		1485.4								
	OBS	00162	07.74	34.849	27.21		1484 - 4								
	085	00174	07-18	34.800	27.26		1482.4								
	085	00197	07.19 06.88	34.850 34.786	21.29		1482.6								
	STD	00500	06.72	34.75	27.28	00.200	1480.9								
	OBS	00500	06.73	34.743	27.28		1480.8								
	ORS	00212	06.46	34.773	27.33		1480.1								
	STO	00225	05.86	34.725 34.75	27.35	00.239	1478.5								
	OBS	00250	05.86	34.750	27.39	00.234	1478.3								
	085	00253	05.86	34.797	27.46		1478.4								
	082	00259	06.41	34.922	27.44		1481.5								
	OBS	00272	06-55	34.938	27.45		1481.7								
	OBS	00276	06.68	35-001	27.48		1482.3								
	OBS	005 99	06.33	34.926	27.47		1481.2								
	785	00300	06.33	34.94	27.48	00.273	1481.2								
	OBS	00309	05.85	34.878	27.50		1479.4								
	085	00315	05.65	34.848	27.50		1478.6								
	085	00324	05.69	34.873	27.51		1479.0								
	085	00375	05-22	34.889	27.58		1478.0								
	085	00400	05.16 05.15	34.90	27.60	00.333	1478.1								
	OBS	00430	04.62	34.862	27.63		1476.4								
	085	00450	04.60	34.905	27.65		1476.7								
	OBS	00477	04.50	34.891	27.67		1476.7								
	385	00500	04.49	34.90	27.68	00.385	1477.0								
	085	00523	04.49	34.925	27.70		1477-4								
	085	005 33	04.51	34.932	27.70		1477.7								
	785	00573	04.37	34.924	27.70		1477.8								
	085	00599	04.52	34.952	27.71	00 433	1478.8								
	085	00600	04.51	34.95	27.71	00.432	1478.8								
	085	00652	04.40	34.953	27.73		1479.2								
	STD	00673	04.28	34.939	27.73	00.477	1479.1								
	085	00704	04.18	34.924	27.73		1479 -1								
	OBS	00725	04-17	34.925	27.73		1479.5								
	085 085	00752	04-16	34.934	27.74		1480.0								
	SID	208.00	04.19	34.92	27.73	00.522	1480.3								
	085	00003	04.19	34.938	27.13		1480.8								
	085	11 800	03.99	34.916	21.14		1491.2								
	285	00900	04.08	34.93	21.75	00.569	1482.0								
	URS	00924	04.07	34.932	27.75		1482.4								
	nas	00956	04.05	34.931	27.75		1482.8								
	STO	01000	04.03	34.931	27.75	00.613	1483.4								
	nes	01009	04-02	34.931	27.75		1483.5								

.....

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0033 LAT 45 15 N LONG 046 44 W	YEAR MONTH DAY HOUR	04	BOTOP 03146 SHIP EV DATA USE 1 AREA 05	AIR WET I BARD CLOU		DIR H	GT PER	4140-31R 4140-590 4140-53R 4641463	D	DURA	STO REC	00.3	5	N SO I	46
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXYG	P 14	101 P	SCP	NO3	5133	P4	
	STD	00000	11.33	35.23	26-91	00-000	1495.4								
17-1	280	00000	11.22	35.228	26.91	00.012	1495.4								
	SID	00020	11-10	35.18	26.92	00.023	1494.9								
	085	00020	09-56	35.180	26.92		1494.9								
	STD	00030	09.49	34.86	26.95	00.034	1488.8								
	085	00031	09.38	34.819	26.93		1488.4								
	785	00049	09.23	34.825	26.96		1489.1								
	STD	00050	09.09	34.78	26.95	00.057	1487-6								
	085	00051	08.99	34.799	26.98		1487.7								
	085	00064	08-80	34.791	27.01		1486.7								
	085 510	00070	08.79	34.790	27.01	00.084	1486.8								
	OBS	00075	08.59	34-747	27.01		1486 .1								
	085	00083	07.97	34.647	27.02		1483.7								
	STD	00100	07.30	34.50	27.00	00.111	1481 .2								
	STD	001 05	07.12	34.572	27.09	00.137	1480.7								
	085	00125	07.01	34.542	27.08		1480 -6								
	OBS	00142	07-63	34.731	27.14		1483.5								
	STD	00150	08.46	34.92	27.16	00.162	1487.0								
	DAS	00151	08.55	34.942	27.16		1487.4								
	OBS	00159	08.55	34.886	27.13 •		1487.5								
	085	00165	08.10	34.812	27.13		1485.8								
	085	001 75	07.95	34.825	27.16		1485.4								
	085	00197	07.83	34.827	27.18	20.022	1485.3								
	085	00200	07.81	34.87	27.22	00-208	1485.3								
	085	00201	07.91	34.897	27.23		1485 . 8								
	085	00223	07.37	34.825	27.25		1483.9								
	OBS	00241	06.99	34.778	27.27		1452.7								
	085 \$10	00248	06.85	34.760	27.23	00.251	1482.2								
	OBS	00257	06.71	34.794	27.32		1481 .9								
	085	00260	06.96	34.875	27.37		1482.4								
	085	00297	07.51	35.015	27.38		1485.9								
	510	00300	07.40	34.99	27.38	00.291	1485.5								
	085	00306	07.23	34.950	27.37		1484.9								
	085	00309	07.07	34.899	27.35		1483.2								
	085	00324	05.01	34.639	27.41		1475.9								
	085	00333	05.22	34.695	27.45		1476.0								
	085	00344	05-61	34-796	27.46		1478.9								
	085	00357	05.40	34.751	27.45		1478.1								
	085	00359	05.36	34.826	27.52		1478.2								
	085	00366	05.70	34.891	27.53		1479.8								
	085	00400	05.84	34.97	27.52	00.358	1481 .0								
	085	00427	05.84	34.974	27.57		1481.0								
	085	00448	06.27	35.086	27.60		1463.7								
	STO	00500	05-08	34.93	27.63	00.414	1479.5								
	085	00500	05.07	34.925	27.63		1479.4								
	085	00551	05.17	34.995	27.67		1480.8								
	STO	00575	05.00	34.974	27.68	00.465	1480.5								
	085	00604	04.89	34.977	27-69	00.465	1480.5								
	285	00628	04.87	34.970	27.69		1480.8								
	ORS	00675	04.98	35.013	27.71		1482.1								
	STD	00700	04.77	34.98	27.71	00.513	1481 -6								
	085 085	00702	04.76	34.983	27.71		1481.6								
	res	00749	74.63	34.978	27.72		1481 . 9								
	OBS	00777	04.63	34.990	27.73		1482.6								
	STD	00900	04.61	34.99	27.73	00.559	1482.6								
	OBS	00833	04.49	34.984	27.74		1482.7								
	785	00R 76	04.46	34.984	27.75		1483.2								
	STO	00999	04.43	34.987	27.75	00-605	1483.5								
	085	00925	04.42	34.986	27.75	00.403	1483.9								
	085	00954	04.32	34.970	27.75		1483.9								
	STD	01000	04.23	34.97	27.76	00.650	1484.3								
	985	01013	04.22	34.964	27.76		1484.5								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 9296 CUNSEC 0034 LAT 44 52 N LONG 046 18 H	YFAR MUNT DAY HYUR	1972 1 04 11 23.2	ROTOP 03457 SHIP EV DATA USE 1 ARFA 05				GT PER	ATNO-DIR MINO-SPD ATNO-FOR MENTHER	13 23 XI	DURAT	STO REC	OR DF R	2	N SJ I SQUARE SJUARE SQUARE	46
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VFL	JXYG	214	101 P	NOZ	403	5173	P-1	
	STD	00000	11.55	35.28	26.91	00.000	1496.3								
23.2	STO	00008	11.55	35.279	26.91	00.012	1496.4								
	STO	00014	11.58	35.298	26.92	00.023	1496.6								
	OBS	00026	11.57	35.296	26.92		1496 - 8								
	510	000 30	11.59	35.32	26.93	00.034	1497.0								
	SID	00050	11.67	35.33	26.93	00.057	1497.6								
	085	00050	11.65	35.334	26.93		1497.6								
	510	00075	11-61	35.328	26.94	00.086	1497.8								
	085	00082	11.59	35.313	26.93		1497.8								
	085	00100	11.24	35.220	26.92	00.115	1496.7								
	795	00106	10.93	35.170	25.93		1495.9								
	510	00124	10.44	35.050	26.93	00.144	1493.9								
	nes	00129	10.13	34.997	26.95		1493.0								
	085	00139	09.54	34.904	26.97		1490.9								
	785	00149	09.42	34.925	27.01		1490.6								
	510	00150	09.36	34.92	27.02	00.172	1490.4								
	085	00159	09.93	34.804	27.00		1488.8								
	085	00163	08.99	34.843	27.03		1488.9								
	085	00189	09.22	34.935	27.05		1490.5								
	510	00200	09.61	35.077	27.10	00.224	1492.3								
	OB S	00206	09.53	35.096	27.13	3	1492 . 2								
	385	00213	09.51	35.091	27.13		1492 -2								
	085	00248	08.63	34.954	27.16		1487.3								
	ORS	00250	08.53	34.95	27.18	00.273	1489.0								
	985	00230	07.44	34.830	21.24		1485.1								
	385 \$10	00292	07.13	34.801	27.26	00.318	1484.1								
	ORS	00324	06.62	34.789	27.33	00.318	1482.6								
	DAS	00353	07.56	35.064	27.41		1487.1								
	510	00400	07.45	35.078	27.44	00.394	1487.1								
	085	00400	07.16	35.070	21.47		1486 -								
	085	00419	05.84	34.865	27.49		1481 -								
	095	00422	05-73	34.862	27.50		1480 .								
	JAS	00434	05.82	34.927	27.53		1481 -8								
	085	00447	05.82	34.912	27.53		1481.5								
	785	00465	34-35	34.727	27.52		1475.6								
	nes	00468	04.38	34.752	27.57		1475 -8								
	085	00471	04.53	34.782	27.58		1476.6								
	385	00500	04.53	34.909	27.60	00.456	1477.0								
	385	00510	04.61	34.82	27.61	00.456	1479.1								
	DAS	005 10	34.92	34.884	27.61		1479.3								
	085	00550	04.50	34.835	27.62		1477.8								
	OBS	00593	04.42	34.870	27.66	00.509	1478.2								
	085	00637	04.55	34.89	27.66	00.504	1481.5								
	085	00656	04.98	34.978	21.68		1481.7								
	085	00588	04.91	34.970	27.68		1481.5								
	nas	00691	04.84	34.974	27.69	00.558	1481.7								
	095	00704	04.80	34.97	27.69	00.558	1481.7								
	085	00728	04.74	34.964	27.70		1481 -9								
	STD	00900	04.57	34.954	27.71	00.607	1482.2								
	nes	10800	04.53	34.951	27.71		1482 -2								
	085	00837	04.46	34.947	21.12		1482.6								
	STO	00900	04.43	34.46	27.73	00.655	1481.0								
	085	00904	04.43	34.957	21.13		1484.0								
	085	00957	04.34	34.955	27.74		1484.1								
	STD	01000	04.32	34.957	21.14	00.702	1484.7								
	085	01036	04.31	34.962	21.14		1485.3								
	URS	01057	04.30	34.961	27.74		1485.6								

......

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0035 LAT 44 12 N LONG 047 00 W	PAY	1972 1 04 12 05.6	BOTOP 03732 SHIP EV DATA USE 1 AREA 05			DIR H 26 SEA CL/IR		MIND-DIR MIND-SPO MIND-FOR MEATHER	2)	TR.	RATI		00.3	5 2	N SO RAUGS RAUGS	E 46
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL)XYG	P 14	101	P	NOZ	NO3	5133	P-1	
	STO	20000	09.29	34.72	26.87	00.000	1487.4									
05.6	GRS	00004	09.29	34.120	26.87		1487.5									
	STD	00010	09.28	34.72	26.88	00.012	1487.6									
	085	00012	09.23	34.726	26.88		1487.6									
	510	00020	09.03	34.70	25.89	00.024	1487.0									
	085	00029	09.05	34.669	26.87		1487.0									
	985	00030	09.09	34.69	26.88	00.035	1487-1									
	085	00032	09-11	34.722	26.90		1487.3									
	510	00050	08.10	34.56	26.92	00.059	1483.6									
	985	00068	08.33	34.612	25.94	0.7.0.7	1484.7									
	095	00071	38.18	34.558	26.92		1484.2									
	OBS	00073	03.25	34.651	26.98		1484.6									
	SID	20075	08.23	34.64	26.98	00.087	1484.6									
	085	000 74	27.78	34.551	26.97		1483.1									
	STD	00100	07.55	34.54	27.00	00.114	1482 .2									
	TAS	00103	35.92	34.537	27.04		1479.9									
	085	00115	27.12	34.627	27.13		1489.9									
	STD	00125	06.83	34.65	27.19	00.139	1480.0									
	JAS	00130	06.70	34.657	27.21	00 112	1479.6									
	085	00150	06.73	34.66	27.21	00.162	1480.0									
	085	00150	04-51	34.341	27.23		1470.8									
	385	00177	05-42	34.605	21.33		1475.1									
	OBS	00198	05.99	34.142	27.37		1479.0									
	517	20200	05.97	34.74	27.37	03.203	1477.9									
	085	00237	05.28	34.655	27.39		1475.6									
	STO	20250	04.90	34-63	27.41	00.239	1474.2									
	785	00264	04.45	34.599	21.44		1472.6									
	UBS	0027)	05.26	34.841	27.54		1476.3									
	285	00290	06.15	34.743	27.51 *		1480.4									
	DAS	00299	05.84	34.896	27-51	00 272	1479.4									
	785	00313	05.99	34.468	27.51	00.272	1479.4									
	135	00349	05.14	34.060	27.57		1477.1									
	OBS	00374	05.56	34.961	27.60		1479 -4									
	STO	00400	05-51	34.91	27.61	09.330										
	195	00400	05.51	34 - 968	27.61		1479.6									
	385	00450	05.43	35-011	27.65		1480.4									
	DBS	00483	05.55	35.047	27.67		1481.3									
	510	00500	05.47	35.04	27.67	00.382	1481 .2									
	ORS	00560	05.21	35.030	27.70		1481.1									
	510	00500	05.09	35.03	21-71	00.430	1481.3									
	285	00606	05.04	35,028	27.71		1481.2									
	035	00673	04.75	34.993	27.72		1481 -1									
	510	00700	04.63	34.99	21.73	00.477										
	385	20723	04-62	34.985	27.73		1481.0									
	ORS	00763	04.45	34.970	27.74		1481 -3									
	STO	00900	04.44	34.96	27.73	00.523	1481.9									
	085	00804	04.43	34.758	27.73		1491.9									
	785	00-41	04.25	34.946	27.74		1441.8									
	510	00430	34.20	34.95	21.74	00.568	1482.8									
	785	00000	04.20	34.952	27.74		1482.8									
	185	00973	04.11	34.939	27.75		1483.3									
	51.1	01000	04.17	34.93	27.75	00.614	1483.7									
	CAS	21000	04.13	34. 199	21.13		.403.1									
					*****	** ******	•									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSECUTED LAT	44	8296 0036 19 N 22 h	DAY	1972 H 04 12 08.5	SHIP FY DATA USF 1 AREA 05			25	GT PER	ALAD-DIR ALAD-SED MIND-EDK AEVIHES	15	TRACE		07.2	2	SQUARE SQUARE SQUARE 40
CASI	LVOW/	TIAF	LVLTYP	ПЕртн	TEMP	SAL	SI JMA-T	DYNDPTH	SND VEL	DX/G	P)4	101 P	SCA	NO3	5133	P4
			SID	00000	11.44	35.22	25.98	00.000	1495.9							
		38.5	1385	00000	11.44	35.220	26.88	00-000	1495.8							
			085	00009	11.45	35.217	26.88		1496.0							
			STO	00010	11-45	35.22	26.88	00.012	1496.0							
			085	00017	11.46	35.224	26.38		1496 . 2							
			STD	00050	11.46	35.22	26.88	00.024	1496.2							
			STO	00030	11.48	35.22	26.88	00.035	1496.4							
			085	00031	11.49	35.224	26-88		1496.5							
			ORS	00049	11.48	35.227	26.88		1496.8							
			510	00050	11.48	35.23	26.88	00-059	1496.8							
			085	00075	11.47	35.22	26.88	00.087	1497-1							
			085	30099	11-47	35.234	26.89		1497.6							
			STO	00100	11.47	35.23	25.89	00.119	1497.6							
			STO	00125	11.37	35.21	26.89	00.149	1497.6							
			085	00125	11.37	35.209	25.89		1497.6							
			STO	00150	09.73	34.98	26-93	00.179	1491.7							
			THS	00150	09.72	34.883	26.93		1491.7							
			285	00174	08.44	34.874	27.13		1487.3							
			SID	00200	03.41	34.90	27.16	00.232	1487.6							
			335	00500	03.41	34.904	27.16		1487.6							
			OBS	00225	03.60	35.025	27.22		1488.9							
			095	20235	04.65	35.751	27.23		1489.3							
			510	20250	08.50	35.04	27.25	00.278	1489.0							
			085	00250	08.50	35.037	27.25		1489.0							
			STD	00274	08-42	35.061 34.93	21.28	00.321	1489.1							
			UBS	00300	07.69	34.928	27.28	00.321	1486.6							
			285	00325	06.67	34.822	27.34		1482.9							
			OBS	00350	05.29	34.717	27.44		1477.6							
			095	00375	95.37	34.765	27.47		1478.4							
			STO	00400	06.37	34.99	27.52	00.396	1463.1							
			OBS	30413	06.54	35.041	27.53		1484.1							
			lies	00425	06.47	35.038	27-54		1484.0							
			IIRS	00450	06.20	35.028	27.57		1483.3							
			285	00475	05.93	35.017	27.60		1482.6							
			OBS	00449	05.76	35.000	27.60		1462.3							
			STO	JU5 30	75.76	35.00	21.60	00.455	1482.3							
			285	00549	15.48	35.035	27.67		1482 -1							
			TAS		04.95	34.974	27.64	04 500	1480 - 7							
			310	00500	04.95 05.07	34.97	21.68	00.508	1480.7							
			DAS	00044	04.98	35.005	21.10		1481.6							
			785	00699	04.77	34.984	27.71		1481.6							
			STIL	00700	04.75	34.98	27.71	00.556	1481.5							
			285	00745	04.27	34.923	27.72	00.	1480.2							
			085	00753	24.55	34.974	27-73		1481.6							
			STO	00000	04.35	34.95	27.73	00.603	1481 .4							
			1,85	00819	04.25	34.932	27.73		1481.4							
			395	00#30	J4.59	34.998	21.74		1483.0							
			185	00960	04.33	34.952	27.73		1482.4							
			OBS	00399	04.44	34.996	27.16		1483.6							
			STO	30000	04.44	35.00	27.76	00-649	1483.6							
			135	00952	04-27	34.962	27.75		1483.7							
			STO	01003	34.27	34.96	27.75	00.694	1484.5							
			785	01000	04-27	34.964	27.75		1484.5							
			CBS	01041	04.17	34.956	27.75		1484.8							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 9296 CONSEC 0037 LAT 44 26 N LONG 047 50 W	DAY	1972 1 04 12 11.3	SHIP EV DATA HISF L ARFA 05				GT PER 2 2	ALAD-OLE 32 ALAD-S20 TO BEALPER X5	D. LS V.	STO REC FOIR TION TIP ILO	07.4	5 2	7 53 1 5304 °E 5304 °E 5304 °E	46
CASTNU-/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-F	HIGGNYG	SND VEL	JXYG P	14 TOT P	NUZ	403	5133	P-4	
	STD	00000	05.61 05.61	33.88	25.74 26.74	00.000	1472.0							
11.3	ORS	00007	05.63	31.842	76.14		1472.2							
	185	00010	35.93	34.08	26.88	00.013	1473.2							
	785	11000	06.69	34.315	26.94		1477.2							
	OB S	00023	07.13	34.38	26.93	00.024	1479.1							
	745	00026	09.10	34.529	26.91	00 014	1493.1							
	STO	00030	09.14	34.54	26.91	00.736	1483.3							
	TAS	90050	03.37	34.58	26.95	00.059	1483.5							
	085	00051	08.09	34.593	26.95		1483.6							
	085	00075	07.90	34.56	26.96	00.086	1483.2							
	785	00085	03-12	34-640	25.99		1484 . 3							
	285	00096	07.49	34.515	25.99		1481.9							
	STD	00100	31.40	34.51	26.49	00.114	1481.6							
	185	00109	07.15	34.535	27.06		1481.5							
	CIBS	00124	39.04	35.093	21.20		1489.0							
	STD	00125	29.16	35.11	27.20	20-139	1489.5							
	385	00129	09.44	35.152	27.18		1490.7							
	195	00147	09.45	35.141	27.17		1490.9							
	035	00148	04.40	35.005	27.16	20.143	1488.8							
	310	00150	08.37	35.00	27-16	00.162	1488.7							
	ORS	00165	09.23	34.990	27.17		1486 .6							
	085	00170	07.47	34.459	21.23		1485.4							
	085	00176	07.59	34.854	27.24		1484.0							
	385	00199	26.75	34.685	27.23		1480.9							
	085	00205	06.89	34.76	27.26	00.201	1481.6							
	785	00209	07.20	34.370	27.31 .		1483.1							
	OBS	00214	06.57	34.797	27.33		1480.7							
	385	30225	06.21	34.129	27.33		1479.3							
	285	00234	06.07 P	34.746	27.360									
	UBS	00247	36.07	34.670	27.30 .		1478.9							
	085 STD	00243	05.57	34.615	27.32	00.241	1476 . R 1476 . 3							
	085	00250	05.40	34.655	27.40		1476 - 3							
	1185	00267	05.29	34.667	27.45		1476.1							
	735	00270	05.62	34.777 34.74 P	27.45		1477.7							
	URS	00283	05.98	34.413	21.43		1479.5							
	785 085	002 95	05.55	34.753	27.44		1477.3							
	STD	20300	05.57	34.40	27.47	00,282	1478 -1							
	DAS	00351	05.65	34.899	27.56		1479.3							
	STD	00400	05.21	34.41	27.60	00.342	1479.3							
	U95	00401	05.20	34.415	27.68		1478.3							
	OBS OBS	00450	05.13	35.065	21.65		1481.5							
	510	00500	04.97	34.7A	27.68	00.394	1479.1							
	085	00503	04.97	34.976	27.69		1479.1							
	DBS	00554	04.80	34.967	27.69		1479.3							
	510	00500	04.71	34.970	21.11	00.441	1479.4							
	nas	00503	04.73	34.986	27.72		1479.8							
	085	00657	04.69	34.988 34.983	21.12		1480 - 3							
	785 510	00703	04.62	34.419	27.72	00 /0/	1480.0							
	285	00702	04.53	34.964	21.72	00,485	1480.5							
	185	00742	04.47	34.764	27-73		1480.8							
	IRS	00774	34.32	34.943	27.73		1481.0							
	3 TD	0000	04.22	34.93	27.73	30,532	1490.9							
	095	00324	04.13	34.921	27.73		1480.9							
	185	00873	04.22	34.927	27.73		1481 - 7							
	STO	00900	04.20	34.93	27.73	00.578	1492.5							
	OHS UBS	00902	04.19	34.934	27.74		1482.5							
	HBS	00948	04.10	34.430	27.74		1482.9							
	785	00959	04.17	34.950	27.74		1483.1							
	STO	01000	04.20	34.95	21.75	00.524	1484.2							
	363	01007	04.20	34.450	21.75		1484.3							
					•••••	• • • • • • • • • • • • • • • • • • • •								


Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

25FLD 31 8296 CDVSEC D038 LAT 44 26 N LONG 048 07 W	DAY	1972 H 04 12 13.7	BOTOP 03393 SHIP EV DATA USE 1 APEA 05	BARO	TEMP 05.4 BULB 05.0 METR 1027.4		41ND-DIP 41ND-SPO 61ND-FOR 4ENTHE?	3,	DUPAT	STO REC OTR TON TTP 11	03.2		48
CASTNUM/TIME	LVLTYP	PTPEC	TEMP	SAL	SIGMA-T	UYNOPTH SND VEL	DXXC	P 14	101 2	SCA	103	5133 P4	
13.7	735	00017	09-87	33-465	25.94	1451.4							
	513	00020	02.70	33.52	26.90	1450.7							
	185	00020	00.63	33.529	26.91	1450.7							
	286	90059	00.92	33.653	25.49	1452.1							
	510	00030	01.11	33.66	26.90	1455.0							
	STE	00031	01.26	33.673	25.98	1453.7							
	nBs	00050	01.79	33.71	25.98 26.98	1456.3							
)AS	00074	32.26	33.792	27.01	1459.3							
	570	00075	02.21	33.31	27.02	1459.1							
	795	00077	72.36	33.350	27.04	1457.5							
	nas	00083	02.73	33.397	27.05	1461.3							
	J35	00794	92.66	33.481	27.04	1461.2							
	510	63100	01.77	33.81	27.06	1457.2							
	JAS	00103	01.51	33.785	27.06	1456.1							
	185	00108	01.65	33.776	27.04	1456.3							
	510	00119	00.78	33.751	27.20	1453.1							
	785	00132	20.21	33.952	27.23	1457.1							
	785	00149	20,42	33.993	27.29	1452.2							
	510	00150	03.41	33.99	27.29	1452.2							
	785	00174	00.84	34.098	21.35	1454.7							
	CHS	00146	31.04	34-161	27.39	1455.9							
	STO	00200	01.30	34.23	21.43	1457.4							
	985	00205	01.47	34.266	27.45	1458.3							
	STD	00221	02.00	34.379	27.49	1461.5							
	085	00252	03.47	34.538	27.49	1469.1							
	085	00267	93.32	34.571	27.53	1467.9							
	085	00277	03.97	34.747	27.61	1471.0							
	SID	00300	04.75	34.86	21.62	1474.7							
	085	00312	05.02	34 - 906	27.62	1476.1							
	785	00361	05.18	34.937	21.63	1477 · 1 1478 · 1							
	085	00390	05.16	34.975	27.66	1478.1							
	STO	00400	05.15	34.98	27.66	1478.2							
	OBS	00407	05.14	34.981	27.66	1478.3							
	UBS	00422	04.99	34.481	27.68	1477.9							
	185	00435	04.99	34.990	27.59	1478.1							
	OR S	00469	04.88	34.981	27.70	1478 - 2							
	285	00500	04.76	34.98	27.71	1478.2							
	385	00549	04.73	34.990	21.12	1479.9							
	STD	00600	04.67	35.00	27.74	1479.6							
	DBS	00500	04.67	35.001	27.74	1479.6							
	URS	006 36	04-54	34-985	27.74	1479.6							
	nes	00678	04.65	35.004	27.74	1480.8							
	085	00694	04.55	34.985	21.74	1480.6							
	370	00700	04.54	34.99	27.74	1480.7							
	SID	00300	24.39	34.99	27.76	1481.7							
	285	00300	04.36	34.985	27.76	1481.9							
	STD	00900	24.23	34.97	27.76	1482 • 7							
	285	00900	04.23	34.970	27.76	1482 - 7							
	OBS	00449	04-14	34.962	27.76	1493.1							
	STO	01000	04-12	34.95	27.76	1483.8							
	085	01000	04.12	34.950	27.76	1483.8							
	DBS	01051	04.07	34.953	27.76	1484.5							
		0.001				********							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0039 LAY 44 30 N LUNG 048 24 N	DAY	1972 H 04 12 15.9	SHIP EV DATA USE 1 AREA 05	AIR T MET B BARDA CLOUD	ULA 03.3 FTR 1020.0	DIR H 28 SEA CL/TR	GT PER	#140-)1R #140-520 #140-538 #E41463	12 12	DUR	STD RE	07.1	5	N SO I	48
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P14	101	NO2	103	5133	PH	
	STO	00000	00-46	33.26	26.71	00.000	1449.0								
15.9	785 510	00000	00.46	33.265	26.71	00.013	1449.3								
	UBS	00015	00.74	33.427	26.80	00.013	1450.4								
	085	00020	00.72	33.41	26.30	00.026	1450.7								
	OBS	00021	00.72	33.401	25.80		1449.5								
	OBS	00027	00.60	33.566	26.94		1450.5								
	085	00030	00.55	33.62	26.98	00-037	1450.2								
	UBS	000 39	02-42	33.890	27.07		1459.2								
	085 STD	00050	02.93	33.910	27.04 *	00.058	1461.5								
	085	00059	03.75	33.994	27.03 .		1465.4								
	OBS	00063	04.20	33.998	26.99 *		1467.4								
	STO	00075	03.69	33.84	25.92 *	00.085	1465.2								
	OBS	77 000	03.81	33.855 33.617	26.92		1465.8								
	UBS	00089	00.84	33.783	26.94		1452.9								
	210	00100	00.61	33.779	27.11	00.112	1451.9								
	OBS	00102	00.36	33.729	27.08	00.112	1450.9								
	085	00106	00.22	33-802	27.15		1450.4								
	285	00115	00.50	34.31 P	27.540		1470.1								
	285	00118	01.47	34.46 P	27.600										
	STD	00125	02.59	34.20	27.31 *	00.134	1461.8								
	OBS	00128	02.84	34.294	27.36		1463.1								
	085	00134	03.39	34.435	27.42		1465 . 7								
	UBS	00145	03.52	34.40 P	27.40		1466.9								
	510	00150	03.71	34.46	27.41	00.152	1467.4								
	085	00154	03.88	34.496	27.42		1468.2								
	085	00167	03.87	34.53 P	27.450										
	OBS	00173	94.23	34.531	27.41		1470.1								
	085	00193	04.21	34.375	27.38 *		1470.1								
	OBS	00196	03.32	34.378	27.38		1466.4								
	085	00200	03.23	34.38 34.44 P	21.440	00-187	1466.0								
	085	00207	04-11	34.53 P	27.420										
	085	00211	03.49	34.391 34.389	27.49		1467.4								
	085	00224	02-25	34-417	27.51		1462.3								
	STD	00248	02.47	34.503	27.56	00.219	1463.7								
	OBS	00276	02.97	34.613	27.60		1466.5								
	ORS	00300	03.20	34.63	27.59	00.246	1468.0								
	085	00325	03.40	34.703	27.63		1469.3								
	OBS	00377	03.80	34.806	27.67		1470.3								
	085	00400	03.92	34.83	27.68	00-295	1472.9								
	085	00400	03.92	34.835	27.68		1472.9								
	085	00453	04-12	34.870 34.888	27.69		1474.7								
	STD	00500	04.15	34.89	27.70	00.340	1475.6								
	085	00505	04.15	34.889	27.70		1475.7								
	285	00556	04.25	34,920	27.71		1476.2								
	085	00573	04.46	34.978	27.74		1478.2								
	STD	00600	04.62	34.978	21.12	00.385	1479.3								
	085	00626	04.56	34.984	27.74		1479-5								
	OBS	00678	04.48	34.978	27.74		1480.0								
	310	00700	04-45	34.98	27.74	00.430	1480.3								
	STO	00800	04.26	34.975	27.75	00.474	1481.1								
	TRS	30435	34.25	34,960	27.75		1481 - 2								
	310	00156	04.12	34.947	27.75	00.518	1481.4								
	185	00775	74.72	34.937	27.76		1481 - 4								
	DBS	0.09.19	04.02	34.940	27.76		1482.6								
	STO	21220	04.07	34.94	27.76	00.562	1481-1								
	,44	21926	03.96	34.736	27.76		1484.1								

.....






Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT	44	9296	OAY	197/	SHIP EV	RARO	BULB 01.1	SFA	GT PER	#140-31R #140-520 #140-53R	15	DU	LATI	DIR	07.3	5 2		48
LUMS	048	52 1	d dilik	18.5	42FA 35	CLUN	7/4	CL/TP		SER THE 2		OP	15 1	11 41	•	1	29 Jusé	49
CAST	NU4/	114F	LVLTYP	перти	TEMP	SAL	S154A-T	DAMUDIH	SND VEL	DXYG	P14	tot	P	v02	403	5173	P4	
			510	00000	- 0.59	33.00	25.54	00-900	1443.4									
		19.8	785	00005	- 0.59	32.996	25.54	200	1443.8									
			\$10	00010	- 0.63	32.99	26.54	00.015	1443.9									
			510	00350	- 0.68	37.98	26.53	00.030	1643.7									
			.185	00324	- 0.73	32.974	26.52		1443.4									
			510	00021	- 0.83	32.968	25.54	00.045	1443.1									
			385	00030	- 1.00	32.977	26.54	00.047	1442.2									
			\$10	00053	- 1.22	33.11	25.65	00.074	1441.9									
			245	09350	- 1.22	33.107	26.65		1441 .8									
			TAS	00071	- 1.25	33.134	26.57		1442.1									
			510	20275	- 1.25	33.14	76.67	00.109	1442.1									
			185	00098	- 1.23	33.172	26.70		1442 - 7									
			sin	00107	- 1.23	33.17	26.70	00.143	1447.7									
			510	10125	- 1.20	33.20	25.72	00.176	1443.3									
			510	00125	- 1.20	33-199	25.72	00.209	1443.9									
			185	00152	- 1.15	33.219	26.74	03.20	1444.0									
			29.5	00173	- 1.14	13. 306	26.81		1444.5									
			165	00189	- 1.03	33.468	26.93		1445.5									
			IRS	00197	- 1.43	33.503	25.97		1443.9									
			STO	00200	- 1.44	33.51	26.98	00.269	1443.9									
			785	20202	- 1.45	33.544	27.01		1443.9									
			185	20209	- 1.35	33.577	27.03		1444.5									
			185	00215	- 1.06	33.657	21.00		1440 -1									
			185	20551	00-47	33-185	27.12		1453.5									
			STD	00250	00.01	33.87	27.21	20.317	1452.0									
			035	00766	00.28	33.968	21.28	30.311	1453.5									
			1185	00271	00.34	33.489	27.29		1453.7									
			795	302 75	02.61	34.137	27.40		1455.4									
			SID	30130	02.22	34.44	27.53	00.353	1463.4									
			135	00100	02.25	34.443	27.53		1463.6									
			735	00323	02.45	34.446	21.51		1464.8									
			INC	0034R	02.59	34.483	27.53		1465.8									
			185	00374	02.72	34.510	27.54		1466.9									
			510	20400	03.11	34.626	27.60	00.409	1469.2									
			IRS	00425	03.44	34.66R	27.60	00.40	1471.1									
			JAS	00449	03.43	34.672	27.60		1471 .4									
			185	C0477	03.48	34-722	27.64		1472.1									
			STO	00503	03.57	34.74	27.64	00.460	1473.0									
			ras	00500	03.60	34.744	21.65		1473.1									
			IRS	00526	03.92	34.835	27.68		1475.0									
			385	00552	04.00	34.857	27.69		1475.8									
			785	00575	03.97	34-858	27.70		1476.0									
			STI	00599	33.99	34.865	21.70	00 . 00	1476.5									
			MAS	006.27	03.99	34.87	27.70	00-508	1477.0									
			OBS	00551	04.02	34.479	27.71		1477.5									
			795	005 14	04-01	34.875	27.71		1477.9									
			SID	00700	04.08	34.89	21.71	00.554	1478.6									
			286	00702	04-08	34.891	27.71		1478.6									
			ORS	00725	04.07	34.990	27.71		1479.0									
			IRS	00751	04.01	34.895	27.72		1479.2									
			285	00775	03.99	34.897	21.73		1479.5									
			STO	00800	93.97	34.90	27.73	00.600	1479.8									
			085	008 00	03.97	34.895	27.73		1480.0									
			.:0.3	008 39	03.97	34.894	27.73		. 400.0									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 3296 CONSEC 3041 LAT 44 35 N LONG 049 02 H	YFAR 1972 MONT4 04 DAY 12 HO IR 20.4	SHIP EV HET BURN DATA USE BAPONETR AREA 05 CLOUD TA	01.7 10 2 2 1012.5 SFA	4[40-7[8 [5 4[40-5]8 [5 4[40-5]8 [5 4[40-5]8 [5	THAT STO RECORDER TEN \$3 1336 THATE DIR 3 5 53149 2 CUMATUM 03-1 2 50148 48 6215 110 110 1 53148 69
CASTNUM/TIME	LALLAD DEBLH	TEMP SAL SI	SHA-T DYNOPTH SHO VEL	axes P14	TOT P VOZ VO3 5173 04
20.3	\$10 00000 00000 00000 00000 00000 00000 0000	- 0,44 32,443 2 - 0,55 32,424 2 - 0,74 32,489 2 - 0,44 32,489 2 - 0,44 32,489 2 - 1,02 33,031 2 - 1,06 33,05 2 - 1,09 33,06 2 - 1,09 33,06 2 - 1,09 33,06 2 - 1,09 33,06 2 - 1,15 33,09 2 - 1,15 33,16 2 - 1,15 33,17 2 - 1,15 33,117 2 - 1,15 33,117 2 - 1,15 33,117 2 - 1,15 33,117 2 - 1,15 33,117 2 - 1,15 33,117 2 - 1,15 33,16 2 - 1,17 33,16 2 - 1,18 33,189 2 - 1,19 33,16 2 - 1,21 33,17 2 - 1,21 33,17 2 - 1,21 33,189 2 - 1,21 33,488 2 - 0,91 33,488 2 - 0,91 33,488 2 - 0,91 33,488 2	0.49 00.200 1444.7 0.49 1444.3 0.48 00.016 1444.3 0.46 144.7 0.57 00.331 1442.3 0.57 00.345 1442.2 0.60 00.345 1442.2 0.61 03.074 1442.4 0.63 00.110 1442.5 0.63 00.110 1442.5 0.65 00.145 1443.0 0.65 00.179 1443.5 0.66 00.179 1443.5 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7 0.71 1443.7		
REETO 31 9296 CONSEC 3342 LAY 44 36 W LONG 349 07 A CASTRUMATIME 21.1	VF49 1777 MONTH 34 DAY 12 HOUR 21-1 LVLTYP BEPTH STD 00000 HRS 00000 STD 000000 STD 000000 STD 000000 STD 00000	- 0.41 32.94 2 - 0.41 32.94 2 - 0.44 32.93 2 - 0.47 32.91 2 - 0.51 37.90 2 - 0.53 32.94 2 - 0.96 32.93 2 - 0.96 32.93 2 - 1.92 33.063 2 - 1.92 33.075 2	QL.7 27 7 2 1009-5 SFA	0XYG P34	INST STO RECORDER TEN SO 1306 TAN'E DIR
REFID 31 3296 CUNSEC 0043 LAT 44 39 N LONG 049 14 W	MONTH 04	AUTOP 00062 AIR TENT SHIP EV WET RUL DATA USE I GARGAETI AREA OS CLOUT I	01.9 10 3 2 1007.8 SEA	HIND-DIR IL CS DGS-DVIW RCS-DVIW RCS-DVIW	TYST STD RECORDER TEN SO 1306 TRACE DIR D 5 SQUARE 2 DJPATION 00-1 2 SOJARE 49 UP 16 LIP 110 1 SOJARE 49
CASTNUM/TIME	LVLTYP DEPTH	TEMP SAL SI	ISMA-T DYNOPTH SND VEL	OXYG P14	TOT P NOS NOS 5173 P4
21 - 9	\$10 00000 00000 00000 00000 00000 00000 0000	- 0,29 32,450 2 - 0,30 32,95 2 - 0,30 32,95 2 - 0,32 32,955 2 - 0,55 32,92 2 - 0,55 32,920 2 - 0,94 33,96 2 - 0,99 33,99 2 - 0,99 33,99 2 - 0,99 33,99 2 - 0,99 33,99 2	25.47		

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFIO 31 329 CONSEC 304 LAT 44 14 LONG 049 23	4 AONT-	12	SHIP FV DATA ISE 1	AIR TEMP WET BULK BARDMETH CLOUD TA	1007.1	DIR HO	T PER	4[40-7[2 #[40-5]0 #[40-6]R #64THE>	21	DURATE		07.1	2 5	\$3 1306 014FF 2 014FE 49 0147E 49
CASTNUMITIME	LVLTYP	DEPTH	T _t up	SAL SI	,4A-1	DYNDPTH	SND VEL	3XYG	P14	TOT P	SCV	NO3	5133	P4
	510	00000	- 0.27	32.97 2	5.50	07.001	1445.2							
22.6		00000	- 0.27	32.970 2	25.50		1445.7							
	510	00010	- 0.21	32.980 2	26.51	70.715	1445.4							
	285	00020	- 0.21	32.78	6.51	02.031	1445.6							
	785	00020	- 0.27	32.780 7	5.51		1445.6							
	510	00030	- 3.54	33.010 2	26.55	00.045	1444.5							
	510	00050	- 0.54	33.33	25.57	00.075	1444.5							
	nes	00051	- 0.62	33.030	26.57		1444.5							
					•••••	••••••								
45610 31 AZ	46 VFA)	1972	BOTOP 00344	AIR TEM	p 02.2	o o i R H	GT PER	wlvn-jle		INST	STD REG	OR DE R	1=1	v 52 13 ⁰ 6
CONSEC 00	5 MOVE	+ 04	SHIP EV	WET SUL	9 01.7	32		#1 40- SPD	114	TRACE	DIR)	5 5	S BARUES
LAT 44 02.	N DAY	16	DATA USE 1		# 1010.5	SEA CL/TR		HEATHER		ORIG	110 111	1.00	1	SOUARE 48
CASTNUM/TIM		DEPTH	TEMP		1-APE1	DYNOPTH		1XfG	>14	TOT P	A05	NO3	\$133	P4
11.	085	00000	00.03	33.044	26.55	00. 300	1446.7							
	985	20001	00.00	33.334	25.54		1446 . 7							
	510	00010	00.00	31.04	20.55	00.015	1446 - 7							
	095	00010	- 0.01	33.039	26.55		1446.7							
	510	00050	- 0.00	31-04	20.54	00.030	1446.9							
	085	00023	00.00	33.236	24.54		1447.0							
	510	000 10	- 0.01	31.03	26.54	00.045	1447.0							
	785	00039	- 0.01	33.037	26.55		1447.2							
	785	00044	- 0.01	33.001	29.52 .		1447.7							
					••••									
REFID 31 92' CONSEC 00' LAT 43 59	6 401	1972 4 04 15	ESTOP COOSO SHIP EV DATA USE 1		R 1011.5	SEA	5 PER	4140-31R 4140-5PD 4140-5PR	14	TRACE		00.1	5 5	53 1306 GUAPE 2 GUARE 28
LONG 249 18	M HOUR	14.2	APEA 05	CLOUD !	/*	CEATE		MEA THE E	X	0416	11			
CASTNUM/TIM	LVLTYP	DEPTH	1 e MP	SAL S	16*A-1	DYNDATH	SNO VEL	JXYG	p)4	tnt p	NUZ	101	\$133	P4
	STO	00000	- 0.34		25.55	00.303	1445.0							
14.		00000	- 0.34	33.027	26.55		1445.0							
	510	00009	- 0.34	31.03	26.55	00.015	1445.1							
	510	00320	- 0.39	35.03	25.55	00.230	1445-1							
	CHS	00020	- 0.38	33.027	26.55	03.345	1445 - 2							
	385	000 30	- 0.39	33.023	26.55	33.343	1445 .2							
	785	00038	- 0.40	33.028	25.56		1445.3							

.....

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REF19 31 8296 CONSEC 0047 LAT 43 57 N LUNG 049 10 M	THE	1972 1 04 16 15-3	SHIP EV DATA USE I AREA 05	BARO		32	GT PER	4140-31R W140-520 W140-F3R WEATHER	11	TRACE		07.1	5 2	N SO 13 SQUARE SQUARE SQUARE	28
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-	DYNOPTH	SNO VEL	OXTG	P14	tat P	VO2	ND3	\$133	P+	
	510	00000	- 0.62	33.01	26-55	00.000	1443.7								
15-3	085	00000	- 0.62	33.010	26.55		1443.7								
	ORS	80000	- 0.62	33.010	26.55		1443.8								
	STO	00010	- 0.64	33.00	26.54	00-015	1443.7								
	985	00010	- 0.64	33.000	26.54		1443.7								
	STO	00020	- 0.64	33.01	26.55	00.039	1443.9								
	285	00020	- 0.64	33.010	26.55		1443.9								
	510	00030	- 0.67	33.01	76.55	00.045	1443.9								
	285	00030	- 0.67	33.010	26.55		1443.9								
	DAS	00040	- 0.69	33-010	26.55		1444.0								
	510	00050	- 0.73	33.01	26.55	00.075	1444.0								
	ORS	00050	- 0.73	33.010	26.55		1444.0								
	085	00064	- 1.11	33-110	26.65		1442.6								
	STO	00075	- 1.13	33.15	26.68	00.110	1442.7								
	085	00075	- 1.13	33.150	26.68		1442.7								
	085	00080	- 1.05	33.170	26.69		1443.2								

P	EFID	31	9296	VEAT	1972	3010P 003	289	AIR T	EMP 03.3	DIP H	GT PER	MIND-DIR	31	INST	STO	RECT	DRDER	1	CN SO	1 306
	ONSEC		004		1 04	SHIP EV		WET S		32		WIND-SPD		TRAC			0	5	SQUAR	E 2
	AT		54 4		16	DATA USE	1		ETR 1010-8	SEA		WIND-FOR		DIRA	TION		07.1	2	SOUAR	F 28
			22 1		15.3		05	CLOUG		CL/TR		WEATHE?	XI	DRIG	IIP	110		1	SQJAR	E 39
•		• • •																		
	CAST	NUN/	TIME	LYLTYP	CEPTH	7 E WP		SAL	513MA-1	DYNDPTH	SND VEL	DXYG	P)4	TOT P	N	02	NO3	5173	РН	
				\$10	00000	- 0-87		32-98	26.53	00.000	1442.5									
			16.3	JBS	00000	- 0.87		37.980	26.53		1442.5									
			10.5	510	00010	- 0.89		32.98	26.53	00.015										
				nas	00010	- 0.88		32.980	26.53	00.0.	1442.6									
				SID	02220	- 0.88		32.98	26.53	00.030	1442.7									
				URS	30320	- 0.88		32.980	26.53	00.177	1442.7									
				STO	00030	- 0.90		32.78	25.54	90.045										
				385	00030	- 0.90		32.980	26.54	00.043	1442.8									
					00737	- 0.95		33.000	26.55		1442 . 8									
				STO	00050	- 0.96		33.00	26.56	00.075	1442.9									
					00050			33.005	26.56	00.013	1442.9									
				095		- 0.96			26.56		1443.1									
				785	20263	- 0.96		33.010	25.51	00.112	1442.6									
				510	000 75	- 1.12		33.06	25.61	00.112	1447.6									
				OBS	00075	~ 1.12		33.060			1442.3									
				OHS	00085	- 1.27		31-230	25.75	00.145										
				STD	00100	- 1.15		33.32	26.82	00.145										
				OBS	00100	- 1.15		33.320	26.42		1443.3									
				nes	00120	03.66		33.920	26.90		1465.8									
				510	00125	02.35		33.60	26.85 *	00.176	1460.3									
				085	00135	00.45		33.480	26.88		1451.5									
				985	00140	- 0.15		33.580	20.99		1448.9									
				STD	00150	00.14		33.69	27.06	00.203										
				nas	00150	00.14		33.590	27.06		1450-6									
				785	00165	00.34		33.680	27.05		1451 . 7									
				735	00165	- 0.50		33.640	27.05		1447.8									
				OBS	00175	- 0.34		33.660	27.06		1446.9									
				ORS	00185	- 0.30		33.710	27.10		1449.2									
				510	00703	00.46		33.91	21.22	00.250	1453.2									
				ORS	00200	00.46		33.710	21.22		1453.2									
				DRS	00225	20.91		34.035	27.30		1455.8									
				nes	00249	01.22		34.115	27.34	-	1457.5									
				517	00250	01.23		34.17	27.34	00.290	1457.8									
				OBS	00250	01.23		34.120	27.34		1457.8									
				OBS	00260	01.26		34.160	27.37		1458 -1									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFIN CONSE	C	8296 0049 53 N	40VI	1972	SHIP EV	AIR WET		3 32	FF PER	MIND-DIR MIND-SPD MIND-EDR	15	TPACE DURA		03.2	5	S2.149	RF 2
LONG				17.3	AREA 05) 1/4	CL/TE		4EATHE?			119 11			Sans	
CAS	NUM/	1 1 at	LALLAS	DESTH	TEMP	SAL	SISMA-T	DANDALH	SND VFL	OXAC	P14	101 P	102	103	21,3	PH	
			STE	00000	01.56	33.29	20.66	00.000	1454.0								
		17.3	085	00000	01.56	33.290	26.66		1454.0								
			195	00004	01.00	33.260	26-67		1451.5								
			SID	00010	01.54	33.28	25.65	00.014	1454.1								
			(165	00019	01.60	33, 320	26.68		1454.5								
			510	00020	01.55	33.28	26.65 *	00.029									
			285	000050	01.55	33.280	25.65		1454.2								
			510	00030	00.61	33.49	26.86	00-041									
			095	000 30	00-91	33.490	26.86		1451.4								
			510	00050	- 0.62	33.43	20.89	00.065	1445.1								
			285	00053	- 0.83	33.420	26.89		1444-1								
			STO	00075	03.69	33.94	21.00	00.093	1465.3								
			UBS	00075	03.69	33.940	27.00		1465.3								
			385	00002	03.79	33.970	10.15		1465.9								
			STO	00100	01.81	33.70	26.96 .	00.120	1457.3								
			STO	00125	- 0.24	33.56	26.98	00.147	1448.3								
			THS	00125	- 0.24	33.560	26.98		1443.3								
			OBS	001 31	- 0.61	33.570	27.00		1446.7								
			385	00146	01.61	33.760	27.03		1457.2								
			STO	00151	00.61	33.77	27.10	00-173	1452 - 8								
			OBS	00159	- 0.07	33.890	27.16		1449.9								
			ORS	00164	00-49	33.880	21.20		1452.7								
			THS	00179	00.14	33.880	21.22		1451 - 3								
			510	00200	01-09	34.12	27.35	00.216									
			790	00200	01.09	34.120	21.35		1456.3								
			STO	00250	01.82	34.31	27.45	00.250									
			ORS	00250	01.82	34-310	27.45		1460.6								
			ORS	00281	02.32	34.430	27.51		1463.5								
			THS	00298	02.34	34.480	27.55		1463.9								
			STO	00300	02.41	34.52	27.58	00.280	1464.3								
			CHS	00304	02.79	34.580	27.59		1466.1								
			nas.	00306	03.10	34.600	27.58		1467.5								
			1195	00332	05.04	34.900	27.61		1476.5								
			795	00158	05-32	34.950	27.62		1478.2								
			STO	00400	05.26	34.99	21.66	00.331									
			JAS	00400	05-26	34.990	27.66		1478.7								
			785	00484	05-03	34.945	27.65		1479.0								
			1195	00495	04.83	34.960	27.68		1478.4								
			STO	00500	04.83	34.97	21.70	00.379	14/8.5								
			CBS	00500	04.83	34.975	27.70		1478.5								
			385	00515	04.84	34.970	27.69		1478.8								
			-AS	00552	04.51	34.420	27.69		1478.0								
			1995	00560	04.23	34.890	27.70		1476.9								
			STO	00600	04.07	34.89	27.71	00.425									
			095	00500	04.07	34.890	27.71		1476.9								
			IRS	00654	04-05	34.895	21.12		1477.7								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0056 LAT 43 43.00	MONT	1972 + 04 16	SHIP FV	WET	TEMP 03.9 HULB 01.3	12	GT PER	#140-019 #140-5PD		INST TPACE DURAT		03050	TEN 52 1306 5 SOURE 2 2 SOURE 28
LUNG 048 34.01		19.3	AREA 05		D 1/4	CLITA		WEAT TER	X1		110 110		1 52JARF 38
CASTNUM/TIME	LALLAD	DEPTH	TFMP	SAL	T-APET2	DANDETH	SND VEL	JXYG	P14	Tat p	AUS	103	(1)3 P4
	STD	00000	03.70	33.67	26.78	00.000	1463.9						
19.3	085	00000	03.70	33.670	26.78		1463.8						
	STO	20010	03.70	33.67	25.78	00.013	1464.0						
	085	00010	03.70	33.670	25.78		1464.0						
	510	00020	03.70	33.67	25.78	90.026	1464 -1						
	085	00020	03.70	33.670	26.78		1464.1						
	510	000 30	03.68	33.67	26.78	00.038	1464 .?						
	785	00030	03.68	33.670	26.78		1464.2						
	510	00050	03.68	33.69	26.80	00.364	1464.5						
	DAS	00050	03.68	33.690	25.80		1464.5						
	385	00067	03.67	33.700	26.81		1464 - 7						
	510	00075	03.10	33.64	76.81	00.095	1462 .4						
	OBS	00075	03-10	33.640	24.81		1462 .4						
	510	00100	02.36	33.94	27.12	00.123	1460.0						
	085	00100	02.36	33.940	27.12		1460.0						
	285	00102	02.31	33.950	27.13		1459.9						
	570	00125	02.98	34-32	27.37	00.144	1463.7						
	785	00125	02.98	34.320	27.37		1463.7						
	STO	00150	03.49	34.48	27.45	00.161	1466.5						
	OBS	00150	03.49	34.480	27.45		1466.5						
	785	00180	04.10	34.660	27.53		1467.8						
	085	00189	04.11	34.660	27.53		1470.3						
	STD	002 00	04.34	34.76	27.5 R	00.191	1471 -3						
	nas	00200	04.34	34.760	27.58		1471.5						
	510	00250	04.73	34.88	27.63	00.217	1473.9						
	DAS	00250	04.73	34.880	27.63		1473.9						
	STO	00300	04.79	34.94	21.67	00.241	1475.0						
	ORS	00300	04.79	34.940	27.67		1475.0						
	085	00340	05.13	35.020	27.70		1477.2						
	085	00370	04.81	34.960	27.69		1476.3						
	STO	00400	04.86	34.99	27.70	00.286	1477.0						
	DAS	00400	04.86	34.990	27.70		1477.0						
	285	00460	04.89	34.980	27.69		1478.1						
	STO	00500	04.71	34.98	27.71	00.331	1478.0						
	UBS	00500	04.71	34.980	27.71		1478.0						
	510	00500	04.38	34.96	27.74	00.375	1478.3						
	285	00500	04.38	34.960	21.74		1478.3						
	STO	00700	04.28	34.96	21.15	00.418	1479.5						
	085	00700	04-28	34.960	27.75		1479.5						
	STD	20400	04.32	34.98	27.76	00.462	1481 .4						
	785	00800	04-32	34.980	27.76		1481.4						
	STD	00900	04-13	34.95	27.75	00.506	1482.2						
	085	00900	04.13	34.950	21.75		1482 . 2						
	STD	01000	03.95	34.93	21.76	00.550	1483.1						
	CSS	01000	03.95	34.935	27.76		1483.1						
					Telegraphic Control		1111						

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8296	AEVA	1972	BOTOP 0308	AIR			GT PFR	WIND-DIR				CORDER		N 52 1306
CONSEC	0051		1 04	SHIP EV		3ULB 01.7		3 2	WIND-SPD	15	DURA	DIR	03.1	;	SQUARE 2
LONG 048	35 N	HOUP	21.6	AREA OF		METR 1009.8	CL/TR		MEATHER			119 11		i	SQUARE 36
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	T-AME 12	DYNDPTH	SND VEL	DAAC	P74	101 P	AUS	NO3	5133	P4
		STO	00000	04.14	33.09	25.28	00.000	1464.9							
	21.6	ues	00002	04.14	33.090	25.28		1464.9							
		nes	00009	04.14	33.087	26.27	1750	1465.0							
		510	00010	04.14	33.09	26.27	00.018	1465.0							
		nas	00014	04.14	33.093	26.28		1465 -1							
		STO	000020	04.14	33.09	25.28	00.035	1465 -2							
		085	00020	04-14	33.092	26.28		1465.2							
		385 510	00030	04.14	33.082	26.77	00.050	1466.0							
		085	00030	04.10	33.69	26.76	00.030	1466.0							
		085	00035	04.07	33.683	26.75		1466.0							
		095	20043	04.01	33.688	26.76		1465.9							
		510	00050	03.94	33.69	26.77	00.076								
		785	00054	03.89	33.687	25.78		1465.5							
		285	00062	04.19	33.960	26.96		1467.3							
		085	00069	03.82	33.916	26.76		1465.8							
		STO	00075	03.26	33.99	27.08	00-105								
		085	00083	02.85	34.068	27.18		1462.1							
		285	00391	02.48	34.097	27.20		1460 - 7							
		STO	00100	02.55	34.13	27.25	00.128								
		OBS	00100	02.56	34.135	27.26		1461 -2							
		285	00119	03.45	34.269	27.28		1465.5							
		STO	00125	03.42	34.29	27.30	00.14R	1465.5							
		785	001 30	03.40	34.328	27.33		1465.5							
		ORS	00137	03.39	34.405	21.40		1465.7							
		510	00150	03.76	34.46	27.40	00.167								
		085	00150	03.78	34.460	27.40		1467.7							
		280	00159	04.14	34.506	27.41		1469.8							
		ORS	00185	04.95	34.692	27.46		1473.4							
		STO	00200	05-10	34.70	27.45	00.201								
		ORS	00225	05.35	34.831	27.52		1475.9							
		085	00238	05.94	34.955	27.55		1478.7							
		STD	00250	05.71	34.97	27.55	00.232	1477.9							
		285	00250	05.71	34.919	27.55		1477.9							
		285	00267	05.45	34.491	27.56		1474.0							
		510	00300	04.63	34.89	27.63	00.259	1475.0							
		085	00300	04.92	34.894	27.63		1475 -1							
		285	15600	04-99	34.900	27.62		1476.1							
		085	00329	04.84	34.891	27.63		1475.6							
		OBS	00341	05.03	34.934	27.64		1476.7							
		7BS	00361	04.85	34-932	27.66		1476.3							
		286	00368	05.06	34.960	27.66		1477.3							
		085	00381	04.84	34.917	27-65		1476.5							
		510	00393	04.99	34.956	27.66	00.308	1477.1							
		785	00400	04.47	34.928	27.70	00.300	1476-1							
		510	00500	04.42	34.92	27.70	00.355	1476.8							
		nes	00500	04-42	34.921	27.70		1476.8							
		OBS	00551	04.54	34.961	27.72		1478-1							
		JBS	00584	04-32	34.922	27.71		1477.7							
		OBS	00599	04.46	34.926	27.70		1478 .6							
		STD	006 00	04.46	34.93	27.70	00.402	1478.6							
		085	00641	04.45	34.935	27.71	00.449	1479.2							
		085	00700	04.15	34.89	27.70	00.449	1478.9							
		ORS	00749	04.14	34.919	27.73		1479 - 7							
		STO	00800	04.11	34.92	27.73	00.495	1490.4							
		095	10800	04-11	34.922	27.73		1480-5							
		785	00847	04.06	34.917	27.74		1481.0							
		STO	00900	04-01	34.91	27.74	00.540								
		OBS	00900	04.01	34.912	21.74		1481 -7							
		IBS	00950	03.98	34.909	21.74		1482.4							
		STO	01000	03.92	34.904	27.74	00.586	1482.9							
					34.906		00.700	1483.9							
		785	01062	03.89		21.74									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG	43	9296 0052 28 N 53 W	PAY	1972 H 04 16 23.9	BOTOP 03658 SHIP EV DATA USE 1 APEA 05					dIND-DIR WIND-SPD dIND-FOR dEATHER	04	INST ST TRACE D DURATIO ORIG II	N - 00.3	5	EN S2 1306 SQUARE 2 SQUARE 26 SQUARE 37
CAS	NUM,	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	JXYG	P 34	TOT P	NO2 NO3	5133	P4
			STO	00000	06.33	34.11	26.83	00-000	1475.2						
		23.9	285	00000	06.33	34.110	26.83	00-00	1475.2						
			STO	00010	06.50	34.20	26.98	00.012	1476 - 2						
			085	00010	06.50	34.200	26.88		1476.2						
			STO	00020	07-02	34.30	26.88	00.024	1478.5						
			STD	00030	07.33	34.35	26.88	00.036	1480.0						
			285	00030	07-33	34.350	26.88		1480.0						
			285	00040	07.42	34.360	26.88		1480.5						
			510	00050	07.41	34.36	26.88	00.059	1480.6						
			STD	00050	07.41	34.360	26.88	00.087	1469.2						
			085	00075	04.55	34.090	27.03	00.007	1469.2						
			085	00090	03.88	34.169	27.15		1466.7						
			STD	00100	05.73	34.59	27.29	00.111							
			STO	00125	06.25	34.66	21.27		1477.7						
			nes	00125	06.25	34.060	27.27		1477.7						
			ORS	00131	05.50	34.460	27.21 .		1474.5						
			STO	00150	05.12	34.46	27.26	00.152	1473.3						
			285	00150	05-12	34.460	21.26		1473.3						
			085	00157	05.23	34.460	27.24		1474.0						
			785	00170	04.38	34.460	27.34		1470.5						
			085	001 80	04.23	34.430	27.33		1470.0						
			285	00 2 00	07.43	35.07	27.43	00.190							
			STO	00200	07.43	35.070	27-43	00-224	1484.1						
			385	00250	06.29	34.910	27.46	00.224	1480.2						
			285	00270	06.35	34.930	21.47		1480-9						
			STD	00300	04-35	34.64	27.48	00.257	1472.8						
			nes	20300	04-35	34.640	27.48	3.13.13.E.W.F.	1472.8						
			385	00308	04.23	34.660	27.52		1472.3						
			085	00360	24 - 80	34.860	27.61		1475.9						
			285	00383	05.62	35.000	27.62		1479.8						
			STD	00400	05.56	34.99	27.62	00.315	1479.9						
			085	00400	05.56	34.990	21.62		1479.9						
			085	00430	05.39	35.030	27.67		1479.7						
			STD	00500	05.64	35.050	27.66	00 147	1481.1						
			285	00500	05.19	35.000	21.67	00.367	1480.0						
			ORS	00550	04.81	34.970	27.69		1479.3						
			SID	00600	24 - 72	34.96	21.70	00-415	1479.7						
			785	00500	04-72	34.960	27.70		1479.7						
			985	00540	04.51	34.960	27.72		1479.5						
			STO	00700	04-55	34-98	21.73	00.461	1480.7						
			282	00700	04.55	34.980	27.73		1480 . 7						
			STD	00400	04.34	34.94	21.12	00.507	1481.4						
			385	00800	04.34	34.940	21.72		1481 .4						
			ORS	00840	04.41	34.975	27.74		1482 .4						
			STO	00900	04.33	34.97	27.75	00.553	1483.1						
			STO	01000	04.17	34.95	21.75	00-598							
			nes	01003	04.17	34.955	27.75	00.348	1484-1						
			1185	01050	04.14	34.960	27.76		1484.8						
							*****	*******							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0053 LAT 43 19 N LONG 047 28 W	YFAR MONTH DAY HOUR	17	BOTOP 03612 SHIP EV DATA USE I AREA 05	AIR TO MET 90 BARON CLOUD	ULB 03.9 ETR 1007.1	DER H 34 SEA CL/TR		ATAD-DIE ATAD-ESE ATAD-ESE ATAD-ESE	0 1)	TRACE		00.7	5 2	N SO L SQUARE SQUARE SQJARE	26
CASTNUM/TIME L	VLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SNO VEL	3x4C	P)4	TOT P	NOS	103	5173	P4	
	STD	00000	11.48	35,13	26.91	00.000	1495.8								
02.7	STD	00000	11.48	35.135	26.81	00.012	1495.8								
	085	00020	11.50	35.13	26.81	00.025	1496.2								
	510	000 30	11.50	35-14	26.81	00.038	1496.4								
	085	00050	11.49	35.139	26.81		1496.7								
	STD 085	00075	09.95	34.81	26.83	00.094	1491.2								
	510	00100	08.56	34.574	26.87	00.124	1486.0								
	085	00100	08.32	34.616	26.94	00.124	1485 - 3								
	510	00124	08.20	34.604	26.95	00.152									
	085	00141	08.85	34.770	26.98		1488.2								
	STD 085	00150	10.60	35-11	27.10	00.179	1492.8								
	085	00170	10.57	35.304 35.198	27-11		1495.6								
	nes nes	00184	10.16	35.235 35.13 P	27.13		1494-3								
	085	00196	09.61	35.188	27.140		1492.4								
	085	00202	09.62	35·20 35·209	27.19	00.228	1492.5								
	UAS OBS	00205	09.63	35.148	27.15 *		1492.6								
	085	00217	08.61 08.58 07.94	34.969	27.18		1488.7								
	085	00226	08.04 07.90	34.965	27-26		1486.7								
	085	00247	08.36	35.108	27.28		1488.5								
	085 STD	00249	08.40	35.083 35.08	27.30	00.273	1488-6								
	085	00252	08.40	35.047 34.95 P	27.27		1488-7								
	085	00258	07.94	34-88 P 35-030	27.210		1486.1								
	085	00264	07.88	35.049 34.997	27.35		1486.9								
	510	00300	07.11	34.88	27.33	00.314	1484.3								
	085	00300	07.11	34.885	27.33		1484.3								
	085	00309	07.08 06.75	34.956	27.40		1484-4								
	085	00340	06.80 07.08	34.976	27.45		1483.8								
	085	00357	06-32	34-910	27.46		1482.1								
	085	00371	06.37	34.900	27.45		1482.5								
	085	00390	06.04	34.905 35.001	27.49		1481.5								
	STO	00400	06.30 06.32	35.00	27.54	00-385									
	085	00402	06.37 05.98	34.995	27.52		1483.2								
	085	00424	05.72 05.36	34.869	27.51		1480 -8								
	085	00449	05.40	34.887	27.56		1479.9								
	085	00473	05.09	34.848	27.57		1479.0								
	STD 085	00500	04.74	34.83 34.909	27.60	00.444	1478.0								
	085	00539	05.39	35.014	27.66		1481 .5								
	085	00549 00576	05.26 05.25	34.984 35.008	27.67		1481.1								
	OBS	006 00	05.01	34.97	27.67	00-497	1480.9								
	085	00624	05.01 04.86	34.989	27.69		1481 - 3								
	085	00676	04-78	34.965	27.69		1481 -2								
	STO	00700	04.72	34.97	27.70	00.546	1481 .4								
	OBS	00749	04.72	34.981	27.71		1481.9								
	STO	00800	04.69	34.985 34.98 34.978	27.72	00.594	1482.5								
	nes res	00900	04.65	34.977	27.72		1482.8								
	185 185	00849 00874	04.52	34.997	27.75		1483-1								
	085 510	00900	04.59	34.999	27.74	00.641	1484-2								
	085	00927	03-43 P 04-50	34.986	27.850										
	STO	01000	04.16	34.99	27.76 •	00.685	1484.7								
	085	01026	04.12	34.951 34.91 P	27.76 •		1484.3								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSE	C 43	9296 0054 10.0N	MONT	1972 + 04 17		1	MET B	ULP 06.	. 7	34 SEA	GT PER	#140-01R #140-5PD #140-FOR	15	DU	RAT	STO REC	00.2	5	
LONG	047	00.0W	HOUR	05.4	APEA O	5	CLOUS	1/4		CL/TR		4EATHER	*5	OR	16	119 110		ı	SOJARE 37
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP		SAL	SIGNA-T		DYNDPTH	SND VEL	OXYG	P)4	101	P	402	NO3	5133	P4
			STO	00000	09.93	3	4.66	26.72		00.000	1489.7								
		05.4	085	00000	09.93	3	4.664	26.72			1489.7								
			085	00005	10.20	3	4.787	26.77			1490 - 9								
			510	00010	10-26		4.7A	26.75		00.013	1491.2								
			785	00013	10.31		4.785	26.74			1491 -7								
			STO	00020	10.35		4.78	26.74		00.026	1491.7								
			nes	00023	10.35	3	4.784	26.74			1491 .8								
			510	00030	10.37	3	4 - 78	26.73		00.039	1492.0								
			MAS	00035	10.39		4.777	26.73			1492.1								
			510	00050	10.40		4.78	26.73		00.066	1492.4								
			085	00064	10.40	3	4.811	26.73			1492.8								
			285	00074	10.07		4.793	26.80			1491.6								
			STU	00075	09.97	3	4.78	26.80		00-099	1491 -2								
			nas	18000	08.14		4.537	25.91			1484.3								
			205	00092	08.17	3	4.583	26.94			1484 - 6								
			385	00100	08.75		5.00 P	27.189		00.128	1487.8								
			085	00104	09.42		4.891	26.98		00.120	1489.8								
			OBS	00112	09.51		4.902	26.98			1490.3								
			285	00118	09-45		4-853	26.95			1490.1								
			nes	00123	09.10		4.753	26.93			1488 -8								
			510	00125	09.02		4.75	26.94		00.156	1488.5								
			DAS	00132	08.16	3	4.755	26.97			1485.3								
			095	00137	08.67		5.14 P	27.300											
			510	00150	08.75	3	4.83	27.04 4		00.183	1488.0								
			nes	00158	09.25	3	5.26 P	27.300											
			085	00166	09.94 10.29 P	3	5.15 P	27.100											
			285	00177	08.92		4.959	27.12			1489.6								
			510	00200	08-88		4.76	27.12		00.234	1489.5								
			nes	00206	08-76	3	4.952	27.14			1499.1								
			ORS	00226	09.29		5.101	27.17			1491 .6								
			STO	00247	08.83	3	4.980	27.15			1490.1								
			385	00272	08.79	3	5.00	27.16		00.283	1490.5								
			095	00290	08.65	3	5.086	27.26			1490.3								
			STO	00300	08.65	3	5.09	27.27		00.329	1490.4								
			OBS	00300	08.65	3	5.095	27.27			1490.4								
			085 285	00316	08.15	3	5.040	27.30			1488.7								
			085	00330	09.34	;	5.092	27.31			1486.9								
			085	00375	06.24		4.755	27.35			1481 . 9								
			STD	00400	06.48	3	4.86	27.40		00.410	1483 -4								
			ORS	30407	06.55		4.890	27.41			1483.8								
			OBS	00431	05.17		4.651	27.40			1478.4								
			095	00473	05.33		4.806	21.50			1479.9								
			285	00487	04.96		4.747	27.50			1478.5								
			STO	00500	05.17	3	4.84	27.55		00.478	1479.7								
			785	00501	05.19		4.847	27.55			1479.8								
			085	00512	05.01	3	4.865	27.57			1479.3								
			085	00555	05.23	3	4.879	27.58			1480.5								
			CBS	00578	05.35	3	4.956	27.62			1481 . 9								
			085	00589	05.20	3	4.943	27.63			1481 .5								
			STO	00600	05.24		4.96	27.64		00.535	1481.8								
			085	00605	05.25	3	4.972	27.68			1482.0								
			085	006 80	05.64	1	5.091	27.09			1485.0								
			STO	00700	05.57	3	5.08	27.69		00.587	1485.0								
			ORS	00700	05.57	3	5.083	27.69			1485.0								
			285	00747	05.38		5.074	27.71			1485.0								
			STD	00900	05.05		5.03	27.71		00.636	1484.4								
			UBS	00843	05.04		5.008	27.71			1484.0								
			กอร	00899	04.69	3	5.008	27.74			1484.6								
			STD	00900	04.69	3	5.01	27.74		00.684	1484.6								
			STO	01000	04.53	3	4.98	27.74		00.732	1485.6								
			785	01001	04.53	3	4.984	27.74			1485.6								
			001	0.032	4.30	,		2.013											

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LONG	42	8296 0055 10 8	MONT	1972 H 04 17 12.7	SHIP EV DATA USE 1			53	GT PER	MIND-DIR MIND-FOR MENT-SPD MENT-SPD MENT-SPD	4)	DUPA	E DIR	01.9 01.9	5	N SO I	26
CAS	TNUM	/114E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	JXYG	P 14	101 P	405	N03	5133	P4	
			STD	00000	08.04	34.32	26.75	00.000	1482.2								
		12.7	OBS	00000	09.04	34. 320	26.75		1482.2								
			510	00010	08.04	34.32	26.76	00.013	1482 -4								
			085	20210	08.04	34.325	26.76		1482.4								
			STO	00020	08.09	34.37	26.79	00.026	1482 .8								
			085	00020	08-09	34. 370	76.79		1482.8								
			STO	00030	06.73	34.38	26.99	00.038	1477.7								
			085	000 30	06.73	34.380	26.99		1477.7								
			nes	00040	06.98	34.540	27.08		1479.0								
			STD	00050	06.67	34.49	27.08	00.058	1477.9								
			085	00065	06.38	34.450	27.09		1476.9								
			STD	00075	06.41	34.49	27-12	00.083	1477.3								
			STO	00100	06.48	34.58	27.18	00.107	1478.1								
			DBS	001 00	06.48	34.580	27.18		1478.1								
			STD	00125	07.04	34.66	27.17	00.130	1490.8								
			nas	00125	07.04	34.660	27.17		1480.8								
			STD	00150	04.25	34.41	27.31	00.151	1469.6								
			085	00150	04-25	34.410	27.31		1469.6								
			STD	00200	04-03	34.48	27.39	00.188	1469.6								
			085	00200	04.03	34.480	27.39		1469.6								
			510	00250	04.10	34.60	27.48	00.222	1470.9								
			UBS	00250	04.10	34.600	27.48		1470.9								
			510	00300	04.58	34.72	27.52	00.253	1473.8								
			785	00300	04.58	34.720	27.52		1473.8								
			785	00340	06.12	35.030	27.58		1481.2								
			085	00390	05.00	34.920	27.63		1477.3								
			STO	00400	05.05	34.94	27.64	00.309	1477.7								
			085	00400	05.05	34.940	27.64		1477.7								
			ans.	00420	05.74	35.070	27.66		1481.0								
			085	00455	05.72	35.080	27.67		1481 -5								
			STO	00500	05-13	35.02	27.70	00.358	1479.8								
			285	00500	05-13	35.020	27.70		1479.8								
			510	00600	04.83	35.01	27.73	00.403	1480.2								
			OBS	00600	04.83	35.015	27.73		1480.2								
			STD	00700	04.46	34.98	27.74	00-448	1480.3								
			085	00700	04.46	34.980	27.74		1480.3								
			OBS	00740	04.51	34.980	27.74		1481.2								
			085	00755	04.35	34.980	27.75		1480.8								
			STO	00800	04.46	35.00	27.76	00.491	1482.0								
			085	00300	04.46	35.000	27.76		1482 -0								
			nes	00830	04-55	35.020	27.76		1482.9								
							*****	••••••	•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LING	1	25		DAY	1972 H 04 17 22.3	BOTOP 03550 SHIP EV DATA USE 1 ARFA 05			02		ATNO-DIR MIND-SPO MIND-FOR MENTHER	11	DURA	F DIR	00.3	2	SOUARE SOUARE SOUARE SOUARE 2
CAST	TNUM	/11	46	LVLTYP	DEPTH	TE MP	SAL	SIGMA-T	DAMOBIH	SND VEL)XFG	P)4	TOT P	102	403	5133	P1
				510	00000	03.98	33.11	26.84	00.000	1465 .1							
		22	. 3	285	00000	03.98	33.175	26.84		1465.1							
				510	00010	04.00	33.77	26.83	00.012	1465.4							
				785	00010	04.00	33.775	26.83		1465 -4							
				STD	00020	04.15	33.84	26.87	00.024	1466 - 3							
				085	00020	04-15	33.840	26.97		1466.3							
				STD	00030	04.68	33.94	26.89	00.036	1468.8							
				085	00030	04.68	31.940	26.89		1468 .8							
				STO	00057	06.31	34.21	26.91	00.059	1476.1							
				DBS	00050	06.31	34.210	26.91		1476.1							
				510	00075	06.28	34.24	26.94	00.089	1476.4							
				STO	00100	06.26	34.26	26.96	00.116	1476.8							
				085	00100	06.26	34.265	26.96		1476.8							
				STD	00125	05.52	34.38	27-14	00.142	1474.4							
				OBS	00125	05.52	34.380	27.14		1474.4							
				STO	00150	05.00	34.43	21.25	00.165	1472.7							
				085	00150	05.00	34.430	27.25		1472.7							
				STD	00200	05.74	34.54	21.25	00.208	1476.7							
				510	002 50	05.98	34.68	27.32	00.249	1478 - 7							
				UBS	00250	05.98	34.680	27.32		1478.7							
				SID	00300	05.71	34.84	27.48	00.285								
				785	00300	05.71	34.840	27.48		1478 - 6							
				085	00340	04-44	34.620	27.46		1473.8							
				085	00380	04-46	34-690	27.51		1474.6							
				SID	00400	04.71	34.79	27.56	00.346	1476 - 1							
				085	00400	04.71	34.790	27.56		1476.1							
				OBS	00480	04.56	34.870	27.64		1476.9							
				STD	00500	04.64	34.91	27-67	00.400	1477.6							
				285	00500	04.64	34.910	27.67		1477.6							
				385	00560	04.69	34.950	21.69		1478.9							
				385	005 80	04.60	34.935	27.69		1478.8							
				STO	006 00	04.72	34.98	27.71	00-447								
				095	006 00	04.72	34.980	27.71		1479.7							
				ORS	00420	04.93	35.015	21.12		1481 -0							
				385	006 30	04-60	34.980	27.73		1480.6							
				510	00700	04.80	35.03	27.74	00.492								
				085	00730	04.80	35.030	27.74		1481 -8							
				085	00780	04-42	34.975	27.74		1481.5							
				STO	00800	04.60	35.01	27.15	00.537	1482 - 6							
				985	00800	04.60	35.010	27.75		1482 - 6							
				STO	00300	04.35	34.98	27.76	00.581	1483.2							
				385	00900	04.35	34.985	27.76		1483.2							
				STD	01000	04.28	34.98	27.76	00.626	1484.6							
				285	01000	04.28	34.980	21.76		1484.6							
				085	01050	04.23	34.970	27.76		1485.2							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8296 0057 36 N 24 #	DAY	1972 1 04 18 01.0	SHIP EV DATA USE 1 AREA 05	MET B BARON CLOUD	ULB 05.6 ETR 1007.1	05		ATVD-DIR RCH-DVIR RCH-DVIR SHT ASK	05	DURA	STO RE	00.2	5	N SO 13 SOUARE SOUARE SOUARE
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	101 P	V32	NO3	5133	pd
		STD	00000	04.25	33.70	26.75	00.000	1466.2							
	01.0	nes	00000	04.25	33.700	26.75		1466 - 2							
		STD	00010	04.27	33.68	26.73	00.013	1466.4							
		OBS	00010	04.27	33.680	26.73		1466 .4							
		STO	00020	04-21	33.67	26.73	00.026	1466.3							
		085	00020	04-21	33.670	26.73		1466.3							
		510	00030	04.08	33.63	26.71	00.040	1465.8							
		085	00030	04-08	33-625	26.71	00 044	1465.8							
		310	00050	01.60	33.400	26.74	00.066	1455.1							
		CBS	00050	00.63	33.560	26-93		1451.2							
		085	00063	00.92	33.700	27.03		1452.7							
		085	00070	00.66	33.710	27.05		1451.7							
		STD	00075	00.76	33.75	27.08	00.095	1452 - 3							
		OBS	00075	00.76	33.750	27.08		1452.3							
		STD	00100	02.19	34.06	27.23	00.118	1459.5							
		085	00100	02.19	34.060	27.23		1459 . 5							
		STD	00125	05.73	34.68	27.36	00.138	1475.6							
		085	00125	05.73	34.680	27.36		1475.6							
		STD	001 50	06.33	34.82	27.39	00.157	1478.6							
		nas	00150	06.33	34.820	27.39		1478.6							
		STD	00190	06.65	34.890	27.40		1480.6							
		OBS	00210	04.98	34.580	27.36 *	00.193	1476.0							
		085	00221	05.01	34.660	27.43		1473.8							
		STO	00250	05.04	34.73	27.48	00.228	1474.9							
		085	00250	05.43 P	34.95 P	27.610	00.550								
		OBS	00272	05.06	34.780	27.52 *		1475.4							
		nes	00275	05-23	34.820	27.53		1476.2							
		085	00285	04.98	34-770	27.52		1475.3							
		STD	00300	05.20	34.88	27.58	00.258	1476.6							
		085	00300	05.20	34-885	27.58		1476.6							
		085	00305	05.34	34.880	27.56		1477.3							
		085	00322	05.35	34.870	27.55		1477.6							
		285	00350	05.12	34.870	27.53		1475.7							
		STD	00400	04.86	34.88	27.61	00.312	1476.9							
		085	00400	04.86	34.875	27.61	00.712	1476.9							
		OBS	00405	04.81	34.890	27.63		1476.8							
		085	00470	05.13	34.945	27.64		1479.2							
		STD	00500	05.11	35.01	27.69	00.363	1479.7							
		085	00500	05.11	35.010	27.69		1479.7							
		280	00530	04.89	35.010	27.72		1479.3							
		STD	006 00	04.90	35.02	27.72	00,409	1480.5							
		085	00600	04.90	35.020	27.72		1480 - 5							
		085	00660	04.35	34.980	27.75		1479.0							
		STO	00700	04.20	34.94	27.74	00.454	1479.8							
		OBS	00700	04.20	34.940	27.74	00.434	1479.2							
		STD	00800	04.10	34.94	27.75	00.497	1480.4							
		085	00800	04.10	34.940	27.75		1480.4							
		STD	00900	04.03	34.93	27.75	00-541	1481.8							
		085	00900	04.03	34.935	27.75		1481 .8							
		STD	01000	03.96	34.94	21.76	00.585	1483.2							
		OBS	01000	03.96	34.940	27.76		1483.2							
		OBS	01080	03.92	34.940	27.77		1484.3							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

FF10 31	8296		1972	8010P 02683	AIR			GT PER	AIC-ONE					CORDER		N 25 F
INSEC	0058		1 04	DATA USE 1	WET	SULA 05.0 METR 1005.1	O2 SFA	6 5	#140-57D	1)		RAT	DIR	00.7		SQUARE
NG 048			03.1	AREA 05		7/4	CL/TR		4EA THER	XI			110 11			SOUARE
												•				
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SEGMA-T	DYNDPTH	SND VEL	OXYG	P)4	101	P	402	103	\$133	P4
		STO	00000	03.65	33.69	26-80	00.000	1463.6								
	03-1	OBS	00000	03.65	33,690	26.60		1463.6								
		510	00010	03.66	33.69	26.80	00-013	1463.8								
		785	00010	73.66	33.690	26.80	00 000	1463-8								
		085	200 20	03.66	33.690	26.80	00.025	1464.0								
		STO	00030	03.66	33.69	26.81	00.038	1464.2								
		MAS	000 30	03.66	33.695	26.81		1464 . 2								
		STO	00050	03.67	33.70	26.81	00.063	1464.5								
		085	00050	03.67	33.700	26.81		1464.5								
		510	00075	02.85	33.65	26.85	00.094	1461.4								
		ORS	00075	02.85	33.655	26.85		1461.4								
		510	00100	02.21	33.98	27-16	00.120	1459.4								
		STO	00100	03.56	34.18	27.16	00.143	1465.9								
		STO	00150	03.95	34.31	27.26	00-164	1468.2								
		nes	00150	03.95	34.310	27.26		1468.2								
		795	00165	03.72	34.360	27.33		1467-5								
		SID	00200	04.55	34.63	27.45	00.202									
		085	00200	04-55	34.625	27.45		1471.9								
		085	00212	04.68	34.650	27.46		1472.7								
		nes	00218	04.59	34.640	27.46	00.233	1472.4								
		310	00250	05.06	34.79	27.52	00.235	1475.1								
		085	00270	05.11	34.830	27.55		1475.7								
		OBS	00280	05.09	34.835	27.56		1475.7								
		STO	00300	05.53	35-01	27.64	00.261	1478.1								
		ORS	00300	05.53	35-010	27.64		1478.1								
		OBS	00170	05.01	34.955	27.66		1477.1								
		510 085	00400	04.88	34.93	27.66	00.310	1477.0								
		OBS	00410	04.85	34.955	27.68		1477.1								
		UBS	00423	05.14	34.980	27.66		1478.5								
		nas	00445	05.07	34.980	27.67		1478.6								
		085	00455	04.70	34.970	27.71		1477.2								
		OBS	00490	04.68	34.950	27.69		1477.7								
		STD	00500	04.58	34.94	27.70	00.358	1477.4								
		085	00500	04.58	34.945	27.70		1477.5								
		085	00570	04.19	34.910	27.72		1476.9								
		510	00600	04.18	34.91	27.72	00.403									
		085	00600	04.18	34.915	27.72		1477.4								
		OBS	00648	04.11	34.930	27.74		1477.9								
		785	00678	04.44	34.955	27.72		1479.8								
		ORS	005.80	04.40	35.000	27.76	00.447	1479.8								
		STD	00700	04-52	34.99	27.74	00.447	1480.6								
		510	00800	04.31	34.93	27.72	00.492									
		ORS	00800	04-31	34.930	27.72	000472	1481 .3								
		085	00803	04.25	34.950	27.74		1481 -1								
		085	00820	04.30	34-970	27.75		1481 .6								
		085	00930	04.24	34-965	27.75		1481.5								
		085	00050	04.27	34.970	27.76	00 535	1482.0								
		085	00900	04.05	34.94	27.75	00.538	1481.9								
		QBS	00907	04.05	34.970	27.78		1482.0								
		085	00910	04.08	34.970	27.78		1482.2								
		095	00947	04.02	34.955	27.77		1482.5								
		085	00950	04.06	34.960	27.77		1482 -8								
		085	00980	04-10	34.965	27.77		1483.4								
		STD	01000	04-10	34.94	27.75	00.582									
		OBS	01000	04.10	34.945	27.75		1483.8								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LONG	43	8296 0059 00 N 55 W	TYOM	1972 1 04 14 05-3	AUTOP 01935 SHIP FV DATA USE 1 AREA. 05	BARO	TEMP 05-0 BULB 04-4 METR 1007.4		GT PER	MIND-DIR MIND-SPD MIND-FOR MEATHER	2)	DUPA	STD REI E DIR TION TIP LIC	00.1	2	SOUARE SOUARE SOUARE SOUARE	2
CAS	TNUM.	7114E	LVLTYP	оветн	TEMP	SAL	SISMA-T	DYNDPTH	SNO VEL	DX4.0	P)4	10T P	NOZ	NO3	51)3	*4	
			STD	00000	03.62	33.70	26.81	00.000	1463.5								
		05.3	1185	00000	03.62	33.700	26.81		1441 5								
			510	00010	03.52	33.70	26.81	00.012	1463.7								
			STO	00010	03.62	33.700	26.91		1463.7								
			ORS	00020	03.62	33.70	26.91	00.025	1463.8								
			510	00030	03.59	33.70	26.82	00.037	1463.9								
			285	00030	03.59	33.700	26.82		1463.9								
			510	00050	02-83	33.73	26.91	00.061	1461.0								
			29.5	00050	02.83	33.730	26.91		1461 .0								
			STO	00064	02.33	33.880	27.07	00 000	1459.2								
			DAS	00075	02.40	33.950	27.12	00.000	1459.8								
			285	00089	02.56	34.070	27-20		1460.9								
			285	00093	02.43	34.060	27.21		1460.4								
			STO	00101	02.51	34.13	27.26	00.110	1467.9								
			085	00100	02.51	34.130	27.26		146).9								
			nBS CBS	00109	02.67	34.170	27.27		1461.8								
			510	00125	02.89	34.25	27.32	00 130	1463.1								
			085	00125	02.88	34.255	27.32		1463.1								
			nes	001 30	02.81	34.215	27.30		1462.9								
			STO	00150	03.98	34.47	27.39	00.149	1468.5								
			UBS	00150	03.98	34.470	27.39		1468.5								
			285	00161	04.27	34.480	27.42		1469.9								
			510	00180	04.52	34.56	27.40	00.184	1471.4								
			285	00200	04.53	34.560	27.40	-0.104	1471 -8								
			DAS	00203	04.45	34.610	21.45		1471 -6								
			785	00215	04.90	34.775	27.53		1473.8								
			MAS	002 30	04.93	34-800	27.55		1474.2								
			STD	00242	05.12	34.860	27.57	00 315	1475.3								
			385	00250	05-12 05-12	34.970	27.58	00.219	1475.4								
			085	00267	05.12	34.880	27.59		1475.7								
			STO	00300	05.75	35.04	27.64	00.242	1479.1								
			ORS	00300	05.75	35.740	27.64		1479.1								
			7BS	00310	05.62	35.020	27.64		1478.7								
			785	00329	05.66	35.030	27.66		1479.1								
			STO	00367	04.98	34.96	27.69	00.290	1476.9								
			095	00400	04.82	34.960	27.69	00.270	1476.8								
			785	00430	04.72	34.925	27.67		1476.8								
			STD	00500	04-02	34.90	27.73	00.335	1475.0								
			PBS	005 00	04-02	34.900	27.73		1475.0								
			STO	006 00	03.97	34.91	21.74	00.378	1476.5								
			STO	00700	33.96	34.92	27.75	00.420	1476.5								
			795	00700	03.96	34.920	27.75	-0	1478.1								
			ngs	00730	04.02	34.930	27.75		1479.7								
			STD	00900	04.00	34.92	27.75	00.463	1480.0								
			OBS	00800	04.00	34.925	27.75		1480 .0								
			STO	00900	03.98	34.920	27.75	00.507	1480 -1								
			JBS	00900	04-00	34.940	27.76	30.501	1481.7								
			STO	01000	03.89	34.92	27.76	00.550	1482.8								
			UBS	01000	03.89	34.925	21.76		1487.8								
			ORS	01053	03.96	34.925	27.76		1483.6								
							- 225										
							*****	** ** ***	•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0060 LAT 43 08 N LONG 049 07 M	MONT	1972 4 04 18 07.3	SHIP EV DATA USE 1 AREA 05	MET I		OIR H		4140-71R 4140-520 WIND-FJR 4E414F8	23	DURAT	STO PEC OIR ION IIP IIO	00.2	5	N S2 L SQUARE SQUARE SQUARE	28
CASTNUM/T IME	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	DYNDPTH	SNO VEL	OXAC	P 14	101 6	402	403	51)3	P4	
	STD	00000	03.93	33.79	25.86	00.000	1464.9								
07.3	nes	00000	03.93	33.795	26.86	And the same	1444.9								
	STD	00010	03.92	33.79	26.86	00.012	1465-1								
	STD	00010	03.92	33.795	26.86	00.024	1467.1								
	OBS	00020	03-31	33.805	26.91	00.024	1462.6								
	510	00030	03.38	34.02	27.09	00.034	1463 .4								
	085	00030	03-38	34.025	27.09		1463.4								
	085	00048	03.55	34-020	27.07	00.054	1464.4								
	OBS	00061	03.84	34.075	27.09	00.034	1465.9								
	STD	00075	03.84	34-10	27-11	00.079	1466.2								
	085	00075	03.84	34.105	27.11		1466.2								
	085	18000	03.86	34.100	27-11		1466 .4								
	OBS	00100	03.89	34.22	27.20	00.102	1467.0								
	nes	00110	04.43	34.350	27.25		1469.6								
	795	03117	04.43	34.360	27.25		1469.7								
	STD	00125	04-72	34.46	27.30	00.123	1471 .2								
	085	00125	04.72	34.465	27.30		1471 -2								
	385	00136	04.45	34.420	27.30		1470.2								
	085	00140	04.46	34.500	27.36		1470.4								
	STO	00150	04.87	34.58	27.38	00.142	1472.4								
	085	00150	04.87	34.580	27.38		1472.4								
	085	001 77	04.90	34.640	27.40		1473.0								
	085	00195	05.02	34.680	27.44		1473.9								
	STO	00700	04.21	34.56	27.44	00-177	1470-4								
	085	00215	02.86	34.405	27.45		1464.7								
	510	00225	02.86	34.470	27.50	00.208	1467.9								
	UBS	00250	03-40	34-590	27.54	00.20.	1467.9								
	085	00254	03.33	34.580	27.54		1467.6								
	STD	00300	04.07	34.76	27.61	00.235	1471 .8								
	085	00300	04.07	34.765	27.61		1471.8								
	085	00314	04.16	34.820	27.65		1472.5								
	085	00360	04.30	34.845	27.65		1473.8								
	085	00380	04.29	34.960	27.67		1474-1								
	OBS	00400	04-34	34.88	27.68	00.284	1474.7								
	085	00430	04.40	34.880	27.69		1475.5								
	085	00470	04.37	34.910	27.70		1476.0								
	STD	00500	04.33	34.91	27.70	00,330	1476.4								
	085	005 00	04.33	34.910	27.70		1476.5								
	085	00520	04.25	34.910	27.71		1476 -4								
	085	00560	04.25	34.910	27.71		1477 -0								
	STD	00500	04-14	34.91	21.72	00.375	1477 .2								
	085	00600	04.14	34.910	27.72		1477.5								
	035	006 90	04.05	34.910	21.73		1478.3								
	STD	00700	04.09	34.92	27.73	00.420	1478.7								
	085	00700	04.09	34.920	27.73		1478.7								
	085	00720	04.09	34.910	27.73		1479.0								
	STD	00800	04.02	34.91	27.73	00.464	1480.0								
	085	00800	04.02	34.910	27.73		1480.0								
	085	00840	03.99	34.910	27.74	00 -00	1480 -6								
	STD 085	00900	03.98	34.91	27.74	00.509	1481 - 5								
	085	00940	03.98	34.915	27.74		1482 .2								
	STD	01000	04.02	34.92	27.75	00.555	1483.4								
	nes	01000	04.02	34.925	27.75		1483.4								
					*****		•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0061 LAT 43 18 N LONG 049 20 W	MONTH O	19	RCTOP 00585 SHIP EV DATA USF 1 AREA 05	MET : BARON CLOU	SULB 02.2		F PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	25	DURA	STD REC E DIR TION IIP IIO	00.1	2	N SO LE SQUARE SQUARE SQUARE	28
CASTNUM/TIME	LVLTYP DE	PTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OxeG	P 34	101 P	NOZ	NO3	5133	P4	
		0000	- 0.71	32.97	26.52	00.000	1443.2								
09.2	STD OF	0000	- 0.71 - 0.71	32.975	26.52 25.52 26.52	00-015	1443.2								
	510 00	0010	- 0.71 - 0.74	32.475	26.53	00.030	1443.4								
	INS OC	0020	- 0.74	32.980	26.53		1443.4								
	510 00	0030	- 0.98	33.01	26.57	00. 345	1442.5								
	STD OC	0030	- 0.98 - 1.17	33.015	26.57	00.074	1442.5								
		0050	- 1.17	33.135	26.67		1442.1								
	510 00	0075	- 1.22	33.24	26.76	00.107	1442.4								
	510 00	0100	- 1.20	33.27	26.78	00-139	1443.0								
	510 00	100	- 1.20 - 1.18	33.275	26.78	00.170	1443.6								
	385 00	1125	- 1.18	33.345	26.84		1443.9								
	510 00	150	00.85	33.59	26.94	00.199	1453.7								
		150		33.590	26.94		1450.9								
		170	- 0.25	33.560	25.98		1448.9								
	STO OO	200	00.27	33.84	27.18	00-250	1452 -2								
	STD 00	200	01.56	33.840	27.18	00.290	1452.2								
		276	01.56	34.220	27.40		1459.4								
	STD 00	1300	01.86	34.31	27.45	00.323	1461 -6								
	085 00	300	02.08	34-310	27.45		1461.6								
		356	02.95	34.525	27.53		1467.4								
	085 00	380	03.04	34.540	27.54	00-384	1468.4								
	095 00	400	03.33	34.610	27.56	00-384	1470.1								
		406	03.38	34.625	27.57		1470.4								
		425	03.42	34.670	27.60		1471 -0								
					*****	• • • • • • • • •									
REF10 31 8296	YE 19		BOTOP 00154	AIR		DIR H	GT PER	WIND-DIR	12		STO REC	ORDER		SQUARE	
CONSEC 0062 LAT 43 24 N LONG 049 24 W	MONTH DAY HOUR 10	18	SHIP EV DATA USE 1 AREA 05	BARD CLOU	RULB 02.2 METR 0995.6 D T/A	O6 SFA CL/TR	• •	WIND-FOR		DURA	TION TIP 110	00-1	2	SQUARE	28
CASTNUM/TIME	LVLTYP D	EPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P34	TOT P	NOZ	NO3	5133	P4	
	STD 0	0000	- 0.56	33.03	26-56	00.000	1444.0								
10.3		0000	- 0.56	33.030	26.56	00-015	1444.0								
	085 0	0010	- 0.56	33.030	26.56	00.030	1444-1								
		0020 0020	- 0.56	33.030	26.56		1444.3								
	STD O	0030 0030	- 0.58	33.04	26.57	00.044	1444.4								
	STD 0	0050	- 0.56	33.06	26.59	00.074	1444.8								
		0050 0069	- 0.56 - 0.58	33.085	26.61		1445.1								
					*****		•								
REFID 31 8296	YEAR 197	,	801DP 00060	AIR T	EMP 02 • 8	DIR H		#IND-DIR	12	TAST	STD REC	ne ne e	**	N 50 13	104
CONSEC 0063	MONTH 0	14	SHIP EV	WET 8	ULB 02.8	06		MIND-SPD		TRACE	DIR	0	5	SQUARE	2
LAT 43 27 N LONG 049 31 W	HOUR 11.	2	DATA USF 1 AREA US	CL OUD	ETR 0992.9	SEA CL/TR		WIND-FOR WEATHER	X2	ORIG	119 110	00.1		SQUARE SQJARE	
CASTNUM/TIME	LVLTYP DE	РТН	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL)XYG	P34	TOT P	402	NO3	5133	P4	
		0000	- 0.31	33.08	26.59	00.000	1445.2								
11.2	085 00	0005	- 0.31	33.080	26.59	00.015	1445.4								
	UBS OO	010	- 0.31	33.080	26.59	00.029	1445.4								
	OBS OF	020	- 0.31	33.080	26.59 26.59		1445.5								
		0030	- 0.31 - 0.31	33.08	26.59	00.044	1445.7								
		045	- 0.31	33.090	26.59		1445.9								
					*****	******									

REFID 31 8296 CONSEC 0064 LAT 43 33 N LONG 049 40 M	YEAR 1972 MONTH 04 DAY 18 MOUR 12-5	SOTOP 00057 SHIP EV DATA USE L AREA 05	AIR TEMP 02.8 MET BULB 02.8 BARDMETR 0990.5 CLOUD T/A	DIR HGT PER 06 9 3 SEA CL/TR	AIND-OIR 12 WIND-SPD 30 WIND-FOR WEATHER X5	INST STD RECORDER TRACE DIR DOURATION 02.1 ORIG IIP 110	TEN SQ 1306 5 SQUARE 2 2 SQUARE 28 1 SQUARE 39
CASTNUM/TIME	LALLAD DELLH	TEMP	SAL SIGMA-T	DYNOPTH SND VEL	DAAC 634	TOT P NO2 NO3	S133 PH
12,5	STD 00000 085 00000 STD 00010 085 00020 085 00020 085 00020 085 00030 085 00030 085 00030	00.20 00.20 00.20 00.20 00.20 00.20 00.21 00.21	33.10 26.59 33.100 26.59 33.10 26.59 33.100 26.59 33.09 26.58 33.100 26.59 33.100 26.59 33.100 26.59	00.000 1447.6 1447.6 00.015 1447.7 1447.7 00.029 1447.9 1447.9 00.044 1448.1 1448.3			
REFIN 31 8296 CONSEC 0065 LAY 43 16.0N LONG 050 22.5M	YEAR 1972 MONTH 04 DAY 1H HOUR 15-6	BOTOP 00071 SHIP EV BATA USE I AREA OS	AIR TEMP 03-3 MET BULB 03.3 BARDMETR 0981-0 CLOUD T/A	DIR HGT PER 55 2 2 SEA CL/TR	MIND-DIR 10 MIND-SPD 30 MIND-FOR MEATHER X5	INST STD RECORDER TRACE DIR D DURATION 00-1 ORIG IIP 110	TEN 50 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 30
CASTNUM/TIME	LYLTYP DEPTH	TEMP	SAL SIGMA-T	DYNDPTH SND VEL	0XYG P34	TOT P NO2 NO3	5103 PH
15+6	STD 00000 085 00000 STD 00010 STD 00020 085 00020 085 00030 085 00030 085 00030 085 00040 STD 00050	00.56 00.54 00.54 00.50 00.50 00.26 00.26 - 0.22 - 0.27	33.01 26.49 33.010 26.49 33.010 26.50 33.010 26.50 33.03 26.51 33.03 26.51 33.004 26.53 33.040 26.53 33.050 26.57 33.110 26.62	00-000 1449-1 1449-1 00-015 1449-2 1449-2 00-031 1449-2 00-046 1448-3 1448-3 1448-2 00-075 1448-2			
			*****	*******			
REFID 31 3296 CONSEC 0066 LAT 43 07 N LONG 050 22 W	YEAR 1972 MONTH 04 DAY 18 HOUR 16.8	BOTOP GOORG SHIP FV DATA USE L AREA 05	AIR TEMP 03.3 HET BULB 02.8 BAROMETR 0976.3 CLOUD Y/A	DIR HGT PER 05 6 3 SEA CL/TR	WIND-DIR 1D WIND-SPD 2D WIND-SPD 2D WEATHER X4	INST SYD RECORDER TRACE DIR D DURATION 00.1 ORIG 11P 110	TEN 52 1307 5 SQUARE 1 2 SQUARE 30 1 SQUARE 30
CASTNUM/TIME		TEMP	SAL SIGMA-T	DANDETH SHE VEL	OXYG P34	TOT P NOZ NO3	5133 P4
16.8	STD 00000 085 00000 STO 00010 STD 00020 STD 00020 STD 00020 STD 00030 085 00030 STD 00050	- 0.1A - 0.19 - 0.19 - 0.19 - 0.19 - 0.20	33,16 26,66 33,16 26,66 33,16 27,65 33,17 26,66 33,17 26,66 33,17 26,66 33,17 26,66 33,17 26,66 33,17 26,66 33,17 26,66	00.000 1445.9 1445.9 00.014 1446.1 1446.1 1446.1 1446.2 1446.2 1446.4 00.070 1446.7			
REFID 31 8296 CONSEC 0067 LAT 43 00.0N LONG 050 20.0M	YEAR 1972 MONTH 04 DAY 18 HOUR 18.2	BOTOP 00097 SHIP EY DATA USE 1 AREA 05	AIR TEMP 02-2 WET BULB 01-7 BAROMETR 0976-6 CLOUD T/A	DIR HGT PER 05 6 2 SEA CL/TR	WIND-DIR LT WIND-SPD 27 WIND-FIR WEATHER YS	INST STD RECORDER TRACE DIR D OURATION 00-1 ORIG TIP 110	TEN SO 1307 5 SQJARE 1 2 SQUARE 20 1 SQJARE 30
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGNA-T	DYNOPTH SND VEL	OXYG P34	TOT P NO2 NO3	F4 FC12
16.2	\$TD 00000 085 90000 5TD 00010 5TD 00010 5TD 00020 085 00020 085 00030 085 00040 085 00040 085 00050 085 00050 085 00050	- 0.36 - 0.36 - 0.36 - 0.36 - 0.40 - 0.40 - 0.40 - 0.40 - 0.41 - 0.45 - 0.79	33.17	00-000 1445.1 1445.1 00.014 1445.3 1445.3 00.028 1445.2 1445.2 1445.4 1445.4 1445.4 1445.7 1445.7 1445.7			

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REF10 31 3296 YEAR 1972 CONSEC ORGA MONTH 04 LAT 42 54 N DAY 19 LONG 350 20 H HOUR 19.2	ANTOP 00241 ATH TEMP 02.2 SHIP EV HET BULH 01.7 DATA USE 1 BAROMETR 0973.9 AREA 05 CLOUD 1/4	DIR HGT PER 414D-DIR 13 05 6 3 WIVO-SPD 23 SEA WIVO-F3R CL/TR WEATHER K5	INST STO AECORDER TEN SO 1307 THACE DIR 2 5 SQUARE 1 DURATION 03-1 2 SQUARE 20 URIG IIP 110 1 SQUARE 20
CASTNUM/TIME LYLTYP DEPTH	TEMP SAL SIGNA-T	DYNDPTH SND VEL DXYG P34	TOT P NOS SEDS P4
510 00000	- 0.29 33.09 25.60	00-000 1445.3	
17.2 39.5 00000 STG C0010	- 0.29 33.095 25.60 - 0.29 33.11 26.62	00.014 1445.5	
085 00010 STD 00020	- 0.29 33.110 26.62 - 0.29 33.11 26.62	00.029 1445.7	
345 00020 510 00030	- 0.27 33.110 26.62 - 0.29 33.11 26.62	1445.7 00.043 1445.8	
385 00030	- 0.29 33.110 26.62	1445.8	
STD 00050 085 00050	- 0.31 33.11 26.62 - 0.31 33.110 26.62	00.072 1446.1 1446.1	
STD 000.75	- 0.45 33.12 26.63 - 0.45 33.120 26.63	00.107 1445.8 1445.8	
STD 00100	- 1.03 33.30 26.80 - 1.03 33.300 26.80	00.140 1443.8	
510 00125	- 0.65 33.39 26.86	00.171 1446.1	
00125 STD 00150	- 0.65 33.390 26.86 - 0.57 33.43 26.89	00.201 1447.0	
0HS 00150	- 0.57 33.430 26.89 00.15 33.650 27.03	1447.0	
SYD 00200 085 00200	00.55 33.74 27.08 00.55 33.740 27.08	00.255 1453.3	
		•••••	
REF10 31 8296 YEAR 1972	BOTOP 00988 AIR TEMP 03.3	DIR HGT PER WIND-DIR II	INST STD RECORDER TEN SQ 1307
CONSEC 0069 MONTH 04 LAT 42 47.0N EAY 18	SHIP EV WET BULB 02.8 DATA USE 1 BAROMETH 0970.2	SEA WIND-FOR	TRACE DIR 0 5 SQUARE 1 DURATION 00.3 2 SQUARE 20
LONG 050 30.0W HOUR 20.5	AREA 05 CLOUD T/A	CL/TR WEATHER X4	ORIG TIP 110 1 SQUARE 20
CASTNUM/TIME LYLTYP DEPTH		DYNDPTH SND VEL 3XYG P34	TOT P NO2 NO3 5133 P4
20.5 085 00000	- 0.59 33.00 26.54 - 0.59 33.000 26.54	00.000 1443.8	
STD 00010	- 0.60 33.00 26.54 - 0.60 33.000 26.54	00.015 1443.9	
STD 00020 085 00020		00.030 1444.1	
STD 00030	- 0.65 33.00 76.54 - 0.65 33.000 26.54	00-045 1444-0	
STD 00050	- 0.77 33.04 26.58	00-075 1443-8	
785 00050 785 00070	- 1.05 33.230 26.74	1443.8 1443.1	
STD 00075 DBS 00075	- 1.04 33.25 26.76 - 1.04 33.250 26.76	00.109 1443.3	
STD 00100 085 00100	- 1.02 33.29 26.79 - 1.02 33.290 26.79	00.141 1443.8	
385 00110 STD 00125	- 1.07 33.285 26.79	1443.8	
785 00125	- 0.85 33.385 26.86	1445.2	
STD 00150	- 0.93 33.410 26.88 - 0.45 33.54 26.97	00-200 1447-7	
985 00155 985 00173	- 0.19 33.580 26.99 01.11 33.680 27.00	1449.0	
78 S 00190 STD 90200	- 0.20 33.665 27.06 - 0.07 33.69 27.07	1449.7	
085 00205 085 00240	00.01 33.705 27.08	1450.9	
STD 00250	02.35 34.10 27.24	00.298 1462.7	
085 00265 STD 00300	03.66 34.310 27.29 02.08 34.14 27.30 02.09 34.140 27.30	1468.8 00-340 1462.4	
0 ⁸ S 00300 08S 00330	03.27 34.480 27.47	1462.4	
185 00360 185 00380	02.87 34.480 27.50	1467.3	
STD 00400 785 00400	02.87 34.510 27.53 03.03 34.55 27.55 03.03 34.550 27.55	00.408 1468.7	
1185 00460	04.53 34.830 27.62	1476.4	
STD 00500 285 00500	04.56 34.85 27.63 04.56 34.850 27.63	00.463 1477.2 1477.2	
STD 00600 085 00600	14.52 34.91 27.68	00.514 1478.8 1478.8	
STD 00700 785 00700	04.52 34.910 27.68 04.19 34.89 27.70 04.19 34.895 27.70	00.562 1479.1	
STD 00800	04.11 34.91 27.72	00-609 1480-4	
510 00900	04.11 34.910 27.72 04.09 34.91 27.73 04.09 34.910 27.73	00.655 1482.0	
385 00900		1482.0	
	•••••	•••••	

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT LONG	C	0070 37 N	DAY		SHIP EV DATA USE AREA 05				GT PER	MEATHER MIND-FO MIND-FO	D 2)	DURA	STD R E DIR TION IIP I	OO.2	5	SQUARE SQUARE SQUARE SQUARE	1
CAST	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SND VEL	OXYG	P)4	TOT P	NOZ	NO3	5133	PH	
			STO	00000	00.95	33.25	26.67	00,000	1451.2								
		21.0	085	00000	00.95	33.250	26.67		1451.2								
			STD	00010	00.95	33.25	26.67	00-014									
			085	00010	00.95	33.250	26.67		1451 - 3								
			STD	00020	00.88	33.25	26.67	00,028	1451.2								
			085	00020	00.88	33.250	26.67		1451 -2								
			STD	000 30	00-07	33.27	26.73	00,041	1447.7								
			STO	00050	- 0.91	33.31	26.81	00.067	1443 - 6								
			085	00050	- 0.91	33-315	26.81		1443.6								
			STD	00075	- 0.92	33.38	26.86	00.097	1444.0								
			085	00075	- 0.92	33.380	26.86		1444.0								
			STD	00085	- 0.70	00.430	00.21 *		1400.9								
			085	00100	- 1.24	33.44	26.92	00.127									
			STD	00125	00.05	33.440	26.92	00-152	1443.0								
			085	00125	00.05	33.880	27.22	00-132	1450.0								
			STO	00150	02.43	34.13	27.26	00-173	1461.4								
			STD	00200	04.61	34.40	27.27	00.214	1471.9								
			085	00200	04-61	34.400	27.27	00.214	1471.9								
			085	00215	04-59	34.420	27.28		1472.1								
			085	00235	05.95	34.700	27.34		1478.3								
			STD	00250	05-33	34.61	27.35	00.254	1476.0								
			085	00250	05.33	34.610	27.35		1476.0								
			085	00285	04.81	34-580	27.39		1474.4								
			STD	00300	05.49	34.74	27.43	00.291	1477.6								
			085	00300	05.49	34.740	27.43		1477.6								
			085	00330	06.30	34.900	27.46		1481 .6								
			085	00390	04.16	34.665	27.52		1473.5								
			STO	004 00	04.20	34.71	27.56	00.355	1473.9								
			085	00400	04.20	34.710	27.56		1473.9								
			085	00405	04.90	34.860	27.60		1477.1								
			085 STD	00481	04.60	34.850	27.62		1477-1								
			085	00500	04-48	34.85	27.64	00.410	1476.9								
			085	00517	04.48	34.850	27.66		1476.9								
			085	00538	04.42	34.860	27.65		1477.3								
			085	00573	04.35	34-890	27-68		1477.6								
			STD	00600	05.42	34.96	27.61 *	00.463	1482.6								
			085	00600	05.42	34.960	27.61		1482.6								
			STD	00700	04.10	34.90	27.72	00.514									
			085	00700	04.10	34.905	27.72		1478 - 7								
			085	00740	04-21	34.935	27.73		1479.9								
			085	00745	04-15	34.910	27.72		1479.7								
			085	00762	04-15	34-920	27.73		1480.0								
			STD	00800	04.28	34.95	27.74	00.559	1481 -2								
			085	00800	04-28	34.950	27.74		1481.2								
			085	00860	04.43	34.985	27.75		1482.8								
			STD	00900	04-19	34.95	27-75	00.604	1482.5								
			STD	00900	04.19	34,950	27.75		1482.5								
			085	01000	04-12	34.95	27.76	00-649									
			085	01000	04.12	34.950	27.76		1483-8								
			003	01000	04.10	34.950	27.76		1484-8								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8296 0071 22 N 50 W			SHIP EV DATA USE 1 AREA 05	MET I	SULB 01.1	SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	24	TRACE	DIR	OD.3	3	N SQ 1 SQUARE SQUARE SQUARE	20
CASTNUM	TIME	LVLTYO	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXYG	P)4	TOT P	402	NO3	5133	P4	
		510	00000	02.89	33.56	26.77	00,000	1460.2								
	00.5	กอร	00000	02.89	33.560	76.77		1460 -2								
		STD	00010	02.92	33.58	26.78	00.013	1460.5								
		ORS	00010	02.92	33.580	26.78		1460.5								
		785	00012	02.94	33.585	26.78		1460 .6					3			
		510	00020	02.70	33.54	26.77	00.026	1459.7								
		085	00020	02.70	33.550	26.77		1459.5								
		STO	00030	02.65	33.58	26.81	90.038	1459.7								
		185	00030	02.65	33,580	26.81	40.036	1459.7								
		STD	00050	01.71	33.59	26.89	00-063	1455.9								
		285	00065	01.41	33.680	26.98		1454.9								
		STD	00075	01-41	33.78	27.06	00.090	1455.2								
		JBS	00075	01-41	33-780	27.06		1455.2								
		STO	001 00	02.49	34.02	27.17	00.114	1460.7								
		285	00100	02.49	34-025	27.17		1460,7								
		STD	00125	02.53	34.08	27.21	00.136	1461-4								
		085	00125	02.53	34-080	27-21		1461.4								
		ORS	00139	02.95	34.160	21.24		1463.5								
		STD	00150	03.18	34.20	27.25	00-158	1464.8								
		STD	00180	03.82	34.64	27.27	00-197	1468-1								
		1185	00200	05-48	34.640	27.35	00-197	1475.8								
		085	00203	05.86	34.660	27.32 .		1477.4								
		085	00222	05.42	34.580	27.31		1475.8								
		nes	00245	03.18	34.300	27.33		1466.5								
		510	00250	03.63	34.42	27.38	00.235	1468.6								
		nes	00250	03.63	34.420	27.38		1468.6								
		STO	00300	04.53	34.63	27.46	00.269	1473.5								
		085	00310	04.71	34.670	27.47		1474.5								
		085	00322	04.15	34.640	27-51		1472.3								
		STD	00335	04.31	34.680	27.52	00-334	1473.2								
		085	00400	04.94	34,760	27.51	00-334	1477.1								
		085	00415	04.36	34.780	27.59		1474.9								
		285	00450	04.84	34.930	27.66		1477.7								
		085	00475	04.84	34.910	27.64		1478.1								
		510	00500	04-72	34.92	27.67	00.390	1478.0								
		085	005 00	04.72	34.920	27.67		1478.0								
		085	005 05	04.66	34.930	27-68		1477.8								
		ORS	00530	04.76	34,960	27.69		1478.7								
		STD	00600	04.55	34.94	27.70	00-436									
		085	00600	04.55	34,955	27.71		1479.4								
		STD	00700	04.24	34.92	27.72	00.484	1479.3								
		085	00700	04.24	34.920	27.72	30.404	1479.3								
		085	00757	04.16	34.920	27.73		1479.9								
		STD	00800	04.15	34.92	27.73	00.530	1480 .6								
		085	00800	04.15	34,920	27.73		1480.6								
		510	00900	04.12	34,93	27.74	00.575	1482 -1								
		nes	00900	04.12	34,930	27.74		1482-1								
		085	00940	04.12	34.940	27.75		1482.8								
		STD	01700	04.22	34.96	27.76	00.621	1484-3								
		085 085	01000	04.22	34.965	27.76		1484.8								
					34.960											

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	0 4	DAY	19	DATA USE 1		BULB 02.8 METR 0975.3) T/A			WIND-SPD WIND-FOR WEATHER		DURAT OR IG		00.3	2	AUGZ	RE DO
CASTNUM/T	1#6	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	DXYG	P)4	TOT P	NOZ	NO3	5173	РН	
			00000	03.05	33.44	26.66	00.000	1460 - 7								
		985	00000	03.05	33.440	26.66	00.000	1460.7								
0	1.6	510	00000	03.05	33.44	26.66	00.014	1460.9								
		285	00010	03.05	33.440	26.66	00.014	1460.9								
		510	00020	03.05	33.44	26.66	00.028	1461.0								
		195	00020	03.05	33.440	26.66	00.0-0	1461.0								
		510	00030	03.05	33.44	26.66	00.042	1461.2								
		1185	00030	03.05	33.440	26.66		1461.2								
		STO	00050	03.05	33.44	26.66	00.070	1461.5								
		395	00050	03.05	33.440	26.66		1461.5								
		510	00075	03.05	33.44	26.66	00-104	1461 . 9								
		TAS	00075	03.05	33.440	26.66		1461.9								
		510	00100	02.99	33.48	26.70	00.139	1462.1								
		DAS	00100	92.99	33.480	26.70		1462.1								
		STO	00125	02.19	33.62	26.88	00.171	1459.2								
		nas	00125	02.18	33.620	26.88		1459.2								
		STO	00150	02.23	33.93	27.04	00.199	1460.1								
		085	00150	02.23	33.830	27.04		1460.1								
		1185	00189	02.67	33.880	27.04		1462.8								
		510	00200	02.56	33.93	27.09	00.249	1462.5								
		DBS	00200	02.56	33.930	27.09		1462.5								
		STO	00250	02.23	34.13	27.28	00-294	1462.2								
		095	00250	02.23	34.125	27.28		1462.2								
		STO	00300	02.92	34.24	27.31	00.335	1466 - 2								
		385	00300	02.92	34.240	27.31		1466.2								
		085	00335	03.46	34.330	27.33		1469 - 2								
		DHS	00350	03.27	34.335	27.35		1468.6								
		HBS	00385	03.50	34.420	27.40		1470.3								
		510	00400	03.48	34.42	27.40	00.410	1470.5								
		ORS	00400	03.48	34.420	27.40		1470.5								
		UBS	00420	03.53	34.425	27.40		1471.0								
		OBS	00435	03.67	34.460	27.41		1471.9								
		CAS	00447	03.62	34.455	27.41		1471.9								
		510	00500	03.67	34.51	27.45	00-480	1473.0								
		nas	005 00	03.67	34.510	27.45		1473.0								
		185	00552	02.61	34.400	27.46		1469 - 2								
		510	00600	02.91	34.53	27.54	00.544	1471 -5								
		785	00500	02.91	34.530	21.54		1471.5								
		510	00700	04.76	34.93	27.59	00.603	1481 - 3								
		ORS	00700	04.76	34.830	27.59		1481.3								
		nes	00765	05.16	34.870	21.57	00 442									
		510	00800	05.56	34.98	27-61	00.062	1486.5								
		085	00 900	05.56	34.990	27.61		1486.2								
		785	00840	05.34	34.950	27.62		1484 - 9								
		085	00874	04.90	34.915	27.65	00.720	1485.6								
		510	00900	04.96	34.940	27.65	00.120	1485 - 6								
		OAS	00900	04.96	34.940	27.64		1486.6								
		510	01000	05-02	34.96	27.67	00.775	1487.3								
					34.965	27.67	000.73	1487.3								
		OBS	01000	04.96	34.975	27.68		1488 -1								
		785	01050	4.43	34.415	21.00										

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	510 085 510	00000	TEMP	SAL		CL/TR						P 110				10
05.0	510 085 510	00000	LEMB	SAL				4EATHER	~*	-						- 0
	510				SIJMA-Y	DYNDPTH	SND VEL	DXAC	P 76	101	P	NO2	103	5133	рн	
	STO		09.90	33.50	25.98	00.000	1484 -4									
		00000	08-90	33.500	25.98		1484.4									
		00010	10.70	33.90	25.99	00.020	1491 - 7									
	095	00010	10.70	33.900	75.99		1491.7									
	510	00020	07.29	33.44	26.17	00.040	1478.5									
	STO	00030	05.80	33.30	26.26	00.058	1472.5									
	nes	00030	05.80	33.300	26.26		1472.5									
	510	00050	08.60	34.00	26.42	00.092	1484.7									
	085	00050	08.60	34.000	26.42		1484.7									
	STO	00075	11.40	35.15	26.84	00.128	1496.8									
	005	00075	11.40	35.150	26.84		1496.8									
	510	00100	10.10	34.96	26.92	00.158	1492.3									
	280	00100	10.10	34.960	26.92		1492 - 3									
	510	00125	10-14	35.01	26.95	00.187	1493.0									
	510	00200	10.21	35.04	26.97		1493 -7									
	385	00200	10.40	35.10	26.98	00.272	1495.2									
	085	00220	10.50	35.115	26.97		1495.9									
	095	00238	10.30	35.130	27.02		1495.5									
	STD	002 50	08.59	34.75	27.01	00 327	1488.9									
	nes	002 60	07.80	34.590	27.00	004321	1485.9									
	nes	00270	07.60	34.560	27.01		1485.2									
	STD	00,00	07.50	34.62	27.07	00.381										
	085	00300	07.50	34.620	27.07	00.30.	1485.4									
	OBS	00320	08.60	34.960	27.17		1490.4									
	085	00347	08.40	34.950	27.19		1490 -1									
	085	00352	07.30	34 - 700	27.16 .		1485.6									
	510	00400	07.64	34.87	21.25	00.479										
,	OBS	00408	07.70	34.400	27.26		1488.3									
	OBS	00437	05.80	34.570	27.26		1480.9									
	nas	00450	07.10	34.950	27.39		1486.9									
	STO	00500	07.10	35.02	27.44	00-561	1487.7									
,	085	00500	07.10	35.020	27.44		1487.7									
	STD	006 00	05.80	34.97	27.58	00.629	1484-1									
	785	00600	05.60	34.970	27.58		1484.1									
	STO	00700	05.42	35.00	27.65	00.685	1484.3									
	095	00700	05.42	35.005	27.65		1484.3									
	STO	00400	04.89	35.00	27.71	00.736	1483.8									
	785	00800	04.89	35.000	27.71	ALLEY MALLEY	1483.8									
	510	00900	04.71	35.00	27.73	00.785	1484.7									
	085	00900	04.71	35.000	27.73		1484.7									
	STO	01000	04.45	34.98	21.74	00.832										
	URS	01000	04.45	34.980	27.74		1485.3									
(085	01015	04.39	34.980	27.75		1485-2									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFIN CUNSEC LAT LONG	41	8296 0074 34 N	DAY	1977 1 05 09 08.7	SUTOP 03767 SHIP EV DATA USE L APEA 05			24	GT PER 2 2	#IND-DIR #IND-SPD WIND-FOR WENTABLE	92	DURA	STO REC E DIR Tion IIP 110	00.3	5 2	N SQ 1 SQUARE SQUARE SQUARE	00
CAST	NU-	1146	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	TCT P	NOZ	NO3	5133	P4	
			510	00000	11.30	34-28	26.18	00.000	1494.1								
		C9.7	OBS	00000	11.30	34.285	26.18		1494.1								
			UBS	00006	11.50	34.360	26.21		1495.0								
			STD	00010	11.45	34-60	20-40	00.017	1495.2								
			STO	00020	11.28	34.92	26.68	00.032	1495 .2								
			085	00020	11.28	34.925	26.68		1495.2								
			STD	000 30	11.05	34.88	26.69	00.046	1494.5								
			085	00030	11.05	34.880	26.67		1494.4								
			085	00042	10.97	34.980	26.71		1494.4								
			510	00050	11.01	34.99	26.79	00.073	1494.8								
			UBS	00050	11.01	34.945	26.79		1494-8								
			nas	00065	11.35	35.150	26.85		1496.5								
			285	00070	11.19	35.110	26.85		1495.9								
			STD	00075	11.50	35.22	26.87	00.104	1497.2								
			985	00075	11.50	35.220	26.87		1497 -2								
			OBS	00090	11.96	35-400	26.93		1499.1								
			STD	00100	09.07	34-69	26.88 •	00.134	1488.2								
			08S 51D	00113	08.62	34.640	26.92	00.162	1489.4								
			285	00125	09.20	34.990	27.02	00.101	1489.4								
			085	00128	09.21	34.910	27.03		1499.5								
			085	00140	09.09	34.865	27.02		1489.2								
			STD	00150	09.90	35.18	27-13	00-188	1492.7								
			ORS	00150	09.90	35.185	27.13		1492.7								
			280	00195	09.40	35.100	27.15		1491.5								
			STO	00200	04.36	35.09	27.15	00.236	1491 -4								
			085	00200	09-36	35.090	27.15		1491.4								
			085	00209	09.28	35.140	27.20		1491 -4								
			STD	00222	09.53	35.190	27.20	00.283	1492.6								
			285	00250	09.20	35.165	27.23	00.203	1491.8								
			STO	00300	08.41	35.09	27.30	00.126	1489.5								
			OBS	00100	08.41	35.090	27.30		1489.5								
			CAS	00315	07.84	35.035	27.35		1487.5								
			085	00350	06.60	34.945	27.37		1483.0								
			ORS	00372	06.46	34.880	27.42		1482.9								
			095	00380	06.56	34,955	27.46		1483.5								
			STO	00400	06.46	34.96	27.49	00.402	1483-4								
			085	00400	06.48	34.965	27.49		1483.4								
			OBS	00420	06.38	35.005	27.53		1483.8								
			785	00450	06.38	35.005	21.53		1484.0								
			STO	00500	05.45	34.96	27.61	00.463	1491.0								
			785	00500	75.45	34.960	27.61		1481.0								
			085	00510	05.41	34.990	27.64		1481.1								
			085	00516	05.46	34.980	27.63		1481.4								
			STD	00600	05.15	34.99	21.67	00.516	1481.5								
			OBS	00600	05.15	34.990	27.67		1481.5								
			OBS	00700	04.84	34.97	27.70	00.565	1481.9								
			STO	00700	04.84	34.97	27.74	00.613	1482.5								
			085	00300	04.59	34.990	27.74	00.013	1482.5								
			STO	00900	04.38	34.98	27.75	00.658	1493.3								
			MAS	00900	04.39	34.985	27.75		1483.3								
			STD	01000	04.25	34.98	27.77	00.703	1484.4								
			UBS	01000	04.25	34.980	27.77		1484.4								
			085	01051	04.20	34.980	27.77		1485.1								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC	0075 02 N 16 W	MONT -		SHIP EV DATA USE L AREA 05				GT PER	MIND-DIR MIND-SPD MIND-FOR MEATHER	09	DURAT		00.2	2	CZ N3 PAUCZ PAUCZ PAUCZ	E 1
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DANOBIH	SND VEL	OXY G	P 14	101 P	402	NO3	5133	P4	
		510	00000	13.17	35.10	26.45	00,000	1501.6								
	14.0	085	00000	13.17	35.100	26.45		1501 .6								
		085	00003	13.11	35,200	26.54		1501.5								
		STO	00010	13.94	35.43	26.55	00.015	1504 - 7								
		085	00010	13.94	35.430	26.55		1504.7								
		STO	00020	13-59	35.39	26.59	00,030	1503.6								
		STO	000 30	13.23	35.35	26.63	00.045	1502 .6								
		STO	00050	12.53	35-26	26.71	00.072	1500.4								
		085	00050	12.53	35.265	25.71		1500.4								
		085	00065	06.27	34-020	26.17		1475.9								
		STD	00075	05.54	34.24	26.90	00.104	1477.5								
		nes	00075	06.54	34.240	26.90		1477.5								
		STO	00100	06.92	34.30	26.90	00.133	1479.5								
		UBS	00110	06.97	34.310	26.90		1479.8								
		STD	00125	96.93	34.31	26.91	00.163	1479.9								
		085	00125	06.93	34.310	26.91		1479.9								
		STD	00150	07.80	34.53	26.46	00.192	1484.0								
		085	00150	07.90	34.535	26.96		1484.0								
		085	00189	08.82	34.758	26.98		1488.8								
		STD	00500	07.89	34.58	26.98	00.248	1485.2								
		nes	00210	07.42	34.495	26.98		1483.5								
		085	00225	07.38	34.490	26.98		1483.6								
		STO	00250	08.12	34.74	27.07	00.302	1487.1								
		510	00300	09.07	35.08	27.19	00.352									
		ORS	00310	09.14	35.120	27.20		1492 . 6								
		085	00325	09-29	35.170	27.22		1493.3								
		OBS	00345	08.97	35.100	21.22		1492 -4								
		510	00400	07.96	35.01	27.31	00.442	1449.4								
		nes	00400	07.96	35.015	27.31	are resource	1489.4								
		STO	00500	02.50	34.42	27.49	00.515	1467.9								
		095	00500	02.50	34-425	27.49		1467.9								
		OBS	00530	03.46	34.560	27.51		1472.7								
		085	00540	03.18	34.510	27.50		1471.6								
		785	00549	03.52	34.580	27.52		1473.3								
		1185	00556	03.43	34.555	27.51		1473-0								
		510	005 90	03.78 25.23	34.645	27.55	00.573	1475.0								
		OBS	00600	05.23	34.965	27.64	00.573	1481.8								
		OBS	00610	05.40	34.965	27.62		1482.7								
		085	00640	05.43	34.990	27.64		1483.3								
		STO	00700	05.12	34.98	27.67	00-626									
		785	00700	25.12	34.985	27.67	30.010	1483.0								
		STO	00900	04.88	34.99	27.71	00.676	1483 . 7								
		285	00800	04.88	34.995	27.71	00.010	1483.7								
		STD	00300	04.65	35.00	27.74	00.725									
		985	00900	04.66	35.000	27.74	00.125	1484.5								
		510	01000	04.43	34.99	27.75	00.771									
		085	21200	04.43	34.990	27.75	00.77	1485.2								
		510	01100	04.32	34.99	27.77	00.817									
		085	01100	04.32	34.995	27.77	00.011	1486.4								
		003	000	0				. +00.4								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG	42	8296 0076 21 N	DAY	1972 4 05 09 16-7	BUTOP 02999 SHIP EV DATA USE 1 AREA 05			15	GT PER 0 2	MIND-DIR 19-CPIN MIND-FOR MIND-FOR MIND-FOR	05	DURA	STO RE E DIR TION TIP II	07.3	5 2	SOUARE 2 SOUARE 2 SOUARE 2
CAST	NUM	114E	LALLAb	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P34	1 OT P	NOS	NO3	5133	РН
			STO	00000	12.72	34.96	26.44	00.000	1499.9							
		16.7	285	00000	12.72	34.960	26.44		1499.9							
			STD	00010	12.83	35.01	26.46	00.016	1500.5							
			085	00010	12.83	35.015	26.46		1500.5							
			085	00016	12.89	35.060	26.48		1500.9							
			510	00020	12.78	35.04	26.49	00.032	1500.5							
			085	00020	12.78	35.040	25.49		1500.5							
			510	00030	12.03	34.96	26.57	00.047	1498.0							
			085	000 30	12.03	34.960	26.57		1498-0							
			STD	00050	13.22	35.44	26.71	00.075	1503.0							
			085	00050	13,22	35.445	26.71		1503.0							
			STD	00075	12.60	35.50	26.88	00-107	1501 .4							
			085	00075	12.60	35.500	26.88		1501 .4							
			STO	00100	12.52	35.52	26.91	00.137	1501 -5							
			UBS	00100	12.52	35.520	26.91		(501.5							
			STD	00125	11.37	35.28	26.94	00.166	1497.7							
			STD	00150	08.90	34-80	27.00	00.194	1488.5							
			095	00150	08.90	34.800	27.00		1488.5							
			085	00163	07.10	34.460	27.00		1481.4							
			085	00175	07.92	34.660	27.04		1485.0							
			012	00200	06.55	34.48	27.05	00.248	1481.1							
			085	00211	06.85	34.480	27.05		1481.1							
			210	00211	07.83	34.73	27.11		1482.6							
			085	00250	07.83	34.730	27.11	00.300	1486.0							
			085	00290	06.16	34.520	27.17		1479.8							
			STD	00300	05.64	34.43	27.17	00.348	1477.8							
			085	00302	05-57	34.420	27.17	00.340	1477.5							
			085	00365	08.92	35.130	27.25		1492 .6							
			OBS	00390	08.73	35.065	27.23		1492.2							
			STD	00400	08.25	34.98	27.24	00.441	1490 .4							
			nes	00400	08.25	34.980	27.24		1490.4							
			065	00440	07.73	35.035	27.36		1489.2							
			085	00475	06.52	34.865	27.40		1484 .8							
			STD	005 00	06.15	34.86	27.44	00.523	1483.7							
			085	00500	06.15	34.860	27.44		1483.7							
			085	00515	06.09	34.885	27.47		1483.8							
			085	00536	06.48	35.000	27.51		1485.8							
			085	005 70	05.77	34.945	27.56		1483.5							
			DBS	00590	05.72	34.955	27.57		1483.6							
			210	00600	05.78	34.98	27.59	00.588	1484.1							
			085	00600	05.78	34.985	27.59		1484.1							
			085	00620	05.78	34.960	27.57		1484.4							
			U82	00622	05.67	34.985	27.60	00	1484.0							
			51D	00700	05.20	34.99	27.66	00.644	1483.4							
			510	00800	05.20	34.990	27.66	00 60-	1483 -4							
			OBS	00800	04-94	35.00 35.000	27.70	00.695	1484.0							
			STD	00900	04.68	34.99	27.73	00.744	1484.0							
			OBS	00900	04.68	34.995	27.73	00.144	1484.6							
			STO	01000	04.48	34.99	27.75	00.791	1485.4							
			085	01000	04.48	34.990	27.75	00.141	1485.4							
			OBS	01010	04.47	34.990	27.75		1485 - 5							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

*

CONSE LAT LONG	42	8296 0077 33 N	DAY	1972 H 05 09 19.2	SHIP EV DATA USF 1 AREA 05			12	GT PER 0 2	MIND-DIR MOS-DVIP MIND-FOR MEATHER	1)	TRACE	DIR	OO-1	5	SQUARE SQUARE SQUARE	E 1
C 45	TNU4/	1145	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DYYG	P)4	TOT P	N02	NO3	5133	P+	
			SID	00000	10.87	34 - 32	26.29	00.000	1492.7								
		19.2	085	00000	10.87	34.320	26.29		1492.7								
			510	00010	12.23	34.88	26.47	00.017									
			085	00010	12.23	34.880	26.47		1498.3								
			STO	00020	13.50	35.39	26-61	00-032	1503.3								
			085	00020	13.50	35.386	26.61		1503.3								
			STO	00030	13.75	35.53	26.67	00-046	1504.5								
			085	00030	13.75	35.530	26.67		1504.5								
			OBS	00031	13.61	35.470	26.65		1504 - 0								
			DBS	00045	13.67	35.570	26.71		1504 .5								
			STO	00050	13.50	35.50	26.70	00.073	1504.0								
			095	00050	13.50	35.500	26.70		1504.0								
			nas	00052	13.37	35.460	26.69		1503.5								
			785	00065	13.57	35.550	26.72		1504.5								
			510	00075	13.45	35.50	26.71	00.108	1504 .2								
			085	00075	13.45	35.500	26.71		1504 - 2								
			nas	00080	13.34	35.490	26.72		1503.9								
			SID	00100	13.05	35.49	26.78	00-141	1503 - 3								
			1185	00100	13.05	35.490	26.78		1503.3								
			STD	00125	12.27	35.46	26.91	00.172									
			085	00125	12.27	35-460	26.91		1501.0								
			STD	00150	11.50	35.36	26.98	00.201	1498.6								
			OBS	00150	11.50	35-360	26.99		1498.6								
			STO	00200	09.25	34.87	26.99	00.257	1490.7								
			085	00200	09.25	34.867	26.99		1490.7								
				00230	08.19	34.870	27.16		1487.3								
			510	00240	08.55 08.30	34.920	27.18	00.308	1488.8								
			OBS	00250	07.28 P	34.67 P	27.140+	00.308	1488.1								
			085	00275		34.910			1486.8								
			510	00300	07.86	34.95	27.24	00.353	1486.6								
			785	00300	07.69	34.950	27.30	00.333	1486.6								
			285	00329	07.61	34.910	27.28		1486.7								
			085	00332	07.67	34.960	27.31		1487.1								
			STO	00400	05.75	34.63	27.31	00.435									
			JAS	00400	05.75	34.630	27-31	00.132	1480.2								
			085	00435	04.00	34.500	27.41		1473.3								
			295	00462	04.21	34.625	27.49		1474.8								
			SID	00500	05.83	35.00	27.60	00.505	1482.6								
			UBS	00500	05.83	35.000	27.60	,.,	1487 - 6								
			510	00600	05.37	34.99	27.64	00.561	1482.4								
			ORS	00600	05.37	34.990	27.64		1482 -4								
			STD	00700	05.04	34.99	27.69	00.612	1482 -7								
			085	00700	05.04	34.995	27.69		1482 . 7								
			STO	00300	04.81	35.00	27.72	00.661	1483.4								
			ORS	00800	04.81	35.000	27.72		1483.4								
			STO	00900	04.57	34.99	27.74	00.708	1484.1								
			085	00900	04.57	34.995	27.74		1484.1								
			STO	01000	04.46	35.00	27.76	00.754									
			085	01000	04.46	35.005	27.76		1485.3								
			085	01050	04.37	35.000	27.77		1485.8								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	N DAY	1972 9 05 09 21.2	SHIP EV DATA USE	BARON	ETR 1022-7	26	GT PER	AIND-DIR AIND-SPD WIND-FOR WEATHER	15	DUPA	DIR	CORDER 00.4	5	SQUARE SQUARE SQUARE SQUARE	20
								a carrie		0					-
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SEGMA-F	DYNOPTH	SND VEL	JX¥ G	P)4	101 P	SCH	NO3	\$133	P4	
	STO	00000	05.74	33.22	26.20	00.000	1471.7								
21.2		00000	05.74	33.220	26.20		1471 . 7								
	510	00010	04.45	33-18	26.32	00.018	1466.5								
	085	00010	04.45	33.183	26.32		1466.5								
	095	00017	03.88	33.090	26.30		1464.1								
	085	00020	03.94	33.20	26.39	00.035	1464.5								
	085	00023	04.10	33.205	26.39		1465.4								
	STD	00030	04.54	33.55	26.60	00.050	1467 . 7								
	085	00040	05-16	33.670	26.63	30.030	1470.6								
	DBS	00044	04.56	33.660	26.69		1468.0								
	STO	00050	05.00	33.90	26.83	00.077	1470.4								
	nas	20250	05.00	33.900	26.83		1470-4								
	510	00075	00.75	33.70	27.04	00.105	1452 .1								
	085	00075	00.75	33.700	27.04		1452.1								
	510	00100	05.40	34.20	27.02	00.131	1473.2								
	085	00100	05.40	34.200	27.02		1473.2								
	STO	20125	05.57	34.22	27.01	00-158	1474.4								
	510	00150	05.75	34.25	27.01	00.185	1475.5								
	285	00150	05.75	34.250	27.01	00 227	1475.5								
	OBS	00200	03-37	34.000	27.08 27.08	00.237	1466 .1								
	JAS	00225	00-40	33-900	27.14		1453.2								
	STD	00250	01.08	33.88	27.16	00.285	1456.8								
	085	00250	01-08	33-880	27.16		1456.8								
	085	00255	01.50	33.900	27.15		1458.7								
	195	00258	01.23	34-040	27.28		1457.8								
	1185	00260	01.50	34.040	27.26		1457.0								
	nas	00268	01-19	34.050	27.29		1457.7								
	165	00290	04.94	34.500	27.31		1474.9								
	STO	00300	05.00	34.58	27.36	00.327	1475 -4								
	DBS	00300	05.00	34.60 P	27.380		200								
	OBS	00309	05.24	34.580	27.34 *		1476-5								
	085	00341	03-27	34.420	27.42		1468.3								
	085	00350	02.90	34.400	27.44		1467.0								
	STO	00400	03.12	34.52	27.51	90.396	1469.1								
	285	00400	03.12	34.520	27.51	40.370	1469.1								
	DBS	00430	03.45	34.700	27.62		1471 .2								
	085	00462	04.76	34.860	27.61		1477.4								
	STO	00500	04.38	34.83	27.63	00.452	1476.5								
	785	00500	04.38	34.830	27.63		1476.5								
	ORS	00525	04.15	34.820	27.65		1475.9								
	STD	00600	04.18	34.85	27.67	00.502	1477 - 3								
	285	00500	04-18	34.855	27.67		1477.3								
	STD	00700	04-10	34.88	27.71	00.550	1479.7								
	785	00700	04-10	34.885	27.71		1478.7								
	STD	00800	04.08	34.90	27.72	00.597	1480 - 3								
	STO	00800	04-04	34.905	27.72	00.642	1480.3								
	085	00940	04.17	34.95	27.75	00.642	1483.2								
	085	00940	04.08	34.945	27.76		1483.3								
	STO	01000	04.08	34.94	27.76	00.686	1483.7								
	085	01000	04.09	34.945	27.76		1483.7								
	085	01740	04.15	34.960	27.76		1484.6								
	510	01107	04.15	34.96	27.76	00.732	1485.7								
	285	01100	04.15	34.965	27.76		1485 - 7								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID	31	8296	YEAR	1972	8010P 00395	AIR T	MP 03.9	DIR H	GT PER	WIND-DIR	1)	INST	STO RE	CORDER	1	EN SI	1 307
CONSEC		0079			SHIP EV	WET BE			2 2	4140-5PD		TRACI	DIR)		52:16	RE I
LAT		52 N		09	DATA USE 1		TR 1015.9			WIND-FOR	-	DUPA	TION	07.1			QF 20
LONG	050			22-1	AREA 05			CL/TR		JEA THE ?	*>	ORIG	11P 11	0	1	SOJI	ARE 20
	• • •																
CASI	NUM	TIME	LVLTYP	DEPTH	TEMP	SAL	513#A-T	DYNDPTH	SND VEL	DXA.C	0)4	TOT P	402	103	51)3	B PH	
			STO	00000	02.37	32.84	26.24	00.000	1456.9								
		22.1	085	00000	02.37	32 - 840	26.24		1456.9								
			nes	00007	01.60	32.905	26.35		1453.7								
			STO	00010	01.31	32.90	26.36	00-017	1452.5								
			210	00020	00.68	32.99	76.39	. 00.034	1449.8								
			085	00020	00.68	32.890	26.39		1449.8								
			STD	00030	00.55	32.86	26.38	00.050	1449.3								
			985	00030	00.55	32.865	26.38		1449.3								
			085	00037	- 0-20	32.880	26.43		1446.0								
			STO	00050	- 0.76	32.95	26.51	00.082	1443.8								
			085	00050	- 0.76	32.950	26.51		1443.8								
			STO	00075	- 1.08	33.01	26.57	00.120	1442.8								
			OBS	00075	- 1.08	33-010	26.57		1442.8								
			085	00090	- 1.10	33.050	26.60		1443.0								
			ORS	00093	- 0.93	33.090	26-63		1443.9								
			STO	00100	- 1.01	33.08	26.62	00.156	1443.6								
			085	001 00	- 1.01	33.080	26.62		1443.6								
			STD	00125	03.51	33.61	26.76	00.190	1464.9								
			085	00129	03.66	33.640	26.76		1465.7								
			STD	00150	01 - 89	33.50	26.80	00.222	1458.2								
			085	00150	01.89	33.500	26.80		1458.2								
			085	00162	00-93	33.580	26.93		1454.2								
			nes	00167	01.21	33.585	26.92		1455.6								
			085	00187	- 0.63	33.470	26.92		1447.3								
			085	00199	- 0.67	33.580	27.01		1447.5			-					
			STD	00200	- 0.65	33.60	27.03	00.280	1447.6								
			OBS	00200	- 0.65	33.600	27.03	001200	1447.6								
			URS	00215	- 0.48	33.665	27.07		1448.8								
			085	00226	00.57	33.918	27.22		1454 - 1								
						33.88	27.20	00.327	1454.0								
			STD	00250	00-47	33.885	27.20	00.321	1454.0								
			085						1457.5								
			OBS	00276	01-10	34-020	27.27		1460.3								
			OUS		01.64	34.085		00.369	1460.4								
			SYD	00300	01.64	34-12	27.32	00. 169									
			085	00300	01-64	34-120	27.32		1460.4								
			085	00310	01.70	34-140	27-33		1460.9								
			085	00327	01.71	34.210	27.38		1461 .3								
			088	00339	01.90	34.200	27.36		1462.3								
			082	00345	01.85	34.200	21.30		1462.2								
			085	00345	01.85	34.200	27.36		1462.2								

REFID 31 8296 CONSEC 0080 LAT 43 03 N LONG 050 L3 M	MONT	1972 H 05 10 00.5	SHIP EV DATA USE 1 AREA 05			26		AIND-DIR AIND-SPD AIND-FOR WEATHER	19	DURA	STD REC E DIR TION 110 110	00.1	5	N SQ 13 SQUARE SQUARE SQUARE	20
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P)4	101 P	402	NO3	\$133	P4	
	STO	00000	02.91	32.92	26.26	00.000	1459.4								
00.5	OBS	00000	02.91	32.920	25.26	0.00	1459.4								
	1185	00004	02.85	32.920	26.26		1459.2								
	STO	00010	02.40	32.90	25.28	00.018	1457-3								
	DAS	00010	02.40	32.900	25.28		1457.3								
	STO	00020	01.35	32.86	26.33	00.035	1452-8								
	510	00030	00-60	37.43	26.35	00.752	1447.5								
	DBS	00030	00.60	32.830	26.35		1449.5								
	1195	00037	00-25	32.920	26.44		1449.2								
	085	00045	- 0.40	32.950	20.49		1445.3								
	STO	00050	- 0.52	32.76	76.51	00-084	1444.9								
	185	00050	- 0.52	32.965	26.51		1444.9								
	OHS	00054	- 0.67	32.970	26.52		1444-3								
	785	00059	- 0-67	33-000	26.54		1444.4								
	085	00064	- 0.84	33.010	26.56		1443.7								
	STO	00075	- 0.86	33.03	26.57	00.121	1443.8								
	OBS	00075	- 0.86	33.030	26.57		1443.8								
	OBS	00017	- 0.86	33.030	26.57		1443.8								

Table XIII,—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC JOHL LAT 43 14 N LONG 050 18 #	MONTH OAY HOUR	05	SHIP EV DATA USE 1 AREA 05	ATR TO BARON CLOUD	SULR 03.3	DIR H SEA CL/TR	GT PER	ATVO-DIR WIVO-SPO WIND-FOR JEATHER	11	DUR	STO REI	00.1	2 50	\$2 1307 UARE 1 UARE 20 UARE 30
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-I	DYNOPTH	SND VEL	JXFG	P)4	TOT 6	NU2	103	1112	P4
	510	00000	04.21	32.90	26.12	00.000	1464.9							
91.9	085	00000	04.21	32.900	26.12		1464.9							
	510	00010	03.15	32.80	24.14	00-019	1460.4							
	DAS	00010	03.15	32.800	26.14	00 011	1460.4							
	310	00020	- 0.27	32.800	26.37	00.037	1445.3							
	085	00026	- 0.17	33.010	26.53		1446 . 2							
	OBS	00030	- 0.15	33.01	26.53	00.053	1446.3							
	ORS	00035	- 0.14	33-020	26.54		1446.5							
	STU	00050	- 0.10	33.020	26.54	00.083	1446.7							
	085 085	00050	- 0.0H - 0.07	33.030	26.54		1447.0							
	083	00034	- 0.07	37.070										
REFID 31 8296		1972	8010P 00071	Ale 1		DIR H	GT PER	#IND-DIR			STD REC			52 1306
CUNSEC 0082	DAY	10	DATA USE 1	BARO	HETR 1021.3	SEA	0 X	4140-SPA	1)		TION	00.1		JARE 28
LONG 049 47 W	HOUR	04.3	AREA 05	CLOU	7/4	CLITA		WEA THER	X5		110 110)		JARE 39
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL)XYG	0)4	101 P	NO2	NO3	S133 F	94
04.3	095	00000	01.36	32.88	26.35	00.000	1452.5							
	310	00010	00.41	32.84	26.37	00.017	1448 - 3							
	STD	00020	- 0.46	32.95	26.37	00,033	1448.7							
	STO	00020	- 0.46	32.950	26.49	00.048	1444.7							
	085	00030	- 0.50	32.945	26.49	00,048	1444.6							
	STO	00045	- 0.79 - 0.81	32.990	26.54	00.079	1443.6							
	085 085	00050	- 0.81	32.990	26.54	00.0	1443.6							
	003	00037	0.02	32.990	26-54	,	1443.7							
REFID 31 8296		1972	80 TUP 00199		TEMP 02.2		GT PER	alvo-ola		INS	STD RE	CORDER	TEN	52 1306
CONSEC 0083		10	SHIP EV DATA USE 1	HARD	BULA 02.2 METR 1021.3	O9 SEA	0 X	WIND-SPD WIND-FOR	12	DUR	EDIR	00.1	5 SQ	UARE 28
LONG 049 51 W		35.2	AREA 05		2 1/4	CL/TR		#EA THEA	X 5		110 11	0		JARE 39
CASTNUMITIME	LVETYP	Обртн	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXYG	P)4	101	405	NO3	\$612	рн
05.2	280	00000	01.22	32.78	26.27	00,000	1451.8							
	085	00010	00.26	32.87	26.40	00.017	1447.7							
	STD	00020	- 0-14	37.96	76.41	00.033	1446.0							
	385	00020	- 0.14	32.960	26.41	00.050	1444.8							
	OBS	00030	- 0.44	32.950	25.41	00.	1444 .8							
	STD	00045	- 0.97	32.910	26.48	00.081	1442.6							
	DBS	00050	- 1.07	33.010	26-57		1442.4							
	STO	00075	- 1.11	33.13	26.63	00.116	1442.4							
	085	00075	- 1.09	33.125	26.66		1442.9							
	CAC	00094	- 1.09	33.155	26.68		1443.1							
	STO	00095	- 1.10	33.185	26.71	00.150	1443.2							
	ORS	00100	- 1.06	33.230	26.74		1443.6							
	STO	00116	- 1.04	33.270	26.77	00.182	1444.6							
	085	00125	- 0.96 - 0.87	33.320	26.81		1444.6							
	510	00150	- 0.82	33.45	26.91	00.212	1445.9							
	085	00150	- 0.82	33.450	26.91		1445.8							
	ORS	00160	- 0.79	33.470	26.93		1446.2							
	085	00162	- 0.74	33.515	26.96		1446.5							

REFTO CONSEC LAT LONG O			MONT, DAY	1972	SHIP EV DATA USE ARFA O	L BAF	TEMP 02.8 BULR 01.7 COMETR 1021.0	09	GT PER	MIND-SPD MIND-FOR MEATHER		DURA		00.3	5	SOUAR SOUAR SOUAR	F 28
CASTN	UM/T	I ME	LALLAb	DEPTH	TEMP	SAL	SISMA-F	DYNOPTH	SNO VEL	3X4C	P)4	101 P	NOZ	403	51)3	рн	
			STO	00000	01.25	32.69	26.20	00.000	1451 -8								
	2	6.2	DBS	00000	01.25	32.690		00.000	1451 .8								
	9		DRS	00005	00.36	32.785			1447.9								
			510	00010	00.21	32.83	26.37	00.017									
			085	00010	00.21	32.430			1447.4								
			985	00012	00.06	32.940			1446.8								
			OAS	00015	00.01	32.855			1446 . 6								
			STO	00020	- 0.39	32.88	26.43	00.034	1444 . 9								
			510	00030	- 1.09	32.91	26.49	00.050	1441.9								
			1185	00030	- 1.09	37.915			1441 .8								
			OAS	00044	- 1.31	32.940			1441 -1								
			510	00050	- 1.37	33.06	26.61	00.079	1441.0								
			785	00050	- 1.37	33.060			1441 .0								
			085	00053	- 1.39	33.095			1441 .1								
			ORS	00055	- 1.38	33.145			1441 . 3								
			STO	00075	- 1.07	33.31	26.81	00.113	1443.2								
			DAS	00075	- 1.07	33.310		00	1443.2								
			ORS	00085	- 0.97	33.375			1443.9								
			SIn	001 20	- 0.93	33.39	26.87	00-143	1444.4								
			385	00100	- 0.93	33.395			1444.4								
			510	00125	- 0.87	33.43	26.90	00.172	1445 - 1								
			UB C	00125	- 0.97	33.430			1445.1								
			510	00150	- 0.83	33.44	26.91	00.201	1445.8								
			085	00150	- 0.83	33.445			1445 .8								
			085	00160	- 0.74	33.470			1446.4								
			STO	001 80	- 0.74	33.510	26.96	00.257	1446.8								
			185	00200	- 0.66	33.560		00.237	1447.5								
			085	00225	- 0.53	33.645			1448.7								
			20.5	00234	- 0.53	33.679			1448 - 9								
			STO	00250	- 0.29	33.80	27.17	00.306	1453.4								
			MAS	00250	- 0.29	33-800			1450.4								
			085	00267	- 0.15	33-920			1451.3								
			OB S	00270	00.51	33.935			1454.6								
			085	00289	00.98	34-100			1456.8								
			STO	002 95	01.21	34.100	27.33	00-347	1458.4								
			285	00300	01.26	34.12		00-147	1458.7 1458.7								
			185	00335	01.33	34.125			1459.6								
			OBS	00355	01.63	34.225			1461 -4								
			085	00386	03.38	34.485			1469.9								
			DAS	00395	02.57	34-425			1466.5								
			STO	00400	02.58	34.43	27.49	00.415	1466 . 5								
			285	00400	02.58	34 - 430	27.49		1466.6								
			OBS	00425	02.75	34.490			1467.9								
			STO	00500	03.88	34-74	21-62	00.473	1474.2								
			085	00500	03.88	34.745			1474.7								
			285	00510	03.95	34.780			1474.8								
			ORS	00520	03.87	34.770			1474.6								
			085 510	00550	04.01	34.805	21.65	00.524	1475.7								
			nes	00600	04.08	34.930		30.524	1476.9								
			110 1	20000	04.00	74. 730	21.00		. 410.4								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

FID 31 INSEC IT 42 ING 049	8296 0085 52 N 32 W	MONT	1972 4 05 10 06.2		1 BARD		26	GT PER 2 2	MIND-DIR MIND-SPD MIND-FOR WEATHER	15	TRACE	DIR	00.3	5 2	SQUAR SQUAR SQUAR SQUAR	E .
CASTNUM/	TIME	LALTAD	DEPTH	TEMP	SAL	SIGMA-T	DANDBAH	SND AET	JX4G	P14	TOT P	ADS	403	5133	P4	
		STD	00000	01.04	32.85	26.34	00.000	1451.0								
	08.2	085	00000	01-04	32-850	26.34		1451.0								
		STO	00010	00.10	32.85	26.39	00.017	1446.9								
		085	00010	00.10	32.850	26.19		1446.9								
		085	00020	- 0.64	32.840	26.41	00.033	1443.7								
		SID	000 30	- 0.76	32.98	26.53	09-049	1443.5								
		085	000 30	- 0.76	32,985	26.53	03-047	1443.5								
		nas	000 17	- 0.96	33.100	26.63		1442.8								
		085	00040	- 0.38	33.190	26.69		1445 - 7								
		STO	00050	- 0.90	33.14	26.66 .	00.078	1443-4								
		CBS	00050	- 0.90	33-140	26.66		1443.4								
		085	00055	- 1.07	33.150	26.68		1442.7								
		085	00060	- 0.90	33-180	26.70		1443.6								
		STD	00065	- 1.09	33.235	26.75	00-111	1442.9								
		085	00075	- 0.96	33.290	26.79	00	1443.7								
		065	00080	- 0.94	33.335	25.82		1443.9								
		085	00090	- 0.96	13, 113	26.85		1444.1								
		STD	00100	- 0.69	33.42	26.89	00-141	1444-6								
		085	00100	- 0.89	33.425	26.89		1444.6								
		STO	00125	- 0.61	33.59	27.02	00-169	1446-6								
		085	00125	- 0-61	33.590	27.07		1446.6								
		185	001 35	- 0.58	33.595	27.02		1446.9								
		STD	00150	- 0.63	33-62	27.04	00.194	1446.9								
		085	00181	- 0.63	33.620 33.730	27.04		1446.9								
		STD	00 200	- 0.06	33.63	27-19	00.242	1450.7								
		085	00200	- 0.06	33.835	27.19		1450.7								
		785	00227	00.85	34.090	27.35		1455.6								
		OBS	00240	01.72	34,230	27.40		1459.9								
		STD	00250	01.75	34.23	27.40	00-282	1460.2								
		085	00250	01.75	34.230	27.40		1460-2								
		085	00260	01.76	34.250	27.41		1460.5								
		STD	00300	02-51	34.410	27.49	00.315	1464.3								
		085	00300	02.75	34.455	27.49	00.317	1465.7								
		085	00330	03.49	34.630	27.57		1469.6								
		085	00340	03.66	34-750	27.64		1470.7								
		085	00354	03.68	34.740	27.63		1471.0								
		085	00390	04.33	34.820	27.63		1474.4								
		STO	00400	04.32	34.79	27-61	00.172	1474.5								
		085	004 00	04.32	34.795	27.61		1474.5								
		STD	004 30	04.03	34.785	27.63	00.423	1473.8								
		085	00500	04.16	34.840	27.66	00.423	1475.6								
		STD	00600	04.23	34.00	27.69	00.471	1477.6								
		085	00600	04-23	34.880	27.69		1477.6								
		STD	00700	04-20	34.89	27.70	00.518	1479.1								
		085	00700	04.20	34.895	27.70		1479-1								
		STD	00800	04.13	34.90	27.72	00.565	1480-5								
		085	00800	04-13	34-905	27-72		1480.5								
		085	00850	04.11	34.910	27.72		1401.2								
		STD	00860	04.15	34.920	27.73	00.612	1482.3								
		085	00900	04.15	34.925	27.73		1402.3								
		STO	01000	04.15	34.93	27.74	00.658	1483.9								
		085	01000	04-15	34.930	27.74		1483.9								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSE LAT LONG	C	0086 36 N 28 W	DAY	1972 H 05 10	SHIP EV DATA USE 1 AREA 05				GT PCR 2 3	WIND-DIR WIND-SPD WIND-FOR WEATHER	15	TR A	ATIO	M	00.3	5	EN SOL SQUARE SQUARE SQUARE	28
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P)4	tot	P	402	NO3	\$133	PH	
			STD	00000	01.51	32.33	26.30	00-000	1453.1									
		13.8	nes	00000	01.51	32.835	26.30	CONTRACTOR OF	1453.1									
			STO	00010	00.68	33.05	26.52	00.016	1449.9									
			185	00010	00.68	33.050	20.52		1449.9									
			510	00015	01.67	33.390	26.75	00.030	1453.4									
			510	00030	02.26	33.65	25.89	00.042	1458.0									
			285	00030	02.26	33.650	26.99		1458.0									
			nas	200 38	02.66	33.740	26.93		1460.0									
			095	00040	02.70	33.755	26.94		1460.3									
			STO	00050	03.31	33.88	26.98	00.065	1463.7									
			795	00050	03.31	33.875	25-98		1463.2									
			OBS	00065	00.53	33.620	26.99	00.092	1450.9									
			085	00075	01.11	33.690	27.01	00.042	1453.7									
			785	00087	00.62	33.715	27.06		1451 -8									
			nes	00091	00-76	33.730	27.06		1452.5									
			STD	00100	00.25	33.73	27.09	00.117	1450-2									
			085	001 00	00.23	33.730	27.09		1450.2									
			nas	00106	00.20	33. 785	27.14		1450.3									
			085	00120	01.26	33.970	21.22		1455.5									
			STD	00125	01.16	33.98	21-24	00.140	1455.2									
			STD	00125	01.16	33.980	27.24	00.161	1461.8									
			785	00150	02.51	34.130	27.26	00.161	1461.8									
			nBs	00160	01.50	34,135	27.34		1457.5									
			OBS	001 75	03.46	34.450	27.42		1466 - 7									
			735	00192	03.53	34.445	27.41		1467.3									
			STO	00200	03-36	34.44	27.43	00.199	1466 . 7									
			nes	00200	03.36	34.440	27.43		1466 . 7									
			085	00215	02.33	34.320	27.42		1462.3									
			ORS STD	00250	04.12	34.61	21.49	00-231	1471.0									
			ORS	00250	04.12	34.615	27-49	00.231	1471.0									
			ORS	00272	03.34	34.490	27.47		1467.8									
			STO	00300	05.02	34.91	27.63	00-260	1475.9									
			785	00300	05.02	34.915	27.63		1475.9									
			085	00312	04.81	34.890	27.63		1476.2									
			185	00400	04-85	34.930	27.66		1476.8									
			110	00400	04.69	34.90	27.65	00.310	1476.2									
			085	00425	04.53	34.895	27.67		1475.9									
			085	00475	04.47	34.895	27.67		1476.5									
			STD	00500	04.25	34.86	27.67	00.359	1476.0									
			DAS	00500	04.25	34.865	27.67		1476.0									
			085	00516	04.13	34.870	27-69		1475.7									
			ORS	00554	04.13	34.890	27.71		1476.4									
			085	00600	04.23	34.91	27.71	00.405	1477.6									
			085	00635	04.09	34.900	21.12		1477.6									
			510	00700	04.05	34.90	21.73	00-450	1478.5									
			785	00700	04-05	34.905	27.73		1478.5									
			STO	00800	04-04	34.91	27.73	00.495	1480.1									
			185	009 00	04.04	34.913	27.73		1480 -1									
			095	00825	04.08	34.937	21.75		1480.7									
			STD	00900	04-02	34.92	27.74	00.540	1481.7									
			385	01300	04.02	34.923	21.74	00.585	1481.7									
			085	01000	04.02	34.934	27.75	30. 767	1483.4									
			085	01052	C4.00	34.938	27.76		1484.2									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 3246 CUNSEC 0087 LAT 42 26 N LONG 049 25 W	DAY	1972 + 05 10 13.2	SHIP EV DATA USE 1 AREA 05			17		MIND-SYD MIND-FYR MEATHER	14	DURAL	910	OR DER OO.2	5	SAUCE SAUCE SAUCE SAUCE	E 2
CASTNUM/T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OX V G	P 34	101 P	AJ5	NO3	5133	рн	
	STO	00000	01.34	32.85	26.32	00.000	1452.4								
13.4	785	00000	01.34	32.850	26.32		1452 .4								
	STO	00010	00.07	32.83	26.38	00.017	1446.9								
	985	00010	00.01	32.830	26.34		1446 - 8								
	SID	20020	- 0.66	33.01	26.55	00.033	1443.8								
	785	00020	- 0.66	33.010	26.55		1443.8								
	STO	00030	- 0.85	33.24	26.74	00.047	1443.4								
	285	000 30	- 0.85	33.240	26.74		1443.4								
	STO	00050	- 0.98	33.34	26.83	00.072	1443.3								
	085	00050	- 0.98	33.345	26.83		1443.3								
	STO	00075	01.76	33.55	26.85	00.102	1456.4								
	280	00075	01.76	33.550	26.85		1456 .4								
	STD	00100	01.68	33.63	27.08	00-130	1456.9								
	095	001 00	01.68	33.830	27.08		1456.9								
	385	00112	- 0.05	33.730	21.11		1449.1								
	STO	00125	00.26	33.83	27.17	00.154	1450.9								
	285	00125	00.26	33.830	27.17		1450.9								
	STO	00150	00.80	33.97	21.25	00.175	1454.0								
	185	00150	00.80	33.970	27.25	200	1454.0								
	SID	00200	03.65	34.42	21.38	00.214	1467.9								
	282	00221	04.29	34.580	27.44		1471 -1								
	085	00240	04.59	34.710	27.51		1472.9								
	510	00250	04.27	34.65	27.51	00-247	1471.6								
	285	00250	04.27	34.655	27.51		1471.6								
	STD	00300	05.17	34.85	27.56	00.277									
	280	00300	05.17	34.855	27.56		1476.5								
	085	00319	04.94	34.880	27.61		1475.9								
	085	00350	05.37	34.980	27.64		1478.3								
	STD	00400	05-18	34.92	27.62	00.332	1478.2								
	280	00400	05.19	34.925	27.62		:478 -2								
	095	00410	04.90	34.945	27.66		1477.3								
	085	004 32	05.14	34.965	27.65		1478.7								
	185	004 70	05.07	34.975	27.67	00 10-	1479.0								
	285	00500	04.65	34.93	27.69	00.383	1477.7								
	285	00520	04.85	34.960	27.68		1478.9								
	285	00550	04.51	34.928	27.70		1478.0								
	012	00600	04.39	34.92	27.71	00.429	1478.3								
	DAS	00600	04.39	34.925	27.71	00.424	1478.3								
	STO	00700	04.39	34.92	27.71	00.476	1479.9								
	185	00700	04.38	34.925	27.71	00.416	1479.9								
	STO	00800	04.19	34.94	27.74	00.522	1480.8								
	280	00800	04.19	34.940	21.74	20.00	1480.8								
	STD	00900	04.08	34.94	27.75	00.566	1482.0								
	CBS	00900	04.08	34.940	27.75	00.700	1482.7								
	STD	01000	04.01	34.94	27.76	00-611	1483.4								
	085	01000	04.01	34.940	27.76	00.011	1483.4								
	085	01030	03.94	34.935	27.76		1483.6								
	1303		V	,			. 403.0								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

26.34 26.34 26.34 26.50 26.64 26.64 26.72 26.71 26.71 26.79 26.87 26.87 26.87 26.87 27.11 27.11 27.11 27.11 27.11 27.11 27.27 27.30	00.000 00.016 00.031 00.045 00.071 00.102 00.129 00.151	SNU VEL 1465.0 1465.0 1465.0 1466.3 1466.3 1466.3 1466.6 1466.6 1466.6 1466.6 1466.7 1466.7 1467.7 1467.7)#4¢	P)4	TOT P	AOS	NO3	S133 P4
26.34 26.64 26.64 26.64 26.72 26.71 26.78 26.79 26.87 26.88 26.92 27.11 27.11 27.11 27.27 27.30 27.30 27.30	00.016 00.031 00.045 00.071 00.102 00.129	1465.0 1465.0 1466.3 1466.3 1466.3 1466.6 1466.6 1466.6 1464.6 1465.9 1465.0 1467.0 1467.7 1461.9 1461.9 1461.9 1461.9						
26.34 26.64 26.64 26.64 26.72 26.71 26.78 26.79 26.87 26.88 26.92 27.11 27.11 27.11 27.27 27.30 27.30 27.30	00.016 00.031 00.045 00.071 00.102 00.129	1465.0 1465.0 1466.3 1466.3 1466.3 1466.6 1466.6 1466.6 1464.6 1465.9 1465.0 1467.0 1467.7 1461.9 1461.9 1461.9 1461.9						
26.50 26.64 26.64 26.72 26.71 26.78 26.79 26.87 26.87 26.88 26.92 27.11 27.11 27.12 27.12 27.13 27.30 27.30 27.30	00.031 00.045 00.071 00.102 00.129	1465,0 1466.3 1466.3 1466.6 1466.6 1466.6 1464.6 1465.8 1465.0 1465.0 1465.0 1467.0 1461.9 1461.7 1461.7 1461.7						
26.64 26.72 25.71 26.78 26.79 26.87 26.87 26.88 26.92 27.11 27.11 27.11 27.27 27.27 27.30 27.30 27.30	00.045 00.071 00.102 00.129 00.151	1466.3 1466.9 1466.6 1465.4 1464.6 1464.6 1465.8 1465.0 1465.0 1465.0 1467.0 1461.9 1461.7 1467.7						
26.72 26.71 26.71 26.79 26.79 26.85 26.87 26.88 26.92 27.11 27.11 27.11 27.27 27.27 27.30 27.30 27.30	00.071 00.102 00.129 00.151	1466.9 1466.6 1465.4 1464.6 1464.6 1465.8 1465.0 1465.0 1465.0 1461.9 1461.9 1461.7 1467.7 1467.7						
26.71 26.78 26.79 26.87 26.85 26.88 26.88 26.92 27.11 27.11 27.11 27.17 27.27 27.30 27.30 27.30	00.071 00.102 00.129 00.151	1466.6 1466.6 1465.4 1464.6 1464.6 1465.0 1465.0 1467.0 1461.9 1461.7 1467.7 1467.7						
26.71 26.78 26.79 26.79 26.87 26.88 26.88 26.92 27.11 27.19 27.27 27.30 27.30 27.30	00.071 00.102 00.129 00.151	1466 - 6 1465 - 6 1464 - 6 1465 - 8 1465 - 0 1465 - 0 1461 - 9 1461 - 7 1467 - 7 1467 - 7 1467 - 8						
26.78 26.79 26.87 26.87 26.88 26.88 26.92 27.11 27.11 27.17 27.27 27.27 27.30 27.30 27.30	00.102	1465-4 1464-6 1464-6 1465-8 1465-0 1465-0 1467-0 1461-9 1461-9 1461-7 1467-7 1467-8						
26.79 26.85 26.87 26.88 26.92 27.11 27.19 27.27 27.30 27.30 27.30	00.102	1464.6 1464.6 1465.8 1465.0 1465.0 1467.0 1461.9 1461.7 1467.7 1467.7 1467.7						
26.79 26.85 26.88 26.88 26.88 26.92 27.11 27.11 27.12 27.27 27.30 27.30 27.30	00.102	1464.6 1465.8 1465.0 1465.0 1467.0 1461.9 1461.7 1461.7 1467.7 1467.7						
26.85 26.88 26.88 26.92 27.11 27.11 27.19 27.27 27.30 27.30 27.30	00.129	1464.6 1465.8 1465.0 1465.0 1467.0 1461.9 1461.9 1461.7 1467.7 1467.7 1467.8						
26.87 26.88 26.88 26.92 27.11 27.11 27.19 27.27 27.27 27.30 27.30	00.129	1465.8 1465.0 1465.0 1467.0 1461.9 1461.7 1467.7 1467.7 1467.4 1467.8						
26.88 26.88 26.92 27.11 27.11 27.19 27.27 27.27 27.30 27.30	00.129	1465.0 1465.0 1467.0 1461.9 1461.7 1461.7 1467.7 1467.7 1467.8						
26.88 26.92 27.11 27.11 27.19 27.27 27.27 27.30 27.30	00.129	1465.0 1467.0 1461.9 1461.7 1467.7 1467.7 1467.4 1467.8						
26.92 27.11 27.11 27.19 27.27 27.27 27.30 27.30 27.30	00.151	1467.0 1461.9 1461.9 1461.7 1467.7 1467.7 1467.8 1467.8						
27.11 27.11 27.19 27.27 27.27 27.30 27.30	00.151	1461.9 1461.7 1461.7 1467.7 1467.7 1467.4 1467.8						
27.11 27.19 27.27 27.27 27.30 27.30 27.30	00.151	1461.9 1461.7 1467.7 1467.7 1467.4 1467.8						
27.27 27.27 27.30 27.30 27.30		1467.7 1467.4 1467.8 1467.8						
27.27 27.30 27.30 27.30		1467.7 1467.4 1467.8 1467.8						
27.30 27.30 27.30	00.171	1467.8 1467.8						
27.30	00-171	1467.8						
27.30	00.171	1467.8						
21.31		1404.5						
22 24		1 4 70 7						
27.36		1470.7						
27.46	00.207	1474.9						
27.48		1474.9						
27.46		1475.9						
27.49	00.239	1476.1						
27.49	1	1476.1						
27.56		1471 .8						
27.55	00.269	1472.0						
27.55		1472.0						
27.60		1470.3						
27.63	00-324	1473.1						
27.63		1473.1						
27.67	00-374	1476 - 4						
27.67		1478.4						
27.69	00.422							
	00.422							
	00.469							
27.71		1479.6						
27.72	00.515							
27.72		1481 .1						
27.73		1481.1						
		1482.5						
27 74	00.561							
27.74		1483.5						
27.74	00.607	1407 6						
	27.69 27.71 27.71 27.72 27.72 27.73 27.74 27.74	27.69 27.71 00.469 27.71 27.72 00.515 27.72 27.73 27.74 27.74 00.561 27.74 00.561	27.69 1479.0 27.71 00.469 1479.6 27.72 00.515 1481.1 27.72 1491.1 27.73 1481.1 27.74 00.561 1482.9 27.74 00.561 1482.0 27.74 1482.0	27.69 1479.0 27.71 00.469 1479.6 27.72 1479.6 27.72 1481.1 27.73 1481.1 27.73 1481.1 27.74 00.561 1482.5 27.74 00.561 1482.0	77.69 1479.6 27.71 00.469 1479.6 27.72 1479.6 27.72 1481.1 27.72 1481.1 27.73 1481.1 27.74 00.561 1482.5 27.74 00.561 1482.0	77.69	27.69 1479.0 27.71 00.469 1479.6 27.72 1491.6 27.72 1481.1 27.73 1481.1 27.74 1482.5 27.74 00.561 1482.0 27.74 1482.0	27.69 1479.0 27.71 00.469 1479.6 27.71 1479.6 27.72 00.515 1481.1 27.72 1481.1 27.73 1481.1 27.74 00.561 1482.0 27.74 00.607 1483.5

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	9296 0089 27 N	DAY	1972 4 05 10 23.0		I BARO			T PER	WIND-DIR WIND-S'D WEATHER	15	DURAT		00.5	5 2	SQUARE SQUARE SQUARE SQUARE
CASTNUM	/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	эхуб	P)4	101 P	NO2	403	\$133	P4
		510	00000	10.64	33.72	25.86	00.000	1491 -1							
	23.0	OBS	00000	10.64	33-720	25.86		1491.1							
		510	00010	12.58	34.75	26.30	00.019	1499.3							
		SAS	00020	12.58	34.750	26.41	00 014	1499.6							
		985	00020	12.56	34.890	26.41	00.036	1499.6							
		510	00030	11.06	34.89	26.70	00.051	1494.5							
		nes	00030	11.06	34.890	26.70	00.031	1494.5							
		510	00050	11-07	34.90	26.70	00.078	1494.9							
		STD	00075	11.07	34.93	26.73	00.112	1495-4							
		STO	00100	11-08	34.99	26.77	00.145	1495.9							
		285	00100	11.08	34.990	26.77		1495.9							
		510	00125	11-18	35-11	26.84	00.177								
		STD	001 50	11.29	35-19	26.89	00.209								
		085	00150	11.29	35.190	26.89		1497.7							
		285	00173	10.68	35.740	27.04		1496.0							
		STO	00200	11.00	35.34	27.06	00-265	1497.7							
		OBS	002 00	11.00	35.340	27.06		1497.7							
		STD	00250	09.36	35.08	27.14	00.316	1492 -2							
		085	00250	09-36	35.080	27.14		1492.2							
		CBS	00275	08.76	35.010	27.18		1490.3							
		STO	00300	08.57	35.03	27.23	00.363								
		085	00300	08-57	35.028	27.23		1490.0							
		nes	00305	08.38	35.030	21.26		1489.4							
		085	00315	08.70	35.090	27.26		1490.8							
		URS	00330	07.51	34-900	27.29		1486.3							
		510	00400	06.49	34.84	27.38	00.447	1483.4							
		OBS	00400	06.49	34-940	27-38		1483.4							
		OBS	00421	06.68	34,950	27.44		1484.6							
		ORS	00455	05.87	34.840	27.46		1481.8							
		085	00488	03.30	34.489	27.47	00 617	1471 .2							
		085	00500	03.75	34.56	27.49	00.517	1473.5							
		085	00511	04.53	34,790	27.58		1477.2							
		OBS	00514	04.23	34.740	27.58		1475.9							
		OBS	00560	05.53	34,945	27.59		1482.3							
		510	00,00	05.16	34.93	27.62	00.577	1481.5							
		085	00600	05.16	34.930	27-62		1481.5							
		nes	00632	05.26	34.972	27.64		1482.5							
		085	00660	05.25	34,980	27.65		1482.9							
		STO	00700	05.14	34.98	27.67	00-431	1483-1							
		CAS	00700	05.14	34.984	27.67		1483.1							
		STO	00800	04.71	34.97	27.71	00-481	1483-0							
		OBS	00900	04-71	34.975	27.71		1463.0							
		ORS	00815	04.66	34,980	27.72		1483.0							
		085	00885	04.65	34.982	27.77		1484 -2							
		510	00900	04-58	34.99	27.74	00.729	1484.1							
		DAS	00900	04.58	34,990	27.74		1484.1							
		STO	01000	04.39	34.98	27.75	00.775	1485 -0							
		URS	01000	. 04.39	34.985	27.75		1485.0							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG		0090 N S0	MONT	1972 4 05 11 02.0	SHIP EY DATA USE 1			10	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	37	TRACE DURA		03.5	2	EN SO SOUAR SOUAR SOUAR	E 2
CAST	NUM/	1146	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	JXYG	P)4	TOT P	407	403	\$133	P4	
			510	00000	18.17	36.34	26.27	00.000	1518.6								
	,	02.0	nes	00000	18.17	36.340	25.27		1518.6								
			STO	00010	18.18	36. 35	26.28	00-018	1518.8								
			SHC	00010	18.18	36.350	25.28		1514.9								
			510	00020	18.11	36. 31	76.76	00.035	1518.7								
			510	00020	18.11	36.310	26.26	00 052	1518.7								
			085	000 30	17.61	36.340	26.41	00.072	1517.5								
			ORS	00032	17.58	36-370	26.44		1517.4								
			085	00040	17.59	36- 370	26.44		1517.6								
			STO	00050	17.56	36.36	26.44	00.085	1517.7								
			DAS	00050	17.56	36.365	26-44		1517.7								
			STO	00075	17.39	36.36	26.48	00-125	1517.6								
			STO	00075	17.39	36.360	26.48	00 144	1517.6								
			985	00100	17.26	36.335	26.49	00.164	1517-6								
			510	00125	16.96	36.32	26.55	00-203	1517-1								
			INS	00125	16.96	36.320	26.55		1517-1								
			STO	00150	16.84	36-29	26.56	00.242	1517.1								
			OBS	00150	16.84	36.290	26.56		1517-1								
			CAC	001 70	16.61	36.250	26.58		1516.7								
			CBS	00190	15.64	36.030	76-64		1513.8								
			785	002 30	15.31	35.94	26.64	00.317	1512.8								
			510	00200	15.31	35.940	26.64	00.387	1509.6								
			285	00250	14.11	35.770	26.78	301	1509.6								
			ORS	00290	12.28	35. 305	26.79		1503-6								
			510	00300	12-67	35.47	26.84	00.453	1505.3								
			785	00300	12-67	35.470	26.84		1505.3								
			085	00115	13.07	35.660	26.91		1507-1								
			1185	00340	11.51	35.240	26.89		1501.6								
			STD	00400	09.76	35.05	27.05	00.574	1496.1								
			ORS	00413	09.03	34.950	27-09		1493.5								
			URS	00437	07.26	34,680	27.15		1486.8								
			280	00465	08.36	34.950	27.20		1491.9								
			STD	00500	06.27	34.61	21.23	00.675	1483-9								
			OBS	00500	06.27	34.610	21,23		1483.9								
			285	00513	06.41	34.650	27.24		1484-7								
			785	00560	06-66	34.800	27.33		1476-0								
			085	00597	06.99	34.500	27.35		1488.8								
			STO	00,400	06.81	34.90	27.39	00-760	1488.0								
			185	00600	06.81	14.700	27.39		1488.0								
			ORS	00635	06.04	34,950	27.53		1485.6								
			085	00660	06.23	35.010	27.55		1486 . 9								
			STD	00700	05.98	35.00	27.58	00.831	1486.5								
			OAS	00700	05.98	35.000	27.58		1486-5								
			STD	00747	05-37 05-19	34.950	27.65	00.889	1484.8								
			085	00800	05.19	34.975	27.65	00.007	1485.0								
			STO	00900	04.95	34.99	27.69	00.942	1485.7								
			085	00900	04.95	34.990	27-69		1485.7								
			STO	01000	04.76	34.99	27.72	00.993	1486.5								
			085	01000	04.76	34.990	27.72		1486.5								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFIG CONSE LAT LONG	42	82 00 12 49	91	MONT	1972 H 05 11 10.5	BOTOP 0457 SHIP EV DATA USE AREA				16.1	DIR H 16 SEA CL/YR	ST PER	divo-oir divo-spo wivo-for deather	23	DUPA	FO	IR	OD.6	2	FN S2 I SALCE SALCE SALCE	E 26
CAS	TNUM	/TIM	E	LVLTYP	NEPTH	TEMP		SAL	SIGMA-	-т	DYNOPTH	SND VEL	OXYG	P)4	T OT P		SCA	NO3	5133	P4	
				STD	00000	13.52		5.07	25.36		00.000	1502.7									
		10.	5	085	00000	13.52		5.070	26.36			1502.7									
		• • •		STO	00010	14.47		5.69	26.64		00.015	1506.7									
				085	00010	14.47		5.690	26.64			1506.7									
				085	00013	14.63	3	5.735	26.64			1507 -3									
				STD	00020	14.43		5.71	26.66	•	00.029	1506.8									
				085	00020	14.43		5.710	26.66			1506.8									
				STO	00030	14.28		5.66	26.66		00.043	1506.4									
				085	00030	14.28		5.665	26.66		00.071	1506.4									
				085	00050	13.74		5.545	26.68		00.071	1504.9									
				STO	00075	13.32		5.48	25.72		00.106	1503.8									
				085	00075	13.32		5.485	26.72			1503 - 8									
				nes	00083	13.36		5.480	26.71			1504.0									
				STO	00100	12.93		5.44	26.77		00.139	1502 -8									
				085	00100	12.93		5.445	26.77			1502.8									
				785	00110	13-15		5.540	26.80			1503.8									
				STO	00125	12.37		5.40	26.85		00.171	1501 - 3									
				085	00125	12.37		5-405	26.85			1501.3									
				510	00150	12.42		5.390	26.89		00.201										
				085	00160	09.42		4.790	25.91		00.201	1490.6									
				085	00197	08.01	3	4.492	26.89			1485.5									
				STO	00200	08.15		4.52	26.99		00.262										
				085	00200	08.15		4.520	26.89	•		1486 - 2									
				085	00210	07.83		4.495	26.92			1485.1									
				285	00238	10.50		5.100	26.96			1496 -2									
				085	00246	09.64		4.990	27.02			1493.1									
				STO	00250	09.64		5-09	27.10		00.317	1493.3									
				STD	00250	10.05		5.090	27.10		00.368	1495.8									
				085	00300	10.05		5.220	27.13		00.300	1495.8									
				085	00340	08.33		4.930	27.19			1489.7									
				STO	00400	07.44		4.85	27.26		00.463										
				085	00400	07.44		4.850	27.26			1487.1									
				085	00482	06.66		4.940	27.44			1485.6									
				085	00493	06.49		4.970	27.49			1485 -1									
				STO	00500	06.65		5.04	27.52		00.540	1485.9									
				085	00500	06.65		5.040	27.52			1485 - 9									
				085	00507	07-06		5.090	27.50			1487.7									
				085	00516	06.69		5.070	27.54			1486.7									
				085	00563	06.47		5.010	27.52			1486.2									
				STD	00600	06.13		5.04	27.59		00.602										
				085	00600	06.13		5.040	27.59			1485.5									
				085	00629	05.98		5.070	27.63			1485.5									
				085	00645	06.84		5.260	27.61			1489.4									
				085	006 80	05.82		5.100	27.66			1485.7									
				OBS	00700	05.72		5.06	27.66		00-659	1485.6									
				STD	00700	05.72		5.060			00 711										
				085	00800	05.17		5.04	27.71		00.711	1485.0									
				STD	00900	04.75		5.02	27.74		00.759	1484.9									
				085	00900	04.75		5.020	27.74			1484.9									
				STO	01000	04.54		5.01	27.76		00.805	1485.7									
				085	01000	04.54	3	5.010	27.76			1485.7									

•••••

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 829 CONSEC 007 LAT 42 34 1 LONG 047 30	N DAY	1972 H 05 11 14.5	BUTOP 03813 SHIP EV DATA USE 1 AREA 05			19		MIND-DIR MIND-SPD MIND-FOR MENTAGE	15	DURA	STO REC E DIR TION TIP III	00.2	5	SQUARE SQUARE SQUARE SQUARE	26
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	UTNDPTH	SND VEL	DX#G	P)4	101 P	SCA	NO3	\$133	P4	
	SID	00000	10.52	34.69	26-64	00.000	1491.9								
14.5	nes	00000	10.52	34.690	76.64		1491.9								
	510	00010	07.94	34.30	25.75	30.014	1481.9								
	085	00020	05.88	34.06	26.85	00-056	1473.7								
	510	00079	04.35	33.99	26.97	00.038	1467.5								
	185	00030	04.35	33.790	26.97	00.036	1467.5								
	785	00040	04-60	34.090	27.02		1468.8								
	STO	00050	07.25	34.44	26.96 .	00.060	1480.1								
	085	00055	07.96	34.540	26.94		1483.1								
	STD	00075	06.72	34.44	27-04	00.087									
	085	00075	06.77	34.440	27.04		1478.4								
	385	00100	08.39	34.770	27.05	00.112									
	085	00100	09.67	34.870	27.09	00.112	1486.9								
	STD	00125	07.55	34.70	27.13	00-137									
	ORS	00130	07.41	34.690	27.14		1482.4								
	085	00146	07.15	34.690	27.17		1481 -6								
	STO	00150	07.25	34.74	27.20	00.160	1482-1								
	OBS	00150	07-25	34.740	27.20		1482.1								
	085	00159	07.36	34.760	27.20		1482 - 7								
	785	00189	07.08	34.740	27.23		1482.1								
	nes	00190	07.00	34.690	27.20 .		1481 .8								
	STO	00200	06.76	34-65	27.20	00.206	1480.9								
	OBS	00200	06.76	34.650	27.20		1480.9								
	085	00220	06.30	34.690	27.29		1479.5								
	785	00225	06.67	34.760	27-30		1481.1								
	OBS	00245	05.44	34.590	27.32	00 240	1476.3								
	085	00250	05.11	34.56	27.34	00-248	1472.9								
	ORS	00280	04.62	34.490	27.34		1473.4								
	OBS	00289	04.17	34.490	27.38		1471 - 6								
	STD	00300	04.83	34.59	27.39	00.286	1474.7								
	OHS	00300	04-83	34.590	27.39		1474.7								
	08.5	00315	04.30	34.540	27.41		1472.7								
	085	00340	04.46	34-640	27.47		1473.9								
	OBS	00160	05.04	34.790	27.53		1476.8								
	STO	00400	05.65	34.94	27.57	00.351	1480.2								
	085	00400	05.65	34.940	27.57	00	1480.2								
	OBS	00415	05.79	34.940	27.55		1480.9								
	085	00480	05.55	34.970	27.61		1481.1								
	510	00500	05.92	35.75	27.62	00.407									
	085	00500	05.92	35.050	27.62		1483-1								
	STO	00540	05.68	35.058	27.66	00.460	1482.8								
	085	00600	05.60	35.080	21.69	00.460	1483.5								
	285	00630	05.50	35.065	27.69		1483.5								
	ORS	00667	05.10	35.020	27.70		1482 -5								
	STD	00700	05.12	35.04	27.72	00.508	1483.1								
	085	00700	05.12	35.043	27.72		1483.1								
	085	00730	05.07	35.028	27.71		1483.4								
	510	00800	04.67	35.00	27.73	00.555	1482.9								
	OBS	00900	04.67	34.996	27.73	00.603	1482.9								
	095	00900	04.40	34.930	27.71	00.603	1483.3								
	510	01000	04.25	34.97	27.76	00.650	1484.4								
	785	01000	04.25	34.975	27.76		1484.4								
	085	01021	04.22	34.972	27.76		1484.6								
					*****	** ******	•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSE LAT LONG	C	. 4	8296 0093 1 N	MONT	1972 H 05 11 18.2	SHIP FY DATA USE I AREA OS	WET BARD		30	IGT PER 2 2	#IND-DIR WIND-SPD WIND-FOR WEATHER	25	DURA		02.5	5 2	SQUARE SQUARE SQUARE SQUARE	E 28
CAS	INU	1/1	IME	LVLTYP	DEPTH	TFMP	SAL	SIGNA-T	DYNDPTH	SND VEL	DXY G	P)4	TOT P	102	403	\$133	рн	
				SIN	00000	08-47	34.09	26.51	00,000	1483.5								
		1	3.2	OBS	00000	08.47	34.090	26.51		1493.5								
				085	00008	09-18	34.690	26.87		1487.1								
				STD	00010	09.02	34.66	26.87	00.014	1486.5								
				510	00020	08.41	34.56	26.88	00.025	1484.2								
				085	00030	08.13	34.52	26.90	00.037	1483.3 1483.3								
				STO	00050	08.57	34.65	26.93	00.060	1465.5								
				185	00050	08.57	34.650	26.93	00.000	1485.5								
				085	00063	08.62	34.740	26.99		1486.0								
				510	00075	08.64	34.79	27.03	00-088	14,86 . 3								
				510	00075	08.64	34.790	27.10	00.113	1486.3								
				085	00100	06.45	34.48	27.10	00.115	1477.8								
				085	001 06	06-17	34.410	27.09		1476.7								
				985	00122	07.33	34.690	27.15		1481 . 9								
				STO	00125	07.30	34.66	27.13	00.138	1481 .8								
				385	00125	07.30	34-660	27.13		1481 .8								
				085	00150	06.45	34.54	27.15	00.161	1478.7								
				085	001 90	06-45	34.540	27.15		1476.0								
				STO	00200	05.42	34.49	27.24	00.207	1475.3								
				085	00200	05.42	34.490	27.24		1475.3								
				nes	00212	05.38	34.500	27.26		1475.4								
				280	00222	06.22	34.690	27.30		1479.2								
				085	00250	06.49	34.78	27.34	00.248	1480-9								
				085	00250	06-49	34.780	21.34		1480.9								
				STO	00300	06.49	34.89	27.42	00.285	1481 .8								
				085	00300	06-49	34.890	27.42		1481.8								
				085	00320	06.66	34.950	27.45		1482.9								
				785	00337	06-32	34.880	27.44		1481.7								
				085	00355	06.57	34.990	27.49		1483.2								
				\$10	00400	06.26	34.990	21.51	00.352	1482.8								
				085	00400	06.26	35.000	27.54	00	1482.7								
				nes	00475	05.20	34.920	27.61		1479.6								
				DBS	00489	05.24	34.930	27-61		1480.0								
				STO	00500	05.01	34.90	21.02	00.409	1479.2								
				085	00500	05.01	34.900	27.62		1479.2								
				085	00535	04.90	34.930	27.65		1479.3								
				085	00554	05.24	34.990	27.66		1481 - 1								
				STD	00600	05-24	35.01	27.68	00.462	1481.9								
				nes	00600	05-24	35-010	27.68		1481.9								
				OBS	00630	05.32	35.030	27.68		1482.6								
				nas	00630	05.22	35.010	27.68		1483.1								
				STD	00700	04.87	35.00	27.71	00.511	1482.1								
				OBS	00700	04.89	35.000	27.71		1482.1								
				OBS	C0714	04.95	35.030	27.72		1482.7								
				285	00740	04.58	34.950	27.71		1481.4								
				385	00800	04.36	34.95	27.73	00.558	1481.5								
				085	00821	04.36	34.960	27.74		1481.9								
				085	00830	04-46	34.980	27.74		1482.5								
				OBS	00864	04-35	34.965	27.74		1482.6								
				085	00890	04.45	34.990	21.75		1483.4								
				510	00900	04-41	34-97	27-74	00.603	1483.4								
				085	00942	04.41	34.975	27.74		1483.4								
				STO	01000	04.11	34.95	27.76	00-649	1483.8								
				095	01000	04.11	34.955	27.76	30-049	1483.8								
				085	01052	04.07	34.955	27.76		1484 -5								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8296 0094 57 N 32 W	MONTH DAY HOUR	05 11	SHIP EV DATA USE 1 AREA 05			26 SEA CL/TR		ATMO-DIR MIND-SPD ATMO-FIR MEATHER	25	TRACE		00-3	5	SQUARE SQUARE SQUARE SQUARE	28
CASTNUM	TIME	LVLTYP	DEPTH .	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	JX4 G	P)4	101 p	NOZ	403	5173	P4	
		STD	00000	07.96	34.00	26.52	00.000	1481.5								
	21.1	OBS	00000	07.96	34.000	26.52		1481 .5								
		STD	00010	07.97	34.00	26.51	00.015	1481 .7								
		OBS	00010	07.97	34.000	26.51		1481.7								
		STD	00020	08.02	34-00	26-51	00.031	1482.0								
		085	00020	08.02	34.000	26.51		1482.0								
		SID	000 30	07.73	34.16	26.68	00.045	1481 .3								
		085 085	00030	07.73	34.160	26.68		1481.3								
		510	00050	07.45	34.45	26.94	00.070	1480 - 9								
		085	00050	07.45	34.450	26.94	002070	1480 - 9								
		ORS	00063	07.38	34.410	26.92		1480.8								
		STD	00075	07.54	34.49	26.96	00.098	1481 . 7								
		OBS	00075	07.54	34-490	26.96		1481.7								
		STD	00100	07.55	34.48	26.95	00-126	1482 - 2								
		OBS	001 00	07.55	34.480	26.95		1482.2								
		085	00120	06.19	34.390	27.07		1477-0								
		510	00125	06-26	34.46	27.11	00.153									
		OBS	00125	06 - 26	34.460	27.11		1477.5								
		085	00150	06.34	34.53	27.16	00.177									
		085	00155	06.35	34.540	27.17		1478.4								
		STD	00200	06.20	34.58	27.22	00.222	1478.6								
		085	002 00	06.20	34.580	27.22	00.222	1478.6								
		085	00226	05.75	34.590	27.28		1477.2								
		OBS	00242	05.93	34-690	27-34		1478.4								
		STD	00250	05.78	34.64	27.32	00-265	1477.6								
		OBS	00250	05.79	34.640	27.32		1477.8								
		STD	00300	04.82	34.60	27.40	00-303	1474-7								
		085	00300	04.82	34.600	27.40		1474.7								
		085	00315	04-42	34.610	27.45		1473.3								
		085 085	00335	04.67	34.650	27.46		1474-7								
		085	00393	05.23	34.870	27.57		1473.3								
		STO	00400	05.17	34.84	27.55	00.369	1478.1								
		DBS	00400	05.17	34-940	27.55	00.101	1478.1								
		OBS	00424	05.07	34.850	27.57		1476-1								
		085	00465	04.80	34.865	27-61		1477.7								
		OBS	00490	04.87	34.912	27.64		1478.4								
		STO	005 00	04.73	34.90	27.65	00-424	1478.0								
		085	00530	04.57	34.890	27,66		1477.8								
		085	00575	05.12	35.005	27.69		1481 -0								
		STD	00600	05.00	34.99	27.69	00.474	1480 -9								
		085	006 90	05.00	34.990	27.72		1481.0								
		STD	00700	04.80	35.01	27.73	00.521	1481.8								
		085	00700	04.60	35.013	27.73	30. 721	1481.8								
		STD	00800	04.67	35.01	27.74	00.566	1482.9								
		085	00800	04.67	35,008	27.74	3000	1482.9								
		STO	00900	04.44	35.00	27.76	00-611	1483.6								
		085	00900	04-44	34.999	27.76		1483 - 6								
		STD	01000	04.24	34.98	27.77	00.656	1484.4								
		085	01000	04.24	34.985	27.77		1484-4								
		085	01067	04-17	34.978	27,77		1485.2								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8296 0095 07 N	TACH	1972 4 05 12 01.3	SHIP EV DATA USE I AREA 05				F PER	HIND-SPD HIND-SPD HIND-FIR HEATHER	2)	DURA	E DII		00.4	5	N SO L SQUARE SQUARE SQUARE
CASTNUM	/ T 1 MF	FAFIAb	DEPTH	TEMP	SAL	SISMA-T	DYNDPTH	SND VEL	OxeG	P)4	101	, NO	02	N03	5133	P-1
		srn	00000	05.59	33-62	26-54	00.000	1471.6								
	21.3	OBS	00000	05.59	33.620	26.54		1471 .6								
		STO	00010	05.59	33.62	26.54	00-015	1471.8								
		285	00010	05.59	33.620	26.54		1471 .8								
		510	00020	05.57	33.62	26.54	00.030	1471.8								
		DAS	00020	05.57	33.620	26.54		1471.8								
		510	00030	03-74	33.48	26.63	00.045	1464.2								
		085	00033	03.74	33.480	26.63		1464 . 2								
		085	00034	03-50	33.650	26.78		1463.5								
		510	00050	03.44	33.68	26.91	00.072									
		OBS	00050	03.44	33.680	26-81		1463.5								
		ORS	00070	03.54	33.750	26.86		1464.4								
		210	00075	03.52	33.77	26.88	00.102	1464.4								
		085	00075	03.52	33.770	26.88		1464.4								
		STO	00100	02.67	33.93	27.08	00-129	1461 -4								
		085	00100	02-67	33.930	27.08		1461.4								
		285	00117	03.12	34.130	27.20	00.152									
		510	00125	02.96	34.16	27.24	00.172	1463.3								
		OBS SED	00150	03.70	34.160	27.35	00.172	1467.2								
		085	00150	03.70	34.390	27.35	00.172	1467.2								
		OBS	00150	03.21	34.320	27.35		1465.3								
		STD	00200	04.24	34.58	27.45	00.207	1470.6								
		085	00200	04.24	34.580	27.45	00.20.	1470.6								
		DAS	00211	04.57	34,630	27.45		1472.2								
		085	00220	04.51	34.650	21.47		1472.1								
		385	00241	04.61	34,680	27.40		1472.9								
		OBS	00245	04 - 74	34.780	27.55		1473.7								
		STD	00250	04.71	34.75	27.53	00.239	1473.6								
		nes	00250	04.71	34.750	27.53		1473.6								
		ORS	00274	04.61	34.780	27.57		1473.6								
		STD	00300	04.68	34.92	27.59	00.267	2474-4								
		OBS	00300	04.69	34.920	27.59		1474.4								
		ORS	00329	04.74	34.880	27.63		1475 - 2								
		085	00349	04.91	34.900	21.63		1476.3								
		nes	00365	04.73	34.910	27.66		1475.8								
		STD	00400	04.90	34.93	27.65	00.319									
		285	00407	04.90	34.930	27.65		1477.1								
		STO	00500	04.49	34.90	27.68	00.368									
		OBS	00500	04.49	34.900	27.68		1477.0								
		085	00570	04.46	34.940	27.71		1478.1								
		ORS	00590	04.32	34.915	27.71		1477 -8								
		STO	00600	04.36	34.93	27-72	00.414	1478.2								
		OBS	00600	04.36	34.935	27.73		1478.4								
		STO	00655	04.21	34.925	27.73	00-459									
		085	00700	04.24	34.935	27.73	00.434	1479.3								
		085	20732	04.24	34.935	27.73		1479.8								
		285	90760	04.14	34.915	27.73		1479.9								
		510	00800	04.11	34.92	27.73	00.504	1480 -4								
		085	00900	04.11	34.920	27.73		1480-4								
		STO	00900	04.00	34.91	27.74	00.549	1481 .6								
		280	00900	04.00	34.915	27.74		1481 .6								
		STO	01000	03.92	34.91	27.75	00.594									
		nes	01000	03.92	34.915	27.75		1483.0								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC	31 829 009 43 10 149 18	N DAY	1972 H 05 12 04.5	SHIP EV DATA USE 1 AREA 05	BARD		34	ST PFR 2 3	WIND-SPD WIND-SPD WIND-FOR WEATHER	24	TRAC DURA OR IG	E DI	•	ORDER 00.3	5	SOUA SOUA SOUA	RE 2
CASTA	IUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	DANDELH	SND VEL	OXYG	P)4	TOT P	N	02	NO3	5133	P4	
		510	00000	- 0.11	32.91	26.45	00.000	1445.9									
	04.5	785	00000	- 0.11	32.910	26.45		1445.9									
		SID	00010	- 0.11	32.91	76.45	00.016	1446.0									
		785	00010	- 0.11	32.910	26.45		1446.0									
		510	00020	- 0.11	32.91	26.45	00.032	1446.2									
		785	00023	- 0.11	32.910	25.45		1446.2									
		STO	00030	- 0.11	32.91	26.45	00.048	1446 -4									
		085	00030	- 0-11	32.910	26.45		1446 .4									
		085	00040	- 0.11	32.980	26.50		1446 .6									
		SID	00050	- 0.51	33.08	26.60	00.078	1445.1									
		085	00050	- 0.51	33.090	26.60		1445 .1									
		STD	00075	- 0.78	33.44	26.90	00.111	1444.8									
		CBS	00075	- 0.78	33.440	26.90		1444.8									
		STD	00100	- 0.56	33.48	26.93	00.139	1446.2									
		085	00100	- 0.56	33.480	26.93		1446.7									
		OBS	00103	- 0.72	33.560	27.00		1445.7									
		STD	00125	- 0.35	33.57	27.07	00.166	1447.9									
		1185	00125	- 0.35	13.670	27.07		1447.9									
		085	00147	- 0.08	33.740	27.12		1449.6									
		\$10	00150	- 0.10	33.73	27.11	00.190	1449.5									
		085	00150	- 0.10	33.730	27.11		1449.5									
		OBS	00160	- 0.14	780	27.15		1449.6									
		OBS	001 75	- 0.4	33.810	27.17		1450.5									
		085	00187	- 0.01	33.840	27.19		1450.7									
		SID	00200	00.34	33.70	27.22	00.236	1452.6									
		OBS	00/00	00.34	33.900	27.27		1457.6									
		OBS	00221	00.25	33.890	27.22		1452.5									
		STO	00250	00.72	34.03	27.31	00.277	1455.3									
		DAS	00250	00.72	34.030	27.31		1455 .3									
		510	00300	01.65	34.30	27.46	00.312	1460.7									
		nas	00300	01.65	34.300	27.46		1460.7									
		095	00345	03.11	34.600	27.58		1468.2									
		OBS	00370	03.24	34.610	27.57		1469.2									
		nes	00380	03-58	34.730	27.64		1471.0									
		SID	00400	03.70	34.73	27.62	00,370	1471.8									
		nes	00400	03.70	34.730	27.62		1471.8									
		785	00450	04.02	34-820	27.66		1474.1									
		ORS	00471	04.02	34-820	27.66		1474.5									
		STD	00500	04.09	34.85	27.68	00.419	1475.3									
		185	005 00	04.09	34-850	27.68		1475.3									
		STO	00600	04.10	34.87	27.69	20.466										
		TAS	00600	04.10	34.870	27.69		1477.0									
		SIn	00700	04.13	34. 35	27.68	00-514	1478.8									
		785	00700	04.13	34.861	27.68		1478.8									
		510	00900	04.10	34.90	21.72	00.562	1480 -4									
		ORS	00800	04.10	34.900	27.72		1480.4									
		085	00841	04.09	34.900	27.72		1481 .0									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONS	D 31		96		1972	SHIP EV	366	MET 9		01.7		GT PER	MIND-DIR		TRACE	STO RE	COKDER		SQUAR	
LAT		1 15		DAY	12	DATA USF			ETR ID		SEA		dIVD-FOR		DURA		00.2		SQUAR	
LONG		31			07.2	AREA	05	CLOUS			CL/TR		AEAT-IER	XZ		11P 11			SOUAR	
CA	STNU	/TIM	F	LVLTYP	DEPTH	TEMP		SAL	SIGMA-	-1	DYNOPTH	SND WEL	OXYG	P 14	TOT P	NO2	403	\$133	P4	
				STD	00000	00.37		32.91	26.42	2	00.000	1448.1								
		07.	2	085	00000	00.37		32.910	26.42			1448.1								
				STD	00010	00.37		32.90	26.42		00.016	1448.2								
				nes	00010	00.37		32.900	26.42		the court	1448.2								
				STD	00050	- 0.14		32.89	26.4		00.032	1446.0								
				085	00027	- 0.41		32.880	26.44			1444.9								
				STD	00030	- 0.50		32.95	26.50		00-048	1444.6								
				085	00030	- 0.50		32.950	26,50			1444.6								
				085	000 35	- 0.56		32.950	76.50			1444-4								
				OBS	00045	- 1.00		33.070	26.61			1442.7								
				STD	00050	- 0.93		33-08	26.62		00.078	1443.1								
				285	00050	- 0.93		33.080	26.62			1443.1								
				ORS	00060	- 0.93		33.100	26.63			1443.3								
				OBS	00071	- 1.12		33-140	25.6			1442.7								
				STD	00075	- 1.05		33.22	26.73		00.112	1443.2								
				085	00075	- 1.05		33.220	26.7			1443.2								
				085	00085	- 1.05		33.230	26.74			1443.4								
				STD	00100	- 1.12		33.27	26.76		00.144	1443.3								
				085	00100	- 1.12		33.270	76.71			1443.3								
				085	00116	- 1-12		33.310	26.81			1443.7								
				STD	00125	- 1-06		33.35	26.84		00.175	1444.1								
				280	00125	- 1.06		33.350	26.84			1444.3								
				095	001 36	- 1.06		33-360	26.85			1444.9								
				785	00141	- 0.98		33.420	26.89		00.205	1445.1								
				STD	001 50	- 0.96		33.41	24.89		00.203	1445.1								
				OBS	00150	- 0.96		33.410	26.98			1446.6								
				STO	00200			33.65			00-260	1448.7								
				085	00200	- 0.44		33,650	27.06		00-200	1448.7								
				STD	00250			33.76	27.14		00-308	1451.0								
				085	00250	- 0.16		33,765	27.14		00.309	1451.0								
				003	00267	- 0.01		33.635	21.19			1452 -0								
				ORS	002 75	00.24		33.700	27.73			1453.4								
				085	00275	00-38		33.920	27.24			1454.3								
				085	00296	00.18		33.970	27.29			1453.6								
				STD	00100	00-47		34.01	27.30		00.351	1455.7								
				085	00306	00-69		34.040	27.31		00	1456.1								
				085	00314	00.61		34.070	27.30			1455.9								
				085	00322	01.00		34.070	27.32			1457.9								
				085	00325	00.94		34.030	27.30			1457-1								
				085	00330	00.96		34.080	27.3			1457.8								
				085	00340	01.19		34.090	27.3			1459.0								
				285	00352	01.20		34.080	27.3			1459.3								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	1 8296 0099 3 14 N 9 39 W	THOM	1972 + 05 12 09.0	BOTOP 00073 SHIP EV DATA USE 1 AREA 05	BARO	TEMP 02.8 BULB 01.7 METR 1020.0	30		AIND-DIR MIND-SPO MIND-FOR MEATHER	15	DUR	STO S F DIR ATION G IIP	03.1	
CASTNUM	M/T [MF	LVLTYP	DEPTH	TEMP	SAL	SIGMA-F	DYNDATH	SND VEL	JX₹G	P14	tot	י אסנ	NO3	S(1)3 PH
		sto	00000	01.25	32.95	25.41	00.000	1452.1						
	09.0	280	00000	01.25	32.950	26.41		1452.1						
		510	00010	00.82	32.96	26.44	00.016	1450.4						
		ORS	00020	00.39	32.970	26.47		1449 .6						
		STO	00030	- 0.60	32.940	26.49	00.047	1444 -1						
		GBS	00030	- 0.72	33.030	26.57		1443.7						
		260	00050	- 0.78 - 0.78	33.07	26.60	00.076	1443.8						
REFID 31		YEAR	1972	BUTOP 20046	AIR	TEMP 02.8	DIR H	GT PER	#IND-DIR		INS	r sto a	ECORDER	TEN 50 1306
	0099	DAY	1 05	DATA USE 1	HARO	BULA 01.7 METR 1021.3	30 SEA	5 3	WIND-SPO WIND-FOR	05	TRAC	F DIR)	5 SJUARE 2
	9 26 W		13.4	AREA 05	CLOU	D T/4	CL/TR		MEATHER		ORIS	I I P I	00.1	2 SQUARE 48
CASTNU	A/T EME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	HTAGNYO	SND VEL	DXYG	P34	TOT .	NO2	NO3	S133 P4
		STO	00000	01.46	32.97	26.41	00-200	1453.1						
	13.4	785	00000	01.46	32.970	25.41		1453.1						
		Sta	00010	01.35	32.930 52.94	26.40	00.110	1452 . 6						
		785	00010	01 - 34	32.945	26.40		1452.7						
		OBS	00020	01.31	32.96	26.41	00.033	1452.7						
		STD	00030	01.27	32.96	26.41	00.949	1452.7						
		085	00030	01.27	32.960	26.41		1452.7						
			00033	01.21	32. 403									
	1 8296 0100 3 55 N	HONT	1972 H 05 12	BOTOP 00146 SHIP EV DATA USE L ARFA 05			DIR HI 30 SEA CL/TR	ST PER	MIND-DIR MIND-SPD RCH-DVIM MENTAN	05	TRAC	F DIR	00.1	TEN SQ 1306 5 SQUARE 2 2 SQUARE 28 1 SQUARE 39
CASTNU	M/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNUPTH	SND VEL	OXYG	P14	TOT P	NOS	NO3	S133 P4
		STD	00000	00.80	32.88	25.38	00-000	1450.0						
	15.1	085	00000	00.80	32.980	26.38		1450.0						
		085	00010	00.39	32.93	26.44	00.016	1448-4						
		STO	00020	00.39	32.93	26.44	00.032	1448.2						
		085	00020	00.31	32.930	26.44		1448 -2						
		085	00030	00-24	32.93	26.45	00.048	1448.0						
		nes	00042	- 0.83	33.010	26.56		1443.4						
		STD	00050	- 0.82 - 0.82	33.020	26.57	00.079	1443.6						
		STD	00075	- 1.01	33.09	26.63	00.115	1443.2						
		ORS	00075	- 1.01	33.095	26.63	00.150	1443.2						
		085	00100	- 1.14	33.163	26.69	00-150	1443.1						

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 R296 CONSEC 0101 LAT 43 52 M LONG 04R 57 M	MONT	1972 - 05 12 16.0	BOTOP 00366 SHIP FY DATA USE 1 AREA 05	BARO	TEMP 04.4 BULR 02.8 METR 1022.7 7 T/4		GT PER	HIND-DIR HIND-SPD HIND-FOR HEATHER	50	TRACE DURAN OR IG	DIR	OO.1	2	SQUARE 2 SQUARE 28 SQUARE 38
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DYYG	P34	TOT P	NO	2 NO3	5133	PH
	STO	00000	00.16	32.95	26.47	00-000	1447.2							
16.0	985	00000	00.16	32.955	26.47	00-000	1447.2							
10.0	STO	00010	- 0.06	32.96	26.49	00.016	1446 -4							
	085	00010	- 0.06	32.962	26.49	00.010	1446 -4							
	STD	00020	- 0.08	32.96	26.49	00.031	1446.4							
	285	00020	- 0.08	32.964	26.49	00.0-1	1446.4							
	510	00030	- 1.01	32.98	26.54	00.046	1442.3							
	nes	00030	- 1.01	32.980	26.54		1442.3							
	085	00043	- 1.38	33.200	26.73		1441 -1							
	STO	00050	- 1.26	33.30	26.81	00.074	1441.9							
	785	00050	- 1.26	33.300	26.61		1441.9							
	510	00075	- 1.13	33.37	26.86	00.104	1443.0							
	085	00075	- 1.13	33.370	26.86		1443.0							
	STD	001 00	- 1.09	33.39	26.88	00.134	1443.7							
	085	00100	- 1.09	33.393	26.88		1443.7							
	785	00106	- 0.97	33.460	26.93		1444 .4							
	STD	00125	- 0.95	33.45	26.92	00.163	1444.8							
	nes	00125	- 0.95	33.450	26.92		1444 . 8							
	STD	00150	- 0.78	33.51	26.96	00.191	1446.1							
	DAS	001 50	- 0.79	33.510	26.96		1446 .1							
	DBS	001 76	- 0.48	33.595	27.02		1448.0							
	085	001 96	- 0.52	33.750	27.14		1448.2							
	STD	00200	- 0.28	33.81	27.18	00.241	1449.7							
	DBS	00200	- 0.28	33.910	27-18		1449.7							
	085	00222	00.46	34.029	27.32		1453.7							
	510	00250	00.65	34.07	27.35	00.282	1455 -1							
	085	00250	00.65	34.075	27.35	3202	1455-1							
	ORS	00274	01.18	34.200	27.41		1458-0							
	STO	00300	01-31	34.22	27.42	00.317	1459.1							
	095	00300	01.31	34.222	27.42		1459.1							
	OBS	00313	01.71	34.340	27.49		1461 .2							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT LUNG		8296 0102 48 N	DAY	1972 4 05 12 10.9	SHIP EV DATA USE 1			31	GT PER 2 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	13	TRACE DURAT		03.2	2	SQUARE SQUARE SQUARE	28
CO40	040	•• •	146.034		*****	CENS		certa		men luck	*,	CIK 16	110 11	•		211WK-	,,
CAST	NUM,	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SHO VEL	OXYG	P34	101 P	402	NO3	\$133	P4	
			Sto	00000	00.57	32.93	26.43	00.000	1449.0								
		16.9	ORS	00000	00.57	32.930	26.43	00.000	1449.0								
			510	00010	85.00	37.96	26.47	00-016	1447.9								
			1185	00010	90.28	32.960	26.47		1447.9								
			510	20050	00.26	32.96	26.47	00.032	1448-0								
			28.5	00020	00-26	32.965	75.47		1448.0								
			510	000 30	00.27	32.97	26.48	00.047	1448.2								
			384	00033	00-27	32.972	26.48		1448 .2								
			085	00041	00.27	32-975	25.48		1448.3								
			STO	00050	- 1.24	33.38	26.86	00.075	1441.5								
			185	00050	- 0.89	33-380	26.86	00.075	1443.8								
			185	00060	- 0.A3	33.370	26.85		1444.2								
			285	00062	- 0.93	33-350	26.84		1443.7								
			STO	00075	- 0.93	33.45	26.92	00.104	1444.1								
			1185	00075	- 0.93	33.450	26.92		1444.1								
			085	00090	- 0.75	33.540	26.98		1445.3								
			STO	00100	- 0.11	33.58	27.02	00.131	1445.4								
			185	00100	- 0.11	33.580	27.02		1445.4								
			035	00125	- 0.51	33.72	27.12	00.156	1447-2								
			STO	00125	- 0.51	33.725	27.12	00.179	1447.2								
			185	00150	00.36	33.890	21,21	00.177	1451.9								
			CAS	00163	00.23	33.930	21.25		1451 .5								
			OB 5	00180	00.45	33.975	27.28		1452.9								
			085	00192	00.45	34-010	27.30		1453.1								
			STO	00200	00.84	34-16	27.40	00.219									
			085	005 00	00.84	34.160	27.40		1455.2								
			085	00235	04.67	34.580	27.40		1473.0								
			STO	00250	04.49	34.63	27.46	00.251	1472.5								
			085	00250	04-49	34.630	27.46	00.271	1472.5								
			DAS	00257	04.77	34.700	27.49		1473.9								
			785	20273	03.78	34.580	27.50		1467.9								
			385	00290	03.42	34.560	27.52		1468 - 6								
			STD	00100	03.52	34.59	27.53	00.283	1469.2								
			280	00300	03.52	34,595	27.53		1469.2								
			785	00325	02.99	34.570	27.56		1467.3								
			085	00390	03.49	34.703	27.62		1470.7								
			STO	00400	03.65	34.76	27.65	00-336	1471 -6								
			ORS	00400	03.65	34.760	21.65		1471 .6								
			785	00415	03-86	34.820	27.68		1472.9								
			STO	00500	03.97	34.84	27.69	00.383	1474.8								
			OBS	005 00	03-97	34.845	27.69		1474.8								
			510	00600	04.08	34.88	27.71	00.429	1476.9								
			7BS STD	00500	04.08	34.884	27.71	00.475	1476.9								
			785	00700	04.09	34.891	27.71	00.415	1478.6								
			STO	00 800	04.10	34.91	27.72	00.521	1480.4								
			OBS	00900	04.10	34.909	27.72		1480.4								
			STD	00900	04.09	34.91	27.13	00.568	1482.0								
			1185	00900	04.09	34.908	27.73		1482.0								
			STO	01000	04.09	34.91	27.73	00.615	1483.7								
			085	01000	34.09	34.915	27.13		1483.7								
			1107	01008	04.09	34.917	27.73		1483.8								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC	44	34 N	DAY	1972	SHIP EV	BARD	SULP 01.7	22 56 A	GT PER	WIND-DIR WIND-FOR	12	DURAT	104	03.2	2	SOUAR SOUAR	E 48
LUNG	048	44 4	HUDE	10.7	AREA 05	Cf on	7/4	CL/TR		MEN THE S	X)	ORIG	110 11		1	SQUAR	E 48
C45	INUM/	1146	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	3XYG	P)4	101 P	405	NO3	\$133	94	
			STO														
			085	00000	- 0.14	33.03	26.55	00.000	1445 .9								
		10.7	510		- 0.14	33.030			1445.9								
			085	00010	- 0.14	33.03	26.55	00.015	1446 - 1								
			510	00010	- 0-14	33.030	26.55	00.030	1446.2								
			385	00020	- 0.15	33.030	26.55	00.030	1445.2								
			510	00030	- 0-16	33.03	26.55	00.045	1446.3								
			085	00030	- 0-16	53.030	26.55	00.042	1446.3								
			ORS	00040	- 0.03	33.060	26.56		1447.1								
			570	00450	- 0.10	33.07	26.59	00.075	1447.0								
			085	00050	- 0.10	33.070	26.58	00.073	1447.0								
			085	00050		33.450			1442.9								
			510	00075	- 1-13	33.57	26.92	00.106	1444.5								
			nes	00075	- 0.88	33.570	27.01	00.106	1444.5								
			510	00100	- 0.57	33.75	27.14	00-131	1445.6								
			OBS	00100	- 0.57	33.750	27.14	00.131	1446.6								
			510	00125	- 0.39	33.84	27,21	00.153	1448.0								
			385	00125	- 0.39	33.840	27.21	00.155	1449.0								
			510	00150	- 0.40	33.86	27.23	00.175	1448.3								
			085	00150	- 0.40	33.860	27.23	10.113	1448.3								
			510	00500	00.35	34.06	27.35	00.214	1452.9								
			785	00500	00.35	34.060	27.35	00.2.4	1452.9								
			513	00250	01.11	34.24	27.45	00 140	1457.5								
			nes	00250	01.13	34.240	27.45	00.247	1457.5								
			510	00300	02.01	34.46	27.56	00.279	1462.5								
			085	00:00	02.01	34,460	27.56	00.214	1462.5								
			DAS	00332	02.95	34.600	27.59		1467.3								
			DAS	00350	02.78	34.560	27.58		1466.8								
			085	00330	03.77	34.750	27.64		1471 -6								
			510	00400	03.77	34.77	27.65	00.330	1472.2								
			095	00400	03.77	34.770	27.65	00.550	1472.2								
			265	00450	04.00	34.810	21.66		1474.0								
			510	00500	03.97	34.62	27.67	00.379	1474.7								
			035	00500	03.97	34.920	27.67	00.317	1474.7								
			085	00540	04.16	34.860	27.68		1476.2								
			STO	00500	04.26	34.88	27.68	00 427	1477.7								
			285	00500	04.26	34.880	27.68	134.00	1477.7								
			STO	00700	04.19	34.88	27.69	00-475	1479.0								
			780	00700	04.19	34.880	27.69	00.415	1479.0								
			STD	00800	04.11	34.88	27.70	00.523	1480-4								
			nes	109 00	04-11	34.880	27.70	30.723	1480.4								
			280	00957	C4.37	34,940	27.72		1482.4								
			012	00900	04-28	34.94	27.73	00.571	1482.9								
			Ob S	00900	04.28	34.940	27.73	90 1	1482.8								
			085	00940	04.22	34.920	27.72		1483.2								
			510	01000	04.22	14.92	27.12	00.618									
			185	01000	04.22	34.920	27.72	00.010	1484.2								
			085	01060	04.18	34.920	27.73		1485.1								
			110.2	11000	04.10	34. 150	61413		. 403 4 5								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LENG	C 44	829 011 37 56	MONT	1972 1 05 14 12.4	BOTOP 00677 SHIP EV DATA USE 1 AREA 05			24		AIND-DIR WIND-SPD AIND-FOR WEATHER	04	DURAT	DIR	07.1	2	N SO L SOUARE SOUARE SOUARE	.2
CAS	TNU4	/114E	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	DYNOPTH	SND VEL	JXY G	P74	INT P	102	403	5173	01	
			STO	00100	00.67	32.90	25.40	00.000	1449.4								
		12.4	085	00000	00.67	32.900	25.40	00.000	1449.4								
			510	00010	00.61	32.90	76.40	00.016	1449.3								
			095	00010	00.61	32.900	26.40		1449.3								
			STO	00020	- 0.53	32.90	25.38	20.033	1444-1								
			385	00020	- 0.53	32.400	26.38	30.022	1444 - 1								
			510	00030	- 1.06	33.05	26.60	00.048	1442 .2								
			OBS	00030	- 1.06	33.050	26.60		1442.2								
			510	00250	- 1-18	33-22	26.74	00.076									
			GBS	00050	- 1.18	33.220	26.74		1442 .2								
			STO	00075	- 1.23	33.34	25.84	00.108	1442.5								
			385	00075	- 1.23	33.340	26.94		1442.5								
			STO	001 00	- 0.91	33.48	25.94	00.137	1444.6								
			DAS	00100	- 0.91	33.480	26.94		1444.6								
			STO	00125	- 0.53	33.67	27.08	00.163	1447.1								
			OBS	20125	- 0.53	33.670	27.08		1447.1								
			2 AC	001 31	- 0.80	33.650	27.07		1445.9								
			STO	20150	- 0.60	33.75	27.15	00.187	1447.3								
			UBS	00150	- 0.60	33.750	27.15		1447.3								
			085	00169	- 0.27	33.350	27.21		1449.2								
			785	00185	- 0.21	33.960	21.22		1449.5								
			510	00500	- 0.03	33.92	27.26	00.231	1451.0								
			785	00200	- 0.03	33.920	27.26		1451 -0								
			395	00250	00.45	34-035	27.32		1453.6								
			STO	00250	00.65	34.10	27.37	00.269	1455.1								
			785	00250	00.65	34-100	21.37		1455.1								
			510	00300	01.15	34.27	27.47	00.303	1458.4								
			085	00300	01.15	34.270	21.47		1458.4								
			TAS	00352	01.81	34.400	27.53		1462.4								
			STO	00400	01.95	34.42	27.54	00.363	1463.9								
			085	00400	01.95	34.425	27.54		1463.9								
			095	00421	01.99	34.445	27.55		1464-4								
			285	00443	02.31	34.510	27.59		1466.3								
			285	00454	02.72	34.570	27.59		1468-3								
			510	00500	03-23	34.71	27.65	00.416	1471.4								
			285	00500	03.23	34.710	27.65		1471 -4								
			OHC	00550	03.74	34.920	27.69		1474.6								
			STO	005 70	03.94	34.984	27.72	00 143	1475.9								
			085	20600	03.98	34.88	27.72	00.463									
			785	006 00	03.98 03.99	34.885	21.12		1476.5								
			101	00034	173.99	34.840	21.12		1419.0								
							****	*******									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

LONG		8296 0115 38 N 06 W	MONTH DAY HOUR	1 05	SHIP FY DATA USE 1 AREA 05			OIR H 24 SFA CL/TP	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	05	TRAC	E DIR	OO.1	
CAST	NU4/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DX4 C	P34	101 0	402	403	5133 P4
			STD	00000	00.60	32.93	25.43	00-000	1449.2						
		13.5	085	00000	00.60	32.930	25.43		1449.2						
		-	STD	00010	00.51	32.94	26.44	00.016							
			nes	00010	00-51	32.943	26.44		1448.9						
			STD	00027	00.46	32.94	26.44	00.032							
			085	00020	00.46	32.940	20.44		1448.9						
			STD	00030	00.22	32.92	26.44	00.048	1447.9						
			083	00030	00.22	32.918	26.44		1447.9						
			nes	00039	00.01	32.960	26.48		1447 -1						
			STO	00050	- 0.01	32.97	26.49	00.079	1447.3						
			085	00050	- 0.01	32.973	25.49		1447.3						
			STO	00075	- 0.01	32.98	26.50	00-118	1447.7						
			085	00075	- 0.01	32.978	26.50		1447.7						
			76	00095	00.00	32.975	26.50		1449.0						
			STD	00100	- 0.05	32.97	26.49	00.157	1447.9						
			085	00100	- 0.05	32.970	26.49		1447.9						
			085	00115	- 0.14	32.985	26.51		1447.7						
			STO	00125	- 0.26	32.99	26.52	00.195							
			285	00125	- 0.26	32.990	26.52		1447.4						
			085	00140	- 0.48	33.060	26.58		1446.7					*	
			DBS	00145	- 0.47	33.105	26-62		1446.9						

uff ID	11	1294	VEAD	1972	8.170e 03065	A10	Temp 03.9	DIR	GT PER	4170-018	27	lust	ern		TEN 50 1306
				1972	BUTDP 03064		TEMP 03.9		GT PER	41 40-01R				LEC DA DER	
CONSEC		0116	MONT	H 05	SHIP EV	WET	4ULB 02.8	26	IGT PER	WIND-SPO	14	TRAC	E DIR	LEC DA DER	5 SQUARE 2
REFID CONSEC LAT LONG		42 4	MONT			BARO			, ,		16	TRAC		RECORDER 00.1	5 SQUARE 2
CONSEC LAT LONG	049	42 4	MONT UAY HOUR	H 05	SHIP EV DATA USE 1	BARO	4ULB 07.8	SEA CL/TR	, ,	WIND-SPD	16	TRAC	E DIR TION	OO.1	5 SQUARE 2 1 2 SQUARE 48
CONSEC LAT LONG	049	0116 42 N	MONT DAY HOUR	05 14 14.8	SHIP EV DATA USE I AREA OS	BARO CLOU	9ULB 02.8 METR 1023.0 O T/A	SEA CL/TE	SND VEL	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N 23 H	MONT DAY HOUR LVLTYP STD	05 14 14.8 DEPT4	SHIP EV DATA USE I AREA OS	MET BARO CLOU SAL 32.96	9ULB 07.8 METR 1023.0 0 T/A SIGMA-T 26.43	SEA CL/TR	3 2 SND VEL 1451.1	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N	LVLTYP STD OBS	05 14 14.8 DEPTH 00000 00000	SHIP EV DATA USE I AREA OS	MET BARO CLOU SAL 32.96 32.960	9ULB 02.8 METR 1023.0 O T/A SIGMA-T 26.43 26.43	26 SEA CL/TE DYNDPTH 00.000	SND VEL 1451.1 1451.1	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N 23 H	AONT DAY HOUR LVLTYP STD OBS STD	05 14 14.8 DEPTH 00000 00000 00010	SHIP EV DATA USE I AREA 05 TEMP 01-02 01-02 00-75	SAL 32.96 32.960 32.94	9ULB 02.8 METR 1023.0 0 T/A SIGMA-T 26.43 26.43 26.43	SEA CL/TE	SND VEL 1451.1 1451.1 1450.0	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N 23 H	MONT DAY HOUR LVLTYP STD OBS STD OBS	05 14 14.8 DEPI4 00000 00010 00010 00010	SHIP EV DATA USE I AREA OS TEMP 01-02 01-02 00.75 00.75	SAL 32.96 32.960 32.94 32.945	9ULB 92.8 METR 1023.0 0 T/A SIGMA-T 26.43 26.43 26.43 26.43	26 SEA CL/TE DYNDPTH 00.000	SND VEL 1451.1 1450.0 1450.0	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N 23 H	MONT DAY HOUR EVETYP STD OBS STD OBS STD	05 14 14.8 00000 00000 00010 00010 00020	SHIP EV DATA USE I AREA 05 TEMP 01-02 01-02 00-75 00-75 00-63	SAL 32.96 32.96 32.94 32.94 32.94 32.94	9ULB 02.8 METR 1023.0 0 T/A SIGMA-T 26.43 26.43 26.43 26.43 26.43	26 SEA CL/TE DYNDPTH 00.000	SND VEL 1451.1 1451.1 1450.0 1450.0	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N 23 H	MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS	05 14 14.8 0EPI4 00000 00000 00010 00010 00020 00020	SHIP EV DATA USE I AREA 05 TEMP 01-02 01-02 00-75 00-75 00-63	SAL 32.96 32.96 32.94 32.94 32.94 32.94 32.94	9ULB 02.8 METR 1023.0 0 T/A SIGMA-T 26.43 26.43 26.43 26.43 26.43 26.43	26 SEA CL/TF DYNDPTH 00.000 07.016	SND VEL 1451.1 1450.0 1450.0 1449.6	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49
CONSEC LAT LONG	049	0116 42 N 23 H	MONT DAY HOUR EVETYP STD OBS STD OBS STD	05 14 14.8 00000 00000 00010 00010 00020	SHIP EV DATA USE I AREA 05 TEMP 01-02 01-02 00-75 00-75 00-63	SAL 32.96 32.96 32.94 32.94 32.94 32.94	9ULB 02.8 METR 1023.0 0 T/A SIGMA-T 26.43 26.43 26.43 26.43 26.43	26 SEA CL/TE DYNDPTH 00.000	SND VEL 1451.1 1451.1 1450.0 1450.0	HIND-SPO HIND-FOR JEATHER	14 X1	TRAC DURA OR I G	E DIR TION	OO.1	S SQUARE 2 1 2 SQUARE 48 1 SQUARE 49

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT LONG		9296 0117 45 N	MONT	1972 4 05 15 02.8	SHIP EV DATA USE 1 APEA . 05	BARO	TEMP 05.6 BULB 04.4 METR 1028.8 D T/A	SEA CL/YR		AIND-DIE MIND-SPE MIND-FOR MEATHER	09	DURA	STD RECORDER E DIR D TION 00.7 IIP 111	
CAST	NUM/	114E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	DXYG	P34	101 P	NO2 NO3	5133 P4
			510	00000	09.57	34.56	26.70	00.000	1488.3					
		02.8	085	00000	09.57	34.560	26.70		1488.3					
			085	00009	09.58	34.540	26.68		1488.4					
			510	00010	09.93	34.65	26.71	00.013	1489-8					
			510	00014	10-87	34.960	26.79	00.027	1494.1					
			085	00020	10.75	34.97	26.78	00.027	1494.1					
			095	00023	10.96	34 - 780	26.79		1494 .2					
			085	00029	10.90	34-970	26.79		1494.1					
			STD	00030	10.59	34.96	26.84	00.039	1493.0					
			785	00030	10.59	34.960	26.84		1493.0					
			STO	00040	08.72	34.610	26.88	00-063	1485.8					
			085	00050	08.55	34.570	26.47	00.063	1485.3					
			STD	00075	09.30	34.72	26.07	02.093	1488.7					
			085	00099	09.72	34.810	26.87		1490 -6					
			STO	00100	08.49	34.74	27.02	00-122	1486 . 1					
			085	00100	08.49	34.740	27.02		1486.1					
			185	00107	07.49	34.600	27.06		1482.2					
			STD	00120	06.77	34.490	27.10	00-148	1479.7					
			ORS	00125	06.81	34.530	27.10	00-146	1479.7					
			085	00140	07.57	34.710	27.13		1483.2					
			510	00150	07.34	34.71	27.16	00.172	1462.5					
			085	00150	07-34	34.710	27.16		1482.5					
			285	00170	06.74	34.650	27.20		1480 .4					
			OAS	00200	06.29	34.600	27.22	00.217	1479.0					
			085	00206	06-42	34.690	27.27		1477.7					
			OBS	00213	06.25	34.630	27.25		1479.1					
			OBS	00219	06.35	34.730	27.32		1479.7					
			ORS	00232	06.05	34.690	21.32		1478.7					
			STO	00250	05.28	34.57	27.32	00-259	1475.7					
			085	00250	05.29	34.570	27.32		1475.7					
			785	00278	05.29	34.640	27.37		1476.3	1				
			STO	00300	04.98	34.63	27.41	00.297						
			085	00300	04.98	34.630	27.41		1475.4					
			OBS	00302	04.96	34.680	27.45		1475.4					
			385	00308	05.10	34.670	27.42 *		1476.1					
			785	00313	04.97	34.680	27.45		1475.6					
			SID	00400	06.24	34.98	27.53	00.364	1482.6					
			TAS	00400	06.24	34.980	27.53	00.304	1482.6					
			085	00440	05.71	35.000	27.61		1481.2					
			OBS	00450	05.74	35.000	27.61		1481.4					
			STD	00500	05.27	34.96	27.63	00.422	1480.3					
			085	00500	05.27	34.960	27.63		1480.2					
			STD	00500	05.01	35.02	27.71	00-472	1491 -0					
			OHS	00600	05-01	35.020	27.71	00.412	1481.0					
			OBS	00640	04.92	35.020	27.72		1481.3					
			1185	00673	04.95	35-000	27.70		1481.9					
			OBS	00680	04.85	35.010	27.72		1481.6					
			085	00700	04-83	35.03	27-74	00.518	1481.9					
			510	00680	04.83	35.030	27.74	00.563	1481.9					
			085	00800	04.57	34.990	27.74		1482.4					
			STO	00900	04.30	34.99	27.77	00-607	1483 -0					
			085	00900	04.30	34.990	27.77		1483.0					
			085	00923	04.33	34.970	27.75		1483.5					
			085	00945	04-36	34.990	27.76		1484.0					
			085	00980	04.28 04.30 P	34.990	27.77		1483.9					
			085	00991	04.13	34.750	27.75		1483.7					
			STO	01000	04.11	34.95	27.76	00.651	1493.8					
			085	01000	04.11	34.950	27.76		1483.8					
			DAS	01017	04.07	34.950	27.76							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	44 58 N	YAON YAO RUOH	15 06.0	DATA USE 1 AREA 05	SARDI CLOU'	4FTR 1029.5	SEA CL/TR	0 X	MIND-SPO MIND-FOR MEATHER		DURA	E DIR TION TIP II	00.2	2	SQUARE 46 SQUARE 46 SQUARE 46
CAST	TNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	JXYG	P34	101 P	NOZ	NO3	5133	PH
		STO	00000	05.06	33.74	26.69	00.000	1469.6							
	06.0	065	00000	05.06	33.740	26.69		1469.6							
		nas	00007	05.39	33.820	26.72		1471.2							
		510	00010	05.37	33.81	26.71	00.014	1471 -1							
		085	00010	05-37	33.810	26.71		1471-1							
		085	00014	05.17	33.790	26.72		1470.3							
		085	00020	05.33	33.87	26.76	00.027	1471.2							
		570	00030	05-61	33.95	26.79	00.039	1472.6							
		085	00000	05.61	33.950	26.79	00.031	1472.6							
		OBS	00038	05.67	33.940	26-78		1473.0							
		085	00047	05.64	33.940	26.78		1473.0							
		STO	00050	05.32	13.91	26.80	00-065	1471.7							
		085	00068	04.60	33.840	26.82		1468.9							
		STD	00075	05.03	33.88	26.81	00-096	1470-9							
		285	00078	05-11	33.890	26.81		1471.3							
		STO	00100	05.00	33.890	26.82	00-125	1471.0							
		UBS	00100	03.19	33.920	27.03	00.123	1463.6							
		085	00101	03-10	34-020	27.12		1463.4							
		STO	00125	03.76	34.25	27.24	00.149	1466.9							
		085	00125	03.76	34.250	27.24		1466.9							
		nes	00147	04.42	34.410	27.29		1470.2							
		STD	00150	04.37	34.38	27.28	00-170	1470.0							
		785	00150	04.37	34.380	27.28		1470.0							
		510	00178	05.19	34.550	27.32	00.209	1474.1							
		085	00200	04.29	34.470	27.36	00.204	1470.7							
		085	00210	04-46	34.510	27.37		1471.6							
		085	00222	04.23	34.520	27.40		1470.8							
		STD	00250	05-05	34.74	27.48	00.244	1475.0							
		085	00250	05.05	34.740	27.48		1475.0							
		OBS	00255	05.23	34.740	27.46		1475.8							
		OBS	00265	05.14	34-750	27-48		1475.6							
		STD	00300	05.41	34,860	27.54	00.275	1477.4							
		085	00310	05.39	34.850	27.54		1477.5							
		085	00330	05,39	34.870	27.55		1477.9							
		785	00340	05.29	34.870	27.56		1477.6							
		DAS	00347	05-40	34.900	27.57		1478.2							
		OBS	00359	05.20	34.890	27.59		1477.6							
		OBS	00364	05.25	34.910	27.60		1477.9							
		985	00400	05.22	34.94	27.62	00.331	1478.4							
		085	00407	05.22	34.970	27.62		1478.6							
		085	00410	05.26	34.960	27.63		1479.8							
		STD	00500	05.24	35.00	27.67	00.382								
		085	00500	05.24	35.000	27.67		1480.2							
		OBS	00509	05.25	34.990	27.66		1480.4							
		085	00530	04.90	34.970	27.68		1479.3							
		085	00590	04.74	34.950	27.69		1479 - 6							
		280	006 00	04.65	34.96	27.71	00.430	1479.4							
		085	00640	04.35	34.960	27.71		1479.4							
		065	00655	04.34	34.890	27.68		1478.9							
		085	00668	04.22	34.880	27.69		1478.6							
		STD	00700	04.21	34.89	27.70	00.477	1479.1							
		085	00700	04.21	34.890	27.70		1479.1							
		085	00750	04.13	34.931	27.74		1479.7							
		085	00785	04.20	34.952	27.75		1480.6							
		STD	00800	04.17	34.94	27.74	00.523	1480 - 7							
		STD	00900	04.17	34.940	21.74	00.568	1480.7							
		085	00900	04-10	34.941	27.75	00.568	1482-1							
		STD	01000	04.01	34.93	27.75	00-613	1483 .4							
		085	01000	04.01	34.933	27.75		1483.4							
		985	01050	03.95	34.925	27.75		1483.9							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

PFF1D 31 8296 CONSEC 0119 LAT 45 17 N LONG 047 03 W	TACH	1972 H 05 15	BUTDP 03036 SHIP EV DATA USE 1	BARD	BULB 07.2	DIR H 22 SEA CL/TR		#IND-DIR MIND-SPD RC3-ONIN	13	DURAT	STO REC E DIR TION	03.2	5	N SQ 1306 SQUARE 46 SQUARE 57
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DYXC	P)4	TOT P	NO?	NO3	5133	PH
	STD	00000	05.74	33.96	26.79	00.000	1472.7							
09.0	085	00000	05.74	33.960	26.79		1472.7							
	510	00010	05.73	33.96	26.79	00.013	1472.8							
	510	00010	05.73	33.960	26.79	00.025	1472 - 8							
	085	00020	05.78	33.970	26.79	00.023	1473.2							
	510	00030	05-78	33.97	25.79	00.038	1473.3							
	085	00030	05.78	33.970	26.79		1473.3							
	085	00034	05.78	33.970	26.79		1473.4							
	085	00042	03.87	33.840	26.90	00 017	1465.4							
	085	00050	03.83	33.870	26.93	00.062	1465.4							
	285	00035	04.24	34.020	27.00		1467.6							
	SID	00075	05.38	34.19	27-01	00.090	1472.7							
	085	00075	05.38	34.190	27.01		1472.7							
	085	00089	04.64	34.080	27.01		1469.8							
	STD	00100	03.38	34.10	27.15	00-115	1464.7							
	ORS	00100	03.38	34.100	27.15		1464.7							
	085	00112	03.49	34.170	27.20		1465.4							
	STD	00125	04.58	34.37	27.25	00.137	1470.5							
	OBS	00125	04.58	34.370	27.25		1470.5							
	085	00159	04.35	34.410	27.30		1469.6							
	085	00132	04.97	34.500	27.30		1472.4							
	085	00150	04.56	34.45	27.31	00.157	1470.9							
	085	00150	05.06	34.570	27.35		1473.3							
	085	00175	05.43	34.670	27.38		1475.2							
	STO	00200	05.16	34.64	27.39	00-195	1474.5							
	nes	00200	05.16	34.640	27.39		1474.5							
	OBS	00202	05-05	34.660	27.42		1474.1							
	STD	00230	05.47	34.790	27.47	00,229	1476.4							
	085	00250	05.45	34.810	27.49	00.22.	1476.7							
	085	00274	04.96	34-800	27.54		1475 .1							
	OBS	00290	05.34	34.870	21.55		1477.0							
	510	00300	05.27	34.86	27.55	00.259	1476.9							
	085	00300	05.27	34.860	27.55		1476.9							
	085	00319	05.20	34.890	27.58		1477.5							
	ORS	00360	05.19	34.870	27.57		1477.5							
	OBS	00379	05-01	34.880	27.60		1477.0							
	085	00385	05.19	34.950	27.63		1478.0							
	510	00400	05.02	34.92	27.63	00.314	1477.6							
	085 085	00400	05.02	34.920	27.63		1477.6							
	STO	005 00	05.01	34.98	27.68	00.364	1479.3							
	085	00500	05.01	34.980	27.68		1479.3							
	STO	00600	04.51	34.96	27.72	00.411	1478.8							
	085	00600	04-51	34.965	27.72		1478.8							
	STD	00640	04.27	34.950	27.75	00-454	1478.5							
	085	00700	04.25	34.960	27.75	000434	1479.4							
	STD	00800	04.16	34.96	27.76	00,497	1480 .7							
	085	COROO	04-16	34.960	27.76		1480.7							
	STD	00900	04.06	34.95	27.77	00.540	1481 -9							
	DBS	01000	04.06	34.955	27.77	00.583	1481.9							
	385	01000	03.99	34.945	27.76	30.303	1481.3							
	STO	01100	03.93	34.95	27.78	00.627	1484.7							
	OBS	01100	03.93	34.950	27.78									
	085	01110	03.93	34.945	27-77		1484.9							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC 31	0120	O MONT	1972	SHIP EV	MET BULB 07.2 BARGMETH 1031.8		DER HGT PER		WIND-DIR WIND-SPD WIND-FOR		INST STO REC TRACE DIR DURATION			03.2		
CNG 047	33 Y	HOUP	17.1	DATA USE 1		7/4	SEA CL/TR		MEN THES	X1			19 11		í	SOUARE 5
CASTNUM	1146	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P)4	101	P	402	NO3	\$133	P-1
		510	00000	01.12	33.30	26.69	00.000	1452.0								
	12.1	08.5	20000	01.12	33.100	26.69		1452.0								
		510	00010	01.06	33.30	26.70	00.014	1451.9								
		085	00010	01.06	33.305	26.70		1451.9								
		STO	00020	00.46	33.43	26.84	00.026	1449 -5								
		085	000 30	- 0·15 - 0·33	33.54	26.96	00.030	1447.1								
		085	00033	00.46	33.700	27.05		1450.4								
		STO	00050	00.42	33.72	27.07	00.059	1450.3								
		nes	00050	00.42	33.720	27.07		1450.3								
		085	00056	00.97	33.870	27-16		1453.1								
		185	00068	00.07	33,800	27.16		1449.1								
		STO	20075	00.00	33.81	27.16	00.083	1449.2								
		OBS	00075	00.03	33.810	27.16		1449.2								
		STD	00100	00.54	34.02	27.31	00-104	1452 -0								
		URS	00100	00.54	34.020	27.31		1452.0								
		STO	00125	01.71	34.25	27.42	00.122	1458-0								
		785	00125	01.71	34.250	21.42		1458.0								
		MAS	00145	02.70	34.420	27.47	00.138	1462.9								
		STO	00150	03.25	34.52	27.50	00.136	1465.5								
		USS	00150	03.25	34.520	27.50		1461.0								
		STD	00200	04.00	34.70	27.57	00.167	1469.7								
		085	00215	04.41	34.760	27.57	00.101	1471.8								
		785	00225	04.21	34.730	27.57		1471 -1								
		STO	00250	04.44	34.80	27.60	00-194	1472.5								
		085	00250	04.44	34.800	27.60		1472.5								
		285	00295	04.54	34.840	27.62		1473 - 6								
		STO	00100	04.42	34.83	27.63	00.220	1473.3								
		UBS	00300	04-42	34.830	27.63		1473.3								
		TAS	00312	04.32	34-830	27.64		1473.1								
		OBS	00340	04.37	34.870	27.66		1473.8								
		510	00400	04.27	34-97	27.68	00.268	1474.4								
		OBS	004 00	04.27	34.880	27.68		1474.4								
		DBS	00456	04.27	34.950	21.70		1476.8								
		nes	00475	04.63	34.940	27.69		1477.2								
		STO	00500	04.57	34.94	21.70	00-315	1477.4								
		08.5	00500	04.57	34.940	27.70		1477-4								
		795	00590	04.44	34.990	27.75		1478 .4								
		STO	00500	04.53	35.00	27.75	00.359	1479.0								
		DAS	00500	04-53	35.005	27.75		1479.0								
		nas	00614	04.54	34.970	27.73		1479.2								
		DAS	00622	04.44	35.005	27.76		1479.0								
		DAS	006 39	04.52	34 - 990	27.74		1479.6								
		1185	00655	04.42	34.990	27.75		1479.4								
		na s	00670	04.50	35.013	27.76		1480.0								
		DAS	00685	04.37	35.005	27.77	00.401	1480.1								
		085	00700	04.40	34.995	27.76	00.401	1480.1								
		395	00725	04.45	35.005	27.76		1480.7								
		185	00733	04.34	34.980	27.76		1480-4								
		าคร	00745	04.40	34.990	27.76		1480 -8								
		STD	00800	04.31	34.99	27.77	00.443	1481.4								
		nes	00900	04-31	34.989	27.77		1481 .4								
		ORS	00852	04.31	34.975	27.75		1482 .2								
		SID	00900	04.16	34.97	27.77	00.486	1482.4								
		785	00000	04.16	34.970	27.77		1482 -4								
		STD	01000	04.06	34.96	27.77	00-524	1483.6								
		085	01000	04.06	34.965	21.11		1483.6								
				04-09	34.970											

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 57–8296.—Continued

		YEAR MONT DAY HOUR	05 15	BOTOP 01335 SHIP EV DATA USE 1 AREA 05	BAROM	ULB 05.	.0 25		MIND-SPD WIND-FOR MENT-FOR	99	DUPAT		07.2	TEN SO 130 5 SOUARE 2 SOUARE 4 1 SOUARE 5	6
CASTNUM/TIM	ε	LAFLAb	DEPTH	TEMP	SAL	51544-1	DYNDPTH	SND VEL	DXYG	P74	TOT P	102	NO3	5133 P4	
		510	00000	01.27	33,34	25.72	00.000	1452.7							
13.	A	085	00000	01.27	33,340	26.72	00.000	1452.7							
.,.	10	STD	00010	00.72	33,41	26.81	00 013	1457.5							
		085	00010	00.72	33,410	26.81	00.013	1450-5							
		STD	00020	00.65	33,42	25.82	00 025	1450.4							
		085	00023	00.65	33,420	26.82	00.023	1450.4							
		STO	00030	00.36	33.64	21.01	00.937								
		085	00030	00.36	33.640	27.01	******	1449.5							
		085	00033	00.31	33.770	27.12		1449.5							
		STD	00050	00.39	33.97	27.28	00.055								
		085	00050	00.39	33.970	27.28	00.077	1450.5							
		STD	00075	00.38	34.02	27.32	00-075	1450.9							
		085	00075	00.38	34.020	27.32	00.017	1450.9							
		STD	00100	00.90	34.17	27.41	00-093								
		085	00100	00.90	34.170	27.41		1453.9							
		STD	00125	01-65	34,31	27.47	00.110	1457.8							
		STO	00150	02.32	34.44	21.52		1461 -4							
		085	00150	02.32	34.440	27.52		1461.4							
		STO	00200	03.43	34.64	27.5A	00-153	1467.3							
		OBS	00200	03.43	34 - 640	27.58		1467.3							
		OBS	00212	03.57	34.670	27.59		1468.1							
		OBS	00220	03.49	34.630	27.57		1467.8							
		\$1.	00250	03.87	34.75	21.62	00.179	1470.1							
		085	00250	03.87	34.750	27.62		1470.1							
		STD	00300	04.08	34.81	27.65	00.203	1471.9							
		085	00300	04.08	34.810	27.65		1471.9							
		STO	00400	04.21	34.90	27.71	00.249	1474.2							
		085	00400	04.21	34,905	27.71		1474.2							
		085	00477	04-21	34,924	27.72		1475.5							
		STO	00500	04-16	34.93	27.13	00.292	1475.7							
		OBS	00500	04.16	34.926	27.73		1475.7							
		STD	00600	04.07	34.93	27.74	00.334	1477.0							
		085	00600	04.07	34.930	27.74		1477.0							
		STO	00700	04.05	34.93	27.75	00.377	1478.5							
		085	00700	04.05	34.928	27.75		1478.5							
		STD	00800	04.02	34,93	27.75	00.420								
		OBS	00800	04.02	34.931	27.75		1490.1							
		STO	00900	03.98	34.93	27.76	00-463								
		085	00900	03.98	34,932	27.76		1481.6							
		SYD	01000	03-93	34.93	27.76	00.507								
		085	01000	03.93	34.932	27.76		1483.0							
		085	01025	03.93	34.931	27.76		1483.4							
						••••	********	•							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT LONG	+5	012 48 54	N DAY	1972 4 05 15 15.6	SHIP EV DATA USE 1 AREA 05	BAPON	ULB 02.2	25	GT PER	WIND-DIR WIND-SOD WIND-FOR WENT MER	15	TRAC!	DIR	ORDER D 00.1	2	SQUARE SQUARE SQUARE SQUARE
CAST	NU"	1 146	LVLTYP	ОЕРТН	TEMP	SAL	SIGHA-T	DYNDPTH	SND VEL	OXY G	P34	TOT P	NOZ	NO3	5173	P4
			srn	00000	- 0.09	32.95	26.4R	00.000	1446.0							
		15.6	185	00000	- 0.07	32.950	25.48		1446 -0							
			STO	00010	- 0.36	32.91	76.46	00.016	1444.9							
			285	00010	- 0-36	32.910	76.46		1444.9							
			510	00050	- 0.54	32.46	26.51	00.031	1444.3							
			085	00020	- 0.54	32.460	26.51		1444.3							
			510	000 30	- 0.71	32.97	26.52	00.047	1443.7							
			MAS	00030	- 0.71	32.970	26.52		1443.7							
			OHS	0004?	- 1.38	33.280	26.79		1441 .7							
			STO	00050	- 1.34	33.35	26.85	00.074	1441 .6							
			OBS	00050	- 1.34	33.350	26.95		1441.5							
			STO	00075	- 1.01	33.52	25.98	00-103	1443.8							
			085	00075	- 1.01	33.520	26.98		1443.8							
			STO	00100	- 0.49	33.65	27.06	00.129	1446 - 9							
			185	00100	- 0-49	33.650	27.06		1446.8							
			STO	00125	- 0.16	33.72	27.10	00.153	1448.8							
			1185	00125	- 0-15	33-720	27.10		1448.8							
			1185	001 10	- 0.29	33.770	27.15		1448 -4							
			285	00145	- 0.29	33.990	27.24		1448.8							
			STD	00150	- 0.27	33.92	21.21	00-176	1449.0							
			085	00150	- 0.27	33.920	27.27		1447.0							
			JHS	00160	00.52	34-180	27.44		1453.2							
			510	00707	01.54	34.32	27.48	00.211	1458.6							
			285	00200	01.54	34-320	27.48		1458.6							
			OHS	00225	01.87	34.350	27.48		1460.5							
			510	00250	02.02	34.40	27.51	00.241	1461.6							
			OAS	00250	02.02	34.400	27.51		1461.6							
			285	002 88	02.10	34.490	27.58		1462.7							
			STO	00300	02.39	34.52	27.58	00.270	1464.3							
			OHS	00300	02.39	34.520	27.58		1464.3							
			STO	00400	03.47	34.79	27.69	00.319	1470.9							
			OBS	00400	03.47	34.786	27.69		1470.9							
			985	00440	03.94	34.887	21.12		1473.7							
			510	00500	04-03	34.92	27.74	00.362	1475.1							
			UB 2	00501	04.03	34.920	27.74		1475.1							
			510	00000	04-06	34.93	27.75	00.403	1476.9							
			OBS	00600	04.06	34.930	27.75		1476.9							
			510	00700	04.02	34.93	27.75	00.445	1478.4							
			TAS	00700	04.02	34.935	27.75		1478.4							
			STO	00800	04.02	34.93	27.75	00.488	1480 .1							
			285	00400	04.02	34.930	27.75		1480.1							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LONG	C 43	0103 45 8	DAY	1972 1 05 12 18.0	SHIP EV DATA USE 1 AREA 05	MET A BARGO CLOUG	BULH 03.3	12		WIND-DIR WIND-SPD WIND-FOR WENTHER	01	TRAC DURA ORIG	I DI	4	ORGER OO.?	2	SQUE	1336 ARF 28 ARF 39
CAS	TNUM	7146	LVLTYP	DEPTH	TEMP	SAL	\$1544-T	DANDELH	SNO VEL	7X F G	P)4	101 P	•	72	403	\$1)		
			STO	00000	00.94	32,95	26.42	00.000	1450.7									
		18.0	065	00000	00.94	32,950	26.47		1450 - 7									
			510	00010	00.70	33.04	26.52	00.016	1449.9									
			085	00010	00.70	33.045	26.52	00.030	1449.9									
			STD 085	00020	00-19	33.18	26.65	00.030	1448.0									
			085	00027	00.19	33.340	26.75		1450.9									
			STO	00030	00.60	33.42	25.82	00.043	1450.3									
			085	000 30	00.60	33.420	26.82		1450.3									
			085	00048	04.85	34.010	26.93		1469.9									
			STO	00050	04.79	34.00	26.93	00.067	1469.6									
			085	00050	04.79	34.000	26.93		1469.6									
			005	00055	03.22	33.780	26.91		1462.9									
			085	00070	03.72	33,950	27.00	00.095	1465.4									
			S10 085	00075	03-13	31.86	27.00	00.045	1462.9									
			STD	00100	00.56	33.72	27.07	00.121	1451 .7									
			785	00100	00.56	33.720	27.07		1451.7									
			ORS	00108	00.35	33.400	27.14		1451.0									
			STO	00125	00.12	33.92	27.25	00.144	1450.4									
			085	00125	00.12	33.920	27.25		1450.4									
			STO	001 50	00.76	34.12	27.38	00.163	1454.0									
			005	00150	00.76	34.120	27.38		1454.0									
			STD	00200	02.76	34.45	27.49	00.196	1464.1									
			085	00200	02.76	34.530	27.49		1467.7									
			085	00237	04.69	34.720	27.51		1473.3									
			STD	00250	02.76	34.53	27.55	00.226	1465 .0									
			085	00250	02 - 76	34.530	27.55		1465.0									
			085	19200	03.93	34.680	27.56		1470 -4									
			085	00268	03.13	34.580	27.56		1467.0									
			085	00271	03-62	34.70 P	27.610		1440 5									
			085	00282	03.63	34-660	27-58		1469.5									
			STD	00291	02.76	34.52 P	27.550*	00-252	1466.7									
			065	00300	02.92	34.630	27.62	00-232	1466.7									
			085	00312	03.46 P	34.650	27.580+											
			085	00325	03-21	34.59 P	27.560											
			ORS	00361	03.92	34.760	27.63		1472.1									
			085	00370	03.93	34.760	27.63		1471.9									
			STD	00400	03.84	34.79	27.66	00.301	1472.5									
			STD	00400	03.84	34.790	27.66	00.348	1472.5									
			085	005 00	04.12	34.885	27.70	10.348	1475.4									
			STD	00600	04.13	34.90	27.72	00.393	1477.2									
			085	00600	04.13	34.905	27.72		1477.2									
			STO	00700	04.16	34.91	27.72	00.438	1479.0									
			085	00700	04-16	34.910	27.72		1479.0									
			085	00770	04-22	34.930	27.73	4	1480.4									
			STD	00800	04.17	34.93	27.73	00.483	1480 - 7									
			085	00800	04-17	34.930	27.73		1480.7									
			STD	00900	04.12	34.93	27.74	00.528	1482 . 2									
			085	00965	04.12	34.950	27.75		1483.6									
			OBS	00991	04.19	34.945	27.74		1484.0									
			STD	01000	04.18	34.93	27.73	00-575	1484-1									
			OBS	01000	04.18	34.930	27.73		1484.1									
			085	01050	04.12	34.930	27.74		1484.7									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0104 LAT 43 37 N LONG 048 16 W	MONT	1972 H 05 12 20.6	BOTOP 03292 SHIP EV DATA USE I AREA 05		TEMP 06.7 AULA 05.6 METR 1022.7		GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	13	TRAC	STD REC E DIR TION IIP III	00.3	5	N SQ L SQUARE SQUARE SQUARE	28
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P)4	101 P	402	NO3	5133	P4	
	510	00000	01.51	33.08	75.49	00.000	1453.5								
27.6	UBS	00000	01.51	33.080	76.49		1453.5								
	STO	00010	03.95	33.82	26.87	00.014	1465.2								
	TRS	00010	03.95	33.918	26.87		1465.2								
	STO	00020	03.87	33.82	26.88	00.056	1465.0								
	785	00020	03.87	33.420	25.88		1465.0								
	985	00026	03.87	33.621	26.88	00.037	1465.9								
	nas	00030	04.01	33.87	26.91	00.031	1465.9								
	STD	00050	05.01	34.08	26.97	00.060	1470.7								
	085	00050	05.01	34.080	26.97	00.000	1470.7								
	785	00070	05.22	34.480	27.13		1476.4								
	STO	00075	05.96	34.52	27.20	00.085	1475.5								
	285	00075	05.96	34.519	21.20		1475.5								
	OBS	00081	05.71	34.480	27.20		1474.6								
	STO	00100	05.94	34.56	27.23	00-107	1475.9								
	785	00100	05.94	34.560	27.23		1475.9								
	OBS	00108	05.58	34.610	27.28		1476-0								
	STD	00125	06.02	34.68	27.32	00.127	1476.8								
	U95	00125	06.02	34.680	27.32		1476.8								
	DAS	00142	05.14	34.560	27.33		1473.3								
	STD	00150	05.58	34.65	27.35	00.146	1475.4								
	DBS	00153	05.71	34.670	21.35		1474.0								
	285	00180	05.84	34.680	27.34		1477.0								
	085	00189	05.48	34.775	27.46		1475.8								
	510	00200	05.16	34.75	27.48	00.181	1474.6								
	CAS	00200	05.16	34.750	27.48		1474.6								
	585	00220	03.46	34.83	27.55	00.212	1475.6								
7	085	00250	05.16	34.835	27.55	00.212	1475 . 6								
	285	00260	05-32	34.890	27.57		1476.5								
	ORS	00290	04.93	34.835	27.57		1475.3								
	510	00300	05.07	34.90	27.61	00.239	1476 -1								
	UBS	00300	05.07	34.905	27.61		1476.1								
	nes	00309	05.15	34.912	27.61		1476.6								
	085	00360	05.27	34.991	27.63		1478.0								
	STD	00400	04.80	34.95	27.68	00.289	1476.7								
	085	00400	04.80	34.955	27.68		1476.7								
	UBS	00410	04.66	34.930	27.68		1476.3								
	OBS	00430	04.66	34.900	27.66		1476 - 6								
	085	00435	04.57	34.930	27.69		1476 - 3								
	UBS	00442	04-62	34.938	27.69		1476.6								
	085 510	00500	04-46	34.96	27.71	00.334	1477.6								
	DAS	00500	04.61	34.965	27.71	00.,,,	1477.6								
	CBS	00510	04.50	34.960	27.72		1477.3								
	STD	00600	04.36	34.96	27.74	00.378	1478.2								
	OBS	00400	04.36	34.962	27.74		1478.2								
	STD	00700	04.27	34.96	27.75	00-421	1479.5								
	085	00700	04.27	34.961	27.75		1479.7								
	095	00725	04.22	34.965	27.75		1480.0								
	DAS	00745	04.22	34.963	27.75		1487.0								
	DBS	00751	04.26	34.988	21.77		1480.3								
	nes	00770	04.11	34.950	27.76		1480.0								
	985	00783	04.12	34.942	27-75		1480.2								
	STD	00900	04.06	34.94	27.75	00-464	1480 .2								
	085	00300	04.06	34.940	27.15	00.508	1480.2								
	285	00900	04.06	34.945	27.76	00.508	1481.9								
	\$10	01000	03-91	34.94	27.76	00,552	1483.2								
	085	01000	03.97	34.940	27.76		1483.2								
	STD	01100	93.94	34.94	21.11	00.596	1484.8								
	nes	01100	03.94	34.942	27.77		1484.8								
					*****	••••••	07.774								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8796 0105		1972	SHIP EV	WET	TEMP 08.3 BULB 06.7 METR 1022.7	30	GT PER	4140-DIR WIND-SPD WIND-FOR		TR		DIR	00.2	5	SOUARI SOUARI	2
LONG 047 3	6 4		00.3	AREA O		O T/A	CL/TR		4EA THER	×t	OR	16	110 111	1	1	SQUAR	37
CASTNUM/1	IME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SND VEL)XYG	P)4	TOT	P	402	403	\$133	P4	
		STO	00000	08.32	34.28	26-68	00.000	1483.2									
c	0.3	085	00000	09.32	34.280	26.68		1483.2									
		UBS	00005	08.29	34.270	26.68		1483.2									
		OBS	00010	08.46	34.34	26.71	00.014	1484.0									
		STD	00020	08.46	34.56	26.80	00.027	1484-0									
		085	00020	08-96	34.560	26.80		1486.3									
		STD	00030	09.49	34.88	26.96	00.038	1488.9									
		OBS	00030	09.49	34.880	26.96		1488.9									
		STD	00045	09.22	34.86	26.95	00.061	1488.0									
		085	00050	09.35	34.860	26.97	00.061	1488.6									
		GRS	00053	09.53	34.900	26.97		1489.5									
		STO	00075	09.24	34.83	26.97	00-088	1489.6									
		085	00075	09.24	34.830	26.97		1488.6									
		CBS	00100	08.62	34.73 34.730	26.99	00.116	1486.6									
		UBS	00100	08-62	34.770	27.05		1486.6									
		785	00120	08.42	34.800	27.07		1486.2									
		STD	00125	08.24	34.78	27.09	00-142	1485.6									
		085	00125	08.24	34 - 780	27.09		1485.6									
		OAS	00140	08.27	34.850	27.14		1486 .1									
		STD	00146	08.12	34.800	27.12	00.167	1485.5									
		085	00150	08.25	34.910	27.19	00.167	1486.2									
		nes	00155	09.31	34.910	27.18		1486.5									
		ua s	00161	07.76	34.780	27.16		1484.4									
		OBS	00165	07.82	34.840	27.20		1484.7									
		085	00175	07.49	34.780	27.26		1483 - 5									
		085	00197	07-22	34.780	27.24		1482.9									
		510	00200	07.33	34.85	21.27	00,211	1483.4									
		08.5	00700	07.33	34.850	27.27		1483.4									
		085	00225	07-12	34.840	27.30		1483.0									
		STD	00230	07.16	34.880	27.32	00,251	1483.3									
		085	00263	05.52	34.660	27.37	00.27.	1477.1									
		985	00280	05.27	34.660	27.40		1476.3									
		nes	00295	05.52	34-730	27.42		1477.6									
		STO	00300	05.43	34.71	27.42	00.289	1477.3									
		085	00310	05.53	34.750	27.44		1477.9									
		085	00334	25.27	34.780	27.49		1477.3									
		785	00347	05.34	34.790	27.49		1477 -8									
		JAS	00365	05-31	34.830	27.53		1478.1									
		310	004 00	05.36	34.86	27.54	00.354	1478.9									
		085	00438	05.26	34.910	27.59		1479.2									
		nes	00465	05.68	35.010	27.62		1481.5									
		510	005 00	05.29	34.97	27.64	00.411	1480 .4									
		085	00500	05.29	34.970	27.64		1480-4									
		085	00600	04.88	34.98	27.69	00.461	1480.4									
		STD	00700	04.74	34.98	27.71	00.509	1481.5									
		OBS	00700	04.74	34.980	27.71		1481.5									
		STO	00800	04.44	34.98	27.74	00.555	1481.9									
		085	00800	04.44	34.980	27.74	00 465	1481 .9									
		085	00900	04.30	34.75	27.74	00.600	1482.9									
		STD	01000	04.18	34.95	27.75	00-646	1484.1									
		085	01200	04.18	34.955	27.75		1484 -1									
		285	01050	04.11	34.950	27.76		1484.6									

ONSEC	43 1	8296 0106 2 N	MONT	1972 H 05 13	SHIP EV DATA USE 1		BULB 06.1	15 SEA	GT PER	MIND-DIR MIND-SPD MCH-ONIM		DURAT	TON	00.9	5	SQUARE SQUARE	E
ONG O	47 0	4 #		04-0	AREA 05		7/4	CL/TR		AEA THER	X)	DRIG	119 11			SOJARE	
CASTN	UM/T	IMF	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	JXY G	P)4	TOT P	102	NO3	5133	PH	
			STD	00000	09.03	34.62	26.84	00.000	1480.3								
	0	4.0	085	00000	09.03	34.620	26-84		1486.3								
			STD	00010	09.01	34.61	26.83	00.012	1486.4								
			510	00020	08.94	34.60	26.83	00-025	1486.3								
			085 STD	00020	08.94	34.600	26.83	00.037	1486.3								
			085	000 30	08.83	34.580	26.84	00.031	1486.0								
			085	00040	07-69	34.430	26.89		1481.6								
			STD	000 50	06.39	34.22	26.91	00.061	1476.4								
			OAS	00050	06.39	34.220	26.91		1476-4								
			385	00061	05.81	34.210	26.97		1474.3								
			510	00070	05.57	34.250	27.04	00 000	1473.5								
			085	00092	06.33	34.580	27.08	00.088	1480.8								
			085	00096	07.03	34.580	27-10		1480.2								
			STD	00100	07.44	34.73	27.16	00-113	1482.1								
			085	00103	07.55	34.780	27.19		1482 - 6								
			085	00115	06.22	34.530	27.17		1477.2								
			STO	00125	06.31	34.54	27.17	00.136	1477-9								
			085	00125	06.31	34.540	27.17		1477.8								
			510	00150	06.12	34.650	27.25	00.158	1478.6								
			285	00150	96.12	34.640	27.27	000	1477.5								
			085	00170	06.38	34.670	27.26		1479.0								
			085	00175	06.45	34.710	27.29		1479.4								
			085	001 80	05.99	34.610	27.27		1477.5								
			STO	00200	05.41	34.63	27.35	00.198	1475.5								
			085	002 00	05.41	34.630	27.35		1475.5								
			085	00230	05.51	34.680	27.38		1477.7								
			nBs	00240	05.83	34.740	27.39		1478.0								
			510	00250	05.56	34.69	27.38	00.235	1477.0								
			085	00250	05.56	34.690	27.38		1477.0								
			08.5	00257	05.87	34.700	27.35 *		1478.4								
			085	00273	04-83	34.700	27.48		1474.4								
			STO	00282	04.76	34.730	27.48 +	00.279	1474.3								
			085	00300	05.58	34.810	27.48	00.219	1478.1								
			085	00310	05.61	34-800	27.46		1478.3								
			085	00320	05.54	34-820	27-49		1478.2								
			085	00331	05.61	34.860	27.51		1478.8								
			085	00345	05.50	34.870	27.53		1478.6								
			DBS	00365	05.54	34.890	27.54		1479-1								
			STD	00400	05.36	34.92	27.59	00.330	1478.6								
			085	00400	05-36	34.920	27.59	00.330	1479.0								
			085	00430	05.36	34.930	27.60		1479.5								
			STO	00500	05.11	34.97	27.66	00.384	1479.7								
			085	00500	05.11	34.970	27.66		1479.7								
			085	00540	05.05	34.990	27-68		1480.1								
			STD	005 00	05.09	34.99	27.69	00-433	1480 .6								
			085	00600	04.96	34.990	27.69	00.433	1480.7								
			STD	00700	04.61	34.97	27.72	00.480	1480-9								
			085	00700	04-61	34.970	27.72		1480.9								
			OBS	00775	04-47	34.960	27.73		1481.6								
			STD	00800	04-55	34.99	27.74	00.526	1482.4								
			085	00840	04.55	34.990	27.74		1482.4								
			STD	00900	04.50	34.99	27.75	00.572									
			085	00900	04.50	34.990	27.75	20.512	1483.8								
			085	00960	04.42	34.980	27.75		1484.5								
			STO	01000	04.16	34.95	27.75	00.617	1484 .0								
			085	01000	04.16	34.950	27.75		1484 - 0								
								00.663									
			OBS	01100	04.10	34.94 34.940	27.75	00.663	1485.4								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

07.5 085 00000 15.07 35.72 26.53 00.001 1508.5 1508.5 150 0010 15.07 35.72 26.53 00.015 1508.7 1508.	FID 31 8296 NSEC 0107 T 43 00 N NG 046 19 W	MONT	1972 H 05 13	BOTOP 04298 SHIP FY DATA USE 1 AREA 05			11	GT PER	WEVO-OFR DQZ-OFIW SQH-OFIW SAHTABW		TRACE		00.5	5	N S2 1: SQUARE SQUARE SQUARE	26
07.5 98. 00000 15.07 35.72 24.53 00.001 1508.7 98.5	CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	51544-1	DYNDPTH	SND VEL	DXYG	P14	TOT P	NO2	NO3	5133	P4	
07.5 na65																
\$10 0010 15.07 35.72 26.51 1506.7 150	07.5	DRS					00.000									
095		STO				26.53	00.015	1508.7								
\$10 000270		985				26.53										
785 00026 14-99 35-720 2x-55 1508.6 1007.4 1008.5 00026 14-00 35-720 2x-55 1507.4 1008.5 1507.4 1507			00015			26.53		1508.7								
085 00126 14.00 35.680 20.005 1507.9 00.005 1507.9 00.005 1507.9 00.005 1507.9 00.005 14.10 15.10 15.00 1507.9 00.005 14.10 15.10 15.00 1507.9 00.005 14.10 15.10 15.00 1507.9 00.005 15.00 15.0							00.030									
STD 00010 14-71 35-79 20-66 00.045 1507-9 STD 00010 14-76 35-840 20-69 00.045 1508-9 STD 000050 14-39 35-14 20-69 00.075 1508-7 STD 000050 14-39 35-14 20-69 00.073 1507-7 STD 000050 14-39 35-14 20-69 00.073 1507-7 STD 000050 14-39 35-14 20-69 00.073 1507-7 STD 000055 13-94 35-80 20-69 20																
STO 00050 14-76 35-840 26-69 00-073 1500-2 1600-2 1							00 045									
\$10 00050 14,39 35,76 26,90 00,073 1507,2 \$10 00075 11,84 39,35,76 26,77 00,0107 1505,7 \$10 00075 11,84 35,67 26,77 00,0107 1505,7 \$10 00075 11,83 35,67 26,77 00,0107 1505,7 \$10 00075 11,83 35,67 26,77 00,0107 1505,7 \$10 00070 100 11,53 35,57 26,74 00,104 1505,0 \$10 00125 11,27 35,51 26,75 00,174 1505,0 \$10 00125 11,27 35,51 26,75 00,174 1505,0 \$10 00150 12,78 35,41 26,77 00,207 1505,1 \$10 00150 12,78 35,41 26,77 00,207 1505,1 \$10 00150 12,78 35,41 26,77 00,207 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00150 12,78 35,40 26,77 1505,1 \$10 00200 11,10 35,41 26,86 00,271 1505,2 \$10 00200 11,10 35,41 26,86 00,271 1505,2 \$10 00200 11,10 35,41 26,86 00,271 1505,2 \$10 00200 10,94 35,26 27,01 00,331 14,92 2 \$10 00250 10,94 35,26 27,01 00,331 14,92 2 \$10 00250 10,94 35,26 27,07 1506,00 11,49 12,90 11,62 35,550 27,07 1506,00 11,49 15,78 27,00 11,62 35,550 27,07 1506,00 11,49 12,90 11,62 35,550 27,07 1506,00 11,49 12,90 11,62 35,550 27,07 1506,00 11,49 12,90 11,62 35,550 27,07 1506,00 11,49 12,90 11,49 1				14.76			00.045									
Section Sect				14.39			00.073									
985 00075 13. 44 35.620 26.72 1505.7 S1D 00100 13.53 35.577 26.74 00.140 1505.0 S1D 00126 13.27 33.510 26.75 00.174 1506.5 S1D 00127 13.27 33.510 26.75 00.174 1506.5 S1D 00157 12.78 35.410 26.77 00.207 1503.1 S1D 00159 12.78 35.410 26.77 00.207 1503.1 S1D 00159 12.78 35.410 26.77 1503.1 S1D 00159 12.78 35.410 26.77 1503.1 S1D 00168 12.78 35.400 26.79 1503.1 S1D 00168 12.89 35.500 26.80 00.271 1503.1 S1D 00168 12.89 35.500 26.80 00.271 1503.1 S1D 00169 13.10 35.610 26.80 00.271 1506.2 S1D 00750 10.49 35.260 27.01 1498.2 S1D 00750 10.49 35.260 27.01 1498.2 S1D 00750 10.49 35.260 27.01 1498.2 S1D 00750 10.49 35.500 27.00 00.185 1500.0 S1S 00119 10.57 35.120 27.10 1498.2 S1D 00750 00.49 35.50 27.07 00.185 1500.0 S1S 00101 10.49 35.550 27.07 00.185 1500.0 S1S 00101 10.69 35.10 27.28 1496.1 S1D 00400 08.43 35.040 27.76 1498.0 S1D 00400 08.43 35.040 27.76 1498.0 S1D 00500 05.34 34.630 27.34 1498.2 S1D 00500 05.34 34.630 27.34 1498.0 S1D 00500 05.34 34.630 27.34 1498.0 S1D 00500 05.34 34.630 27.35 1498.1 S1D 00500 05.34 34.630 27.34 1498.0 S1D 00500 05.34 34.630 27.34 1498.0 S1D 00500 05.34 34.630 27.34 1498.0 S1D 00500 05.34 34.630 27.35 1498.1 S1D 00600 06.02 34.980 27.55 1498.1 S1D 00600 06.02 34.980 27.55 1498.1 S1D 00600 06.00 34.980 27.55 1498.1 S1D 00600 06.0				14.39				1507.2								
\$10 90100 13.53 35.57 26.74 1505.0 15		STD			35.62	26.72	00-107									
Page																
\$10 00125 13-27 35-510 26-75 1504-5 \$185 00125 13-27 35-510 26-75 1504-5 \$196 00150 12-78 35-610 26-75 1504-5 \$197 00150 12-78 35-610 26-77 1503-1 \$10 00150 12-78 35-610 26-77 1503-1 \$10 00170 12-79 35-480 26-79 1504-5 \$10 00170 12-79 35-480 26-79 1504-2 \$10 0085 00189 12-80 35-680 26-79 1504-2 \$150 00200 13-10 35-610 26-86 00-271 1505-2 \$10 00200 13-10 35-610 26-86 00-271 1505-2 \$10 00200 13-10 35-610 26-86 00-271 1505-2 \$10 00200 13-10 35-610 26-86 00-271 1505-2 \$10 00200 13-10 35-610 26-86 00-271 1505-2 \$10 00200 13-10 35-610 26-86 00-271 1505-2 \$10 00200 10-49 35-260 27-00 00-331 1407-1 \$10 0085 000725 11-62 35-250 27-00 1505-2 \$10 00190 10-49 35-250 27-00 1505-2 \$10 00190 10-49 35-250 27-10 1505-2 \$10 00190 10-49 35-250 27-10 1408-0 1407-4 \$10 00 00 00 00 00 00 00 00 00 00 00 00 0						25.74	00.140									
185			00100			26.14										
\$10 00150 12.78 35.410 26.77 00.207 1503.1 1085 00150 12.78 35.410 26.77 1503.1 1503.1 1085 00165 12.76 15.3190 26.76 1503.1 1503.1 1085 00161 12.48 35.480 26.79 1504.2 1		210	00125				00.174	1504 -5								
085 00150 12,78 35,410 20,77 1503.1 085 00179 12,94 35,480 20,79 1504.2 085 00189 12,89 35,550 20,89 1504.4 087 00200 13,10 35,610 26,86 00,271 1505.2 088 00200 13,10 35,610 26,86 00,271 1505.2 088 00200 13,10 35,610 26,86 00,271 1505.2 080 00200 13,10 35,610 26,86 00,271 1505.2 080 00200 13,10 35,610 26,86 1505.2 081 00250 10,94 35,260 27,01 00,331 492 2 081 00250 10,94 35,260 27,01 00,331 492 2 081 00200 10,49 35,25 27,02 27,02 1502.0 085 00100 10,49 35,25 27,02 27,03 1502.0 085 00101 10,49 35,25 27,08 00,385 1497.4 085 00101 10,49 35,25 27,08 00,385 1497.4 085 00101 10,57 35,300 27,16 1498.2 085 00101 10,57 35,300 27,16 1498.2 085 00101 10,49 35,25 27,10 00,381 1498.2 085 00100 10,49 35,25 27,10 00,381 1498.2 085 00101 10,57 35,300 27,16 1498.2 085 00101 10,69 35,25 27,10 00,48 31,49 00,48							00.207									
985 00155 12,76 35,390 26.76 1503.1 1504.2 1506.2 1685 00181 12,98 35,480 26.79 1504.2 1504.2 1506.2 1685 00181 12,889 35,550 26.87 1504.3 1504.3 1504.3 1508.3 1509.2 1509.3 150				12.78			00.201									
085 00179 12-94 35-480 22-79 1504-2 085 00189 12-89 35-500 26-87 1504-3 STD 00209 13-10 35-610 26-86 00.271 1505-2 085 00209 13-10 35-610 26-86 00.271 1505-2 085 00209 13-10 35-610 26-86 00.271 1505-2 085 00209 10-14 35-600 27-01 00.331 149-1 085 00750 10-94 35-600 27-01 00.331 149-1 085 00750 10-94 35-500 27-01 00.391 149-2 085 00109 10-49 35-250 27-01 1502-0 STD 00209 10-49 35-250 27-02 1502-0 STD 00209 10-49 35-250 27-02 1502-0 STD 00209 10-49 35-250 27-02 1502-0 STD 00409 10-49 35-250 27-02 149-2 085 00105 10-57 35-320 27-12 1498-0 085 00315 10-57 35-320 27-12 1498-0 085 00315 10-57 35-300 27-16 1498-2 STD 00409 08-43 35-040 27-26 00-483 1491-2 085 00407 08-43 35-040 27-26 00-483 1491-2 085 00407 08-43 35-040 27-26 00-483 1491-2 085 00407 08-43 35-040 27-36 1499-2 085 00407 08-53 35-170 27-28 1493-6 085 00407 08-53 35-170 27-28 1493-6 085 00407 08-53 35-170 27-28 1493-6 085 00407 08-53 35-170 27-28 1493-6 085 00407 08-53 35-170 27-34 149-2 085 00407 08-53 35-170 27-34 149-2 085 00407 08-53 35-170 27-34 149-3 085 00407 08-53 35-170 27-34 149-3 085 00500 05-14 34-63 27-36 00-567 1480-1 085 00500 05-14 34-63 27-36 00-567 1480-1 085 00517 04-89 34-630 27-36 00-567 1480-1 085 00517 04-89 34-630 27-36 00-567 1480-1 085 00517 04-89 34-630 27-36 00-567 1480-1 085 00545 04-67 34-780 27-37 1478-1 085 00545 04-67 34-780 27-37 1478-1 085 00545 04-67 34-780 27-37 1478-1 085 00545 04-67 34-780 27-57 1478-1 085 00545 04-67 34-780 27-57 1478-1 085 00545 04-67 34-780 27-57 1485-1 085 00545 04-67 34-780 27-59 1485-1 085 00508 05-12 34-980 27-55 1486-1 085 00546 05-62 34-980 27-55 1486-1 085 00546 05-62 34-980 27-55 1486-1 085 00508 05-12 34-980 27-55 1488-1 085 00508 05-12 34-980 27-55 1488-1 085 00508 05-12 34-980 27-55 1488-1 085 00508 05-12 34-980 27-55 1488-1 085 00508 00-71 04-57 34-980 27-55 1488-1 085 00508 00-71 04-57 34-980 27-55 1488-1 085 00508 00-71 04-57 34-980 27-55 1488-1 085 00508 00708 04-79 34-980 27-55 1488-1 085 00008 04-79 34-980 27-55 1488-0 085 00008 04-67 34-980 27-55 1488-0 085 00008 04-67 34-980 27-				12.76	35.390	26.76										
085 00189 12.89 35.560 26.87 1505.2 1505.2 168 00.271 1505.2 168 00.271 1505.2 168 00.271 1505.2 1505.2 168 00.271 1505.2				12.94	35.480											
\$10 00200 13.10 35.61 26.86 00.271 1505.2 085 00239 10.19 35.000 26.99 1495.1 \$10 00750 10.94 35.000 26.99 1495.1 \$10 00750 10.94 35.000 26.99 1495.1 \$10 00750 10.94 35.26 27.01 1498.2 085 00750 10.94 35.26 27.01 1498.2 \$10 00772 11.82 35.550 27.07 01.1502.0 \$150 00190 10.49 35.25 27.08 00.385 1497.4 \$185 00190 10.49 35.25 27.08 00.385 1497.4 \$185 00190 10.49 35.25 27.08 00.385 1497.4 \$185 00302 10.57 35.20 27.12 1498.0 \$197 00407 00.83 35.70 27.12 1498.2 \$190 00407 00.83 35.00 27.16 00.483 1491.2 \$190 00407 00.83 35.00 27.28 1493.6 \$185 0041 00.80 35.170 27.28 1493.6 \$185 00441 00.80 35.170 27.34 1492.4 \$180 00469 07.58 34.890 27.34 1492.8 \$10 00600 05.34 34.85 27.36 00.567 1480.1 \$180 00469 07.58 34.890 27.34 1492.8 \$10 00500 05.34 34.85 27.36 00.567 1480.1 \$180 0051 04.0 35.40 27.40 27.50 1480.1 \$180 00546 04.0 34.98 27.34 1492.8 \$180 00546 05.14 34.85 27.36 00.567 1480.1 \$180 00546 05.12 34.98 27.50 00.587 1485.1 \$10 00600 06.02 34.98 27.50 00.587 1485.1 \$10 00600 06.02 34.98 27.50 00.587 1485.1 \$10 00600 06.02 34.98 27.50 00.587 1485.1 \$10 00600 06.02 34.98 27.50 00.587 1485.1 \$10 00600 06.02 34.98 27.50 00.688 1485.0 \$10 00600 06.02 34.98 27.50 00.688 1485.0 \$10 00700 05.16 34.98 27.50 00.688 1485.0 \$10 00700 05.16 34.98 27.50 00.687 1485.1 \$10 00600 06.02 34.98 27.50 00.688 1485.0 \$10 00700 05.16 34.98 27.50 00.688 1485.0 \$10 00700 05.16 34.98 27.50 00.688 1485.0 \$10 00700 05.16 34.980 27.50 1485.1 \$10 00700 05.16 34.980 27.66 1485.1 \$10 00700 05.16 34.980 27.66 1484.1 \$10 00800 04.79 34.990 27.66 1484.3 \$10 00800 04.79 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 1484.3 \$10 00800 04.69 34.990 27.66 148				12.98	35.530	26.83										
085 00209 13-10 35-610 26-86 185 00239 10-19 35-000 76-99 190 00750 10-94 35-26 27-01 00.331 1498_2 085 00750 11-94 35-260 27-01 1502-0 085 00772 11-82 35-556 27-07 1502-0 085 00100 10-49 35-25 27-08 1502-0 085 00100 10-49 35-25 27-08 1497_4 085 00315 10-57 35-250 27-08 1497_4 085 00315 10-57 35-250 27-08 1497_4 085 00315 10-57 35-360 27-16 1498_2 087 00315 10-57 35-360 27-16 1498_2 087 00315 10-57 35-360 27-16 1498_2 087 00407 08-33 35-04 27-26 00-483 1491_2 087 00407 08-33 35-04 27-26 1491_2 088 00437 08-54 35-170 27-28 1493_6 088 00437 08-54 35-170 27-28 1493_6 088 00497 08-54 35-170 27-28 1493_6 088 00497 08-54 35-170 27-34 1492_6 088 00497 08-54 35-170 27-34 1492_6 088 00497 08-54 35-170 27-36 1490_6 088 00500 05-14 34-63 27-36 00-567 1490_6 088 00500 05-14 34-63 27-36 00-567 1490_6 088 00517 04-89 34-63 27-36 1490_6 088 00517 04-89 34-640 27-42 1478_6 088 00517 04-89 34-63 27-35 1490_6 088 00549 04-06 34-980 27-55 1490_6 089 00549 04-06 34-980 27-55 1490_6 089 00549 04-06 34-980 27-55 1495_6 089 00549 04-06 34-980 27-55 1495_6 089 00549 05-26 34-980 27-55 1495_6 089 00560 05-26 34-980 27-55 1495_6 089 00690 05-26 34-980 27-55 1495_6 089 00690 05-26 34-980 27-55 1495_6 089 00690 05-26 34-980 27-55 1495_6 089 00690 05-26 34-980 27-56 1496_6 089 00690 05-26 34-980 27-56 1496_6 089 00690 05-26 34-980 27-56 1496_6 089 00690 05-26 34-980 27-56 1496_6 089 00690 05-26 34-980 27-56 1496_6 089 00790 05-36 34-980 27-56 1496_6 089 00790 05-36 34-980 27-65 1496_6 089 00790 05-36 34-980 27-65 1496_6 089 00790 05-36 34-980 27-65 1496_6 089 00790 05-36 34-980 27-65 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-980 27-66 1496_6 089 00790 05-36 34-990 27-66 1496_6				12.89	35.560	26.97										
185 00239 10-19 35,060 76,99 1495,1 510 00750 10-94 35,260 27,01 1498,2 085 00750 10-94 35,260 27,01 1498,2 085 00750 10-94 35,260 27,01 1498,2 510 00100 10-49 35,250 27,08 00,385 1497,4 085 00315 10-57 35,120 27,12 1498,0 085 00315 10-57 35,120 27,12 1498,0 085 00315 10-57 35,120 27,12 1498,0 085 00400 08-43 35,040 27,26 00-483 1491,2 086 00400 08-43 35,040 27,26 00-483 1491,2 087 00400 08-43 35,170 27,28 1493,6 088 00437 08-54 35,170 27,28 1493,6 088 00447 08-54 35,170 27,34 1492,4 088 00447 08-64 35,170 27,34 1492,8 080 00469 07-58 34-980 27,36 00-567 1480,1 080 00500 05-14 34-63 27,36 00-567 1480,1 080 00500 05-13 34-63 27,36 00-567 1480,1 080 00511 04-89 34-640 27,42 1478,1 085 00517 04-89 34-640 27,45 1478,6 085 00500 05-10 34-800 27,45 1478,6 085 00500 05-10 34-800 27,45 1478,6 085 00500 06-02 34-88 27,55 1485,0 085 00500 06-02 34-88 27,56 1485,0 085 00500 05-44 38-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,55 1485,0 085 00500 05-60 34-800 27,56 1485,0 085 00500 05-60 34-800 27,56 1485,0 085 00600 05-60 34-800 27,56 1485,0 085 00710 05-16 34-90 27,66 1484,0 085 00710 05-16 34-90 27,66 1484,0 085 00710 05-16 34-90 27,66 1484,0 085 00800 04-79 34-90 27,66 1484,0 085 00800 04-79 34-90 27,66 1484,0 085 00800 04-79 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-79 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0 085 00800 04-69 34-90 27,66 1484,0							00.271									
\$10 00750 10-94 35-26 27.01 00.331 1498.2 085 00752 11.82 35-550 27.07 1502.0 \$10 00100 10.49 35-25 27.08 00.385 1497.4 185 00100 10.49 35-25 27.08 1497.4 186 00115 10.57 35-320 27.12 1498.2 \$10 00 00 00.332 10.52 35.300 27.16 1498.2 \$10 00 00 00.332 10.52 35.300 27.16 1498.2 \$10 00 00 00.332 10.52 35.300 27.16 1498.2 \$10 00 00 00.332 10.52 35.300 27.16 1498.2 \$10 00 00 00.333 35.040 27.26 1499.2 \$10 00 00 00.33 35.040 27.26 1499.2 \$10 00 00 00.33 35.040 27.26 1499.2 \$10 00 00 00.33 35.040 27.26 1499.2 \$10 00 00 00.33 35.040 27.34 1492.4 \$10 00 00 00.33 35.040 27.34 1492.4 \$10 00 00 00 05.34 35.170 27.34 1492.4 \$10 00 00 00 05.34 34.630 27.34 1492.4 \$10 00 00 00 05.34 34.630 27.34 1492.4 \$10 00 00 00 05.34 34.630 27.34 1492.4 \$10 00 00 00 05.34 34.630 27.34 1492.4 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.35 1480.1 \$10 00 00 00 05.34 34.630 27.55 1485.1 \$10 00 00 00 05.34 34.600 27.55 1485.1 \$10 00 00 00 00.02 34.98 27.55 1485.1 \$10 00 00 00 00.02 34.98 27.55 1485.1 \$10 00 00 00 00.02 34.98 27.55 1485.1 \$10 00 00 00 00.02 34.98 27.55 1485.1 \$10 00 00 00 00.03 34 34.98 27.55 1485.1 \$10 00 00 00 00.04 39 34.99 27.55 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.99 27.50 1485.1 \$10 00 00 00 00.07 34.				13.10	35.610											
085 00250 10-94 35-260 27.01 149P-2 1885 00270 10-195 149P-2 1885 00272 11-82 35-550 27.08 00-185 1497-4 1890-0 10-49 35-250 27.08 00-185 1497-4 1897			00239		35.060		00 331									
ORS							00.551									
\$10 00100 10.49 35.25 27.08 00.385 1497.4 085 003100 10.49 35.250 27.08 1497.4 085 00315 10.57 35.120 27.12 1498.0 1498.0 10.52 35.360 27.16 1498.2 \$10 00400 08.43 35.04 27.26 00.483 1491.2 085 00401 08.43 35.04 27.26 00.483 1491.2 085 00403 08.43 35.04 27.26 1491.2 085 00413 08.96 35.170 27.34 1492.4 085 00441 08.64 35.190 27.34 1492.8 085 00441 08.64 35.190 27.34 1490.0 \$10 00600 05.36 34.640 27.36 1480.1 086 00500 05.34 34.63 27.36 00.567 1480.1 086 00517 04.83 34.620 27.36 1478.1 085 00517 04.83 34.620 27.36 1478.1 085 00517 04.83 34.640 27.42 1478.1 085 00517 04.80 34.980 27.57 1478.1 085 00590 03.71 34.510 27.55 1478.1 085 00590 03.71 34.510 27.55 1478.1 085 00517 04.80 34.80 27.55 1478.1 085 00500 05.34 34.80 27.55 1478.1 085 00500 05.34 34.80 27.55 1478.1 085 00517 04.83 34.60 27.55 1478.1 085 00500 05.34 34.80 27.55 1485.0 085 00500 05.34 34.980 27.55 1485.0 085 00500 05.34 34.980 27.55 1485.1 \$10 00600 06.02 34.980 27.55 1485.1 \$10 00600 06.02 34.980 27.55 1485.1 \$10 00700 05.36 34.980 27.55 1485.1 \$10 00700 05.36 34.980 27.65 1485.1 \$10 00700 05.36 34.980 27.65 1485.1 \$10 00700 05.36 34.980 27.65 1485.3 \$10 00700 05.36 34.980 27.65 1485.3 \$10 00800 04.79 34.940 27.65 1485.3 \$10 00800 04.79 34.940 27.65 1485.3 \$10 00800 04.79 34.940 27.66 1484.0 \$185 00869 00469 34.980 27.65 1485.3 \$10 00800 04.79 34.940 27.67 1485.4 \$185 00800 04.79 34.940 27.67 1485.6 \$185 00800 04.79 34.940 27.67 1485.6 \$185 00800 04.79 34.940 27.67 1485.6 \$185 00800 04.63 34.980 27.66 1484.3 \$185 00800 04.63 34.980 27.66 1485.4 \$185 00800 04.63 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.67 34.940 27.67 1485.6 \$185 00800 04.60 34.940 27.67 1485.6 \$185 00800 04.																
085 0010 10.49 35.250 27.08 1497.4 085 00115 10.57 35.120 27.12 1498.0 185 00312 10.52 35.360 27.16 1498.0 510 004 00 08.43 35.04 27.26 00.483 1491.2 085 00400 08.43 35.040 27.26 1491.2 085 00413 08.96 35.170 27.28 1493.6 085 00417 08.54 35.170 27.34 1492.4 085 00447 08.54 35.170 27.34 1492.8 086 00441 08.64 35.190 27.34 1492.8 087 00400 05.34 34.63 27.36 00.567 1480.1 087 00500 05.34 34.63 27.36 1480.1 088 00511 04.81 34.620 27.42 1478.1 088 00517 04.89 34.640 27.42 1478.6 088 00550 05.37 34.510 27.45 1473.7 085 00505 05.44 34.780 27.57 1478.1 085 00596 06.00 34.980 27.55 1485.0 085 00596 06.00 34.980 27.55 1485.0 085 00600 06.02 34.98 27.55 00.638 1485.0 085 00600 06.02 34.98 27.56 00.638 1485.0 085 00600 06.02 34.98 27.56 00.638 1485.0 085 00600 06.02 34.98 27.55 1485.1 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1485.2 085 00600 06.02 34.98 27.55 1483.5 086 00600 06.02 34.98 27.55 1483.5 087 00700 05.36 34.98 27.55 1483.5 087 00700 05.36 34.98 27.65 1484.1 085 00715 05.26 34.98 27.65 1484.1 085 00717 05.26 34.98 27.65 1484.1 086 00715 05.26 34.98 27.65 1484.1 087 00800 04.79 34.94 27.66 1484.0 088 00800 04.79 34.94 27.66 1483.6 088 00800 04.99 34.94 27.66 1483.6 088 00800 04.99 34.94 27.66 1483.6 088 0080 04.69 34.94 27.60 1483.6 088 0088 0088 04.69 34.94 27.60 1484.0 088 0088 0089 04.69 34.94 27.60 1483.6 088 0088 0088 04.60 34.94 27.60 1483.6				10.49		27.08	00.385	1497.4								
Nas		285		10.49												
\$\begin{array}{cccccccccccccccccccccccccccccccccccc				10.57	35.320			1498.0								
085 0040 08.43 35.040 27.26 1491.2 085 00413 08.96 35.170 27.28 1493.6 085 0041 08.96 35.170 27.34 1492.8 080 0041 08.64 35.190 27.34 1492.8 080 0041 08.64 35.190 27.34 1492.8 080 00469 07.58 34.980 27.34 1489.1 080 00500 05.34 34.63 27.36 00.567 1480.1 080 00517 04.93 34.640 27.42 1478.1 080 00517 04.99 34.640 27.47 1478.6 080 00517 04.99 34.640 27.457 1478.1 080 00545 04.62 34.780 27.57 1478.1 085 00594 06.06 34.980 27.55 00.638 1485.0 085 0000 06.02 34.98 27.55 00.638 1485.0 085 0000 06.02 34.98 27.56 00.638 1485.0 085 0000 06.07 34.980 27.56 00.638 1485.0 085 0000 06.07 34.980 27.56 1485.1 085 00600 05.05 34 34.970 27.62 1483.5 085 00600 05.05 34 34.970 27.62 1483.5 085 00600 05.05 34 34.980 27.56 1485.0 085 00600 05.05 34 34.980 27.56 1485.2 085 00600 05.05 34 34.980 27.56 1483.5 085 00600 05.24 34.980 27.65 1483.5 085 00600 05.26 34.980 27.65 1483.6 085 00600 05.26 34.980 27.60 1483.6 085 00710 05.36 34.980 27.65 1483.6 085 00710 05.36 34.980 27.65 1483.6 085 00710 05.16 34.980 27.65 1483.6 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.3 085 00710 05.16 34.980 27.66 1484.3 085 00710 05.16 34.980 27.66 1484.3 085 00710 05.16 34.980 27.66 1484.0 085 00710 05.16 34.980 27.66 1484.3 085 00800 04.79 34.940 27.66 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.69 34.940 27.60 1484.0																
085 00413 08.96 35.170 27.28 1493.6 085 00437 08.54 35.170 27.34 1492.4 085 00441 08.64 35.190 27.34 1492.6 085 00469 07.58 34.980 27.34 1499.0 SID 00500 05.34 34.63 27.36 00.567 1480.1 085 00501 04.81 34.620 27.42 1478.1 085 00511 04.89 34.640 77.42 1478.1 085 00517 04.89 34.640 77.42 1478.1 085 00517 04.89 34.640 77.42 1478.1 085 00545 04.62 34.780 27.55 1473.7 085 00594 06.06 34.980 27.55 1485.1 SID 00600 06.02 34.98 27.55 1485.1 SID 00600 06.02 34.98 27.55 00.638 1485.0 085 00600 06.02 34.98 27.56 01.638 1485.0 085 00600 05.62 34.980 27.60 1483.5 085 00600 05.62 34.980 27.61 1483.5 085 00600 05.62 34.980 27.61 1483.5 085 00600 05.62 34.980 27.61 1483.5 085 00600 05.62 34.980 27.61 1483.6 085 00600 05.62 34.980 27.61 1483.6 085 00700 05.36 34.98 27.61 1484.0 085 00700 05.36 34.98 27.61 1484.0 085 00710 05.36 34.980 27.61 1484.0 085 00710 05.36 34.980 27.65 1483.6 085 00711 05.26 34.980 27.65 1483.6 085 00715 05.26 34.980 27.65 1483.6 085 00716 05.36 34.980 27.65 1483.6 085 00716 05.36 34.980 27.65 1483.6 085 00716 05.36 34.980 27.65 1483.6 085 00716 05.26 34.980 27.65 1483.6 085 00716 05.26 34.980 27.65 1483.6 085 00716 05.26 34.980 27.65 1483.6 085 00716 05.16 34.980 27.65 1483.6 085 00716 05.16 34.980 27.65 1483.6 085 00716 05.16 34.980 27.65 1483.6 085 00800 04.79 34.940 27.67 1484.0 085 00800 04.79 34.940 27.67 1483.0 085 00800 04.79 34.940 27.67 1483.0 085 00800 04.79 34.940 27.68 1483.6 085 00800 04.79 34.940 27.67 1483.0 085 00800 04.69 34.940 27.67 1483.0 085 00800 04.69 34.940 27.67 1483.0 085 0080 04.69 34.940 27.67 1483.0							00-483									
085 00437 08-54 35.170 27.34 1492.6 085 00441 08.64 35.190 27.34 1492.6 185 00469 07-58 34.980 27.36 1480.1 085 00500 05.34 34.63 27.36 00.567 1480.1 085 00510 04.81 34.620 27.42 1478.1 085 00517 04.89 34.640 77.42 1478.6 085 00537 04.89 34.640 77.42 1478.6 085 00545 04.62 34.780 27.45 1473.7 085 00545 04.62 34.780 27.55 1478.1 085 00594 06.06 34.980 27.55 00.638 1485.0 085 00500 06.02 34.98 27.55 00.638 1485.0 085 00500 06.07 34.980 27.56 00.638 1485.2 186 00600 06.07 34.980 27.56 00.638 1485.2 187 00600 06.07 34.980 27.56 00.638 1485.0 085 00600 05.02 34.98 27.56 00.638 1485.0 085 00600 05.02 34.98 27.56 00.638 1485.0 085 00600 05.02 34.980 27.56 00.638 1485.0 085 00600 05.02 34.980 27.56 00.638 1483.5 187 00700 05.36 34.980 27.60 1483.5 188 00600 05.26 34.980 27.60 1483.6 085 00710 05.36 34.980 27.60 1484.0 085 00710 05.36 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00710 05.16 34.980 27.60 1484.0 085 00700 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.79 34.940 27.60 1484.0 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6 085 00800 04.69 34.940 27.60 1483.6				08.43												
085 00441 08.64 35.190 27.34 1492.8 086 00469 07.58 34.980 27.34 1489.0 \$ID 00500 05.34 34.63 77.36 00.567 1480.1 087 00511 04.61 34.620 27.42 1478.1 088 00517 04.89 34.640 77.47 1478.1 088 00530 3.71 34.510 27.45 1473.7 088 00545 04.62 34.780 27.57 1478.1 088 00594 06.06 34.980 27.55 \$ID 00600 06.02 34.98 27.55 085 00600 06.07 34.980 27.56 085 00600 06.07 34.980 27.56 085 00600 05.62 34.980 27.56 085 00600 05.62 34.980 27.56 085 00600 05.62 34.980 27.56 085 00600 05.62 34.980 07.59 1485.0 085 00600 05.62 34.980 07.50 1485.0 085 00600 05.62 34.980 07.50 1485.1 085 00600 05.62 34.980 07.50 1485.1 085 00600 05.62 34.980 07.50 1486.1 085 00600 05.62 34.980 07.60 1488.1 \$ID 00700 05.36 34.98 27.65 1683.1 \$ID 00700 05.36 34.98 27.65 1483.1 \$ID 00700 05.36 34.98 27.65 1483.1 \$ID 00700 05.36 34.980 27.61 1484.0 085 00715 05.26 34.980 27.65 1483.1 \$ID 00800 04.79 34.980 27.66 1484.0 085 0070 05.16 34.980 27.65 1483.1 \$ID 00800 04.79 34.940 27.67 1483.0 085 00800 04.79 34.940 27.66 1483.0 085 00809 04.69 34.940 27.68 1483.0 085 00809 04.69 34.940 27.68 1483.0 085 0088 00869 34.940 27.68 1483.0 085 0088 0087 04.69 34.940 27.68 1483.0 085 0088 00880 04.60 34.940 27.69 1488.0						27.34										
188																
085 00500 05.34 34.630 27.36 1480.1 085 00517 04.89 34.640 77.42 1478.1 085 00517 04.89 34.640 77.42 1478.1 085 00530 03.71 34.510 27.45 1478.7 085 00545 04.62 34.780 27.55 1478.1 085 00594 06.06 34.980 27.55 1478.1 085 00500 06.02 34.98 27.56 00.638 1485.0 085 00500 06.07 34.980 27.56 00.638 1485.0 086 00500 06.07 34.980 27.56 00.638 1485.0 087 00650 05.44 34.970 27.62 1483.5 088 00660 05.62 34.980 77.61 1484.4 085 00500 05.36 34.980 77.61 1484.4 085 00700 05.36 34.980 77.61 1484.0 085 00715 05.26 34.980 77.64 00.697 1484.0 085 00716 05.36 34.980 77.65 1483.6 085 00716 05.26 34.980 77.65 1483.6 085 00716 05.26 34.980 77.65 1483.6 085 00716 05.16 34.980 77.65 1483.6 085 00716 05.16 34.980 77.65 1483.6 085 00718 05.26 34.980 27.66 1484.0 085 00718 05.26 34.980 27.66 1484.0 085 00718 05.16 34.980 27.66 1484.0 085 00718 05.16 34.980 27.66 1484.0 085 00718 05.16 34.980 27.67 1683.3 0870 00800 04.79 34.940 27.67 1683.3 0870 00800 04.79 34.940 27.67 1683.3 088 0089 04.66 34.930 27.66 1484.0 085 00800 04.79 34.940 27.67 1683.3 088 0089 04.69 34.940 27.67 1883.6 085 0089 04.69 34.940 27.67 1883.6 085 0089 0896 04.69 34.940 27.60 1488.0 085 0089 0896 04.69 34.940 27.60 1488.0 085 0088 0089 04.69 34.940 27.60 1488.0 085 0088 0089 04.69 34.940 27.60 1488.0																
08S 00517 04.81 34.620 27.42 1478.1 08S 00517 04.89 34.640 77.42 1478.6 08S 00530 03.71 34.510 27.45 1473.7 08S 00545 04.62 34.780 27.57 1478.1 08S 00594 06.06 34.980 27.55 1485.1 STD 006.00 06.02 34.98 27.56 1485.0 08S 006.00 05.02 34.98 27.56 1485.0 08S 006.00 05.24 34.980 27.65 08S 006.00 05.24 34.970 27.62 1483.5 08S 006.00 05.24 34.950 27.63 1483.1 STD 00700 05.36 34.980 27.61 1484.0 08S 006.00 05.26 34.980 27.65 1483.8 00715 05.26 34.980 27.65 1483.8 00715 05.26 34.980 27.65 1483.8 008S 00731 05.26 34.980 27.65 1484.0 08S 00770 05.16 34.980 27.65 1483.8 STD 00000 04.79 34.940 27.66 1484.0 08S 00700 05.16 34.980 27.65 1483.3 ORS 00800 04.79 34.940 27.66 1484.0 08S 00800 04.79 34.940 27.66 1483.3 ORS 00800 04.69 34.940 27.66 1483.6 ORS 00800 04.69 34.940 27.66 1483.6 ORS 00800 04.69 34.940 27.66 1483.6 ORS 00807 04.69 34.940 27.69 1483.6 ORS 00807 04.69 34.940 27.69 1483.6 ORS 00809 04.69 34.940 27.60 1483.6 ORS 00809 04.69 34.940 27.67 1483.0 ORS 00809 04.69 34.940 27.67 1483.6 ORS 00809 04.69 34.940 27.67 1483.6 ORS 00809 04.69 34.940 27.67 1483.6							00.567									
085 00517 04.89 34.640 27.42 1478.6 085 00530 03.11 34.510 27.45 1473.7 085 00554 06.02 34.780 27.55 1485.1 085 00594 06.00 34.980 27.55 1485.1 085 00600 06.02 34.98 27.56 00.638 1485.0 085 00600 06.02 34.98 27.56 1485.0 085 00600 05.91 35.000 27.59 1485.2 085 00600 05.44 34.970 27.62 1483.5 085 00660 05.62 34.980 27.51 1483.4 085 00680 05.62 34.980 27.56 00.638 1483.4 085 00680 05.24 34.970 27.62 1483.5 085 00600 05.36 34.98 07.61 1484.4 085 00710 05.36 34.98 07.61 1484.0 085 00715 05.26 34.980 27.65 1483.8 085 00715 05.26 34.980 27.65 1483.8 085 00715 05.26 34.980 27.65 1483.8 085 00716 05.16 34.980 27.65 1484.0 085 00716 05.16 34.980 27.65 1484.0 085 00716 05.16 34.980 27.65 1484.0 085 00717 05.16 34.980 27.65 1484.1 085 00700 05.16 34.980 27.65 1484.1 085 00700 05.16 34.980 27.65 1484.1 085 00700 05.16 34.980 27.66 1484.0 085 00700 05.16 34.980 27.66 1484.0 085 00700 05.16 34.980 27.66 1484.0 085 00700 05.16 34.980 27.66 1484.0 085 00800 04.79 34.940 27.67 1483.3 086 00800 04.79 34.940 27.67 1483.3 087 00800 04.79 34.940 27.67 1483.0 085 00800 04.69 34.940 27.67 1483.0 085 00800 04.69 34.940 27.67 1483.6 085 00800 04.69 34.940 27.67 1483.6 085 00800 04.69 34.940 27.67 1483.6 085 00800 04.69 34.940 27.67 1483.6			00500	05.34		27.36										
085 00540 06-02 34-780 27-55 1478.1 085 00594 06-06 34-980 27-55 1485.1 SID 00600 06-02 34-98 27-56 00-638 1485.0 085 00600 06-07 34-980 27-56 1485.0 085 00600 06-07 34-980 27-56 1485.0 085 00600 06-07 34-980 27-56 1485.0 085 00600 05-07 35-000 27-59 1485.2 085 00600 05-05 34-980 27-56 1485.2 085 00600 05-02 34-980 27-51 1483.5 085 00680 05-24 34-980 27-61 1484.4 085 00680 05-24 34-950 27-63 1483.1 SID 00700 05-36 34-980 27-65 1483.8 00715 05-26 34-980 27-65 1483.8 0085 00715 05-26 34-980 27-65 1483.8 0085 00716 05-16 34-980 27-65 1484.0 085 00717 05-15 34-980 27-65 1484.0 085 00718 00710 05-16 34-980 27-65 1484.0 085 00719 05-16 34-980 27-65 1484.0 085 00719 05-16 34-980 27-65 1484.0 085 00710 05-16 34-980 27-65 1484.0 085 00710 05-16 34-980 27-66 1484.0 085 00710 05-16 34-980 27-66 1484.0 085 00710 05-16 34-980 27-66 1484.0 085 00800 04-79 34-940 27-67 00-750 1483.3 085 00800 04-69 34-940 27-67 1483.6 085 00800 04-69 34-940 27-69 1483.6 085 00869 04-69 34-940 27-69 1483.6 085 00869 04-69 34-940 27-69 1483.6 085 00869 04-69 34-940 27-67 1484.0						27.42										
085 00545 04.62 34.780 27.55 1485.1 510 00600 06.02 34.98 27.55 00.638 1485.1 685 00600 06.02 34.98 27.56 1485.0 685 00600 06.02 34.98 27.56 1485.0 687 00636 05.91 35.000 27.59 1485.2 685 00660 05.62 34.980 27.51 1483.2 685 00680 05.62 34.980 27.61 1484.4 685 00680 05.24 34.970 27.62 1483.5 750 00700 05.36 34.98 27.64 00.697 1484.0 685 00715 05.26 34.980 27.65 1483.6 685 00715 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00731 05.26 34.980 27.65 1483.6 685 00748 05.16 34.980 27.65 1484.3 510 00800 04.79 34.940 27.67 1483.3 785 00800 04.79 34.940 27.67 1483.3 785 00800 04.79 34.940 27.67 1483.3 785 00800 04.63 34.940 27.66 1483.6 785 00869 04.69 34.940 27.67 1483.6 785 00869 04.69 34.940 27.67 1483.6 785 00869 04.69 34.940 27.67 1483.6 785 00869 04.69 34.940 27.67 1483.6 785 00869 04.69 34.940 27.67 1483.6 785 0088 0087 04.57 34.940 27.67 1483.6																
085 00594 06.00 34.980 27.55 1485.0 085 00600 06.02 34.98 27.55 00.638 1485.0 085 00600 06.02 34.980 27.55 1485.0 085 00600 06.02 34.980 27.55 1485.0 085 00600 05.91 35.000 27.59 1485.2 085 00660 05.44 34.970 27.62 1483.5 085 00680 05.62 34.980 27.61 1484.4 085 00680 05.24 34.950 27.63 1483.1 510 00700 05.36 34.98 27.64 00.697 1484.0 085 00715 05.26 34.980 27.65 1483.8 00715 05.26 34.980 27.65 1483.8 0085 00731 05.26 34.980 27.65 1483.8 0085 00748 05.16 34.980 27.65 1484.1 085 00748 05.16 34.980 27.65 1484.1 085 00748 00700 05.16 34.980 27.65 1483.1 085 00748 00700 07.16 34.980 27.65 1484.1 085 00748 00700 05.16 34.980 27.66 1484.0 085 00748 00700 05.16 34.980 27.66 1484.0 085 00748 00700 05.16 34.980 27.66 1484.0 085 00748 00800 04.79 34.940 27.66 1484.3 085 00800 04.79 34.940 27.67 00.750 1483.3 085 00800 04.79 34.940 27.67 1483.3 085 00800 04.64 34.930 27.66 1483.6 085 00800 04.63 34.940 27.69 1483.6 085 00869 04.69 34.940 27.69 1483.6 085 00869 04.69 34.940 27.69 1483.6 085 00869 04.69 34.940 27.60 1483.6					34.780	27.57		1478.1								
\$10 006.00 06.02 34.98 27.56 00.638 1485.0 085 006.00 06.02 34.980 27.56 1485.0 085 006.00 05.04 34.970 27.50 1485.2 085 006.00 05.44 34.970 27.61 1484.0 085 006.00 05.62 34.980 27.61 1484.0 085 006.00 05.24 34.950 27.63 1483.1 \$10 007.00 05.36 34.98 27.64 00.697 1484.0 085 007.15 05.26 34.980 27.65 1483.8 085 007.15 05.26 34.980 27.65 1483.8 085 007.16 05.16 34.980 27.65 1483.8 185 007.00 05.16 34.980 27.65 1483.8 \$10 008.00 04.87 34.980 27.65 1483.8 \$10 008.00 04.87 34.980 27.65 1483.8 \$10 008.00 04.79 34.980 27.66 1484.0 \$10 008.00 04.79 34.940 27.67 1483.3 \$10 008.00 04.79 34.940 27.67 1483.3 \$10 008.00 04.79 34.940 27.67 1483.3 \$10 008.00 04.69 34.940 27.68 1483.0 \$185 008.00 04.69 34.940 27.68 1483.0 \$185 008.00 04.69 34.940 27.68 1483.0 \$185 008.00 04.69 34.940 27.68 1483.0 \$185 008.00 04.69 34.940 27.68 1483.0 \$185 008.00 04.69 34.940 27.68 1483.0 \$185 008.00 04.69 34.940 27.69 1483.6 \$185 008.00 04.69 34.940 27.60 1483.6 \$185 008.00 04.69 34.940 27.60 1483.6 \$185 008.00 04.69 34.940 27.60 1483.6 \$185 008.00 08.00 04.69 34.940 27.60 1483.6			00594	06.06												
085 00636 05-94 34-970 27-67 1485-2 085 00660 05-62 34-980 77-61 1484-0 085 00680 05-62 34-980 27-61 1483-1 570 00700 05-36 34-980 27-64 00-697 1484-0 085 00715 05-26 34-980 27-65 1483-8 0085 00731 05-26 34-980 27-65 1483-8 0085 00731 05-26 34-980 27-65 1483-8 0085 00731 05-26 34-980 27-65 1483-8 0085 00748 05-16 34-980 27-65 1483-8 0080 00748 05-16 34-980 27-65 1483-8 0080 00748 05-16 34-980 27-65 1483-8 0080 00749 34-940 27-66 1484-0 085 00770 05-15 34-980 27-66 1484-3 085 00800 04-79 34-940 27-67 1483-3 085 00800 04-79 34-940 27-67 1483-0 085 00800 04-69 34-940 27-68 1483-6 085 00800 04-69 34-940 27-68 1483-6 085 00869 04-69 34-940 27-68 1483-6 085 00869 04-69 34-940 27-68 1483-6 085 00869 04-69 34-940 27-69 1483-6 085 00869 04-69 34-940 27-67 1483-6 085 00877 04-57 34-940 27-67 1483-6				06.02	34.98	27.56	00.638									
185 00650 05.44 34.970 27.62 1483.5 185 00660 05.62 34.980 27.61 1484.4 185 00680 05.24 34.980 27.63 1483.1 5 10 00700 05.36 34.98 27.64 00.697 1484.0 185 00715 05.26 34.980 27.65 1484.0 185 00715 05.26 34.980 27.65 1483.8 188 00718 05.26 34.980 27.65 1484.0 189 00718 05.16 34.980 27.65 1484.1 180 00700 05.15 34.980 27.66 1484.0 180 00700 05.15 34.980 27.66 1484.3 181 00800 04.79 34.940 27.67 1483.3 181 00800 04.79 34.940 27.67 1483.3 182 0080 04.64 34.930 27.68 1483.4 183 00870 04.69 34.940 27.68 1483.4 183 0080 04.69 34.940 27.68 1483.6 185 00869 04.69 34.940 27.69 1483.6 185 00869 04.69 34.940 27.69 1483.6 185 00869 04.69 34.940 27.69 1483.6 185 00869 04.69 34.940 27.69 1483.6						27.56										
085 00660 05-62 34.980 27.61 1484.4 085 00680 05-24 34.950 27.63 1483.1 \$10 00700 05-36 34.980 27.64 00.697 1484.0 085 00715 05-26 34.980 27.65 1483.8 085 00731 05-26 34.980 27.65 1483.8 085 00748 05-16 34.980 27.65 1484.0 085 00748 05-16 34.980 27.65 1484.1 085 00770 05-15 34.980 27.66 1484.0 185 00700 05-15 34.980 27.66 1484.0 185 00000 04.79 34.940 27.66 1484.3 180 00800 04.79 34.940 27.67 00.750 1483.3 181 00800 04.69 34.940 27.68 1483.6 085 00800 04.69 34.940 27.68 1483.6 085 00800 04.69 34.940 27.68 1483.6 085 00800 04.69 34.940 27.68 1483.6 085 00800 04.69 34.940 27.67 1483.6 085 00869 04.69 34.940 27.69 1483.6 085 00877 04.57 34.940 27.67 1483.6						27.59										
085 006.80 05.24 34.950 27.63 1483.1 \$ 5 10 00700 05.36 34.98 27.64 00.697 1484.0 085 00710 05.36 34.980 27.65 1483.8 085 00711 05.26 34.980 27.65 1483.8 085 00731 05.26 34.980 27.65 1483.8 085 00748 05.16 34.980 27.66 1484.0 085 00740 05.16 34.980 27.66 1484.3 \$ 5 10 00800 04.79 34.980 27.66 1484.3 9 10 00800 04.79 34.940 27.67 1483.3 10 00800 04.79 34.940 27.67 1483.3 10 00800 04.79 34.940 27.67 1483.4 10 00800 04.64 34.930 27.68 1483.4 10 00800 04.69 34.940 27.68 1483.6 10 0080 0080 04.69 34.940 27.69 1483.6 10 0080 0080 04.69 34.940 27.69 1483.6 10 0080 0080 04.69 34.940 27.69 1483.6 10 0080 0080 04.69 34.940 27.69 1483.6 10 0080 0080 04.69 34.940 27.69 1483.6					34.970											
\$\begin{array}{cccccccccccccccccccccccccccccccccccc				05-62	34.980	27.61										
085 00715 05-26 34-980 27-65 1483-8 085 00731 05-26 34-980 27-65 1484-1 085 00748 05-16 34-980 27-66 1484-3 STD 00800 04-79 34-940 27-67 00-750 1483-3 ORS 00800 04-79 34-940 27-67 00-750 1483-3 ORS 00800 04-79 34-940 27-67 1483-3 ORS 00800 04-79 34-940 27-67 1483-3 ORS 00800 04-69 34-940 27-68 1483-6 ORS 00860 04-69 34-940 27-68 1483-6 ORS 00860 04-63 34-940 27-69 1483-6 ORS 00869 04-69 34-920 27-67 1484-0 ORS 00869 04-69 34-920 27-67 1484-0 ORS 0088 40-60 34-940 27-69 1483-6					34.950		00-407									
085 00715 05-26 34-980 27-65 1483-8 085 00731 05-26 34-980 27-65 1484-1 085 00748 05-16 34-980 27-66 1484-3 STD 00800 04-79 34-940 27-67 00-750 1483-3 ORS 00800 04-79 34-940 27-67 00-750 1483-3 ORS 00800 04-79 34-940 27-67 1483-3 ORS 00800 04-79 34-940 27-67 1483-3 ORS 00800 04-69 34-940 27-68 1483-6 ORS 00860 04-69 34-940 27-68 1483-6 ORS 00860 04-63 34-940 27-69 1483-6 ORS 00869 04-69 34-920 27-67 1484-0 ORS 00869 04-69 34-920 27-67 1484-0 ORS 0088 40-60 34-940 27-69 1483-6				05.36	34.980	27.64	00.071									
085 00731 05-26 34-980 27.65 14-84-1 085 00748 05-16 34-980 27.66 14-84-0 185 00748 05-16 34-980 27.66 14-84-0 185 00770 05-15 34-980 27.66 14-84-3 510 00800 04-79 34-940 27.67 00.750 14-83.3 185 00800 04-79 34-940 27.67 14-83.3 185 00820 04-64 34-940 27.67 14-83.0 185 00830 04-69 34-940 27.68 14-83.6 185 00869 04-69 34-940 27.69 14-83.6 185 00869 04-69 34-940 27.67 14-84-0 185 00877 04-57 34-940 27.70 14-83.6 185 0088 04-60 34-940 27.70 14-83.6				05-26	34.980											
085 00748 05.16 34.980 27.66 1484.0 185 00770 05-15 34.980 27.66 1484.3 STD 00800 04.79 34.94 27.67 00.750 1483.3 185 00870 04.64 34.940 27.67 1483.3 185 00870 04.64 34.940 27.68 1483.0 185 00870 04.69 34.940 27.68 1483.6 185 00860 04.69 34.940 27.68 1483.6 185 00860 04.69 34.940 27.69 1483.6 185 00877 04.57 34.940 27.70 1483.6 185 0088 04.60 34.940 27.70 1483.6					34.980	27.65										
\$10 00800 04-79 34-94 27-67 00.750 1483.3 085 00800 04-79 34-940 27-67 1483.3 085 00870 04-64 34-930 27-68 1483.0 085 00870 04-69 34-940 27-68 1483.4 085 00860 04-63 34-940 27-68 1483.6 085 00869 04-69 34-920 27-67 1484.0 085 00870 04-57 34-940 27-70 1483.6 085 00888 04-60 34-940 27-69 1483.6			00748	05.16	34.980											
78																
ORS 00820 04.64 34.930 27.68 1483.4 ORS 00830 04.69 34.940 27.68 1483.4 ORS 00860 04.63 34.940 27.69 1483.6 ORS 00869 04.69 34.920 27.67 1484.0 ORS 00877 04.57 34.940 27.70 1483.6 ORS 00888 04.60 34.940 27.69 1484.0					34.94		00.750	1483.3								
085 00830 04.69 34.940 27.68 1483.4 085 00860 04.63 34.940 27.69 1483.6 085 00869 04.69 34.920 27.67 1484.0 085 00877 04.57 34.940 27.70 1483.6 085 00888 04.60 34.940 27.70 1483.6																
085 00860 04.69 34.940 27.69 1483.6 085 00877 04.57 34.940 27.67 1484.0 085 00877 04.57 34.940 27.70 1483.6 085 00888 04.60 34.940 27.69 1484.0																
085 00869 04.69 34.920 27.67 1484.0 085 00877 04.57 34.940 27.70 1483.6 085 00888 04.60 34.940 27.69 1484.0				04.63												
085 00877 04.57 34.940 27.70 1483.6 085 00888 04.60 34.940 27.69 1484.0																
ORS 00888 04.60 34.940 27.69 1484.0				04.57	34.940	27.70		1483.6								
		ORS	00888	04.60	34.940	27.69		1484.0								
STD 00900 04.54 34.94 27.70 00.801 1483.9							00.801									
085 00900 04.54 34.940 27.70 1483-9					34.940	27.70		1483.9								
510 01000 04.45 34.94 27.71 00.851 1485.2 085 01000 04.45 34.940 27.71 1485.2							00.051	1465 - 2								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	0108 4 06 N 6 11 W	YEAR MONTH DAY HOUR		SHIP FV DATA USE 1 AREA 05				GT PER	WIND-DIR MIND-SPO WIND-FOR WENT ABA		TRAC	STO E DIG TION	•	ORDER 00.2	5	SOUAR SAUCZ SAUCZ SAUCZ	E 46
CASTNU	37114	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DX4 G	P 34	fOT P	N	02	NO3	5133	04	
		STO	00000	08-72	34.39	26.71	00.000	1484.9									
	19.6	280	00000	08.72	34.390	26.71		1484.9									
		085	01000	08.48	34.36	26.72	00.013	1484.1									
		STO	00020	08.20	34.56	26-92	00.026	1483.5									
		oes	00020	08.20	34,565	26.92	001010	1483.5									
		ORS	00025	07.08	34.435	26.98		1479.0									
		510	00030	07.11	34.46	27.00	00.037						7				
		ORS	000 30	07.11	34.460	27.00		1479.3									
		285	00050	07.86	34.66	27.05	00.058	1482.8									
		nas	00050	07.86 08-11	34.660	27.05		1482.8									
		nas	00070	08.51	34.860	27.11		1485.8									
		STD	00075	08.39	34.81	27.09	00.083	1495.4									
		285	00075	08.39	34.810	27.09		1485.4									
		MAS	00099	07.09	34-590	27.10		1480.5									
		STO	00100	07.16	34.62	27.12	00.108	1480.8									
		285	00100	07.16	34.620	27.12		1480.8									
		985	00112	06.92	34.615	27-15		1480.1									
		045	00125	07.26	34.71	27.17	00-132	1481.7									
		OHS	00125	06.94	34.620	27.15		1480 -4									
		095	00135	06-99	34.700	27.20		1480.8									
		STO	00150	06.72	34.69	27.24	00.154	1490.0									
		nes	00150	06-72	34.695	27.24	*****	1480.0									
		nes	00171	06.22	34.665	27.28		1478.3									
		ORS	00181	06.35	34.675	27.27		1479.0									
		STO	00200	05.32	34.57	27.32	00.195	1475.0									
		OAS	00200	05.32	34.570	27-32		1472.9									
		STD	00250	05.16	34.67	27.37	00-233										
		CAS	00250	05.16	34.670	27.42	00.533	1475.3									
		CBS	00259	05.15	34.705	27.45		1475.5									
		210	00300	05-71	34.88	27.52	00.266	1478.7									
		DBS	00300	05.71	34.880	27.52		1478.7									
		ORS	00303	05.78	34.900	27.52		1479.0									
		ORS	00339	04.92	34.775	27.53		1476.0									
		OBS	00379	05-26 05-14	34.875	27.57		1477.7									
		STO	00400	05.28	34.91	27.59	00.324	1478.6									
		CBS	00400	05.28	34.910	27.59	00.364	1478.6									
		395	00469	05.55	35.005	27.63		1481.0									
		085	00490	05.29	35.065	27.71		1480.4									
		STO	00500	05.49	35.06	27.69	00-376	1481 - 3									
		nBS	00500	05.49	35.060	27.69		1481.3									
		085	00525	05.23	35.025	27.69		1480-6									
		985	00535	05-38	35.025	27.67		1481 -4									
		\$10	006 00	04.83	35.01	27.72	00.423	1480.2									
		085	00600	04.83	35.010	27.72		1480.2									
		STD	00700	04.75	35.02	27.74	00.468	1481 .6									
		985	00700	04.75	35.020	27.74		1481 .6									
		nes	00709	04.65	35.025	27.76		1481.3									
		085	00752	04.82	35.035	27.75		1482.7									
		STD	00800	04.67	35.02	27.76	00-512	1487.7									
		STD	00900	04.62	35.025	27.76	00-556	1482.7									
		185	00900	04-51	35.020	27.77	30.336	1483.9									
		STO	01000	04- 30	35.00	27.78	00.599	1484.7									
		285	01000	04-30	35.005	27.78		1484.7									
		285	01003	04.30	35.005	27.78		1484.7									

......

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT	44	010	MONT	1972 H 05 13	SHIP EV	BARO	SULA 05.6	SFA		4140-31R 4140-5PD 4140-F3R	25	DURA		00.3	5	SQUARE SQUAPE 6
LONG	046	45	HOUR	21-0	AREA 05	CLOU	1/A	CL/TR		4E4 THE 3	x S	0413	110 11		1	SQUARE 4
CAST	NUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXAC	P)4	TOT P	402	NO3	\$133	P4
			STD	00000	08.85	34.50	26.77	00.000	1485 - 5							
		21.0	085	00000	08.85	34-500	26.77		1485.5							
			STD	00010	08.85	34.50	26.77	00.013	1485.7							
			08 S	00010	08.85	34.500	26.77	00.026	1485.7							
			085	00020	04.81	34.450	26.74	00.026	1485.6							
			STO	000 30	08.71	34.47	26.77	00.039	1485.4							
			OBS	000 30	08.71	34.470	26.77		1485.4							
			nes	00041	07.24	34.500	27.01		1480.0							
			STD	00050	07.74	34.65	27.06	00.062	1482 - 3							
			085	00050	07-74	34.650	27.06	00.087	1482.3							
			310	00075	08.24	34.400	27.10	00.007	1484-8							
			510	00100	07-94	34.77	27.12	00.112								
			085	00100	07.94	34.770	27.12		1484.0							
			085	00110	08.09	34-840	27.15		1484.9							
			085	00122	07.33	34.700	27.16		1481 .9							
			STD	00125	07.42	34-75	27-18	00.135	1482.4							
			085	00125	07.42	34.750	27.18		1482 .4							
			380	00131	07.51	34.760	27.15 •		1462.9							
			075	00150	06.84	34.600	27.15	00-158	1480-4							
			STD	00200	05.31	34.44	27.22	00.204	1474-8							
			085	00200	05-31	34.440	27.22	00.204	1474.8							
			085	00229	05.91	34.650	27.31		1478-0							
			00-	00240	05-23	34.620	27.37		1475.4							
			085	00248	05.56	34.680	27.38		1477-0							
			STD	00250	05-48	34-67	27.38	00.245								
			nes	00252	05.42	34.670	27.39		1476 -4							
			OBS	00270	05.51	34.660	27.37		1477.1							
			OBS	00290	05.33	34.720	27.44		1476.8							
			STO	00300	05.00	34.67	27.44	00.281	1475.5							
			085	00310	04.91	34-665	27.44		1475.3							
			085	00340	06.02	34.905	27.50		1480.6							
			085	00355	05.87	34.960	27.56		1480.3							
			STD	00400	05.35	34.90	27.58	00-344	1478.9							
			085	00400	05.35	34.900	27.58		1478.9							
			085	00411	05-12	34.960	27.65		1478 - 2							
			STD	00500	04.81	34.90	27.64	00.398								
			OBS	00504	04.81	34.910	27.65	00.770	1478.4							
			ORS	00513	04.71	34.935	27.68		1478.2							
			085	00540	04.72	34.940	27.68		1479.7							
			ne s	00548	04.62	34.975	27.72		1478.4							
			085	00582	04.86	35.005	27.72	1900 0000	1480.0							
			STD	00600	04.85	35.01	27.73	00-447	1480 - 3							
			STO	00600	04-85	35.015	27.73	00.493	1480.3							
			085	00700	04.95	35.010	27.71	30.443	1482.4							
			085	00724	04.25	34.945	27.74		1479.8							
			085	00756	04-17	34-945	27.75		1480.0							
			OBS	00770	04-37	34-950	27.73		1481.1							
			STD	00800	04.14	34.94	27.75	00.539	1480.6							
			085	00800	04.14	34.945	27.75		1480.6							
			STD	00900	04.16	34.96	27.76	00.582	1482.4							
			085	00900	04-16	34.965	27.76	00.626	1482.4							
			085	01000	04.26	34.98	27.76	00.828	1484.5							
			000	01000	04.20	34.700	21.10		1404.9							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFT				YEAR	1972	8010P 03	840	AIR	TEMP 05.0		IGT PER	4140-01R			STD REC			N 52 13	
CONS	FC		10	MONT	4 05	SHIP EV		WET	4UL9 03.9		4 2	4140-SPD	15	TRAC	E DIR	200	5	SQUARE	. 2
LONG	047	16	7	DAY	01.5	DATA USE	05		METP 1017.3	SEA CL/TE		MIND-FOR	KI		TION TIP 111	00.2		SQUARE	
LUNG	041	16	•	HUUK	01.5	****	05	CLIO	, ,,,	CL/II		aca inc .	••	UNIG	11- 111			SAUNKE	٠.
	STNIM	,,,,		LVLTYP	DEPTH	TEMP		SAL	SIGMA-T	DYNDPTH	SND VEL)XYG	P)4	TOT P	402	NO3	5133	P4	
) I M I M	,,,,	•		DEFIN							3410			40-		-1.33		
				510	00000	05.86		33.94	25.68	00,000	1473.0								
		01.	,	OAS	00000	05.86		33.845	26.68		1473.0								
				ORS	00004	05.89		33.860	25.69		1473-2								
				SID	00010	05.90		33.85	26.69	00.014	1473.3								
				085	00010	05.90		33.950	26.68		1473.3								
				STO	00020	05.94		33.47	25.69	00.027	1473.7								
)AS	00050	05.94		33-H70	26.69		1473.7								
				DBS	00024	06.00		33.880	25.69		1474.0								
				510	00028	05.98		33.900	26.71	00.041	1474.3								
				085	00030	06.04		33.920	26.72	00.041	1474.3								
				STO	00050	07.79		33.920	26.78	00.067	1482.0								
				OBS	00050	07.79		34.100	26.78		1482.0								
				nes nes	00055	08.14		34.545	26.92		1483.8								
				STO	00069	07.44		34.550	26.99 •	00-097	1481.3								
				URS	00075	07-96		34.600	24.99	00.041	1483.5								
				STO	00100	07.40		34.53	27.01	00.124	1481 .6								
				OHS	00100	07-40		34.530	27.01		1481.6								
				OR S	001 07	07.77		34.700	27.09		1483.4								
				385	00125	06.80		34.600	27.15	00.149	1479.8								
				STO	00150	06.80		34.70	27.15	00.172	1481.7								
				085	00150	07.14		34.700	27-18		1481.7								
				OBS	00170	07.07		34.800	21.27		1481.9								
				095	001 90	07.00		34.790	27.27		1481.7								
				095	001 96	07.24		34.870	27.30		1483.0								
				510	00200	07.13		34.60	27.30	00.218	1477.4								
				วลร	00250	05.69		34.600	27.30	00.200	1477.4								
				1185	00754	05.35		34.700	27.42		1476 -2								
				785	00258	05-63		34.730	27.41		1477.5								
				085	00270	05.61		34.760	27.43		1477.7								
				DAS	00278	05.59		34.880	27.46		1477.7								
				STO	00300	05.94		34.83	27.45	00.298	1479.5								
				DAS	00300	05.94		34.830	27.45		1479.5								
				285	00316	05.58		34.820	27-48		1478.3								
				085	00320	05.65		34.400	27.46		1478.7								
				285	00328	05.65		34.970	27.52		1478.9								
				nes	00345	05-62		34.900	27.55		1479.1								
				UBS	00 162	05.31		34.990	27.57		1478-1								
				STO	00400	05.34		34.92	27.59	00.360	1478.9								
				085	00400	05.34		34.920	27.59		1479.9								
				CRS	00425	05.16		34.960	27.62		1478.6								
				ORS	00447	05.02		34.980	27.68		1478.9								
				STO	00500	05.16		35.02	27.69	00-411	1479.9								
				785	00500	05.16		35.020	27.69		1479.9								
				085	00514	05.31		35.040	27.69		1480 -8								
				510	005 21	05-18		35.020	27.69	00.458	1481.3								
				085	00600	05.09		35.050	27.73	00.438	1481.3								
				510	00700	04.27		34.94	27.73	00.503	1479.5								
				ORS	00700	04.27		34.940	27.73		1479.5								
				UBS	00715	04.25		34.940	27-73		1479.6								
				785	00740	04.28		34.920	27.71		1480.1								
				OBS	00767	04.22		34.930	27.73		1480.7								
				085	00777	04.16		34.930	27.74		1480 -3								
				STU	00800	04-16		34.93	27.74	00.547	1480.7								
				085	00800	04-16		34.930	27.74		1480.7								
				085	00817	04.16		34.970	27.77		1481 .0								
				OBS	008 70	04.29		34.980	27.75		1481 .7								
				SID	00900	04.19		34.95	21.15	00.592	1482.5								
				URS	00900	04.19		34.95 34.950	27.75		1482.5								
				STD	01000	04.06		34.93	27.75	00-638	1483.6								
				085	01000	04.06		34.930	27.75		1483.6								
				085	01009	04.03		34.930	27.75		1484.3								
				3.00		,													
									*****	*******	•								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

DNSEC		0111	4041	1972	SHIP FY	mET.	HULB 07.2	29	GT PER	4140-01	15	TRAC	E DIR	EC ORDER	5	SQUARE
	44 d	25 6		05.9	AREA O		METR 1017.9	SEA CL/TR		MEATHER			TION L	00.2		SQUARE
	*					CLOO					•,	un to				SQUARE
CASTN	UP/1	106	LVLTYP	UEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	3¥¥€	P)4	101 P	402	NO3	5173	P4
			STO	30300	02.46	33.34	26.63	00.000	1458.0							
	(35.9	085	00000	02.46	33.340	26.63		1458.0							
			MAS	00007	02.46	33.370	26.65	-	1458.2							
			STO	00010	02.59	33.40	26.67	00-014	1458.8							
			510	00020	02.59	33.400	26.67	00.028	1458-9							
			085	00020	02.82	33.50	26.73	00.028	1460 - 1							
			510	00030	02-10	33.44	26.74	00.041	1457.1							
			085	00030	02.10	33.440	26.74		1457-1							
			085	00039	02.09	33.570	26.84		1457.3							
			285	00040	02.24	33.000	26.85		1458.1							
			STO	00050	01.94	33.75	27.00	00.065	1457.1							
			nes	00050	01.94	33.750	27.00		1457.1							
			ORS	00067	02.39	33.470	27.06		1459.5							
			URS	00070	02.08	33.870	27.0R		1458.2							
			nas	00073	01.99	34.100	27.27		1458.2							
			510	00075	02.08	34.11	27.28	00-088	1458.6							
			345	00100	03.04	34.25	27.31	00.108	1463.4							
			nAs	00100	03.04	34.250	27.31		1463-4							
			510	00125	03.63	34.380	27.36	00.127	1466.4							
			985	00125	03.58	34.380	27.36	00.121	1466.3							
			1395	00147	03.92	34.430	27.37		1467.7							
			STO	00150	04.01	34.55	27.45	00.145	1468.8							
			MAS	00150	04-01	34-550	27.45		1468.8							
			PAS	00175	04.74	34.670	27.47		1472 .4							
			DAS	00180	04.83	34-700	27.48		1472.9							
			510	00500	04.05	34.59	27.48	00.177	1469.8							
			995	00200	04.05	14.590	27.48		1469.9							
			510	00250	04.36	34.75	27.57	00.206								
			STO	00700	05.16	34.72	27.57	00-233	1472 -1							
			085	00 300	05.16	34.920	27.61	00.233	1476.5							
			285	00315	05.16	34.940	27.63		1476.8							
			UBS	00334	04.93	34.900	27.63		1476.1							
			985	00340	05.05	34.950	27.65		1476.8							
			TAS	00351	05.09	35.010	27.69		1477.2							
			ORS	00370	04.95	34 - 980	27.69		1476.9							
			STO	00400	04.94	34.98	27.69	00.283	1477.3							
			nes	00400	04.94	34.980	27.69		1477.3							
			510	00500	04.51	34.98	21.73	00.328	1477.6							
			OBS	00500	04.61	34.980	27.73		1477.6							
			DAS	00600	04.43	34.98	27.75	00,371	1478.5							
			085	00570	04.43	34.950	27.75		1479.4							
			510	00700	04.25	34.95	27.74	00.414	1479.4							
			nes	00700	04.25	34.950	27.74		1479.4							
			STO	00800	04.16	34.95	27.75	00.457	1480.7							
			OBS	00000	04.16	34.950	27.75		1480 . 7							
			STD	00900	04.01	34.93	27.75	00.501	1481.7							
			095	00300	04.01	34.930	27.75		1481 . 7							
			510	01000	03.95	34.93	27.76	00.546	1483-1							
			285	01000	03.95	34.930	27.76		1483.1							
			STO	01100	03.94	34.93	27.76	00.590	1484.7							
			OBS	01100	03.94	34.930	27.76		1484.7							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT	44	33	THOM S	1972	SHIP EV DATA USE 1	BARO	BULB 01.7	SEA		4140-31R 4140-590 4140-53R	ti	DIRA	STO RE E DIR	02.2	2	SOUAR SOUAR	E ;
LONG	048	32	HOUR	09-1	AREA 05	CT OU	0 1/4	CL/TR		HEA THER	X)	ONIG	110 11	1	1	SQJAR	E 46
CASI	N UM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	-	SND VEL	DXY G	P)4	TnT .	vo2	103	\$173	P-4	
			540	00000	00.14	33.10	26.59	00.000	1447.3								
		09.1	280	00000	00.14	33.100	26-59		1447.3								
			280	00005	00.04	33,100	26.59		1446.9								
			STO	00010	- 0.01	33,16	26.64	00.014	1446.9								
			280	00010	- 0.01	33,26	26.64	00.028	1446.9								
			280	00020	- 0.76	33,260	26.76	00.028	1443.7								
			STO	00030	- 1.03	13,41	26.89	00.040	1442.8								
			280	00030	- 1.03	33.410	26.89		1442 -9								
			085	00033	- 1.04	33,430	26.90		1442.8								
			STD	000 50	- 0.51	33.76	27.15	00.061									
			085	00050	- 0.51	33.760	21.15		1446.0								
			085	00063	00.57	33.830	27-15		1451,3								
			STD	00075	00.01	33, 51	27.17	00.084	1448.9								
			510	00087	- 0.25 - 0.15	33,790	27.16	00.106	1447.9								
			085	00100	- 0.18	33.910	27.26	0.,,100	1448-6								
			STD	00125	00.25	34.05	27.35	00.125	1451.2								
			085	00125	00.25	34.050	27.35		1451 -2								
			STD	00150	01.19	34.36	27.54	00-141	1456.3								
			085	00150	01.19	34 - 360	27.54		1456.3								
			085	001 55	01.39	34.360	27.53		1457.2								
			085	00193	01.75	34-390	21.52		1459.5								
			STO	002 00	01.76	34.40	27.53	00.170									
			085	00200	01.76	34.400	27.53		1459.7								
			OBS	00250	02.04	34.46	27.56	00.198	1461.8								
			085	00282	02.24	34.460	27.56		1461.8								
			STD	00300	02.68	34.56	27.58	00.225	1465.6								
			085	00300	02.68	34.560	27.58		1465.6								
			085	00327	05-14	34.930	27.62		1476.9								
			085	00344	04.74	34.880	27.63		1475.4								
			085	00380	05-24	35.000	27.67		1478.3								
			STO	00400	05.21	35.02	27.69	00.275	1478.5								
			OBS	00400	05.21	35-020	27.69		1478.5								
			STO	005 00	04.62	34.98	27.72	00.320	1477.7								
			085	005 00	04.62	34.960	27.72		1477.7								
			210	00600	04.60	35.00	27.74	00 343	1479.3								
			085	00600	04.60	35.000	27.74	00.303	1479-3								
			OBS	006 30	04.39	34.980	27.75		1478.9								
			085	00660	04.37	34.970	27.74		1479-3								
			085	00677	04-39	34.980	21.15		1479.6								
			510	00700	04-34	34.96	27.74	00.407	1479.8								
			OBS	00700	04.34	34.960	27.74		1479-8								
			280	00718	04-33	34.960	27.74		1480.0								
			085	00721	04.26	34.950	27.74		1479.8								
			STD	00800	04.22	34.96	27.75	00.450	1480.9								
			085	00800	04.22	34.960	27.75	00.450	1480.9								
			085	00830	04.18	34.950	27.75		1481.3								
			085	00860	04.24	34.970	27.76		1482.0								
			STO	00900	04.22	34.97	27.76	00-494	1482.6								
			OBS	00900	04.22	34.970	27.76		1482.6								
			OBS	00917	04.20	34.960	27.75		1482 -8								
			085	00975	04-02	34.940	27.76		1483.0								
			510	01000	04.02	34.94	27.76	00.538	1483-4								
			085	01000	04-02	34.940	27.76		1483 .4								
			085	01050	04.04	34.950	27.76		1483.8								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REF1D 31 8296 CONSEC 0123 LAT 45 53 N LONG 048 06 M	YEAR 1972 MONTH 05 DAY 15 HUUR 17.0	RUTDP 00168 SHIP EV DATA USE 1 AREA 05	AIR TEMP 02-8 MET BJLB 02-8 BAROMETR 1031-8 CLOUD T/A	DIR HGT PER 23 0 2 SEA CL/TR	MIND-DIR 24 MIND-SPD 15 MIND-FOR MEATHER XI	INST STO RECORDER TRACE DIR) DURATION 07.1 DRIG 11P 111	TEN SO 1306 5 SJURE 4 2 SQUARE 48 1 SJURE 58
CASTNUM/T IME	LVLTYP DEPTH	TEMP S	SAL SIGMA-T	DANDETH ZND AEF	JXYG P34	TOT P NO2 NO3	S133 P4
17.0	S1D 00000 085 00000		2.87 26.41	00.000 1446.8			
17.0	01000	00.04 32	.85 26.39	00-016 1446-7			
	210 00050	- 0.15 32	2.950 26.39 2.95 26.40	1446.7 00.033 1445.9			
	00030 00030	- 0.15 32 - 0.90 32	2.850 Z6.40 2.95 Z6.51	00-049 1442.8			
	085 00030 510 00050	- 0.90 32	2.950 26.51 3.02 26.58	00-078 1440-7			
	085 00050 095 00061	- 1.44 33	.020 26.58 -040 26.60	1440.7			
	085 00067 STD 00075	- L.49 33	1.110 26.66 1.19 26.72	1640.9			
	095 00075 085 00092	- 1.48 33	.190 26.72	1441 -1			
	STD 00100	- 1.04 33	1.42 26.90	00.144 1443.9			
	510 00125	- 0.69 33	1.420 26.90 1.54 26.98	00.172 1446.1			
	085 00125	- 0.69 33 - 0.44 33	1.540 26.98 1.600 27.02	1447.6			
			*****	*******			
REFID 31 8290		BOTOP 00101	AIR TEMP 02.8	DIR HGT PER	4140-01R 25	INST STO RECORDER	TEN 50 1306
CONSEC 012	DAY 15	DATA USE 1	BAROMETR 1031.5	SEA	MIND-SPD 19	TRACE DIR) DURATION 00.1	Z SQUARE 68
LONG 048 27 1	HOUR 19-1	AREA 05	CLOUD T/A	CL/TR	JEATHER X2	OR13 11P 111	1 SQUARE 68
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SND VEL	7XYG P34	TOT P NOZ NOS	S133 P4
19-1	085 00000		32.860 26.37 32.860 26.37	00.000 1449.3 1449.3			
	085 00010	00.65	32.86 26.37 32.860 26.37	00-017 1449.5			
	STD 00020	00.57	12.87 25.38 32.870 26.38	00,033 1449.3			
	STD 00030	00-31	2.86 26.39	00.050 1448.2			
	STD 00050	00.24	2.90 26.42	00.082 1448.3			
	OBS 00070		32.900 26.42 33.000 26.56	1448.3 1442.7			
			•••••	********			
						INST STD RECORDER	TEN 52 1306
CONSEC 012	MONTH 05	SHIP EV	MET BULB 02.2	26 2 2	WIND-DIR 24 WIND-SPD 15 WIND-FOR	TRACE DIR D	5 SQUARE 4
LONG 048 40 1		DATA USE 1 AREA 05	GLOUP T/A	SEA CL/TR	WEATHER X	ORIG 11P 111	L SQUARE 68
			SAL SIGMA-T	DYNDFTH SND VEL	3XYG P34	TOT P NO2 NO3	S133 P4
CASTNUM/TIME	LVLTYP DEPTH	-		00.000 1449.4	34.0	1017 40	
20.5	085 00000 085 00000	00.67	12.84 26.35 12.840 26.35 12.83 26.34	1449.4			
	CBS 00010	00.67	2.830 26.34	1449.5			
	085 00015	00.63	32.840 26.35 32.84 26.35	00.034 1449.5			
	OBS 00020	00.66	32.840 76-35 32.840 26-35	1449.5			
	STD 00030	00.57	32.63 26.35 32.830 26.35	00-051 1449.4			
	STO 00050	00.41	32.83 26.36 32.830 26.36	00-084 1449-0			
	DAS 00055	00-33	32.830 26.36	1448.7 1445.4			
	085 00062	- 0.39		********			

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

SEC 4			MONT.	1972 06 07 8.70	SHIP EV DATA USE I	BARO		DIR H 15 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	32	DURA	STD R F DIR TION TION	OD.	5	SOUAR SOUAR SOUAR	E C
ASTNU	M/T1	ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P)4	TOT P	102	403	5133	P4	
			sro	00000	19.75	36 - 39	25.91	00.000	1523.1								
	07	- 8	ORS	00000	19.75	36.390	25.91		1523.1								
			OBS	00004	19.75	36.390	25.91		1523.1								
			SID	00010	19.63	36.39	25.94	00.021	1522.9								
			085	00010	19.63	36.390	25.94		1522.9								
			Sin	000020	19.62	36.38	25.94	00.042	1523.0								
			08S \$10	00020	19.62	36.385	25.94	00.063	1523 -0								
			285	00030	19.32	36.29	25.95	00.003	1522.3								
			SID	00050	18.27	36.33	26.24	00,101	1519.7								
			085	00050	18.27	36.330	26.24	00.101	1519.7								
			SID	00075	17.72	36.46	26.48	00.144	1518.7								
			OBS	00075	17.72	36.460	26.48		1518.7								
			STD	00100	17.42	36.35	26.47	00.184	1518.1								
			ORS	00100	17.42	36.350	26.47		1518.1								
			aes	00108	17.39	36.395	26.51		1518 - 2								
			085	00122	17.19	36.385	24.55		1517.8								
			STO	00125	17.22	36.39	26.54	00.223	1517.9								
			MBS	00125	17.22	36 - 390	26.54		1517.9								
			JAS	00140	17.23	36 - 385	26.54		1518.2								
			STD	00150	17.15	36.36	25.54	00.262	1519.1								
			MAS	00150	17.15	36.365	26.54		1518.1								
			SID	00500	17.01	36.35	26.57	00.339	1518.5								
			280	00200	17.01	36.355	26.57	00	1518.5								
			085	00250	16.54	36.29	26.63	00.415	1517 - 8								
			510	00250	16-54	36.295	26.63	00.489	1517.8								
			DBS	00300	15.91 15.91	36.16 36.165	26.68	00.484	1516.6								
			OBS	00368	14.71	35.955	26.79		1513.7								
			085	00389	14.74	35.995	26.81		1514.2								
			STD	00400	14.61	35.97	26.82	00.630	1513.9								
			285	00400	14.61	35.970	26.82		1513.9								
			STO	00500	13.10	35.75	26.97	00.760	1510.3								
			OBS	00500	13.10	35.750	26.97		1510.3								
			STO	00600	10.92	35.40	27.12	00.876	1504.1								
			OBS	00600	10.92	35.405	27.12		1504 -1								
			STO	00700	08.66	35.17	27.33	00.975	1497-2								
			785	00700	08-66	35.175	27.33		1497.2								
			UBS	00755	07.37	35.050	27.43		1493.0								
			OBS	00770	07.31	35.075	27.45		1493.0								
			OBS	00795	07.49	35-175	27.51	-	1494.3								
			570	00800	07.42	35.16	27.51	01.056	1494.1								
			DBS	00800	07.42	35.165	27-51		1494.1								
			085	00830	06.91	35.135	27.56		1492.6								
			085	00849	06.95	35.170	27.60		1492.9								
			STO	00900	06.80 05.55	34.99	27.62	01.121	1488-1								
			085	00900	05.55	34.990	27.62	01.121	1488.1								
			nes	00920	05.45	35.025	27.66		1488 -1								
			785	00940	05.65	35.060	27.67		1489.3								
			OHS	00965	05.19	35.015	27.69		1487.8								
			STD	01000	05.34	35.07	21.72	01.177	1489.0								
			095	01000	05.34	35.075	27.72		1489.0								
			STD	01100	04.95	35.07	27.76	01.227	1489.1								
			OBS	01100	04.95	35.070	27.76		1489.1								
			STD	01200	04.72	35.07	27.79	01.273	1489.8								
			785	01200	04.72	35.075	27.79		1489.8								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID		8296	MONT	1972	8010P 03810 SHIP EV	AIR WET		19	GT PER	WIND-DIR WIND-SPD WIND-FIR		TRA	T ST	118	ORDER 00-3	5	EN SO SOUR	E 1
LONG		37.5N 20.0N	HOUR	10.4	DATA USE 1		D 1/4	CL/TR			χ,			P 111		1	SOJAR	= 10
CAS	INUM/	TIME	LALLAb	DEPTH	TEMP	SAL	SIGMA-T	DANDLAH	SND VEL)x + G	P 14	101	P	206	NO3	5173	P4	
			210	00000	19.66	36.11	25.72	00.000	1522.5									
		10.4	085	00000	19.66	36-110	25.72		1522.5									
			085	00005	19.59	36.110	25.73	00 000	1522.3									
			085	00010	19.61	36.11	25.73	00.023	1522.5									
			STD	00020	19.57	36.08	25.72	00.046	1522.6									
			OBS	00020	19.57	36.095	25.72	00.010	1522.6									
			SID	00030	19.22	36.00	25.75	00.068	1521.6									
			085	000 30	19.22	36.000	25.75	-	1571 .6									
			570	00050	15.67	35.66	26.35	00-108	1511.1									
			085	00050	15.67	35.660	26.35		1511.1									
			STD	00058 00075	15.07	35.480	26.52	00.149	1511 . 8									
			OBS	00075	15-67	35.880	26,52		1511.8									
			OBS	00077	15.58	35.825	26.50		1511.5									
			STD	00100	14-12	35.51	26.58	00.187	1506.8									
			OBS	00100	14-12	35.515	26.58		1506.8									
			085	00106	13.45	35.500	26.71		1504.7									
			STD	00112	13.56	35.525	26.70 26.72	00.223	1505.2									
			085	00125	13.17	35.445	26.72	00.223	1504.0									
			085	00133	13.05	35.480	25.77		1573 - 8									
			085	00147	13-13	35.485	26.76		1504.3									
			STD	00150	13.09	35.45	26.74	00.257	1504.2									
			OBS	00150	13.09	35.455	26.74		1504.2									
			085	00152	13.05	35.480	26.77		1504.1									
			085	00159	13.11	35.500 35.520	26.80		1504.5									
			ORS	00188	12.83	35.480	26.82		1504.0									
			385	00191	13.01	35.525	26.92		1504.7									
			STD	00200	12.91	35.50	26.82	00.323	1504 -5									
			085	00200	12-91	35.505	26.82		1504.5									
			085	00217	12.95	35.520	26.82		1504.9									
			STD	00235	12-61	35.475 35.51	26.86	00.386	1504 - 0									
			280	00250	12.69	35.510	26.87	00.700	1504.6									
			DBS	00285	12.70	35.540	25.89		1505.2									
			STO	00300	12.93	35-67	26.94	00.448	1506.4									
			280	00300	12.93	35.670	26.94		1506 -4									
			JB\$	00350	11.74	35.490	27.04		1502.9									
			280	00355	11.83	35.520	27.14	00.559	1503.4									
			085	00400	10.48	35.330	27.14		1499.1									
			STD	00500	08.47	35.10	27.30	00.654	1493-1									
			085	00500	09-47	35.100	27.30		1493.1									
			085	00512	08.61	35.200	27.36		1493.9									
			085	00548	07.49	34.980	27.35		1489.9									
			STD	00600	07.61	35.120	27.45	00.735	1491 -8									
			085	006 00	07.61	35-125	27.45	40.133	1491.5									
			STD	00700	06.09	35.04	27.59	00.803	1487.0									
			085	00700	06.09	35.040	27.59		1487.0									
			085	00757	05.51	35.060	27-68		1485.7									
			085	00770	05.74	35,090	27.68		1486.8									
			OBS	00800	05.56	35.09 35.095	27.70	00-858	1486.6									
			085	00822	05.49	35.100	27.72		1486.7									
			085	00860	05.61	35.130	27.73		1487.9									
			STD	00900	05.53	35.15	27.75	00.907	1488.2									
			085	00900	05-53	35.150	27.75		1483.2									
			085	00910	05.57	35.175	27.77	00.954	1488.6									
			STD 085	01000	05.10	35.10	27.76	00.95	1488.1									
			065	01037	04.93	35.095	27.78		1488.0									
			085	01080	04.71	35.065	27.78		1487.8									
			STD	01100	04.68	35.06	27.78	01.000	1488.0									
			085	01130	04.62	35.060	27.79		1488-2									
			STD	01200	04.47	35.06	27.81	01.044	1488 -8									
			085	01200	04-47	35.065 35.055	27.81		1488.8									
			003	01230	07.70	33.033	21.01		1404.0									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC LAT LONG		0128 22 N	YEAR MONT- DAY HOUR	06	SHIP EV DATA USE 1 AREA 05	MET & BARON CLOUE	ETR 1009.1			WIND-SPD WIND-SPD WIND-FOR WEATHER	15	TRACE		00.3	5	N SO 1: SQUARE SQUARE SQUARE	20
CAS	TNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	TXYG	P 34	TOT P	NOZ	NO3	\$133	P-1	
			STD	00000	08.17	33.04	25.73	00.000	1481 -0								
		18.1	OBS	00000	08.17	33.040	25.73		1481 .0								
			STO	00010	02.97	33.30	26.55	00.019	1460.3								
			nas	00010	02.97	33.300	26.55		1460.3								
			STD	00020	00.76	33.12	26.57	00-034	1450.5								
			210	00030	- 0.68	33.04	26.58	00.048	1443.9								
			085	000 30	- 0.68	33.040	26.58	50 AT.	1443-9								
			510	00050	- 1.27	33.20	26.73	00.076	1441.7								
			085	000 50	- 1-27 - 1.30	33.205	26.73	00.108	1441 - 7								
			GRS	00075	- 1.30	33.300	25.81	00.108	1442-1								
			STO	00100	- 1.25	33.34	20.84	00.139	1442 .8								
			385	00100	- 1.25	33-340	26.84		1442.8								
			510	00125	- 1.18	33.37	26.86	00.169	1443.6								
			DAS	00125	- 1.18	33.370	26.86		1443.6								
			STO	00150	- 1.03	33.43	26.96	00.198	1444.8								
			ORS	00150	- 1.03	33.430	76.90		1444.8								
			285	00165	- 0.91	33.600	27.04	-	1445 - 9								
			510	00200	04.92	34.38	27.21	00.249	1473.1								
			OHS	00200	04.97	34.380	27.21		1473-1								
			DAS	00230	05.66	34.500	21.22	00.294	1476 -8								
			510	00250	05-22	34.40	27.20	00.294	1475.2								
			OBS	00250	05.22	34.400	21.20		1473.1								
			095	00261	05.19	34-420	27.22 *		1475.3								
			STO	00300	0437	34.52	21.39	00.335	1472 . 7								
			DAS	00300	04.37	34.520	21.39		1472.7								
			285	00304	04.24	34.540	27.42		1472 -2								
			085	00312	05.32	34.680	27.41		1477.0								
			ORS	00340	05.09	34.715	27.46		1476.6								
			095	00362	04.51	34.635	27.45		1474.9								
			CAC	00371	05.57	34.430	21.49		1479.2								
			OBS	00385	05.52	34.820	21.49		1479 - 2								
			TAS	00388	05.62	34.940	27.50		1479.7								
			STO	00400	04.22	34.73	21.57	00-400	1474-0								
			310	00500	03-42	34.70	27.63	00.454	1472.2								
			785	00500	03.42	34.700	27.63	00	1472 -2								
			385	00555	04.92	34.960	27.67		1479.8								
			STD	00500	04.85	34.97	27.69	00.504	1480 .2								
			280	00600	04.85	34.970	27.69		1480.2								
			ORS	00645	05.01	35.020	27.71		1481 . 7								
			ORS	00669	04.90	35.015	77.72		1461 .7								
			STD	30700	04.90	35.02	21.72	00.551	1482 - 2								
			085	00700	04.90	35.070	27.72	00.597	1482 -2								
			510	00800	04-65	35.00	27.74	40.397	1482.8								
			510	00800	04.65	35.005	27.75	00.643	1482.8								
			185	00900	04.51	35.000	27.75	40.643	1483.9								
			STO	01000	04.37	34.79	27.76	00.688	1484.9								
			OBS	01000	04.37	34.990	27.76		1484.9								
			OBS	01095	04.28	34.980	27.76		1486 . 1								
			100				200										

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CASTNUM/TIM		STD OBS STD OBS STD OBS STD OBS	00000 00000 00000 00010	TEMP 07-47	SAL	SIGMA-T										
20.	.0	OBS STD OBS STD OBS	00000			310-4-1	DANDLAH	SND VEL	TXYG	P14	TOT P	402	401	5173	P4	
23.	.0	STD DBS STD DBS	00010		32.97	25.78	00.000	1479.2								
		985 510 985		07.47	32.970	25.78		1478.2								
		STD 085		05.97 05.97	32.88 32.880	25.91	00.022	1472.3								
		085	00020	01.47	32.78	26.26	00.041	1472.3								
			00020	01.47	32.780	25.26	00.041	1453.2								
		STD	00030	00.12	32.88	26-41	00.058	1447.4								
		285	000 30	00.12	32.975	26.41		1447.4								
		STD	00050	- 1.18	33.20	26.72	680-00	1442.1								
		085	00050	- 1.18	33.200	26.72		1442.1								
		385	00053	- 1.30	33.180	26.71		1441.6								
		STD	00100	02.96 06-01	33.85	26.99	00.118	1462-1								
		085	00100	06.01	34.330	27.04	00.144	1475.9								
		SID	00125	07.17	34.52	27.04	00.170	1481 -1								
		285	00125	07.17	34-520	27.04		1481.1								
		STD	00150	08.03	34.76	27.10	00.196	1485.2								
		085	00150	08.03	34.760	27-10		1485.2								
		085	00160	08.08	34.780	27.11		1485.6								
		STD	001 83	07.50 08.84	34.99	27.16	00-245	1483.6								
		085	00200	08.84	34.990	27.16	00.249	1489.4								
		285	00204	08-93	35.000	27.15		1489.9								
		STD	00250	07.26	34.86	27.29	00.290	1484-0								
		OBS	00250	07-26	34.860	27.29		1484.0								
		nas	00285	05.71	34.690	27.37		1478 -2								
		STD	00293	06.01	34.745	21.37	00.329	1479.6								
		095	00300	05.95 05.95	34.740	27.37	00.324	1479.5								
		URS	00306	05.91	34.785	27-42		1479.5								
		785	00319	06.27	34.860	27.43		1481.2								
		ORS	00345	06.12	34.895	27.48		1481.1								
		085	00367	06.21	34.900	27.47		1481 -8								
		310	00400	05-34	34.86	27.55	00.397	1478.8								
		CBS	00400	05-34	34.860	27.55		1478.8								
		ORS	00430	05.71	34.970	27.59		1476.9								
		085	00450	05.63	34.960	27.59		1480.9								
		STD	00500	03.65	34.71	27.62	00.453	1473.2								
		OBS	00500	03.65	34.715	27.62		1473.2								
		785	00505	03.60	34.750	27.65		1473.2								
		CBS	00535	03.80	34.760	27.64		1474.5								
		STO	00600	03.99	34.86	27.67	00.503	1473.9								
		085	00600	03.99	34.860	27.70	.,,,	1476.5								
		nas	00640	04-56	34.940	27.70		1479.7								
		ORS	00689	04-23	34.955	27.75		1479.1								
		STD	00700	04.36	34.96	27.74	00.548	1479.9								
		OBS	00700	04-36	34-960	27-74		1479.9								
		985 985	00770	04.20	34.950	27.75		1480.3								
		STO	00780	04.34	34.96	27.74	00-593	1491.1								
		085	00800	04.34	34.965	27.74	00-743	1481.4								
		STO	00900	04.60	35.01	27.75	00-637	1484.3								
		าตร	00900	04.60	35.015	27.75		1484-3								
		STD	01000	04-41	35.00	27.76	00.683	1485 .1								
		085 STD	01000	04.41	35.000	27.76	00 725	1485-1								
		CBS	01100	04-29	34.99	27.77	00.728	1486.3								
		085	01105	04.27	34.995	27.77		1486.3								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFIO CONSEC		01 30	MONTH		8010P 01326	ALR	BULB 13.9	20	GT PER	4140-31R		TRAC	STD REC	0	5	N SO I	E 1
LONG		1.5N	HOUR	22.0	DATA USE 1 AREA 05		METR 1011.0	SEA CL/TR		WEATHER	xı	DURA	110 111	03.3		SQJAR	
CAST	NUM/1	IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL)XYG	P)4	TOT P	NOZ	VO3	5133	рч	
			STD	00000	10.83	33.31	25,51	00,000						,			
	2	2.0	085	00000	10.83	33.310	25.51	00,000	1491 .2								
			SID	00010	11-11	33.31	25.46 .	00.025	1492.4								
			085	00012	11.18	33.308	25.45		1492 - 7								
			STO	00020	06.45	33.01	25.95	00.048	1474.6								
			STO	00030	02.03	32.78	26.21	00.067	1455.9								
			085	00038	- 0.16	32.712	26.29		1446.0								
			STO	00050	- 0.38	32.87	26.43	00.102	1445.4								
			005	00054	- 0.54 - 1.18	32.916	26.47		1444.8								
			085	00069	- 1.19	33.012	26.57		1442.2								
			510	00075	- 1.40	33.09	26.64	00,139	1441.4								
			085	00075	- 1.42	33.095	26.64		1441.3								
			085	00098	- 1.62	33.311	26.82		1441 .0								
			STD	00100	- 1-56	33.32	26.83	00.172									
			ORS	00115	- 1.24	33.403	26.89		1443.2								
			085	00122	- 1.26	33.443	26.92		1443.3								
			STO	00125	- 1.16	33.49	26.95	00.201	1443.9								
			085	00127	- 1.09	33.513	26.97		1444.3								
			085	00138	- 0.85	33.545	26.99		1445.6								
			STD	00150	00.18	33.67	27.05	00,228	1449.9								
			085	00176	02.49	33.881	27.06	00.228	1450.7								
			OBS	00190	03-21	34.007	27.10		1465.3								
			STO	00200	03-22	34.01	27.10	00,278	1465.5								
			085	00206	03.23	34.018	27.10		1465.6								
			085	00210	03.30	34-049	27.12		1466.1								
			085	002 32	01.62	33.945	27.18		1459.0								
			STD	00250	03.22	34.11	27.16	00.326	1466.5								
			085	00250	03.35	34.131	27-10		1467.1								
			085	002 86	01.69	34.022	27.25		1472.9								
			STD	00300	00.52	34.03	27.32	00.368	1460.3								
			085	00306	00.48	34.038	27.33	00. 166	1455.2								
			085	00322	01.89	34.338	27.47		1462 - 2								
			STD	004 00	05-54	34.82	27.49	00.438	1479.6								
			OBS	00401	05.63	34.835	27.49		1480.0								
			085	00412	05.41	34.808	27.50		1479.2								
			085	00423	05.36	34.953	27.54		1479.3								
			STO	00500	04.34	34.85	27.65	00.496	1476.3								
			085	00520	04.16	34.830	27.65		1476.1								
			085	00560	04.37	34.883	27.68		1477.5								
			STO	00600	04.74	34.97	27.70	00-545	1479.8								
			085	00638	04.92	35.026	27.73	001747	1481 - 3								
			085	00699	04.84	35.040	27.75		1482.0								
			STD	00700	04.84	35.04	27.75	00.590	1482 . 0								
			085	00762	04-74	35.035	27.75		1482.6								
			STD	00800	04-65	35.03	27.76	00.635	1482.8								
			085	00821	04.61	35.024	27.76		1483.0								
			OBS	00876	04-51	35.024	27.77	00 475	1483.5								
			085	00967	04.41	35.02	27.77	00.678	1484.6								
			STD	01000	04.37	35.01	27.78	00.722	1485.0								
			085	01082	04.29	35.004	27.78	00.122	1486.0								
			STD	01100	04.28	35.00	27.78	00.765	1486.2								
			085	01162	04.23	34.994	27.78		1487-1								
			085	01184	04.21	34.992	27.78		1487.4								
			STO	01200	04.20	34.9	27.78	00.810	1487-6								
			085	01201	04-20	34.9	27.78		1487.6								
			085	01214	04-18	34.5.3	27.78		1487.7								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

LONG		8296 0131 45.5N 02.5W	DAY	1972 H 05 07 23.6	SOTOP 00455 SHIP EV DATA USE 1 AREA 05			DIR H 19 SEA CL/JR	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	15	DURA	STO R E DIR TION IIP I	03.2 03.2	5 2 1	SQUARE 20 SQUARE 20 SQUARE 20
CAS	TNUM	/T 14F	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P74	101 P	W02	NO3	5133	**
			STD	00000	10.83	33.21	25.43	00-000	1491.1							
		23.8	510	00000	10.83	33.210	25.43	00.026	1491-1							
			085	00010	08.97	32.680	25.33		1483.8							
			STO	00020	10-93	33.214	25.44	00.052	1491.3							
			CHS	00025	06.01	32.645	25.77		1472.4							
			510	00039	03.59	32.66	25.99	00.074	1462.4							
			DBS	14000	- 0.06	32.823	26.38		1446.7							
			510	00047	- 0.04	32.847	26.39	00.110	1446.5							
			OBS	00052	- 0.25	32.999	26-44		1446.1							
			OBS	00063	- 0.50 - 0.67	32.932	26.49		1444.4							
			OBS	00073	- 0.93 - 0.97	32.984	26.54	00.149	1443.4							
			985	00078	- 1.07	33-046	26.59	00.147	1442.9							
			OAS	00080	- 1.50	33.100	26.65	00.183	1441.0							
			085	00100	- 1.56	33.29	26.81	00.185	1441.3							
			085	00112	- 1.58	33.340	26.65		1441.5							
			ORS	00125	- 1.26	33.42	26.90	00-213	1443.3							
			STD	00150	- 0.89	33.52	26.98	00.241	1445 -6							
			280	00150	- 0.89 - 0.85	33.525	26.98		1445.6							
			STO	00200	- 0.43	33.07	27.07	00.293	1448.8							
			085	00200	- 0.43	33.670	27.07		1448.8							
			STD	00250	- 0.08	33.79	27.16	00.341	1451.4							
			085	00250	00.16	33.795	27.16		1451.4							
			OBS	00287	00.22	33.910	27.24		1453.5							
			965	00300	00.17	33.97	27.29	00-383	1453.6							
			785	00312	00.45	34.020	27.31		1455-1							
			085	00350	00.57	34.065	27.34		1456.4							
			OBS	00385	01.17	34.270	27.47		1459.9							
			910	00400	03.37	34.49	27.47	00.455	1470.1							
			285	00410	03.79	34.495	27.48		1472.1							
			085	00422	03.32	34.500	27.48		1470.3							
							*****	••••••								
REFID		9296 0132	YEAR	1972	80TDP 00241	AIR			GT PER	WIND-DIR				ECORDEN		EN 50 1307
LAT	42	0132 50.5N	TAC	1 05 0F	SHIP EV DATA USE 1	BARO	SUL9 12.2	SEA	3 5	WIND-SPO WIND-FOR	15	TRAC	E DIR	03.2	2	SQUARE 10
CONSEC	42	0132	TAC	1 05	SHIP EV	BARO	3019 12.2	19	3 5	WIND-SPO		TRAC	F DIR	03.2	5	SOUARE ZO
CONSEC LAT LONG	42 050	0132 50.5N 00.5W	TAC	1 05 0F	SHIP EV DATA USE 1	BARO	SUL9 12.2	SEA	3 2	WIND-SPO WIND-FOR	15	TRAC	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	42 050	0132 50.5N 00.5W	MONT DAY HOUR	05 08 00-7	SHIP EV DATA USE 1 AREA 05	BARD CLOU	SULS 12.2 SETR 1011.9 T/4	SEA CL/TR	SND AET	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONTO DAY HOUR LVLTYP STD DBS	05 00.7 00.7 00.00 00000	SHIP EV DATA USE 1 AREA 05	SAL 33-11 33-110	SIGMA-T 25.57 25.57	SEA CL/TR	SND VEL 1486.3 1486.3	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT DAY HOUR LVLTYP STD DBS DBS	05 0F 00•7 00•7 00000 00000 00005	SHIP EV DATA USE 1 AREA 05 TEMP 09-55 09-55 09-55	SAL 33-11 33-110 33-100	SIGMA-T 25.57 25.57 25.57	SEA CL/TR DYNOPTH 00.000	SND VEL [486.3 1486.4	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT DAY HOUR LVLTYP STD DBS STD OBS	05 0F 00-7 00-7 00000 00000 00005 00010	SHIP EV DATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-54 09-54	SAL 33-11 33-110 33-100 33-100 33-103	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57	SEA CL/TR	3 2 SND VEL 1486.3 1486.4 1486.4	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT DAY HOUR LVLTYP STD DBS DBS STD OBS OBS	05 08 00-7 00-7 00000 00000 00000 00010 00010	TEMP 09-55 09-55 09-55 09-55 09-55 09-55 09-55	SAL 33-11 33-100 33-100 33-103 33-103 33-116	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57	19 SEA CL/TR DYNDPTH 00.000	SND VEL 1486.3 1486.3 1486.4 1486.4 1486.4	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT DAY HOUR LVLTYP STD DBS STD OBS NBS STD OBS STD STD STD	05 0F 00-7 00-7 00000 00000 00005 00010 00010 00010 00020 00030	TEMP 09-55 09-55 09-55 09-55 09-55 09-55 09-55 09-55 09-56 09-59 09-59	SAL 33-11 33-110 33-100 33-103 33-116 33-02 32-93	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.58 25.80 26.17	SEA CL/TR DYNOPTH 00.000	SND VEL 1486.3 1486.3 1486.4 1486.4 1486.6 1479.2	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT DAY HOUR LVLTYP STD DBS STD OBS STD OBS STD OBS STD OBS	06 0F 00-7 00-7 00000 00000 00000 00010 00010 00014 00020 00031	TEMP 09-55 09-55 09-55 09-54 09-55 09-55 09-54 09-55 09-55 09-55 09-55 09-59	SAL 33-11 33-100 33-100 33-103 33-103 33-103 33-103 33-103 33-103 33-103 33-103 33-103 33-103 33-103 33-103 33-100	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 25.80 26.17 26.22	19 SEA CL/TR DYNOPTH 00.000 00.024	SND VEL 1486.3 1486.3 1486.4 1486.4 1486.6 1479.2 1464.3 1462.0	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	00.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONTO DAY HOUR LVLTYP STD DBS DBS STD DBS STD DBS STD DBS STD DBS STD DBS STD DBS DBS STD DBS DBS	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-54 09-54 09-55 07-62 03-95 03-40 01-04 00.56	SAL 33-11 33-100 33-103	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.67 26.62 26.43 26.48	19 SEA CL/TR DYNDPTH 00.000 00.024 00.047 00.068	SND VEL 1486 .3 1486 .3 1486 .4 1486 .4 1486 .6 1479 .2 1464 .3 1462 .0 1451 .8	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONTY DAY MOUR EVETYP STD OBS OBS OBS STD	06 08 00-7 00-7 00000 00000 00010 00010 00010 00011 00031 00033 00045 00050	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-54 09-54 09-59 03-95 03-95 03-90 01-04 00-56 00-31	SAL 33-11 33-110 33-100 33-103 33	SIGMA-T 25-57 25-57 25-57 25-57 25-57 25-57 25-57 25-67 25-67 25-68 26-68 26-68	19 SEA CL/TR DYNOPTH 00.000 00.024	SND VEL 1486.3 1486.3 1486.4 1486.4 1486.6 1479.2 1464.3 1462.0 1451.8 1449.8	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT: DAY HOUR LVLTYP STD DBS	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-54 09-54 09-55 07-62 03-95 03-40 01-04 00-56 00-31 00-18	SAL 33-11 33-110 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107 33-107	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.17 26.22 26.43 26.48 26.53 26.58	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068	3 2 SND VEL 1486.3 1486.4 1486.4 1486.4 1486.4 1486.4 1486.4 1486.4 1486.8 1498.8 1462.0 1451.5	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT: DAY HOUR LVLTYP SYD DBS OBS STD	06 07 00 7 00 07 00 00 00 00 00 00 00 00 0	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 07-54 09-55 07-62 03-40 01-04 00-56 00.31 00.79 00.87	SAL 33-11 33-110 33-103 33-103 33-103 33-103 33-103 33-103 33-104 33-03 32-93 32-93 32-960 33-093 33-13 33-14 33-095 33-13	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.88 26.58 26.58 26.58 26.58	19 SEA CL/TR DYNDPTH 00.000 00.024 00.047 00.068	SND VEL 1486-3 1486-3 1486-4 1486-6 1479-2 1464-3 1462-0 1451-8 1449-8 1449-8 1449-8 1451-5 1451-5	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY HOUR LVLTYP STD DBS DBS DBS STD DBS STD DBS DBS STD DBS DBS STD DBS DBS DBS DBS STD DBS DBS DBS STD DBS DBS STD DBS DBS STD DBS DBS STD DBS DBS DBS DBS DBS DBS DBS DBS DBS DB	05 0F 7 0F PTH 000 00 00 00 00 00 00 00 00 00 00 00 0	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-55 07-62 03-40 01-04 00-56 00-31 00-18 00-79 00-87 00-98	SAL 33-11 33-110 33-10 33-10 33-10 33-10 33-10 33-10 33-10 33-13 33-116 33-02 32-93 32-960 32-986 33-04 33-05 33-13 33-13 33-13 33-13 33-13 33-14 33-157 33-21	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.88 26.58 26.58 26.58 26.58 26.58 26.58 26.58	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101	SND VEL 1486-3 1486-3 1486-4 1486-4 1486-6 1479-2 1464-3 1462-0 1451-8 1449-8 1448-8 1448-8 1448-9 1451-9 1451-9 1452-5 1453-5	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY HOUR HOUR LVLTYP STD STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	05 08 00 7 00 7 00 10 00 00 00 00 00 00 00 00 00 00 00	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-55 07-62 03-95 03-40 01-04 00-56 00.31 00-18 00-79 00-87 00-98 01-14 01-05	SAL 33-11 33-110 33-100 33-103 33-116 33-09 33-09 33-09 33-09 33-09 33-09 33-09 33-15 33-33-33-33-33-33-21 33-24	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.17 26.22 26.43 26.58 26.58 26.58 26.58 26.59 26.65	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068	SND VEL 1486-3 1486-3 1486-4 1486-6 1479-2 1464-3 1462-0 1451-8 1449-8 1449-8 1449-1 1451-5 1451-9 1452-5 1453-5 1453-5	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR LVLTYP DBS DBS STD OBS	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-54 09-55 07-62 03-95 03-40 01-04 00.56 00.31 00.79 00.79 00.79 00.79 01-14 01-05 01-01	SAL 33-11 33-110 33-100 33-103 33-10 33-103 33-10 33-103 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 3	SIGMA-T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.80 26.17 26.22 26.43 26.58 26.58 26.58 26.58 26.58 26.58 26.58 26.65 26.66	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101	3 2 SND VEL 1486-3 1486-3 1486-4 1486-6 1486-9 1462-0 1451-8 1448-8 1448-8 1448-8 1448-8 1452-5 1452-5 1453-3 1453-3 1453-3 1453-3	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	C 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR EVETYP DBS DBS DBS DBS STD DBS DBS DBS DBS DBS DBS DBS DBS DBS DB	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-55 07-62 09-59 03-40 01-04 00-56 00-31 00-18 00-79 00-87 00-98 01-14 01-05 01-01 01-28 01-29	SAL 33-11 33-110 33-100 33-103 33-10 33-103 33-110 33-103 30-103 30-103 30-103 30-103 30-103 30-103 30-103	SIGMA -T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 26.17 26.12 26.48 26.58 26.58 26.58 26.58 26.66 26.67	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101	SND VEL 1486-3 1486-3 1486-4 1486-6 1479-2 1462-0 1451-8 1449-8 1449-8 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-5 1451-7 1454-7	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR EVETYP DBS DBS DBS DBS STD DBS STD DBS STD DBS STD DBS STD DBS STD DBS DBS DBS DBS DBS DBS DBS DBS DBS DB	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-55 09-55 09-56 09-59 03-40 00-56 00-31 00-18 00-79 00-87 00-98 01-14 01-05 01-01 01-28 01-29 01-31 01-32	SAL 33-11 33-110 33-100 33-100 33-100 33-100 33-100 33-103 33-110 33-105 33-14 33-24	SIGMA -T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.17 26.22 26.48 26.53 26.48 26.53 26.58 26.58 26.66 26.67 26.66	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101	SND VEL 1486.3 1486.4 1486.4 1486.6 1477.2 1464.3 1462.0 1477.2 1464.3 1462.0 1471.2 1451.8 1491.4 1451.1	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR LVLTYP STD DBS DBS STD DBS	05 0F 14 00000 00000 00000 00001 00000 00001 00000 00001 00001 00000 00001 000000	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-55 07-62 03-40 01-04 00.56 00.31 00.79 00.87 00.98 01.14 01.05 01.01 01.28 01.29 01.31 01.22	SAL 33-11 33-10 33-10 33-10 33-10 33-11 33-11 33-11 33-12 33-13 32-986 33-94 33-157 33-11 33-24 33-278 32-278 32-2	SIGMA -T 25.57 25.60 26.67 26.65 26.65 26.67 26.67 26.67 26.67 26.67	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101 00.139 00.174	SND VEL 1486-3 1486-4 1486-4 1486-6 1479-2 1464-8 1462-8 1449-8 1449-8 1449-8 1451-5 1451-5 1453-5 1453-5 1453-5 1453-5 1453-7 1453-	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR LVLTYP STD DBS DBS STD DBS	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-55 07-62 03-95 03-40 01-04 00-56 00-31 00-79 00-87 00-98 01-14 01-05 01-01 01-28 01-29 01-31 01-32 01-25 01-25 01-25 01-25 01-25 01-25 01-25 01-25	SAL 33-11 33-110 33-100 33-103 33-116 33-02 32-93 32-960 33-04 33-157 33-118 33-24 33-254 33-278 33-37 33-310 33-351 33-37 33-310 33-351 33-37 33-310	SIGMA-T 25-57 25-57 25-57 25-57 25-57 25-57 25-57 25-58 26-17 26-22 26-48 26-53 26-58 26-58 26-58 26-65 26-65 26-67 26-67 26-67 26-67 26-67 26-67 26-67	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101	SND VEL 1486.3 1486.4 1486.4 1486.4 1486.6 1477.2 1462.0 1451.8 1448.8 1448.8 1448.8 1451.5 1452.5 1453.5 1453.5 1453.6 1453.6 1453.6 1453.6 1453.7 1453.	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR EVETYP DBS CHS STD DBS DBS STD DBS DBS DBS DBS DBS DBS DBS DBS DBS DB	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-	SAL 33-110 33-100 33-300 30-30	SIGMA -T 25-57 25-57 25-57 25-57 25-57 25-57 25-57 25-57 25-58 26-17 26-12 26-48 26-58 26-58 26-58 26-66 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101 00.139 00.174	SND VEL 1486-3 1486-3 1486-4 1486-6 1479-2 1464-3 1462-0 1451-8 1449-8 1449-8 1451-5 1451-9 1452-5 1453-5 1453-1 1454-9 1455-0 1455-9	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR EVETYP DBS CMS STD DBS DBS DBS DBS DBS DBS DBS DBS DBS DB	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-55 07-62 03-95 03-40 01-04 00-56 00-31 00-18 00-79 01-14 01-05 01-01 01-28 01-29 01-31 01-32 01-22 01-13 01-05 00-97 00-62	SAL 33-110 33-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-100 30-10	SIGMA -T 25-57 25-57 25-57 25-57 25-57 25-57 25-57 25-57 25-58 26-17 26-12 26-48 26-58 26-58 26-65 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-67 26-69 26-75 26-89 26-89	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101 00.139 00.174	SND VEL 1486.3 1486.4 1486.4 1486.4 1486.6 1477.2 1462.0 1451.8 1448.8 1448.8 1448.8 1451.5 1452.5 1453.5 1453.5 1453.6 1453.6 1453.6 1453.6 1453.7 1453.	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR LVLTYP DBS DBS DBS STD	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-54 09-55 07-62 07-62 07-62 07-62 07-62 07-62 07-62 01-04 00-79 00-87 00-98 01-14 01-05 01-01 01-28 01-29 01-31 01-25 01-25 01-25 01-25 01-27 00-62 01-31 01-05 01-07 00-62 01-31 01-05 01-07 00-62 01-32	SAL 33-11 33-110 33-100 33-103 33-116 33-02 32-986 33-04 33-157 33-157 33-17 33-24 33-254 33-254 33-254 33-254 33-351 33-	SIGMA -T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.48 26.58 26.58 26.58 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.69 26.67 26.67 26.69 26.67 26.69 26.67 26.69 26.69 26.94 26.94 26.940	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101 00.174 00.209 00.243	SND VEL 1486.3 1486.4 1486.4 1486.6 1477.2 1462.0 1451.3 1462.0 1451.5 1449.8 1449.8 1451.5 1453.2 1453.2 1453.2 1453.2 1453.2 1453.2 1453.3 1454.9 1455.0 1455.0 1455.0	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR LVLTYP BSTD DBS DBS DBS STD DBS STD DBS STD DBS STD DBS DBS DBS DBS DBS STD DBS DBS DBS DBS DBS DBS DBS DBS DBS DB	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-55 09-54 09-55 07-62 09-59 09-69 09-69 09-69 09-69 09-69 09-69 09-69 09-69 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-7 09-69 09-59 09	SAL 33-11 33-110 33-103 33-10 33-103 33-116 33-02 32-986 33-04 33-157 33	SIGMA -T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 26.67 26.65 26.65 26.67 26.69 26.79 26.89 26.940 26.940 26.940 26.940 27.00	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101 00.139 00.174	SND VEL 1486.3 1486.4 1486.4 1486.4 1486.6 1477.2 1464.3 1462.0 1477.2 1464.3 1462.0 1471.2 1464.3 1462.0 1471.2 1464.3 1462.0 1471.2 1464.3 1463.3 1453.2 1453.2 1453.3 1453.3 1453.3	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20
CONSEC LAT LONG	6 42 050 TNUM/	0132 50.5N 00.5W	MONT- DAY MOUR EVELTYP STD DBS	05 OF	SHIP EV OATA USE 1 AREA 05 TEMP 09-55 09-55 09-55 09-55 09-55 09-54 09-55 07-62 03-95 03-40 01-04 00.56 00.31 00.18 00.79 00.87 00.98 01-14 01-05 01-01 01-29 01-31 01-32 01-25 01-25 01-25 01-25 01-26 01-27 01-28 01-29 01-31 01-32 01-26 01-27 01-28 01-29 01-31 01-32 01-25 01-25 01-25 01-25 01-25 01-27 01-28	SAL 33-110 33-100 33-100 33-100 33-100 33-100 33-100 33-100 33-100 33-100 33-100 33-100 32-96 33-04 33-05 33-13-13-13-13-13-13-13-13-13-13-13-13-1	SIGMA -T 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.58 26.17 26.22 26.43 26.43 26.53 26.58 26.58 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.67 26.69 26.79 26.89 26.79 26.89 26.79 26.89 26.79 26.89 26.940	19 SEA CL/TR DYNOPTH 00.000 00.024 00.047 00.068 00.101 00.174 00.209 00.243	3 2 SND VEL 1486-3 1486-3 1486-4 1486-6 1477-2 1464-3 1462-0 1451-8 1449-8 1449-8 1451-5 1451-9 1452-5 1453-5 1453-5 1453-1 1458-9	WIND-SPD WIND-FOR WEATHER	x1	DURA OP 10	F DIR	03.2	2	SQUARE 10 SQUARE 20 SQUARE 20

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0133 AT 43 30 N LONG 050 00 W	DAY.	1072 4 06 03 02,2	SHIP EV DATA USE 1 AREA 05	BARO		18	GT PER	WIND-SPD WIND-FOR WENTHER	12	DURAT		07.1	5	SOUARE SOUARE SOUARE SOUARE	1 20
030 00 0	HOSE		anta va	CE US		,								,,,,,,,,	,.
CASTNUM/T INE	LVLTYP	DEPTH	TEMP	SAL	S1344-1	DYNOPTH	SAD AET	DX4C	P)4	101 0	402	NO3	5133	P4	
	STO	00000	06.22	32.86	25.86	00-000	1473.1								
02.2	985	00000	06.22	32.865	25.86		1473-1								
	nas	60000	06.21	32.961	25.86		1473.2								
	STO	00010	06.21	32.86	25.86	00.021	1473.3								
	085	00014	06.22	32.863	25.86		1473 -4								
	085	00018	06-22	32.868	75.86		1473.4								
	STD	00020	06.12	32.79	25.82 .	00.043	1473.0								
	nes	00023	05.32	32.686	25.83		1469.6								
	085	00027	03.58	32.693	26.02		1462.2								
	STO	00030	03.00	32.77	26.13	00.064	1460.1								
	nes	00034	02.24	32.845	26.25		1456.9								
	085	00039	01.69	32.833	26.28		1454.5								
	085	00043	01.50	32.842	26.30		1453.8								
	085	00048	01.18	32.861	26.34		1452.5								
	STO	00050	01.05	32.89	24.37	00.099	1452.0								
	ORS	00052	00.86	32.930	26.41		1451 - 2								
	085	00057	00.69	32.917	26.41		1450.5								
	DAS	00062	00-42	32.990	26.49		1449.4								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID		8296		1972	SHIP EV	O7 AIR			GT PER	HIND-DIR		TRACE	STO RE	CORDER		SOURE
LAT		09.5		08	DATA USE		METR 1013.5			WIND-FOR		DURAT		00.1		SQUARE 2
		32		06.6			D T/A	CL/TR		MEA THES	X.		119 11			SQUARE 3
									_							
CAS	T NU-	/T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P34	TOT P	MOS	NO3	\$133	PH
			STD	00000	07.99	32.91	25.66	00.000	1480.2							
		06.6	085	00000	07.99	32.915	25.66		1480 -2							
			STD	00010	07.99	32.92	25.67	00.023	1480.3							
			OBS	00010	07.99	32.920	25.67		1480 -4							
			085	00012	07-98	32.917	25.66		1480.3							
			085	00019	07.87	32.852	25.63 •		1479.9							
			STD	00020	07.82	32.86	25.64	00.047	1479.8							
			085	00023	06-45	32.946	25.90		1474.6							
			085	00028	03-16	32.921	26.24		1460.9							
			STD	00030	02.96	32.90	26.24	00.068	1460.1							
			095	00043	01-44	32 - 843	26.31		1453.5							
			STD	00050	00.81	32.95	26.43	00.102								
			OBS	00053	00.61	32.969	26.46		1450.1							
			085	00059	00.50	32.939	26.44		1449.7							
			OBS	00067	00.33	32.979	26.48		1449.1							
			STO	00075	00.03	33.02	26.53	00-141	1447.9							
			765	00075	00.01	33.023	26.53		1447.8							
			085	18000	- 0-11	32.984	26.51		1447.3							
			OBS	00086	- 0.31	33.058	26.58		1446.6							
			ORS	00096	- 0.52	33.047	26.58		1445.8							
			510	00100	- 0.63	33.07	25.60	00.177	1445.4							
			280	00101	- 0.67	33.077	26.61		1445.2							
			ORS	00107	- 0.90	33.134	26.66		1444.3							
			085	00111	- 0.93	33.150	26.67		1444.3							
			085	00117	- 0-97	33.174	26.69		1444.2							
			OBS	00124	- 0.97	33.195	26.71		1404.3							
			STD	00125	- 1.00	33-21	26.73	00.212	1444.2							
			OBS	00129	- 1.08	33.265	26.77		1444.0							
			ORS	00132	- 1.06	33-264	25.77		1444.1							
			OBS	00139	- 1.11	33-287	26.79		1444.1							
			085	00144	- 1.11	33.342	26.84		1444.2							
			085	00149	- 1.11	33.355	26.85		1444.3							
			STD	00150	- 1.11	33.36	26.85	00-244	1444.3							
			085	00153	- 1.10	33.360	26.85		1444.4							
			085	00158	- 1.09	33.367	26.85		1444-6							
			085	00163	- 1.08	33.387	26.67		1444.7							
			OBS	00168	- 1.06	33.395	26.88		1444.9							
			085	00173	- 1.00	33.444	26.91		1445.4							
			ORS	00178	- 0.97	33-445	26.91		1445.6							
			085	00184	- 0.96	33.446	26.91		1445.7							
			DAS	00183	- 0.95	33.458	26.97		1445.9							
			OBS	00193	- 0.93	33-462	76-93		1446.0							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0136 LAT 43 31.5N LONG 049 28 W	MONT	1972 1 06 08 08.0	SHIP EV DATA USE I	BARO	TEMP 07.8 BULB 07.2 METR 1014-6 D T/A	DIR H		MIND-FOR WIND-FOR WEATHER		DURA	570 REC E DIR TION TIP 111	00.1	5	SQUARE SQUARE SQUARE	28
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-F	OYNOPTH	SND VEL	Ox4 e	P34	101 P	NOZ	NO3	\$133	P4	
	STO	00000	05.51	32.90	25.98	00-000	1470-3								
08.0	085	00000	05.51	32.900	25.98		1470.4								
	STD	00010	05.51 05.46 05.46	32.90	25.98 25.98	00.020	1470.3								
	085	00010	05.46	32.900	25.98		1470.3								
	085	00010	05.50 05.49 05.47	32.899	25.96		1470.4								
	085	00015	05.47	32.900	25.98 25.96 25.98 25.98		1470.4								
	085 STO	00020	05-46	32.899	25.98	00,041	1470.4								
	085	000 21	05.45	32.893	25.98		1470-4								
	085	00023	05-45	32.897	25.98 26.10		1470.4								
	STD	00030	04.01	33.03	26.24	00.060	1464 . 7								
	085	00030	01.09	33.027	26.24		1464.7								
	280	00038	00.82	32.897	26-39		1450.7								
	085	00041	00.72	32.991 32.964	26.47		1450.5								
	085	00044	00.44	33.005	26.51		1448 -4								
	STD	00050	00.10	33.03	26.54	00.093	1447.8								
	085	00057	- 0.07 - 0.38	33.042 33.000	26.55		1447.1								
	065	00061	- 0.47 - 0.81	33.030	26.56		1445.7								
	085	00070	- 0.81	33.072	26.61		1444.0								
	STD	00075	- 0.86	33.11	26-64	00.129	1443.9								
	085	00078	- 0.94	33.136	26.66		1443.6								
	085	00092	- 0.95 - 0.96	33.117	26.67		1443.8								
	085	00093	- 0.96		26.65		1443.8								
	085 STD	00100	- 1.04	33.154	26.68	00.164	1443.5								
	085	00105	- 1-09	33-205	26.72		1443.5								
	085	00117	- 1.14	33.192	26.71		1443.3								
	085	00122	- 1.25	33.257	26.77		1443.1								
	STD 085	00125	- 1.27	33.27	26.78	00.197	1443.1								
	OBS	00134	- 1.30	33.274 33.285	26.79		1443.1								
	085	00140	- 1.31	33.312	26.82		1443.2								
	065	00146	- 1.21	33.342 33.363	26.84		1443.9								
	STD	00150	- 1.20	33.37	26.86	00.227	1443.9								
	085	00161	- 1-14	33.406	26.89		1444.5								
	085	00169	- 1.09	33.417	26.90		1445.1								
	085	00183	- 1.06	33.440	26.92		1445.4								
	STD	00198	- 0,90	33.514	26.97	00.284	1446.4								
	085	00210	- 0.82	33.52 33.529	26.98	00.204	1446.9								
	085	00219	- 0.68	33.629	27.05		1447.9								
	085	00243	- 0.44	33.660	27.07		1449.4								
	085 570	00249	- 0.43	33.694	27.09	00.336	1449.6								
	085	00259	- 0.32	33.768	27.15	******	1450.4								
	085	00268	- 0.17 - 0.15	33.785 33.786	27.16		1451 - 3								
	085	00293	00.28	33-961	27.27		1454.0								
	STO	00300	00.29	33.98 34-174	27.29	00.380	1454.2								
	085	00338	00.90	34.365	27.41		1461 -5								
	085	00348	01.99	34.399	27.51		1463.1								
	570	00400	02.74	34.641	27.64	00,440	1467-1								
	085	00415	03.42	34.828	27.73		1471-0								
	085	00477	03.71	34.81 F	27.70		1474.0								
	STO	00500	03.97	34.88	27.72	00.483	1474-8								
	085	00552	04.06	34-896	27.73		1476.1								
	085	00575	04.01	34.910	27.73		1476.5								
	985	00600	04.06	34.92	27.74	00.526	1476.9								
	095	00658	04.06	34.933	27.75		1477.9								
	510	00680	04.06	34.931	27.75	00.569	1478.3								
	085	00708	04.06	34.932	27.75		1478-7								
	785 085	00753	04.06	34.934	27.75		1479.5								
	nes	00787	04.07	34.935	27.75		1460.1								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSTRUCT ON STATE OF	REF10 31 8296		1972	BOTOP 01458	AIR			GT PER	4140-01R				TD REC			N 52 1	
CASTMUNT FIRM LYLLT PY DEPTH	CONSEC 0137	4011	H 06	SHIP EV	WET	BULB 06-7	20) x	WIND-SPD	13	TPA	CE	DIR	0		SQUARE	
CASTNUMVITIME LYLLTYP DEPTH TEMP Sal. SIGMA-T DYNOPTH SaD ME. 2876 P34 101 P NO2 NO1 SIJ3 P4	LING 049 24 1	HOUR	09.7	AREA 05			CL/TR							00.5	í	SQUARE	29
94.7 785 00000																	
09-17 784	CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DYYG	P34	101	P	NOZ	NO3	5133	P-1	
09-17 784		STO	00000	03.27	32.70	26-05	00-000	1460.6									
100 0001 00.28 32.48 20.09 20.00 100.	09.7	285	00000	03.27	32.700	25.05		1460.6									
\$10 00020 00.89 \$2.46 \$2.40 00.097 1405.1 \$10 00050 00.30				03.28	32.70		00.020										
OBS							00 030	1460.9									
081					32.494		00.039										
085 00011 - 0.35 22.787 24.17 144.1. 145.0 1 1		985	00028	- 0.32	32.691	26.28		1445.1									
ORS				- 0.33	32.76	26.34	00.057										
000-00		nes	00031	- 0.35	32.191	26.37		1445.0									
000-00		085			32.910	26.46											
985 00040 - 0.21 33.002 70.53 1440.2 910 0050 - 0.050 - 0.050 71.30 00.009 1440.2 910 0051 - 0.66 33.1075 70.50 1441.2 910 0051 - 0.66 33.1075 70.50 1441.2 910 0050 - 0.050 71.30 33.1271 70.74 1441.2 910 0050 - 0.050 71.30 33.1271 70.74 1441.2 910 0050 - 0.050 71.30 33.1271 70.74 1441.2 910 0050 - 0.000 71.30 33.1271 70.74 1441.4 910 0050 - 0.000 71.30 33.1271 70.74 1441.7 910 0050 - 0.000 71.30			00040	- 0.48	33.028	26.56		1445.0									
\$10 00010						26.52 •											
085 00051 - 0.65 33.005 72.67 1444.5 1441.4 1841.2 1841.4 1841.2 1841.4				- 0.23		26.59	00-089	1445.2									
DRS				- 0.65	33.095	76.67		1444.5									
085 00045 - 1.30 33.217 20.74 1441.9 085 00065 - 1.30 33.217 20.74 1441.7 085 00067 - 1.37 33.23 20.75 085 00077 - 1.37 33.23 20.75 085 00076 - 1.39 33.23 20.75 085 00078 - 1.39 33.23 20.75 085 00078 - 1.40 33.271 20.77 085 00099 - 1.57 33.27 20.33 085 00099 - 1.57 33.35 20.75 085 00099 - 1.51 33.35 20.75 085 00099 - 1.51 33.35 20.75 085 00099 - 1.51 33.35 20.75 085 00100 - 1.40 33.27 20.33 085 00100 - 1.40 33.27 20.33 085 00100 - 1.40 33.27 20.33 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00112 - 1.27 33.41 20.70 085 00113 - 1.40 33.27 20.33 085 00114 - 1.00 33.27 20.30 085 00115 - 1.00 33.27 20.70 085 00125 - 0.00 33.27 20.70 085 00127 - 0.00 33.27 20.70 085 00128 - 0.00 33.27 20.70 085 00149 - 0.00 33.27 20.70 085 00140 - 0.00 33.27 20.70 085 00140 - 0.00 33.27 20.70 085 00140 - 0.00 33.27 20.70 085 00140 - 0.00 33.27 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.28 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 33.48 20.70 085 00140 - 0.01 34.48 20.70 085 00140 - 0.01 34.48 20.70 085 00140 - 0.01 34.48 20.70 085 00140 - 0.01 34.48 20.70				- 1.36	33.075												
085 00065 -1.30 33.217 26.76 1441.7 1841.7 1				- 1.40													
085 00049 - 1.37 33.243 20.75 1441.7 085 00076 - 1.37 33.243 20.75 00.123 1441.7 087 00076 - 1.37 33.243 20.75 00.123 1441.7 087 00077 - 1.37 33.243 20.75 087 00077 - 1.37 33.243 20.75 087 00081 - 1.40 33.271 20.79 087 00081 - 1.40 33.271 20.79 087 00083 - 1.52 33.112 20.80 087 00093 - 1.52 33.112 20.80 087 00100 - 1.51 33.35 088 00100 - 1.51 33.35 088 00100 - 1.51 33.35 088 00100 - 1.41 33.415 20.80 088 00100 - 1.41 33.415 20.80 088 00100 - 1.41 33.415 20.80 089 00102 - 1.27 33.419 20.90 089 00129 - 1.21 33.415 20.90 089 00129 - 1.21 33.415 20.90 080 00129 - 1.21 33.415 20.90 081 00129 - 1.21 33.415 20.90 081 00129 - 1.21 33.415 20.90 081 00129 - 1.21 33.415 20.90 083 00129 - 1.21 33.415 20.90 085 00129 - 1.21 33.415 20.90 085 00129 - 1.21 33.415 20.90 085 00129 - 1.21 33.415 20.90 085 00129 - 1.21 33.415 20.90 085 00149 - 0.01 33.518 20.97 085 00160 - 0.01 33.518 20.97 085 00160 - 0.01 33.518 20.97 085 00160 - 0.01 33.518 20.97 085 00170 - 0.40 33.57 27.00 085 00170 - 0.40 33.57 27.00 085 00170 - 0.40 33.57 27.00 085 00170 - 0.40 33.57 27.00 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.40 33.47 27.70 085 00170 - 0.41 33.49 27.70 085 00170 - 0.42 33.49 27.75 085 00170 - 0.43 34.49 27.75 085 00170 - 0.44 33.49 27.75 085 00170 - 0.45 33.40 27.77 27.00 085 00170 - 0.46 33.47 27.70 085 00170 - 0.47 33.49 27.75 085 00170 - 0.47 33.49 27.75 085 00170 - 0.48 33.49 27.75 085 00170 - 0.49 33.49 27.75 085 00170 - 0.40 33.49 27.75 085 00170 - 0.40 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 - 0.41 33.49 27.75 085 00170 -			00065	- 1.30		26.74											
085 00174 - 1.37 33.243 22.76 081 00075 - 1.37 33.243 22.76 081 00075 - 1.37 33.243 22.76 081 00075 - 1.37 33.243 22.76 081 00075 - 1.37 33.242 22.76 082 00083 - 1.40 33.2211 22.76 083 00083 - 1.50 33.221 22.76 083 00083 - 1.57 33.122 22.82 083 00083 - 1.57 33.122 22.82 083 00083 - 1.57 33.122 22.82 085 00093 - 1.57 33.122 22.82 085 00093 - 1.57 33.122 22.82 085 00100 - 1.51 33.36 22.86 085 00100 - 1.51 33.36 22.86 085 00100 - 1.50 33.411 22.80 085 00100 - 1.41 33.411 22.80 085 00110 - 1.41 33.411 22.80 085 00110 - 1.21 33.412 22.80 085 00112 - 1.27 33.422 22.80 085 00112 - 1.21 33.412 22.80 085 00112 - 1.21 33.412 22.80 085 00114 - 1.08 33.525 22.80 085 00179 - 0.08 33.515 22.80 085 00199 - 0.08 33.518 22.80 085 00199 - 0.88 33.518 22.80 085 00199 - 0.88 33.518 22.80 085 00199 - 0.89 33.528 22.80 085 00199 - 0.89 33.528 22.80 085 00199 - 0.89 33.528 22.80 085 00199 - 0.81 33.88 22.87 085 00199 - 0.81 33.88 28.87 085 00199 - 0.81 33.518 28.87 085 00199 - 0.81 33.89 085 00199 - 0.81 33.89 087 00199 - 0.81 33.89 087 00199 - 0.81 33.89 088 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199 - 0.81 33.89 089 00199		nBs	00069	- 1.34	33.231	26.75		1441.7									
085 0076 - 1.38 33.788 26.76		285	000 74	- 1.37	33.243	26.76											
ORS 00081 - 1.49 33-271 26-79 ORS 00083 - 1.49 33-288 26-80 ORS 00099 - 1.52 33-112 26-82 ORS 00099 - 1.51 33-12 26-82 ORS 00099 - 1.51 33-12 26-82 ORS 00100 - 1.51 33-16 26-86 ORS 00100 - 1.51 33-16 26-86 ORS 00100 - 1.51 33-16 26-86 ORS 00100 - 1.49 33-399 26-86 ORS 00112 - 1.27 33-411 26-90 ORS 00112 - 1.27 33-412 26-90 ORS 00112 - 1.27 33-412 26-90 ORS 00112 - 1.27 33-415 26-90 ORS 00117 - 1.21 33-15 26-90 ORS 00117 - 1.08 33-325 26-96 ORS 00117 - 0.98 33-11 26-97 ORS 00169 - 0.91 33-1518 26-97 ORS 00169 - 0.91 33-1518 26-97 ORS 00169 - 0.91 33-1518 26-97 ORS 0017 - 0.89 33-509 26-96 ORS 00249 - 0.71 33-582 27-00 ORS 00249 - 0.45 33-66 27-07 ORS 00249 - 0.45 33-66 27-07 ORS 00340 0.07 0.09 33-69 27-09 ORS 00340 0.09 0.09 33-69 27-09 ORS 00340 0.09 0.09 33-69 27-19 ORS 00340 0.09 0.09 33-69 27-79 ORS 00340 0.09 0.09 33-69 27-							00.123										
085 00083 - 1.40 33.288 26-80 14-41.5 085 00093 - 1.52 33.312 26.82 14-41.3 085 00093 - 1.77 33.327 26.83 14-41.4 086 00093 - 1.47 33.327 26.83 14-41.4 087 00090 - 1.40 33.329 26.89 14-41.8 088 00100 - 1.40 33.399 26.89 14-41.8 085 001010 - 1.40 33.399 26.89 14-42.3 085 00112 - 1.27 33.425 26.91 14-43.1 085 00112 - 1.27 33.425 26.91 14-43.1 085 00112 - 1.27 33.425 26.90 00.183 14-31.8 085 00112 - 1.27 33.425 26.90 00.183 14-31.8 085 00112 - 1.27 33.425 26.90 00.183 14-31.8 085 00114 - 1.00 33.525 26.98 14-43.6 085 00150 - 0.90 33.51 26.97 00.211 14-5.2 085 00150 - 0.90 33.51 26.97 14-55.2 085 00150 - 0.90 33.51 26.97 14-55.2 085 00150 - 0.91 33.51 26.97 14-55.2 085 00150 - 0.91 33.51 26.97 14-55.2 085 00199 - 0.97 33.51 26.97 14-55.2 085 00199 - 0.97 33.51 27.00 00.265 14-47-0 085 00199 - 0.97 33.51 27.00 00.265 14-47-0 085 00199 - 0.97 33.57 27.00 00.265 14-47-0 085 00240 - 0.71 33.57 27.00 00.265 14-47-0 085 00240 - 0.71 33.59 27.00 00.265 14-47-0 085 00240 - 0.71 33.59 27.00 00.265 14-47-0 085 00240 - 0.71 33.59 27.00 00.265 14-47-0 085 00240 - 0.71 33.59 27.00 00.361 14-49.5 085 00240 - 0.53 33.800 27.07 00.361 14-55.2 085 00279 00.13 33.800 27.07 14-55.2 085 00279 00.13 33.800 27.07 14-55.2 085 00279 00.13 33.800 27.07 14-55.2 085 00279 00.13 33.800 27.19 00.361 14-55.2 085 00270 00.14 34.42 27.55 00.435 14-55.2 085 00270 00.15 34.72 27.55 00.435 14-55.2 085 00270 00.19 34.40 27.75 00.537 14-55.2 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.19 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.40 34.40 34.70 27.75 00.405 14-57.7 14-57.8 085 00270 00.40 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.40 34.40 27.75 00.405 14-57.7 14-57.8 085 00270 00.40 34.40 27.75 00.405 14-57.8 085 00270 0			00081	- 1.46	33.271	26.79		1441 .4									
MS			00083	- 1.49	33-288	26-80		1441.4									
105				- 1.52	33.312	26.82		1441 .3									
\$10 001.07 - 1.51 33.36 26.86 00.154 1441.6 00.554 1441.6																	
085 00103 - 1.49 33,399 26.89 1441.8 085 00107 - 1.41 33,411 26.90 1442.3 085 00112 - 1.27 33,415 26.91 1443.4 085 00112 - 1.27 33,415 26.91 1443.4 085 00113 - 1.27 33,415 26.90 00.183 1443.5 085 00113 - 1.23 33.415 26.90 1443.5 085 00114 - 1.08 33.415 26.90 1443.6 1805 00114 - 1.08 33.455 26.98 1444.6 1810 00150 - 0.98 33.51 26.97 1445.2 085 00150 - 0.98 33.51 26.97 1445.8 085 00169 - 0.91 33.518 26.97 1445.8 085 00179 - 0.89 33.51 27.00 00.211 1445.8 085 00179 - 0.89 33.528 26.96 1446.1 085 00190 - 0.89 33.528 26.97 1445.8 085 00190 - 0.89 33.528 27.70 1445.8 085 00179 - 0.89 33.528 27.70 1445.8 085 00179 - 0.83 35.50 27.70 1445.8 085 00179 - 0.83 35.50 27.70 1445.8 085 00249 - 0.45 33.68 27.07 1449.5 085 00279 - 0.44 33.67 27.08 00.316 1449.5 085 00275 - 0.21 33.755 27.14 1551.2 085 00279 - 0.44 33.80 27.19 1455.2 085 00379 00.13 33.80 27.19 1455.2 085 00399 00.58 33.80 27.19 1455.2 085 00399 01.94 34.103 27.36 1459.8 085 00399 01.94 34.103 27.36 1459.8 085 00399 01.94 34.271 27.47 1459.8 085 00399 01.94 34.40 27.55 00.403 1463.8 085 00480 03.29 34.68 27.71 1459.8 085 00480 03.49 34.40 27.55 00.403 1476.8 085 00480 03.49 34.40 27.55 00.403 1476.8 085 00490 04.13 34.40 27.55 00.403 1476.8 085 00490 04.13 34.93 27.75 1463.8 085 00490 04.13 34.93 27.77 00.537 1476.8 085 00490 04.13 34.93 27.77 00.537 1476.8 085 00490 04.13 34.93 27.77 00.537 1476.8 085 00490 04.13 34.99 27.75 00.627 1476.8 085 00490 04.13 34.99 27.75 00.627 1476.8 085 00490 04.13 34.99 27.75 00.627 1488.8 0050 00400 04.13 34.99 27.75 00.627 1488.8 0050 00400 04.13 34.99 27.77 00.627 1488.8 0050 00400 04.13 34.99 27.77 00.627 1488.8 0050 00400 04.13 34.99 27.77 00.627 1488.8		STO	20102	- 1.51	33.36	26.86	00.154	1441 .6									
085 00112 - 1.27 33.425 26.90			00103	- 1.49	33.399	26.89											
Section Sect				- 1.41	33.411	26.90											
STO 00125 - 1.21 33.4.62 26.90 00.183 1443.6 BS 00141 - 1.08 33.425 26.98 1444.6 STO 00150 - 0.98 33.515 26.98 10.1444.6 BS 00150 - 0.98 33.517 26.90 00.211 1445.2 085 00150 - 0.98 33.517 26.90 00.211 1445.2 085 00150 - 0.98 33.517 26.90 00.211 1445.2 085 00150 - 0.98 33.518 26.98 1446.1 085 00170 - 0.89 33.528 26.98 1446.1 085 00170 - 0.89 33.561 27.00 10.265 1447.0 085 00214 - 0.71 33.582 27.01 1447.6 085 0024 - 0.45 33.66 27.07 1449.5 STO 00250 - 0.44 33.67 27.08 00.316 1449.5 STO 00350 00.13 33.680 27.19 1449.5 STO 00300 00.15 33.860 27.19 1449.5 STO 00300 00.15 33.860 27.19 00.363 1453.2 STO 00300 00.15 33.865 27.15 1449.5 085 00370 10.13 33.860 27.15 1449.5 085 00370 00.15 33.860 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.5 085 00370 00.15 33.860 27.15 1449.5 085 00370 00.15 33.860 27.15 1449.5 085 00370 00.15 33.860 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.5 085 00370 00.15 33.865 27.15 1449.6 085 00370 00.16 33.865 27.15 1449.6 085 00370 00.16 33.865 27.15 1449.6 085 00370 00.19 34.440 27.55 1449.6 085 00480 00.29 34.658 27.61 1470.8 085 00480 00.29 34.658 27.61 1470.8 085 00480 00.29 34.658 27.61 1470.8 085 00480 00.29 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 085 00480 00.20 34.658 27.61 1470.8 086 00480 00.20 34.658 27.61 1470.8 087 00500 004.00 34.658 27.61 1470.8 088 00600 004.13 34.938 27.74 1480.5 089 00700 004.13 34.938 27.74 1480.5 089 00700 004.13 34.938 27.74 1480.5 089 00700 004.13 34.938 27.74 1480.5 089 00700 004.13 34.938 27.74 1480.5 089 00700 004.13 34.938 27.74 1480.5 089 00700 004.13 34.938 27.74 1480.5 089 00700 004.13 34.940 27.75 1480.5 089 00700 004.13 34.940 27.75 1480.5 089 00700 004.0				- 1.22	33.419	26.90											
185 00141 - 1, 08 33,525 26,98 00.21 1445.2 085 00159 - 0,98 33,515 26,97 1445.8 085 00169 - 0,91 33,518 26,97 1445.8 085 00179 - 0,89 33,528 26,98 1446.1 085 00179 - 0,89 33,528 26,98 1446.7 085 00179 - 0,89 33,528 26,98 1446.7 085 00179 - 0,89 33,528 27,00 00.21 1445.8 085 00179 - 0,89 33,528 27,00 00.25 1446.7 085 00210 - 0,77 33,57 27,00 00.25 1446.7 085 00210 - 0,71 33,57 27,00 00.26 1446.7 085 00279 - 0,44 33,67 27,08 00.316 1449.5 085 00275 - 0,21 33,767 27,00 00.316 1449.5 085 00275 - 0,21 33,767 27,00 00.316 1449.5 085 00275 - 0,21 33,767 27,00 00.316 1449.5 085 00275 - 0,21 33,767 27,00 00.316 1449.5 085 00270 - 0,44 33,840 27,19 1455.2 085 00308 00.58 33,840 27,19 1455.2 085 00308 00,58 33,955 27,19 00.363 1453.3 085 00308 00,58 33,955 27,25 1455.6 085 00372 00,21 33,953 27,25 1455.6 085 00373 00,21 33,40 27,36 1459.8 085 00374 00,18 34,27 27,36 1459.8 085 00374 00,18 34,27 27,36 1459.8 086 00374 01,18 34,271 27,47 1459.8 0870 00400 01,95 34,44 27,55 00.435 1463.9 085 00440 03,29 34,458 27,61 1470.8 085 00400 04,04 34,839 77,55 00.435 1463.9 085 00400 04,04 34,87 27,70 00,337 1468.8 085 00473 03,63 34,720 27,62 00.689 1473.7 085 00400 04,04 34,87 27,70 00,537 1468.8 085 00473 03,63 34,720 27,62 00.689 1473.7 085 00700 04,12 34,91 27,73 00.582 1478.8 085 00710 34,13 34,91 27,73 00.582 1478.8 085 00710 34,13 34,91 27,73 00.692 1480.5 085 00900 04,13 34,93 27,75 01.462.3 085 00910 04,13 34,93 27,75 01.462.3 085 00910 04,03 34,93 27,75 01.462.3 085 00910 04,04 34,95 27,76 00.672 1480.5 085 00910 04,07 34,95 27,76 00.672 1480.5 085 001107 04,04 34,95 27,76 00.672 1480.5 085 001107 04,04 34,95 27,76 00.672 1480.5 085 01107 04,04 34,95 27,76 00.672 1480.5 085 01107 04,04 34,95 27,76 00.672 1486.7 085 01107 04,04 34,95 27,76 00.672 1486.7 085 01100 04,04 34,95 27,76 00.672 1486.7 085 01100 04,04 34,95 27,76 00.762 1486.8		STD	00125	- 1.21	33.42	26.90	00.183	1443.5									
085				- 1.21	33.415												
085				- 0.98	33.51	26.98	00-211										
085 00169 - 0.91 33.518 26.97 1445.8 185 00179 - 0.89 33.528 26.98 1446.1 185 00179 - 0.89 33.528 26.98 1446.1 185 00193 - 0.82 33.561 27.00 1447.0 185 00249 - 0.45 33.561 27.01 1447.6 185 00249 - 0.45 33.668 27.07 1447.6 185 00249 - 0.45 33.668 27.07 1447.6 185 00249 - 0.45 33.67 27.08 00.316 1449.5 185 00275 - 0.21 33.765 27.14 1449.5 185 00275 - 0.21 33.765 27.14 1449.5 185 00275 - 0.21 33.860 27.19 1447.0 185 00275 - 0.21 33.860 27.19 1447.5 185 00.318 00.58 33.860 27.19 1455.2 185 00.318 00.58 33.860 27.19 00.363 1455.3 185 00.58 00308 00.58 33.895 27.19 00.363 1455.3 185 00.58 00374 00.21 33.923 27.25 1455.6 185 00.58 00374 01.18 34.271 27.45 1459.8 185 00.399 01.94 34.03 27.36 1457.2 185 00.38 00.399 01.94 34.03 27.36 1457.2 185 00.458 00.379 03.63 34.720 77.55 185 00.458 00.279 03.63 34.720 77.55 185 00.458 00.279 03.63 34.720 77.55 185 00.458 00.279 03.63 34.720 77.55 185 00.458 00.279 03.63 34.720 77.55 185 00.458 00.279 03.65 34.68 27.47 00.337 147.8 187 00.500 00.40 00.50 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.68 27.47 00.337 147.8 187 00.500 00.40 00.40 34.93 27.74 00.47 1480.5 187 00.47 04.13 34.93 27.74 1480.5 187 00.000 00.40 00.40 34.93 27.75 1480.5 187 00.000 00.40 00.40 34.93 27.75 1480.5 188 00.000 00.40 00.40 34.93 27.75 1480.5 188 00.000 00.40 00.40 34.93 27.75 1480.5 188 00.000 00.40 00.40 34.93 27.75 1480.5 188 00.000 00.40 00.40 34.93 27.75 1480.5 188 00.000 00.40 00.40 34.93 27.75 1480.5				- 0.94	33,509	26.96		1445.4									
NBS				- 0.91	33.518												
STO 00200 - 0.79 33.57 27.00 00.265 1447.0 10BS 00214 - 0.71 33.582 27.01 1447.6 10S 00249 - 0.45 33.668 27.07 149.5 STO 00750 - 0.44 33.67 27.08 00.316 1449.5 10BS 00275 - 0.21 33.765 27.14 149.5 10BS 00279 - 0.13 33.840 27.19 1453.2 STO 00300 00.15 33.89 27.19 00.363 1453.3 10BS 00308 00.58 33.955 27.25 1455.6 10BS 00323 00.21 33.923 27.25 1455.1 10BS 00348 00.74 34.103 27.36 1457.2 10BS 00399 01.49 34.49 27.55 1463.8 STO 00400 01.95 34.44 27.55 00.435 1463.8 STO 00400 01.95 34.44 27.55 00.455 1463.8 STO 00500 03.75 34.76 27.64 00.489 1473.7 STO 00600 04.04 34.87 27.70 00.537 1476.8 10BS 00638 04.06 34.877 27.70 00.537 1476.8 10BS 00638 04.08 34.897 27.70 00.537 1476.8 10BS 00638 04.08 34.897 27.77 1476.8 10BS 00710 34.13 34.917 27.77 1476.8 10BS 00710 34.13 34.917 27.77 1476.8 10BS 00710 04.13 34.93 27.77 1476.8 10BS 00710 04.13 34.93 27.77 1476.8 10BS 00700 04.13 34.91 27.77 1476.8 10BS 00710 04.13 34.93 27.77 1488.4 STO 00700 04.13 34.93 27.77 1488.4 STO 00700 04.13 34.94 27.77 1488.5 STO 00700 04.13 34.93 27.77 1488.5 STO 01000 04.07 34.94 27.75 1488.5 STO 01000 04.07 34.94 27.75 1488.5 STO 01100 04.04 34.99 27.76 00.672 1488.5 STO 01100 04.04 34.99 27.76 00.672 1488.5 STO 01100 04.04 34.99 27.76 00.672 1488.5 STO 01100 04.04 34.99 27.76 00.774 1488.6 STO 01100 04.04 34.99 27.76 00.774 1488.6 STO 01100 04.04 34.99 27.76 00.774 1488.6				- 0.89	33.528	26.98											
085 00214 - 0.71 33.582 27.01 1447.6 1080 00275 - 0.44 33.668 27.07 1449.5 SID 00750 - 0.44 33.67 27.08 00.316 1449.5 085 00275 - 0.21 33.785 27.14 1451.2 185 00275 - 0.21 33.840 27.19 1453.2 SID 00300 00.15 33.85 27.19 00.363 1453.3 085 00308 00.58 33.955 27.25 1455.6 085 00308 00.21 33.923 27.25 1455.6 085 00318 00.74 01.18 34.271 27.47 1459.8 085 00399 01.94 34.403 27.36 1457.2 085 00400 01.59 34.40 27.55 00.435 1463.8 SID 00400 01.59 34.44 27.55 00.435 1463.8 SID 00400 01.59 34.44 27.55 00.435 1463.8 SID 00400 01.59 34.42 27.55 00.435 1463.8 SID 00500 03.75 34.76 27.42 1472.7 SID 00500 03.75 34.76 27.42 1472.7 SID 00500 04.03 34.877 27.70 00.537 1476.8 085 00636 04.03 34.877 27.70 00.537 1476.8 085 00636 04.03 34.877 27.70 00.537 1476.9 085 00636 04.03 34.877 27.70 00.557 1476.8 085 00636 04.03 34.877 27.70 00.557 1476.8 085 00636 04.03 34.877 27.70 00.587 1476.8 085 00636 04.03 34.877 27.70 00.587 1476.8 085 00636 04.03 34.887 27.77 1476.8 085 00636 04.03 34.887 27.77 1476.8 085 00636 04.03 34.887 27.77 1476.8 085 00636 04.03 34.887 27.77 1476.8 085 00710 04.13 34.91 27.73 00.582 1476.8 085 00710 04.13 34.91 27.73 00.627 1480.5 085 00878 04.01 34.93 27.74 1481.4 SID 00900 04.13 34.94 27.75 1483.8 SID 01000 04.07 34.94 27.75 1483.8 SID 01100 04.04 34.94 27.75 1483.8 SID 01100 04.04 34.94 27.75 1488.8 SID 0120 04.00 34.93 27.74 1488.8 SID 01100 04.04 34.94 27.75 1488.8 SID 0120 04.00 34.93 27.74 1488.8			00200	- 0.79	33.57	27.00	00.265										
STD 00275 - 0.44 33.67 27.08 00.316 1449.5 0BS 00275 - 0.21 33.7465 27.14 1451.2 18S 00299 00.13 33.840 27.19 1453.3 0BS 00300 00.15 33.85 27.19 00.363 1453.3 0BS 0030B 00.58 33.955 27.25 1455.6 0BS 00303 00.21 33.923 27.25 1455.6 0BS 00374 00.18 34.271 27.47 1459.8 0BS 00399 01.94 34.439 77.55 1463.8 STD 00400 01.95 34.44 27.55 00.435 1463.9 0BS 00488 03.29 34.658 27.61 1470.8 0BS 00493 03.63 34.720 27.62 1472.7 STD 00500 03.75 34.76 27.64 00.499 1473.7 STD 00500 03.75 34.76 27.64 00.499 1473.7 STD 00600 04.04 34.87 27.70 00.537 1476.8 0BS 00638 04.08 34.87 27.70 00.537 1476.8 0BS 00638 04.08 34.87 27.70 00.537 1476.9 0BS 00600 04.13 34.91 27.73 00.582 1478.0 0BS 00849 04.13 34.91 27.73 00.582 1478.0 0BS 00849 04.13 34.937 27.74 1481.4 0BS 00849 04.13 34.937 27.74 1481.4 0BS 00800 04.13 34.937 27.74 1481.4 0BS 00809 04.13 34.937 27.74 1481.4 0BS 00809 04.13 34.937 27.74 1481.4 0BS 00908 04.13 34.937 27.74 1481.4 0BS 00909 04.13 34.940 27.75 1482.9 0BS 00909 04.13 34.995 27.76 00.672 1482.9 0BS 01010 04.04 34.995 27.75 1482.9 0BS 01010 04.04 34.995 27.75 1482.9 0BS 01010 04.04 34.995 27.76 00.702 1485.5 STD 01000 04.07 34.995 27.76 00.702 1485.5 STD 01000 04.00 34.996 27.76 00.702 1485.5 STD 01000 04.00 34.996 27.76 00.702 1485.5 STD 010			00214	- 0.71	33.582	27.01											
08S 00279 - 0.21 33.765 27.14 1451.2 98S 00299 00.13 33.840 27.19 1453.2 STD 00300 00.15 33.85 27.19 00.363 1453.3 08S 00308 00.58 33.955 27.25 1455.6 08S 00373 00.21 33.923 27.25 1455.6 08S 00388 00.74 34.103 27.36 1457.2 08S 00379 01.18 34.271 27.47 1459.8 STD 00400 01.95 34.44 27.55 00.435 1463.9 08S 00400 01.95 34.44 27.55 00.435 1463.9 08S 00473 03.63 34.720 27.62 1472.7 STD 00500 03.75 34.76 27.62 1472.7 STD 00500 03.75 34.76 27.60 00.597 1476.8 08S 00400 04.04 34.87 27.70 00.597 1476.8 08S 00600 04.05 34.877 27.70 00.597 1476.9 08S 00600 04.13 34.91 27.73 00.582 1478.8 STD 00800 04.13 34.91 27.73 1479.0 STD 00800 04.13 34.91 27.73 1479.0 STD 00800 04.13 34.93 27.74 1481.6 STD 00900 04.13 34.93 27.74 1481.6 STD 00900 04.13 34.93 27.74 1481.6 STD 00900 04.13 34.99 27.75 1482.9 OBS 00952 04.08 34.995 27.75 1482.9 OBS 00976 04.17 34.99 27.75 1482.9 STD 01000 04.07 34.99 27.75 1482.9 STD 01000 04.07 34.99 27.75 1482.9 OBS 01012 04.07 34.99 27.75 1482.9 STD 01000 04.07 34.99 27.75 1483.6 STD 01000 04.07 34.99 27.76 1483.6 STD 01000 04.07 34.99 27.76 1483.6 STD 01000 04.07 34.99 27.76 1485.8 STD 01000 04.07 34.99 27.76 1485.8 STD 01000 04.00 34.99 27.76 1485.8 STD 01000 04.00 34.99 27.76 1485.8			00249	- 0.45													
985 00299 00.15 33.850 27.19 00.363 1453.3 986 00308 00.58 33.955 27.25 1455.6 987 00340 00.74 34.103 27.36 1457.2 987 00374 01.18 34.271 27.47 1459.8 988 00399 01.94 34.49 27.75 1463.8 988 00488 03.29 34.44 27.55 00.435 1463.9 988 00488 03.29 34.46 27.55 00.435 1463.9 988 00493 03.63 34.720 27.62 1477.8 989 00400 01.95 34.44 27.55 00.435 1463.9 980 00400 04.94 34.67 27.60 00.49 1473.7 970 00500 03.75 34.76 27.64 00.49 1473.7 970 00500 03.75 34.76 27.64 00.49 1473.7 970 00500 04.04 34.87 27.70 00.537 1476.8 988 00606 04.05 34.87 27.70 00.537 1476.8 988 00608 04.08 34.87 27.70 00.537 1476.8 980 00710 04.12 34.91 27.73 00.582 1478.0 980 00710 04.13 34.91 27.73 1479.0 980 0080 004.13 34.93 27.74 00.627 1480.5 980 00849 04.13 34.93 27.74 1481.4 980 00900 04.13 34.93 27.74 1481.4 980 00900 04.13 34.93 27.74 1481.4 980 00900 04.13 34.94 27.75 1482.9 980 00900 04.13 34.94 27.75 1482.9 980 00900 04.13 34.94 27.75 1482.9 980 00900 04.13 34.94 27.75 1482.9 980 00900 04.13 34.94 27.75 1482.9 980 00900 04.13 34.94 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.13 34.99 27.75 1482.9 980 00900 04.00 34.99 27.75 1482.9 980 00900 04.00 34.99 27.75 1482.9 980 00900 04.00 34.99 27.75 1482.9				- 0.21	33.765	27.14	00.316										
STD 00300 00.15 33.85 27.19 00.363 1453.3 085 00308 00.28 33.955 27.25 1455.6 085 00323 00.21 33.925 27.25 1455.6 086 00348 00.74 34.103 27.36 1457.2 087 00379 01.18 34.271 27.47 1459.8 085 00379 01.94 34.439 77.55 1463.8 STD 00400 01.95 34.44 27.55 00.435 1463.9 085 00448 03.29 34.658 27.61 1470.8 085 00473 03.63 34.720 27.62 STD 00500 03.75 34.76 27.62 STD 00500 03.75 34.76 27.62 STD 00500 04.04 34.87 27.70 0.557 1476.8 085 00606 04.05 34.877 27.70 0.557 1476.8 STD 00600 04.10 34.877 27.70 1476.9 085 00638 04.08 34.895 27.72 1477.6 STD 00700 04.12 34.91 27.73 00.552 1478.8 STD 00800 04.13 34.91 27.73 00.552 1478.8 STD 00800 04.13 34.93 27.74 00.627 1480.5 OBS 00849 04.13 34.93 27.74 1481.4 OBS 00908 04.13 34.93 27.74 1481.4 OBS 00908 04.13 34.940 27.75 1482.9 OBS 00908 04.13 34.940 27.75 1482.9 OBS 00909 04.13 34.940 27.75 1482.9 OBS 00900 04.07 34.93 27.76 00.712 1482.9 OBS 01010 04.04 34.936 27.76 00.762 1482.9 OBS 01107 04.04 34.946 27.75 1483.8 STD 01000 04.07 34.945 27.76 00.762 1485.3 STD 01000 04.00 34.946 27.76 00.762 1485.3			00299	00.13				1453.2									
08S 00348 00.74 33.923 27.25 1454.1 08S 00348 00.74 34.103 27.36 1457.2 08S 00379 01.18 34.271 27.47 1459.8 08S 00400 01.95 34.44 27.55 1463.8 STD 00400 01.95 34.44 27.55 00.435 1463.9 08S 00448 03.29 34.658 27.61 1470.8 08S 00473 03.63 34.720 27.62 1472.7 STD 00500 03.75 34.76 27.62 00.435 1473.7 STD 00600 04.04 34.87 27.70 00.537 1476.8 08S 00606 04.05 34.877 27.70 00.537 1476.8 STD 00600 04.10 34.877 27.70 00.537 1476.8 STD 00600 04.13 34.91 27.73 00.582 1477.6 STD 00700 04.12 34.91 27.73 00.582 1478.8 STD 00800 04.13 34.93 27.74 00.627 1480.5 STD 00800 04.13 34.93 27.74 00.627 1480.5 STD 00800 04.13 34.93 27.74 1481.8 STD 00900 04.13 34.93 27.74 1481.8 STD 00900 04.13 34.94 27.75 1482.7 OBS 00908 04.13 34.940 27.75 1482.7 STD 00900 04.13 34.94 27.75 1482.7 STD 01000 04.07 34.93 27.74 1481.8 STD 00900 04.13 34.94 27.75 1482.7 STD 01000 04.07 34.93 27.76 1482.7 STD 01000 04.07 34.93 27.75 1482.7 STD 01000 04.07 34.93 27.76 1483.8 STD 01000 04.07 34.94 27.75 1483.8 STD 01000 04.07 34.94 27.75 1483.8 STD 01000 04.07 34.94 27.75 1483.8 STD 01000 04.07 34.94 27.76 1483.8			00300	00.15	33.85		00.363										
085 00374 01.18 34.271 27.47 1459.8 085 00399 01.94 34.439 27.55 1463.8					33.955												
085 00374 01.18 34.271 27.47 1459.8 085 00399 01.94 34.439 27.55 1463.8 STD 00400 01.95 34.44 27.55 00.435 1463.9 085 00448 03.29 34.658 27.61 1470.8 085 00453 03.63 34.720 27.62 1477.7 STD 00500 03.75 34.76 27.64 00.499 1473.7 STD 00600 04.04 34.87 27.70 1476.8 085 00606 04.05 34.877 27.70 1476.8 STD 00603 04.05 34.877 27.70 1476.8 STD 00603 04.12 34.91 27.73 00.582 1478.8 STD 00700 04.12 34.91 27.73 00.582 1478.8 STD 00800 04.13 34.937 27.74 00.627 1480.5 OBS 00849 04.13 34.937 27.74 1481.4 OBS 00849 04.13 34.937 27.74 1481.4 OBS 00849 04.13 34.937 27.74 1481.4 OBS 00900 04.13 34.940 27.75 1480.2 OBS 00900 04.13 34.940 27.75 1482.2 OBS 00908 04.13 34.940 27.75 1482.3 OBS 00952 04.08 34.936 27.75 1482.9 OBS 00975 04.08 34.936 27.75 1482.9 STD 01000 04.07 34.943 27.75 1483.6 STD 01000 04.07 34.943 27.75 1483.6 STD 01000 04.07 34.943 27.75 1483.6 OBS 01107 04.04 34.946 27.75 00.716 1483.6 STD 01200 04.00 34.946 27.76 00.807 1485.3 STD 01200 04.00 34.946 27.76 1485.3				00.74	34.103	27.36											
STD 00400 01.95 34.44 27.55 00.435 1463.9 085 00478 03.63 34.752 27.61 1470.8 085 00473 03.63 34.720 27.62 1472.7 STD 00500 03.75 34.76 27.64 00.489 1473.7 STD 00600 04.04 34.87 27.70 00.537 1476.8 085 00606 04.05 34.877 27.70 00.537 1476.8 085 00638 04.08 34.875 27.72 1477.6 STD 00700 04.12 34.91 27.73 00.582 1478.8 STD 00800 04.13 34.917 27.73 00.582 1478.8 085 00710 04.13 34.917 27.73 1479.0 STD 00800 04.13 34.93 27.74 00.627 1480.5 085 00849 04.13 34.93 27.74 1481.4 085 00849 04.13 34.93 27.74 1481.4 085 00874 04.14 34.938 27.74 1481.8 STD 00900 04.13 34.94 27.75 1482.2 085 00908 04.13 34.940 27.75 1482.2 085 00908 04.13 34.940 27.75 1482.3 085 00952 04.08 34.936 27.75 1482.3 085 00952 04.08 34.936 27.75 1482.3 085 0100 04.07 34.943 27.75 1482.9 085 01012 04.07 34.945 27.75 1483.6 STD 0100 04.07 34.945 27.76 00.716 1483.6 STD 0100 04.07 34.945 27.76 00.716 1483.6 STD 0100 04.04 34.946 27.76 00.707 1485.5 STD 01200 04.00 34.946 27.76 1485.8 STD 01200 04.00 34.946 27.76 1486.8				01.18	34.271	27.47											
085 00448 03-29 34-658 27-61 1470-8 085 00473 03-63 34-720 27-62 1477-7 5TD 00500 03.75 34-76 27-64 00-489 1473-7 STD 00600 04-04 34-87 27-70 00-537 1476-8 085 00606 04-05 34-877 27-70 1476-9 085 00638 04-08 34-877 27-70 1476-9 085 00638 04-08 34-879 27-72 1477-6 5TD 00700 04-12 34-91 27-73 00-582 1478-8 085 00710 94-13 34-917 27-73 00-582 1478-8 085 00800 04-13 34-91 27-73 00-627 1480-5 085 00800 04-13 34-93 27-74 1481-4 085 00849 04-13 34-93 27-74 1481-4 085 00874 04-14 34-938 27-74 1481-8 5TD 00900 04-13 34-94 27-75 1482-2 085 00900 04-13 34-94 27-75 1482-2 085 00900 04-13 34-94 27-75 1482-3 085 00978 04-07 34-943 27-75 1482-3 085 00978 04-07 34-943 27-75 1482-9 085 01012 04-07 34-943 27-75 1483-3 STD 01000 04-07 34-94 27-76 1483-6 STD 01100 04-04 34-95 27-76 1483-6 STD 01100 04-04 34-95 27-76 1485-2 085 01107 04-04 34-95 27-76 1485-3 STD 01200 04-00 34-94 27-76 1485-3		085		01.94	34.439	27.55	00 435										
085 00473 03.63 34.720 27.64 60.689 1473.7 STD 00500 03.75 34.76 27.64 60.689 1473.7 STD 00600 04.04 34.87 27.70 00.537 1476.8 085 00606 04.05 34.875 27.72 1476.9 085 00638 04.08 34.895 27.72 1477.6 STD 00700 04.12 34.91 27.73 00.582 1478.8 085 00710 04.13 34.93 27.74 1491.4 085 00849 04.13 34.937 27.74 00.627 1480.5 085 00849 04.13 34.937 27.74 1481.4 085 00874 04.14 34.938 27.74 1481.4 STD 00900 04.13 34.94 27.75 00.672 1482.3 085 00908 04.13 34.94 27.75 1482.3 085 00908 04.13 34.94 27.75 1482.3 085 00908 04.13 34.94 27.75 1482.3 085 00908 04.13 34.94 27.75 1482.3 085 00909 04.13 34.94 27.75 1482.3 085 00908 04.13 34.94 27.75 1482.3 085 00908 04.13 34.94 27.75 1482.3 085 00908 04.08 34.936 27.75 1482.3 STD 01000 04.07 34.943 27.75 1483.3 STD 01000 04.07 34.945 27.75 1483.3 STD 01107 04.04 34.95 27.76 00.716 1483.6 STD 0100 04.04 34.946 27.76 1485.5 STD 01200 04.00 34.946 27.76 1485.5 STD 01200 04.00 34.946 27.76 1485.5 STD 01200 04.00 34.946 27.76 1485.5					34.658	27.61	00.437										
STD 00600 04.04 34.87 27.70 00.537 1476.8 085 00606 04.05 34.877 27.70 1476.9 085 00638 04.08 34.895 27.72 1477.6 STD 00700 04.12 34.91 27.73 00.582 1478.8 STD 00800 04.13 34.937 27.74 00.627 1480.5 085 00849 04.13 34.937 27.74 1481.4 085 00849 04.14 34.938 27.74 1481.4 STD 00900 04.13 34.94 27.75 1480.2 085 00970 04.13 34.94 27.75 1480.2 085 00908 04.13 34.94 27.75 1480.2 OBS 00952 04.08 34.94 27.75 1482.3 STD 0100 04.07 34.943 27.75 1482.9 OBS 01012 04.07 34.943 27.75 1482.9 OBS 01012 04.07 34.945 27.75 1483.3 STD 0100 04.07 34.945 27.76 00.716 1483.6 OBS 01107 04.04 34.946 27.76 1485.3 STD 01200 04.00 34.946 27.76 1485.3 STD 01200 04.00 34.946 27.76 1485.5 STD 01200 04.00 34.946 27.76 1485.5		085	00473	03.63	34.720	27.62											
085								1473.7									
08S 006 38 04.08 34.895 27.72 1477.6 \$\frac{5}{10}\$ 00700 04.12 34.91 27.73 00.582 1478.8 08S 00710 94.13 34.917 27.73 1479.0 \$\frac{5}{10}\$ 00800 04.13 34.917 27.74 00.627 1480.5 08S 00849 04.13 34.937 27.74 1481.4 08S 00874 04.14 34.938 27.74 1481.4 \$\frac{5}{10}\$ 00900 04.13 34.94 27.75 00.672 1482.2 08S 00908 04.13 34.940 27.75 1482.2 08S 00908 04.13 34.940 27.75 1482.3 08S 00952 04.08 34.936 27.75 1482.9 08S 00952 04.08 34.936 27.75 1482.9 08S 00958 04.07 34.943 27.75 1483.3 \$\frac{5}{10}\$ 0100 04.07 34.945 27.76 00.716 1483.6 08S 01012 04.07 34.95 27.76 00.762 1485.2 08S 01010 04.04 34.95 27.76 1483.8 \$\frac{5}{10}\$ 01107 04.04 34.946 27.76 1485.5 \$\frac{5}{10}\$ 0120 04.00 34.94 27.76 00.762 1485.3						27.70	00.557										
\$\begin{array}{cccccccccccccccccccccccccccccccccccc		085	006 38	04.08	34, 895	27.72											
STD 00800 04.13 34.93 27.74 00.627 1480.5 085 00849 04.13 34.937 27.74 1481.4 085 00874 04.14 34.938 27.74 1481.4 STD 00900 04.13 34.940 27.75 1482.7 085 00908 04.13 34.940 27.75 1482.7 085 009078 04.13 34.940 27.75 1482.7 085 00978 04.07 34.940 27.75 1482.9 STD 01000 04.07 34.93 27.75 1483.3 STD 01012 04.07 34.946 27.76 00.716 1483.6 STD 01107 04.04 34.946 27.76 00.762 1485.2 STD 01200 04.07 34.945 27.76 1483.8 STD 01200 04.07 34.946 27.76 1483.8 STD 01300 04.04 34.946 27.76 1485.8 STD 01200 04.09 34.946 27.76 1485.8		STO		04.12	34.91	27.73	00-582										
085 00849 04.13 34.937 27.74 1481.4 085 00874 04.14 34.938 27.74 1481.8 5TD 00900 04.13 34.94 27.75 00.672 1482.2 085 00908 04.13 34.94 27.75 1482.3 085 00952 04.08 34.936 27.75 1482.9 085 00978 04.07 34.943 27.75 1482.9 5TD 01000 04.07 34.943 27.75 1483.3 STD 01000 04.07 34.945 27.76 00.716 1483.6 5TD 01100 04.07 34.946 27.76 00.716 1483.8 STD 01100 04.04 34.95 27.76 00.762 1485.2 085 01107 04.04 34.95 27.76 1485.3 STD 01200 04.00 34.94 27.76 1485.3				04.13	34,917	27.73	M 427	1479.0									
085 00074 04-14 34-938 27-74 1481-8 STD 00900 04-13 34-94 27-75 00-672 1482-2 085 00908 04-13 34-940 27-75 1482-3 085 00952 04-08 34-936 27-75 1482-9 085 00978 04-07 34-943 27-75 1482-9 085 01000 04-07 34-943 27-75 1483-3 STD 01012 04-07 34-945 27-76 00-716 1483-6 STD 01100 04-04 34-95 27-76 00-78-1483-8 STD 01107 04-04 34-946 27-76 1483-8 STD 01200 04-00 34-946 27-76 1485-3 STD 01200 04-00 34-946 27-76 1485-3 STD 01200 04-00 34-946 27-76 1485-3				04-13	34.937	27.74	00.621										
085 00908 04.13 34.940 27.75 1482.3 085 00952 04.08 34.936 27.75 1482.9 085 00978 04.07 34.943 27.75 1483.3 SYD 01000 04.07 34.945 27.76 00.716 1483.6 085 01012 04.07 34.946 27.76 1483.6 SYD 01100 04.04 34.95 27.76 00.762 1485.2 ORS 01107 04.04 34.946 27.76 1485.3 SYD 01200 04.00 34.946 27.76 1485.3		085	00874	04-14	34.938	27.74		1461.6									
08S 00952 04.08 34.934 27.75 1482.9 08S 00978 04.07 34.943 27.75 1483.3 STO 01000 04.07 34.945 27.76 00.716 1483.6 08S 01012 04.07 34.946 27.76 1483.6 STO 01100 04.04 34.95 27.76 00.762 1485.2 08S 01107 04.04 34.95 27.76 1485.3 STO 01200 04.00 34.94 27.76 1485.3 STO 01200 04.00 34.94 27.76 00.907 1485.7 08S 01210 03.99 34.943 27.76 1486.8				04-13	34.94	27.75	00.672										
085 00978 04.07 34.943 27.75 1483.3 \$TD 01000 04.07 34.95 27.76 00.716 1483.6 085 01012 04.07 34.946 27.76 1483.8 \$TD 01100 04.04 34.946 27.76 00.762 1485.2 085 01107 04.04 34.946 27.76 1485.3 \$TD 01200 04.00 34.946 27.76 00.907 14.85.7 085 01210 03.99 34.943 27.76 14.86.8						27.75		1482.9									
\$70 01000 04.07 34.95 27.76 00.716 1483.6 085 01012 04.07 34.946 27.76 1483.8 \$70 01100 04.04 34.95 27.76 00.762 1485.2 085 01107 04.04 34.946 27.76 1485.3 \$70 01200 04.00 34.94 27.76 00.807 1486.7 085 01210 03.99 34.943 27.76 1486.8		785	00978	04.07	34.943	27.75		1483.3									
STD 01100 04.04 34.95 27.76 00.762 1485.2 OBS 01107 04.04 34.946 27.76 1485.3 STD 01200 04.00 34.94 27.76 10.907 1486.7 OBS 01210 03.99 34.943 27.76 1486.8			01000	04.07	34.95	27.76	00-716	1483.6									
ORS 01107 04.04 34.946 27.76 1485.3 STD 01200 04.00 34.94 27.76 00.807 1486.7 OBS 01210 03.99 34.943 27.76 1486.8			01012	04.07	34.946	27.76	00-742										
STD 01200 04-00 34-94 27.76 00.807 [486.7 085 01210 03.99 34-943 27.76 1486.8			01107		34.944	27.76	00.102	1485.3									
085 01210 03.99 34.943 27.76 1486.8			01200	04-00			00.907										
1105 01234 03.97 34.946 27.77 [487.]		985	01210	03.99	34.943	27.76		1486 -8									
		1185	01234	03.97	34.946	27.77		1487.1									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE	42	8296 0138 42 N 18-5W	DAY	1977 1 05 08 11.6	SHIP EY DATA USE AREA O	UET L BAR	TEMP O BULB O METR LOI A) T/A	08.9 08.3 15.6	DIR H		diad-ola diad-spo diad-e)a deather	2)	DURA		00.4	3	N SQ 1306 SQUARE 2 SQUARE 28 SQUARE 29
	•		*******			-					-	-					
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-		DYNDPTH	SND VEL	OXYG	P34	-	MO2	NO3	\$133	PH
			STD	00000	01.10	32.39	25.97		00.000	1450.7							
		11.6	OBS	00000	01.10	32.390	25.97			1450.7							
			210	00010	01.10	32.39	25.97		00.020	1450.8							
			085	00010	01.10	32.390	25.97			1450-8							
			510	00019	00.73	32.402	26.30		00-041	1449.3							
			OBS	00023	00.72	32.40	25.99		00.041	1449.0							
			OBS	00023	00-51	32.370	25.98			1449.4							
			510	000 30	00-47	32 - 34	25.97		00.061	1448.2							
			085	00030	00.37	32.334	25.96			1447.8							
			985	00032	- 0.28	32.419	26.05			1446.5							
			JAS	00041	- 0.09	32.604	26.20			1444.2							
			OBS	00043	- 0.52	32.564	76.19			1444.2							
			085	00044	- 0.87	32.802	26.39			1442.9							
			085	00044	- 1.29	32.826	26-42			1441.1							
			OBS	00054	- 1.30	32.85	26.44		00-098	1441.1							
			UBS	00056	- 1.49	32.995	26.57			1440-0							
			785	00065	- 1-68	33.028	26.60			1439.8							
			STO	00075	- 1.42	33.20	26.73	1	00.134	1441-4							
			CBS	00078	- 1.41	33.736	26-76			1441 .6							
			OBS	00083	- 1.48	33.270	26.79			1441.4							
			510	00100	- 1.49	33.36	26.86		00.166	1441.7							
			URS	00101	- 1.48	33.364	26.86			1441 -8							
			085	00121	- 1-23	33.489	26.96			1443.5							
			STO	00125	- 1.16	33.56	21.02		00.194	1444.0							
			08 S	001 34	- 0.92	33.710	27-13		00.218	1445.5							
			085	00154	- 0.09	33,848	27.20		00.215	1449.8							
			085	00160	00.20	33.854	27.19			1451 -3							
			085	00190	00.55	33.977	21.27			1453-5							
			510	00200	00-45	31.99	21.29		00.259	1453.3							
			UBS	00200	00.45	33.995	27.29			1453.5							
			085	00213	00.50	34.009	27.30			1454-1							
			STO	00250	00.58	34.05	21.33		00.298	1454.8							
			NAS	00251	00.59	34-056	27.33			1454.0							
			nes	00271	00.65	34.054	27.33			1455.4							
			STO	00293	00.87	34.137	27.38		00.334	1456.9							
			085	00308	01.05	34.172	27.40		00.334	1458.0							
			085	00351	02.37	34.514	27.57			1465.0							
			510	00400	03.13	34.66	27.62		00.395	1469.3							
			085	00410	03.21	34.680	27.63			1469-8							
			085	00456	03.29	34.745	27.66			1471.6							
			085	00474	03.46	34.755	27.67			1472.1							
			785	00474	03.59	34.796	27.69			1473.0							
			STD	00500	03-63	34.80	27.69		00.443	1473.3							
			785	00511	03.76	34.846	27.69			1474.0							
			STO	00600	04.16	34.90	27.71		00.489	1477.3							
			085	00607	04.19	34.908	27.71			1477.6							
			ORS	00670	04.40	34-934	27-71			1479.5							
			STO	00700	04. 38	34.95	27-73		00-534	1480.0							
			280	00706	04.38	34.956	27.73		00.579	1480-1							
			085	00810	04.32	34.965	27.75		00.517	1481.5							
			985	00824	04.34	34.969	27.75			1481 - 9							
			STD	00900	04-17	34.96	27.76		00.623	1482.4							
			085	00963	04-16	34.952	27.75			1483.4							
			STD	01000	04.20	34.963	27.76		00.667	1484.1							
			085	01034	04.21	34.967	27.76			1484.8							
			085	01043	04.21	34.964	27.76			1485.0							

							•••			-							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG	42	8296 0139 45.0N 20.0W	HONT	1972 1 06 04 20.4	SHIP EV DATA USE 1 AREA 05			15		MIC-ONIM SCHOOLIM SCHOOLIM SAME ASM	13	TRAC	STO REI	00.3	5	SQUAR SQUAR SQUAR	RE 28
20.40																3-0-	
CAST	NUM/	TIME	LVLTYP	DEPTH	TEMP .	SAL	SIGMA-T		SND VEL	ЭХҮС		TOT P		NO3	\$133	P4	
			510	00000	01.95	32.53	26.03	00.000	1454.7								
		20.4	085	00000	01.95	32.535	26.03		1454.7								
			DAS	00010	01.91	32.53	26.02	00-020	1454.6								
			510	00020	- 0-16	32.58	26.19	00.039	1445 5								
			510	00030	- 0.41	32.58	26.20	00.057	1444.5								
			DBS	00030	- 0.41	32.585	26.20		1444.5								
			795	00032	- 0.24	32.580	26.19		1445.4								
			SID	00050	- 1.53	32.93	26.51	00.091	1440.1								
			085	00050	- 1.53	32.930	26.51		1440.1								
			DBS	00058	- 1.64	33.010	26.58		1439.8								
			STO	00075	- 1.49	33.34	26.84	00.125	1441.3								
			STD	00100	- 1.49	33.49	26.96	00.154	1441.5								
			085	00100	- 1.23	33.495	26.96	00.134	1443 .1								
			STO	00125	01.33	33.87	27.14	00.179	1455.8								
			nes	00125	01.33	33.870	27.14		1455 - 8								
			STO	00150	01.43	33.90	27.15	00.203	1456 .7								
			OBS	00150	01.43	33.900	27.15		1456.7								
			OB S	00182	01.94	34.020	27.21		1459.7								
			785 STD	00200	00.98	34.170	27.40	00.243	1455.7								
			085	00200	01.11	34.175	27.40	00.243	1456 5								
			STD	00250	01.14	34.20	27.42	00.277	1457.5								
			085	00250	01.14	34.200	27.42		1457.5								
			STO	00300	01.97	34.45	27.56	00.308	1462.3								
			085	00300	01.97	34.450	27.56		1462.3								
			STD	00400	04.77	34.94	27.67	00-360	1476.6								
			nas	00435	04.97	34.980	27.68		1478.0								
			185	00470	04.77	34.960	27.69		1477.8								
			STO	00500	04.94	35.01	27.72	00.406	1470.6								
			085	00500	04.84	35.010	27.72	00.400	1478 -6								
			ORS	00560	04.58	34.980	27.73		1478.5								
			STD	006 00	04.57	34.99	27.74	00.449	1479.1								
			085	00600	04.57	34.990	27.74		1479.1								
			nes	00635	04.54	34.995	27.75		1479.6								
			1185	00650	04.41	34.970	27.74		1479.3								
			085	00700	04.32	34.97	27.75	00-492	1479.7								
			CBS	00735	04.23	34.955	27.75		1479.9								
			085	00790	04.28	34.960	27.75		1481 -0								
			STD	00800	04-24	34.96	27.75	00.536	1481.0								
			985	00800	04.24	34.960	27.75		1481.0								
			085	00860	04.23	34.970	27.76		1482.0								
			STD	00900	04.13	34.96	27-77	00.579	1482.2								
			STD	00900	04.13	34.965	27.77		1482.2								
			085	01000	04.04	34.95	27.76	00-623	1483.5								
			STD	01100	04-01	34.95	27.77	00.667	1485.1								
			nes	01100	04.01	34.950	27.77		1485-1								
			085	01180	04.03	34.960	27.77		1486.5								
			STD	01200	03.96	34.94	27.76	00.712	1486.5								
			085	01200	03.96	34.940	27.76		1486.5								
			STD	01300	03.98	34-96	27.78	00.758	1488.3								
			085	01300	03.98	34.960	27.78		1488.3								
			STO	01335	03.98	34.950	27.77	00.803	1488.9								
			085	01400	03.91	34.950	27.78	00.803	1489.7								
			STD	01500	03.87	34.94	27.78	00.850	1491.2								
			085	01500	03.87	34.945	27.78		1491 -2								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSE	42	8296 0140 44.0N 30.0W	YEAR MONTH DAY HOUR	06	SHIP EV DATA USE 1 AREA 05			16		MIND-DI MIND-SP WIND-FO WENTHER	D 14	DURAT	STO REC E DIR TION TIP III	00.4	5 2	SQUAR SQUAR SQUAR	E 28
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	DYNOPTH	SND VEL	OXYG	P)4	101 P	NO2	NO3	5173	PH	
			STO	00000	01.68	32.44	25.97	00.000	1453.3								
		22.3	085	00000	01.68	32-440	25.97		1453.3								
			STD	00010	01.68	32.43	25.96	00.020	1453.5								
			085	00010	01.68	32.435	25.96		1453.5								
			STD	00020	01.32	32.46	26.01	00.041	1452.1								
			085	00020	01.32	32.465	26.01		1452.1								
			STD 085	00030	- 0.28	32.43	26.07	00.061	1444.9								
			STD	00030	- 0.28 - 1.35	32.430	26.07	00.095	1444.9								
			085	00050	- 1.35	33.025	26.59	00.045	1441 -1								
			085	00056	- 1.56	33.290	26.81		1440.6								
			STD	00075	- 1-36	33.35	26.85	00.128	1441.9								
			085	00075	- 1-36	33.350	26.85		1441.9								
			085	00079	- 1.31	33.350	26.85		1442 .2								
			STD	00100	- 1.29	33.38	26-87	00.158	1442.7								
			085	00100	- 1.29	33, 380	26.87		1442.7								
			085	00114	- 1.37	33.390	26.88		1442.6								
			STD	00125	- 1.20	33.43	26.91	00.187	1443.6								
			085	00125	- 1.20	33,435	26.91		1443.6								
			OBS	00150	- 0.94	33.54	26.99	00-214	1445.4								
			STD	00200	- 0.94 - 0.46	33.540	26.99	00.266	1445.4								
			085	00200	- 0.46	33.670	27.08	00.206	1448.6								
			STD	00250	00-02	33.83	27.18	00.313	1451.9								
			085	00250	00.02	33.830	27.18	00	1451.9								
			085	00262	00.30	33.990	27.30		1453.6								
			STD	00300	00.72	34.07	27.34	00.354	1456.2								
			085	00300	00.72	34.070	27.34		1456.2								
			085	00315	01.24	34.080	27.31 .		1458.8								
			085	00330	00.21	34-120	27-41		1454.5								
			OBS	00332	00.13	34.220	27.49		1454.3								
			085	00400	02.37	34.56	27.61	00-417	1465.9								
			085	00480	02.37	34.560	27.68		1465.9								
			STD	00500	03.19	34.81	27.68	00.466	1473-5								
			085	00500	03-82	34.810	27.68	00.400	1474-1								
			STD	00600	04-04	34 - 88	27.71	00.512	1476.8								
			085	00600	04.04	34.880	27.71		1476.8								
			OBS	00640	04.07	34.900	27-72		1477.6								
			STD	00700	04.08	34.91	27.73	00.557	1478.6								
			085	00700	04.08	34.910	27.73		1478.6								
			510	00800	04.09	34.92	27.74	00.602	1480.4								
			085	00800	04.09	34.925	27.74	-	1480.4								
			STD	00900	04.08	34.93	27.74	00.647	1482-0								
			STD	01000	04.08	34.930	27.75		1482 -0								
			085	01000	04.08	34.94	27.75	00.642	1483.7								
			STD	01100	04.09	34.94	27.75	00.738	1485.4								
			085	01100	04.09	34.940	27.75	000	1485.4								
			STD	01200	04.09	34.94	27.75	00.784	1487.1								
			085	01200	04.09	34.945	27.75		1407-1								
			STD	01300	04.04	34.94	27.76	00.831	1488.5								
			085	01300	04.04	34.945	27.76		1400.5								
			STO	01400	03.99	34.94	27.76	00-879	1490.3								
			085	01400	03.99	34.940	27.76		1490.0								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

ONSEC 42	9296 0141 2 53.0N 38.0W	MONT	1972 1 06 09 00.5	SHIP EV DATA USE I	BARD	TEMP 10.0 BULB 10.0 METR 1014.6	16	GT PER	WIND-DIR WIND-SPO WIND-FOR WEATHER	25	TRA DUE	E E	RIC	ORDER 9 00.5	2	SQUARE SQUARE SQUARE
CASTNUM	4/TI4E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	JXY G	P 74	101	P	NO2	NO3	\$133	PH
		510	00000	03-59	32.90	26,18	00.000	1462.3								
	00.5	085	00000	03.59	32.905	26.18		1462.3								
		570	00010	03.59	32.90	26.18	00.018	1462.5								
		085	00010	03.59	32.905	26.18		1462.5								
		950	00020	00.97	32.82	26.32	00.036	1451.0								
		STO	00030	- 0.48	32.78	26.36	00.053	1444.5								
		085	00030	- 0.48	32.780	26.36		1444.5								
		STD	00050	- 1.03	33.09	26.63	00-084	1442.7								
		085	00050	- 1.03	33.095	26.63		1442.7								
		085 510	00060	- 1.28 - 1.28	33.180	26.80	00.117	1441.8								
		085	00075	- 1.28	33.290	26.80	00.111	1442 -2								
		STO	001 00	- 1-18	33.35	26.85	00.148	1443.2								
		085	00100	- 1.16	33. 155	26.85		1443.2								
		STD	00155	- 0.99	33.44	26.91	00.177	1444.6								
		085 570	00125	- 0.99 - 0.78	33.440	26.91	00.205	1446.1								
		085	001 50	- 0.78	33.52 33.520	26.97	00.205	1446.1								
		STD	00200	- 0.53	33.58	27.01	00-259	1448.2								
		DBS	00200	- 0.53	33.580	27.01		1448.2								
		085	00210	- 0.35	33.635	27.04		1449.3								
		510	00250	- 0-23	33.66	27.06	00.311	1450.5								
		085	00250	- 0.23 - 0.31	33.665	27.06		1450.5								
		STO	003 00	- 0.08	33.79	27.16	00.358	1452.2								
		085	00300	- 0.08	33.795	27.16		1452.2								
		085	00360	00.72	34.075	27.34		1457.2								
		ORS	00394	00.85	34.100	27.35		1458.4								
		DAS	00400	01.12	34.21	27.42	00-437	1459.9								
		085	00440	03.98	34.680	27.56		1473-6								
		095	00450	03-95	34.680	27.56		1473.6								
		ORS	00490	05.24	34.920	27.60		1460-0								
		STO	00500	05.09	34.93	27.63	00.498	1479.5								
		280	00500	05.09	34.930	27.63		1479.5								
		085	00580	04.23	34.850	27.66		1477.2								
		085	00592	04.20	34.875	27-69		1477.3								
		STD	00600	04.35	34.90	27.69	00.548	1478.1								
		085	006 00	04.35	34.900	27.69		1478.1								
		085	00614	04.44	34.890	27.67		1478.7								
		085	00627	04-42	34.880	27.67		1478.8								
		STD	00700	04.20	34.90	27.71	00.595	1479-1								
		085	00700	04-20	34.900	27.71		1479.1								
		STD	00800	04.13	34.91	27.72	00.642	1480 -5								
		OBS	00800	04-13	34.910	27-72		1480.5								
		085	00845	04.12	34.940	27.72		1481.8								
		570	00900	04.10	34.91	27.73	00.688	1482 . 0								
		085	00900	04.10	34.910	27.73		1462 -0								
		STD	01000	04-11	34.93	27.74	00.735	1483.8								
		OBS	01000	04.11	34.930	27.74	00 700	1483 - 8								
		065	01100	04-12	34.93	27.74	00.762	1485.5								
		STD	01200	04-04	34.92	27.74	00.829	1486.8								
		085	01200	04.04	34,925	27.74		1486.8								
		STO	01300	04.00	34.92	27.74	00.877	1488.3								
		085	01300	04.00	34.920	27.74	00 034	1466.3								
		085	01400	03.95	34.91	27.75	00.926	1489.8								
		STO	01500	03.86	34.91	27.75	00-975	1491.1								
		085	01500	03.96	34,910	27.75		1491 -1								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG	42	8296 0142 49.0N 26.0W	DAY	1972 1 06 09 02-9	SHIP EV DATA USE 1 AREA 05			18	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	11	TRAC	STO REC E DIR TION TIP 111	00.7	5 2	SOUARE SOUARE SOUARE SOUARE
CAST	NUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P74	TOT P	NO2	NO3	5173	PH
			STO	00000	01-66	32-57	26.08	00.000	1453.4							
		8.50	INS	00000	01.66	32.575	26.08		1453.4							
			085	00008	01.66	32.630	26.12		1453.6							
			510	00010	01.73	32.70	26.17	00.019	1454.1							
			085	00010	01.73	32.700	26.17		1454.1							
			085	00020	00.22	32.72	26.28	00.037	1447.5							
			510	00020	- 1.12	33.04	26.59	00-053	1441.9							
			385	00030	- 1.12	33.040	26.59	00-055	1441 .9							
			085	00035	- 1.29	33.130	26.67		1441 -3							
			785	00040	- 1-09	33.250	26.76		1442.5							
			STD	00050	- 1.18	33.22	26.74	00.081	1442 .2							
			URS	00050	- 1-18	33.225	26.74		1442.2							
			085	00060	- 1.29	33.245	26.76		1441 .8							
			STO	00075	- 1.26	33.32	26.83	00.112	1442.3							
			nes	00075	- 1.26	33.325	26.83	and work	1442.3							
			SID	00100	- 1.24	33.38	26.87	00.142	1442.9							
			085	00100	- 1.24	33.385	25.87		1442.9							
			STD	00125	- 0.88	33.49	26.95	00.171	1445.2							
			STD	00125	- 0.88	33.56	26.95	00-198	1445.2							
			285	00150	- 0.68	33.560	27.00	00-148	1446.6							
			STD	30200	- 0.25	33.73	27.11	00-249	1449.7							
			085	00200	- 0.25	33.730	27.11	000241	1449.7							
			SID	00250	00-08	33.86	21.20	00.294	1452.2							
			085	00250	00-09	33.860	27.20		1452.2							
			STO	00300	00.50	34.02	27.31	00.335	1455.2							
			185	00300	00-50	34.025	27.31		1455.2							
			STO	00400	02.72	34.57	27.59	00.400	1467.4							
			OBS	00400	02.72	34.575	21.59	-	1467.4							
			510	00500	03.74	34.79	27.67	00.451	1473.7							
			nas	00500	03.74	34.795	21-67		1473.7							
			085	00550	03.97	34.850	21.69		1475.6							
			ORS	00600	04.09	34.88	27.70	00-497								
			STD	00600	04.11	34.90	27.72	00.543	1477.0							
			OBS	00700	04-11	34.905	27.72	00.343	1478.7							
			STO	00800	04-13	34.91	27.73	00.589	1480.5							
			UBS	00800	04.13	34.915	27.73		1480.5							
			STO	00900	04.10	34.92	21.73	00.635	1482.1							
			085	00900	04.10	34.920	27.73		1482 .1							
			STO	01000	04.08	34.93	27.74	00.681	1483.6							
			TRS	01000	04.08	34-930	21.74		1483.6							
			STO	01100	04.07	34.93	27.74	00.727	1485.3							
			085	01100	04.07	34.930	27.74		1485.3							
			510	01200	04.03	34.93	27.75	00.774								
			085	01200	04.03	34.935	27.75	00.821	1486.8							
			OBS	01300	03.99	34.93	27.76	30.821	1488.3							
			510	01400	03-85	34.93	27.77	00.868	1489.4							
			085	01400	03.85	34.930	27.77		1489.4							
			STD	01500	03.77	34.93	27.78	00,915								
			ORS	01500	03.77	34.930	27.78		1490.7							
			The second second	100000000000000000000000000000000000000	100000000000000000000000000000000000000											

REFID 31 8296	YEAR	1972	BOTOP 02562	AIR 1	EMP 10.0	DIR H	GT PER	MIND-DIR	17	INST	STO RE	CORDER	TEN 50 1306
CONSEC 0143	MONT-		SHIP EV	WET			1 2	HIND-SPD			E DIR)	S SQUARE 2
LAT 42 29.0N	DAY	10	DATA USE 1	BARO	4FTR 1024.7	SEA		WIND-FOR		DURA	TION	07.4	2 STUARE 28
LONG 049 47.5W	HOUR	18.6	AREA 05	CLOU	1/4	CL/TR		HEA THER	X+	ORIG	11P 11	1	1 SQUARE 29
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXY G	P34	101	SON	403	5133 P4
	STO				35.00								
18.6	085	00000	03.22	32.61	25.98	00.000	1460.3						
10.0	STO	00010	02.69	32.62	26.04	00.020	1458 - 2						
	OBS	00010	02.69	32.620	26.04		1458.2						
	STD	00020	02.46	32.71	26.13	00.039	1457 -5						
	085	00020	02-46	32.710	26.13		1457.5						
	510	000 30	01.97	32.69	26.15	00.058	1455.5						
	STD	00030	01.43	32.690	26.15	00.094	1455.5						
	085	00050	01.43	32.830	26.30	00.094	1453.6						
	STD	00075	- 1.18	32.95	26.52	00.135	1442.2						
	OBS	00075	- 1.18	32.955	26.52		1442.2						
	STO	00100	- 1.50	33.22	26.75	00.170	1441.5						
	085	00111	- 1.64	33.310	26.82		1441.1						
	STD	001 25	- 1.40	33.39	26.88	00.201	1442.6						
	085	00125	- 1.40	33.390	26.88		1442.6						
	STD	00134	- 1.44	33.43	26.91	00.230	1442.6						
	085	00150	- 1.20	33.430	26.91		1444.0						
	085	00159	- 1.13	33.420	26.90		1444.5						
	OBS	00173	- 1-15	33.475	26.94		1444.7						
	ons	00193	- 1.04	33.535	26.99		1445.6						
	STD	00200	- 0.91	33.60	27.04	00.284	1446.4						
	STD	00200	- 0.91	33.600	27.25	00-331	1446.4						
	085	00250	00.71	33.955	27.25	00.331	1455.2						
	085	00278	01.47	34.070	27.29		1459 - 2						
	STD	00300	00-57	34.05	21.33	00.370	1455.5						
	085	00300	00.57	34.055	27.33		1455 .5						
	STD	00400	01.93	34.39	27.51	00.438	1463.7						
	nas	00400	01.93	34.390	27.51	00.493	1463.7						
	STD 085	00500	03.22	34-68	27.63	00.443	1471.4						
	STD	00600	04.40	34.97	21.14	00.540	1478.4						
	085	006 00	04.40	34.970	27.74		1478.4						
	STO	00700	04.57	34.97	27.72	00.584	1480.7						
	085	00700	04.57	34.970	21.72		1480 . 7						
	085	00725	04.44	34.970	27.74		1440.6						
	STD	00753	04.44	34.970	27.74	00-630	1481 - 1						
	085	00800	04.31	34.955	27.74	00.030	1481 .3						
	085	00835	04-22	34.950	21.74		1481.5						
	085	00888	04-28	34.960	27.75		1482.7						
	STD	00900	04.25	34.96	27.75	00.675	1482 . 7						
	085	00900	04-25	34-960	27-75		1482.7						
	OBS	01000	04.20	34.96	27.75	00.720	1484.2						
	510	01100	04.10	34.95	27.76	00.765	1485.4						
	280	01100	04.10	34.950	27.76		1485.4						
	STD	01200	04.03	34.94	27.76	00.811	1486 . 8						
	085	01200	04.03	34.945	27.76		1486 .8						
	STD	01300	03-95	34.94	27.77	00.858	1488.1						
	280	01300	03.95	34.940	27.77		1488.1						
	280	01319	03.96	34.970	27.78		1488.6						
	280	01360	04.11	34.975	27.78		1489.9						
	STD	01400	04.09	34.97	27.77	00.904	1490.4						
	085	01400	04.09	34.970	27.77	W 42 PM	1490 .4				-		
	STD	01500	04-01	34.96	27.78	00.951	1491 .8						
	280	01500	04.01	34.965	27.78		1491 .8						
	085	01509	04-00	34.965	27.78		1491.9						

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	SN DAY	R 1972 T4 05 10 R 21.5	BOTOP 03322 SHIP EV DATA USE 1 AREA 05	HAPO		18	GT PER 2 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	12	DIRA		00.2	5 2	SQUARE SQUARE SQUARE	20
CASTNUM/TI	E LVLTYP	DEPTH	TEMP	SAL.	SIGMA-T	DYNDPTH	SND VEL	OXYG	P74	101 P	SCN	NO3	51 73	P4	
	SID	00000	11.31	33.05	25.23	00-000	1492.6								
21.		00000	11.31	33.055	25.23	00 000	1492 .6								
21.	510	00010	09.37	32.61	25.21	00.029	1485.2								
	\$10	00020	05.97	32.59	25.68	00.053	1472.1								
	285	00020	05.97	32.590	25.68		1472-1								
	SID	00032	01.10	32.99	26.45	00.073	1452.0								
	280	000 30	01.10	32.990	26.45		1457 .0								
	OBS	00035	01.57	33.290	26.50		1454.3								
	510	00050	- 0.71	33.13	26.65	00.103	1444 . 2								
	1185	00051	- 0.71	33-130	26.65		1444 .2								
	SID	00075	- 1.10	35.24	26.75	00.136	1441.0								
	DAS	00075	- 1.10	33.240	26.75		1443.0								
	UBS	00095	- 1.19	33.365	26.86		1443.1								
	STO	00100	~ 1.24	33.34	25.84	00.168	1442.9								
	085	00100	- 1.24	33.340	20.94		1442.9								
	285	00120	- 0.78	33.570	27.01		1445.7								
	512	20125	00.63	33.71	27.05	00.195	1457 .4								
	STO	20150	05.97	34.29	27.02 *	00-222	1476.5								
	095	00150	05.97	34.290	27.02		1476.5								
	Sto	00200	08.04	34.78	27.12	00.273	1486 -1								
	280	00200	09.04	34.780	27.12		1486.1								
	085	00204	37.77	34.770	27.15		1485 . 2								
	MAS	00223	09.14	35.020	27.13		1490.9								
	OBS	00241	08.96	35.020	27.16		1490.6								
	510	00250	08.95	35.02	27.16	00.327	1490.6								
	OBS	00253	08.95	35.020	27.16		1490.6								
	stn	00100	04.27	34.32	27.24	00.368	1477.0								
	280	00100	04.27	34.320	27.24		1472 -0								
	CRS	00308	94-16	34.320	21.25		1471 . 7								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

		YEAR MONTH YAC HOUR	06	BOTOP 01563 SHIP EV DATA USE 1 AREA 05			19		MIND-DIR MIND-SPD WIND-FOR MEATHER	12	DUPA	STO REC	07.2	5	SQUARE SQUARE SQUARE	28
ASTNUM/TE	1E	LVLTYD	DEPTH	TEMP	SAL	SIGMA-I	DYNDPTH	SND VEL	JXYG	P)4	TOT P	NOZ	NO3	5133	P4	
		STD	00000	04.84	32.83	26.00	00.000	1467.5								
23.	. 5	985	00000	04.94	32.830	26.00		1467.5								
		STD	00010	02.97	32.58	25.99	00.020	1459.4								
		ORS	00010	02.97	32.585	25.99		1459.4								
		STD	00023	01.63	32.89	26.33	00.039	1454.1								
		085	00020	01.63	32.890	26.33	00 000	1454.1								
		OBS	00030	00.07	32.89	26.42	00.055	1447.2								
		STD	00050	- 0.66	33.06	26.60	00.086	1444.4								
		085	00050	- 0.66	33.065	26.60	00.000	1444.4								
		STD	00075	- 1 - 35	33.20	75.73	00.121	1441.8								
		OBS	00075	- 1.35	33-205	25.73		1441.8								
		1185	00086	- 1.51	33.250	26.17		1441.2								
		510	00100	- 1.37	33.38	26.87	00.152	1442.3								
		OBS	001 00	- 1.37	33.380	20.97		1442.3								
		STO	00125	- 1.30	33.40	25.89	00-181	1443.1								
		STD	00125	- 1.30 - 1.15	33.400	26.92	00 110	1445.1								
		ORS	00150	- 1.15	33.440	26.92	110.210	1444.3								
		1185	00175	- 0.83	33.555	27.00		1446.3								
		STO	00200	- 0.66	33.63	27.06	00.264	1447.7								
		085	00200	- 0.66	33.635	21.06		1447.7								
		ORS	00230	- 0.35	33.715	27.11		1449 . 7								
		STD	00250	01.54	33.86	27.12	00.313	1458.8								
		UBS	00270	03.61	34.190	21.20		1469.6								
		ORS	18500	04.92	34.450	27.28		1474.2								
		OBS	00300	05.68	34.59	21.29	00.358	1478.2								
		085	00300	05.68	34.590	27.29		1479.2								
		085	00340	06.79	34.880	27.37		1483.7								
		STD	00400	04.97	34.79	27.53	00.430									
		385	00400	04.97	34.790	27.53		1477.2								
		ORS	00435	04.89	34.900	27.63		1477.6								
		095	00480	04.14	34.840	27.67		1475.1								
		STO	00500	04.28	34.88	27.68	00.484	1476 -1								
		OBS	00500	04.28	34.975	27.68		1476.1								
		OBS	00.00	04-09	34.91	21.73	00.530	1477.0								
		510	00700	04.09	34.910	21.73	00.573	1477.0								
		285	00700	04.12	34.930	27.74	00.313	1479.8								
		STO	00800	04.11	34.94	21.75	00.617	1480.5								
		OBS	00900	04.11	34.940	27.75		1480.5								
		STO	00900	04.10	34.94	27.75	00.661	1482.1								
		OBS	20900	04.10	34.945	21.75		1482.1								
		STD	01000	04.06	34.95	27.76	00,705	1483.6								
		OBS	01000	04.05	34.950	27.76		1483.6								
		OBS	01100	04.02	34.94	27.76	00,750	1485 -1								
		STD	01200	03.49	34.94	27.76	00.795	1485.1								
		185	01200	03.99	34.945	27.76	30	1486.6								
		510	01300	03.94	34.94	27.77	03.941	1489.1								
		nes	01300	03.94	34.940	27.77		1488.1								
		STO	01400	03.97	34.93	27.77	00.989	1489.6								
		OBS	01400	03.93	34.935	21.77		1489.6								
		ORS	01495	03.89	34.940	21.17		1491.2								
		OAS	01495	03.49	34.940	21.17		1491.2								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	8296 0146 37.5N 12.0W	MONT	1972 1 06 11 03.9	SHIP EV DATA USE L AREA 05	MET B BARON CLOUD	ULB 04.3 ETR 1025.4	SEA CL/TR		MIND-DI MIND-SP MIND-F3 WEATHFR	0 15	DURAT		00.3	5 2	SQUAP SQUAP SQUAP	E 21
CASTNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DX/G	P14	101 P	NOZ	NO3	5173	рН	
		STD	00000	04.22	32.86	26.09	00.000	1464.9								
	03.9	OBS	00000	04.22	32.860	26.09	404000	1464.9								
		STO	00010	01.72	12.69	25.17	02.012	1454 .0								
		085	00010	01.72	32.690	26.17		1454 .0								
		510	00020	- 0-28	32.95	26.49	00.036	1445.5								
		OBS	00020	- 0.28	32.955	26.49		1445.5								
		STD	00030	- 0.80	32.99	26.54	00.051	1443.3								
		OBS	00030	- 0.80	32.990	26.54		1443.3								
		STD	00050	- 1.15	33.25	26.76	00.779	1442.3								
		OBS	00050	- 1.15	33.250	26.76		1442.3								
		STD	00075	- 1.23	33.32	25.82	03-111	1442.5								
		085	00075	- 1.23	33. 325	26.82		1442.5								
		STD	00100	- 1.12	33.41	26.49	00.141	1443.5								
			00100	- 1.12	33.408	26.99		1441.5								
		310	00125	- 0.95 - 0.95	33.49	26.95	00.164	1444.9								
		510	00150	- 0.79	33.54	26.95	00.196	1444.9								
		085	00150	- 0.78	33.545	26.99	00.146	1446.1								
		510	00200	- 0.68	33.59	27.02	00.249	1446 -1								
		OBS	00200	- 0.69	33.588	27.02	00.244	1447.5								
		510	00250	- 0.28	33.70	27.09	00. 100	1450.3								
		DBS	00250	- 0.28	33.699	27.09	00. 100	1450.3								
		STD	00300	20.11	33.84	27.19	00.146	1453.1								
		UBS	00300	02.11	33.845	27.19	00.140	1453.1								
		MAS	00350	00.57	34.060	27.34		1456.4								
		085	00370	00.61	34.120	27.38		1457.0								
		STO	00400	01.27	34.29	27.4R	154.00	1463.7								
		785	00400	01-27	34.290	27.48		1460.7								
		085	00440	02.54	34.640	27.66		1467.4								
		510	00500	03.57	34.75	27.65	00.477	1472.9								
		ORS	00500	03.57	34.750	21.65		1472.9								
		085	00524	33.84	34.820	27.6R		1474.6								
		STD	00400	04.00	34.88	21.12	00.524	1476.6								
		785	005 00	04.00	34.885	27.72		1476.6								
		STO	00700	04.08	34.920	21.14	00.569	1479.6								
		STO	00800	04.08	34.93	21.75		1478.6								
		385	00900	04.07	34.935	27.75	00.612	1480.3								
		STO	00900	04.05	34.94	27.75	00 464	1481 . 9								
		nas	00900	04-05	34.940	21.15	00.656	1491.9								
		STD	01000	04.04	34.94	27.76	00.700	1483.5								
		185	01000	04.04	34.945	27.76	5000	1483.5								
		STO	01100	04.05	34.94	21.16	00.745									
		DAS	01100	04.05	34.945	27.76		1485.2								
		STO	01200	04.05	34.95	27.76	00.790	1486.9								
		285	01200	24.05	34.950	27.76		1486.9								
		STO	01300	04.03	34.95	27.76	00.337	1488.5								
		785	01300	04.03	34.950	27.76		1488.5								
		STO	01400	03.97	34.94	21.77	00-884	1489.9								
		ORS	01400	03.97	34.945	27.77		1489.9								
		STO	01500	03.91	34.94	27.77	00.931	1491 - 3								
		OBS	01500	03.91	34.945	27.77		1491.3								
							** ******									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID			YEAR		80TOP 02189		TEMP 11.7		GT PER	#140-01R				RECORDER			1306
CONSEC		0147		4 06	SHIP EV		BULB 11 - 7		4 2	MIND-SPD	35		E DI			SQUA	
LONG O	149 2	4.0N	HOUR	12	DATA USE I		METR 1020-3	SEA CL/TR		WEATHER	**		TIP				RF 28
LUNG 0	144 2	4.78	TOOK	13.1	WEN O		, ,,,	CLITIK		MC# INCh	**	OKI	, 111	***	•	2474	WE 24
CASTN	UM/T	IME	LALTAB	DEPTH	TEMP	SAL	SIGMA-T	HTQGHYD	SND VEL	DXYG	P34	101	N NC	D2 NO3	5133	РН	
			STD	00000	05.39	32.79	25.90	00.000	1469.7								
	ı	3.1	DAS	00000	05-39	32.790	25.90		1469.7								
			STD	00010	03.89	32.58	25.90	00.021	1463.3								
			085	00020	02.67	32.550	25.98	40.042	1458.2								
			STD	000 30	01.72	32.69	26.17	00.061	1454 .4								
			OBS	00030	01.73	32.690	26-17		1454.4								
			085	00041	01.15	32.885	26.36		1452.3								
			STD	00050	00.01	32.79	26.34	00-097	1447.4								
			085	00050	- 0.55	32.790	26.34		1447.4								
			085	00054	- 0.07	33.230	26.61		1447.5								
			STD	00075	- 1.30	33.47	26.94	00-132	1442.4								
			OBS	00075	- 1.30	33.470	26.94		1442 .4								
			STO	00100	00-47	33.72	21.07	00.158	1451.3								
			OBS	00100	00.47	33.720	27.07		1451.3								
			085	00103	00.59	33-690	27.04 *		1451.9								
			085	001 05	00.49	33.710	27.06		1451.5								
			STD	00115	01.02	33.760 33.90	27.19	00.182	1454.1								
			085	00125	00.85	33.900	27.19	00.102	1453.7								
			085	00140	00.03	33.890	27.23		1450-2								
			STD	00150	00.57	33.94	27.24	00.203	1452.9								
			OBS	00150	00.57	33.940	27.24		1452 - 9								
			085	00165	00-78	33.990	27.27		1454.2								
			ORS	00177	00.51	34.040	27.33		1453.2								
			OBS	00200	01.62	34.32	27.48	00.240	1458.9								
			ORS	00222	01.62	34.320	27.48		1459.4								
			STD	00250	02.06	34.42	27.52	00.270									
			385	00250	02.06	34.420	27.52	00.2.0	1461.8								
			085	00270	02.15	34-440	27.53		1462.6								
			STO	00300	02.81	34.59	27.60	00.297	1466 . 2								
			ORS	00300	02.81	34.590	27-60		1466.2								
			280	00343	03.57	34.760	27.66		1470.4								
			085	00400	03.77	34.82	27.69	00 - 546	1472.2								
			\$10	00500	03-97	34.89	27.72	00.391	1474.8								
			ORS	00500	03.97	34.890	27.72		1474.8								
			STD	00600	04-05	34.92	27.74	00.433	1476.9								
			ORS	00400	04.05	34.920	27.74	access on the same	1476.9								
			STO	00700	04.04	34.93	27.75	00.476	1478.5								
			085	00700	04.04	34.930	27.75	00.519	1478.5								
			STD	00800	04.04	34.93	27.75	00.514	1480 .1								
			STD	00900	04.04	34.93	27.75	00.563	1481 .8								
			085	00900	04.04	34.930	27.75	000,000	1481.8								
			STO	01000	04.04	34.93	27.75	00.608	1483.5								
			085	01000	04.04	34.930	27.75		1463.5								
			STD	01100	04.03	34.93	27.75	00.654	1485.1								
			nes	01100	04.03	34.935	27.75		1485 -1								
			STD	01186	04-03	34.945	27.76	00.700	1486.6								
			085	01200	04.08	34.95	27.76	00.700	1487.0								
			STD	01300	04.01	34.95	27.77	00.746	1488.4								
			085	01300	04.01	34.950	27.77		1488.4								
			STO	01400	03.94	34.95	27.77	00.792	1489.8								
			085	01400	03.94	34.950	27.77		1489.8								
			OBS	01440	03.94	34.950	27.77		1490.5								
			STD	01500	03.83	34.94	27.78	00.839	1491.0								
			280	01500	03.83	34.940	21.18		1491 -0								
							*****	** ******									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	9296 0148 2 44.0N 9 49.0W	MONT DAY HOUR	1 06	SHIP EV DATA USE 1 AREA 05	BARO	TEMP 10.0 BULB 10.0 METR 1020.0	19		#14D-D1 64-D41# 83H1 43#	2)	DURA	STO RE	00.6	5	N SQ 13 SQUARE SQUARE SQUARE	26
CASTNUM	4/T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	JX₹G	P34	TOT P	405	NO3	5133		
		510	00000	04.21	32 - 85	26.08	00.000	1464.9								
	16.4	085	00000	04.21	32.855	26.09		1464.9								
		STD	00010	03.47	32.80	26-12	00.019	1461.8								
		085	00010	03.47	32.805	56.15		1461 .8								
		085 570	00017	00.50	32.770	26.31	20 027	1449.4								
		085	00020	00.61	32.830	26.35	00.037	1449.4								
		STD	00030	- 1.12	32.99	26.55	00.053	1441 .8								
		085	00030	- 1.12	32.990	76.55		1441 .8								
		085	00040	- 0.94	33.140	26.67		1443-0								
		910	00050	- 1.18	33.21	26.73	00.081	1442.2								
		085	00056	- 1.24	33.245	26.76		1442.2								
		085	02060	- 1.18	33.280	26.79		1442.4								
		STD	00075	- 1.18	33.30	76.81	00.113	1442.7								
		ORS	00075	- 1.18	33.305	24.81		1442.7								
		OBS	00100	- 1.19	33.35	26.84	00-144	1443.1								
		ORS	00119	- 1.09	33.420	26.90		1444.0								
		STD	00125	- 1.09	33.42	26.90	00-174	1444-1								
		085	00125	- 1.09	33.420	26.90		1444.1								
		STD	00150	- 0.90	33.49	26.95	00.202	1445.5								
		085 510	00150	- 0.90 - 0.55	33.490 33.59	26.95	00.256	1445.5								
		085	00200	- 0.55	33.590	27.01	00.230	1448.1								
		STD	00250	- 0.28	33-69	27-08	00.306	1450.3								
		085	00250	- 0.28	33,690	27.08		1450.3								
		085	00262	- 0.29	33.715	27.10		1450.5								
		OBS	00300	- 0.07	33.81	27.17	00.353	1452.3								
		STD	00400	02.47	34.27	27.37	00-435	1465.9								
		085	00400	02.47	34.270	27.37		1465.9								
		085	00427	03.64	34.490	27.44		1471 -7								
		985 985	00440	02.98	34.490	27.50		1469.1								
		085	00468	03-39	34.695	27.63		1471.6								
		085	00475	03.55	34.755	27.66		1472.5								
		STD	00500	03.42	34.73	27-66	00.496	1472.3								
		085	005 00	03.42	34.735	27.66		1472.3								
		085	00562	03.78	34.825	27.69		1475.0								
		STD	00600	04.07	34.89	27.71	00.543	1476.9								
		280	00600	04.07	34.890	27.71		1476.9								
		510	00700	04-29	34.94	27.73	00,588	1479.6								
		085	00750	04.29	34.945	27.73		1479-6								
		STO	00800	04.11	34.93	27.74	00.632	1480.4								
		280	00800	04.11	34.930	27.74		1480.4								
		ORS	00830	04.07	34.925	27.74		1480.8								
		STO	00700	04.05	34.93	27.75	00.677	1481.9								
		085	00900	04.05	34.950	27.75		1481.9								
		STD	01000	04.17	34.95	27.75	00.722	1484 - 1								
		085	01000	04-17	34.955	27.75		1484.1								
		STO	01100	04-05	34.93	27.75	00,768	1485.2								
		085	01100	04.05	34.935	27.75	00.814	1485.2								
		980	01200	04.09	34.950	27.76	00.017	1487.1								
		STO	01300	04.12	34.96	27.76	00.861	1488.9								
		085	01300	04.12	34,960	27.76		1488.9								
		STO	01400	04.17	34.97	27.77	00.909	1490.8								
		085	01400	04.17	34.970	27.77	00.957	1490.8								
		STD														

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LONG	C 42	8296 0149 21.0N 37.5W	DAY	1972 4 06 12 23.4	BOTOP 02986 SHIP EV DATA USE 1 AREA 05			17		ATNO-DIR MIND-SPD MIND-FOR MEATHER	10	INST STO	N 03.4	TEN SQ 1306 5 SQUARE 2 2 SQUARE 28 1 SQUARE 29
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	⊃x ∀ G	P)4	101 P	NOS NO3	5133 P4
			STO	00000	05.14	32.56	25.75	00.000	1469.3					
		23.4	085	00000	05.14	32.565	25.75	00.000	1468.3					
			STO	00010	02.27	32.63	26.08	00.021	1456 -4					
			085	00010	02-27	32.630	26.08		1456.4					
			085	00018	01-74	32.750	26.21		1454.3					
			STD 085	00020	01.67	32.78 32.780	26.24	00.040	1454.1					
			085	00025	01.67	32.785	26.26		1453.5					
			STD	00030	01.67	32.97	26.40	00.057	1454.5					
			085	00040	01.97	33.300	26.64		1456.5					
			STO	00050	03.81	33.55	26.68	00-087	1464.9					
			nBs	00050	03.81	33,555	26.68		1464.9					
			085	00052	03-64	33.605	26.74		1464.3					
			STD	00070	02.79	33.590	26.80		1460.9					
			085	00075	01.74	33.61	26.95	00.119	1460.2					
			085	00095	01.38	33.725	27.02		1455.3					
			STD	00100	01.64	33.86	27.11	00-147						
			085	00100	01-64	33.860	27-11		1456 .8					
			STD	00125	00.41	33.90	27.22	00.170	1451.7					
			085	00125	00.41	33.900	27.22		1451.7					
			085	00140	04.94	34.475	27.29		1472 -4					
			085	00150	04.82	34.490	27.31	00.190	1472-1					
			085	00170	05.41	34.570	27.31		1474.9					
			STD	00200	05.97	34.67	27.32	00.230	1477.8					
			085	00200	05.97	34.670	27.32		1477.8					
			085	00210	05.92	34.675	27.33		1477.8					
			085	002 22	05-62	34.620	27.32		1476.7					
			085	00240	05.30	34-650	27.38		1475.7					
			STD	00247	05.48	34.685	27.40	00.268	1475.9					
			085	00278	05.75	34.780	27.43	00.266	1478.3					
			085	00280	05.67	34.780	27.44		1478.1					
			570	00300	05.72	34.90	27.53	00-301	1478 - 8					
			085	00300	05.72	34.900	27.53		1478.8					
			085	00302	05.80	34.910	27.53		1479.1					
			085	00310	05.72	34.900	27.53		1478.9					
			085	00330	05.47	34.850	27.52		1478.2					
			085	00380	05.42	34.945	27.60		1478.9					
			STO	00400	05.41	34.95	27.61	00.358	1479.2					
			ORS	00400	05.41	34.955	27.61		1479.2					
			STD	00500	05.27	35.02	27.68	00.409	1480.4					
			085	00500	05.27	35.025	27-68		1480.4					
			STD	00550	04.49	34.930	27.70	00.456	1477.9					
			065	00600	04.89	35.000	27.71	00.456	1480.5					
			085	00610	04.94	35.045	27.74		1480.9					
			STO	00700	04.47	35.00	27.76	00.501	1480 -4					
			185	00700	04-47	35.000	27.76		1480.4					
			STD	00800	04.10	34.95	27.76	00.544	1480 -4					
			085	00800	04.10	34.950	27.76		1480.4					
			STD 085	00900	04.05	34.94	27.76	00.587	1481.9					
			STD	01000	04.07	34.96	27.77	00.630	1483.6					
			OBS	01000	04.07	34.960	27.77		1463.6					
			STD	01100	04.09	34.97	27.77	00.674	1485.4					
			085	01100	04.09	34.970	27.77		1485.4					
			STO	01200	04-01	34.96	27.78	00.719	1486 . 7					
			OBS	01200	04-01	34.965	27.78	00.763	1486.7					
			085	01300	03.84	34.940	27.78	0003	1487.7					
			STO	01400	03.87	34.95	27.78	00.809	1489.5					
			085	01490	03.89	34.960	27.79		1491.1					
							*****	*******	•					

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REF 12 CONSE	C	8296 0150 53.0N	YEAR	1972 4 06 13	SHIP EV		MET SARO			GT PER	AIND-DIR AIND-SPO WIND-FOR		TRACE DURA	STO REC E DIR TION	ORDER	5	N SO 1306 SQUARE 28
LONG	049	42.0W		04.3		05	CLOIL	T/A	CL/TR		WEATHER	X 5	ORIG	119 111		1	SQUARE 29
(49	TNUM	TIME	LVLTYP	DEPTH	TEMP		SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P74	101 P	NO2	NO3	5103	P4
			STO	00000	08.87		3.30	25.60	00.000	1483.6							
		04.3	285	00000	08.87	3	3.005	25.60		1483 .6							
			085	00013	07.74		3.09	25.83 25.83	00.023	1479.6							
			SID	00027	96.04	3	3.11	26.08	00.043	1473.1							
			UBS	00020	06.04	3	3.115	26.08		1473-1							
			STO	00030	03.32		3.16	26.41	00.061	1462.0							
			510	00050	02.02		3.19	26.55	00.093	1456 . 7							
			785	00050	02.02	3	3.195	26.55		1456.7							
			JAS	00068	00.48		3.150	26.61		1450.0							
			385 STD	00072	00.62		3.235	26.67	00.128	1450.9							
			STO	00100	00.27	3	3.31	25.75	00.162	1449.8							
			085	00100	00.27	3	3.310	26-75		1449.9							
			STD	00115	- 0.67	,	3.43	26.84 25.88	00-193	1446.1							
			OBS	00125	a 0.33		3.430	26.88	00-177	1447.7							
			nes	00129	- 0.50	3	3.450	26.90		1447-0							
			510	00150	01.54		3.58	26.98	00.221	1456.9							
			085	00150	01.54	,	4.110	26.98		1456 - 9							
			510	00200	03.36		4.32	27.09	00.273	1466 -1							
			OBS	00500	03.36	3	4.020	27.09		1466 .1							
			STD	00231	03.62		4.150	27.17	00.320	1467.9							
			nes	00250	04.52	3	4.375	27.26	00.720	1472 .3							
			OBS	00200	05.00	3	4.440	27.25		1474.5							
			STO	00291	00.90		4.050	27.31	00.359	1456.9							
			085	00300	00.97	3	4.13	27.37	00.334	1457.4							
			085	00319	01.21	3	4.200	27.41		1458.9							
			OAS	00342	03.13	3	4.670	21.63		1468.3							
			085	00361	03.63	3	4.770	27.65		1470.9							
			STO	00400	03.79	3	4.78	21.66	00.419	1472 - 3							
			CAS	00400	03.79	3	4.785	27.66		1472.3							
			DBS	00415	03.82		4.810	27.71		1472.6							
			785	00442	04.37	3	4.940	27.72		1475.6							
			285	00459	04.34	3	4.945	27.73		1475.8							
			510	00500	04.83	3	5.015	27.73	00-464	1478.7							
			285	00500	04.85	3	5.020	27.73	00.404	1478.7							
			285	00530	04.85	3	5.015	27.73		1479 -2							
			STO	00570	04.37	3	4.950	27.73	00.508	1477.7							
			J85	00500	04.35	3	4.955	27.73	00.303	1478.2							
			OBS	00620	04.39	3	4.960	27.73		1478 - 7							
			STO	00700	04.25	3	4.96	27.75	00.551	1479.4							
			STD	00800	04.25	3	4.960	27-75	00.594	1480.8							
			ORS	00800	04.18	3	4.955	27.75		1480.8							
			STO	00900	04.08	3	4.94	27.76	00-638	1482.0							
			085	00900	04.09	3	4.945	27.77		1482.0							
			STO	01000	04-34	3	5.00	27.78	00.682	1484.8							
			385	01000	04-34		5.005	27.78		1484.8							
			STD	01100	04.29		4.99	27.77	00.726	1486.3							
			STO	01200	04.25	3	4.99	27.77	00.771	1487.8							
			OBS	01200	04.25	3	4.990	27.77		1487.8							
			085	01300	04.14	3	4.98	27.78	00.817	1489.0							
			STO	01400	04.03	3	4.96	27.78	00.863	1490.2							
			ORS	01400	04.03	3	4.965	27.78		1490-2							
			085	01418	03.93	3	4.955	27.78		1490 -1							
			085	01460	03.97		4.970	27.79		1491.0							
			STD	01500	03.97	3	4.96	27.78	00.910	1491.6							
			085	01500	03.97	3	4.960	27.78		1491 -6							
								*****	• • • • • • • • • • • • • • • • • • • •								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31	1 82 16 0151		1972	8010P 01648	AIP WET			IGT PER	AIND-DIR			STO RE	CORDER		N SO I	
	2 42.5N		14	DATA USE 1		METR 1029.1			WIND-FOR			TION	00.4		SQUARE	
	0 22.0W		19.7	ARFA 05		7/4	CL/TR		WEATHER	XI		110 11			SQUARE	
CASTNU	M/T IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DANULLH	SND VEL	JXY G	P)4	101 6	402	NO3	\$133	PH	
		510	00000	05.22	32.71	25.86	00.000	1468.9								
	19.7	785	00000	05.22	32.710	25.86		1468.9								
		510	00010	04.42	32.79	25.01	00.021	1465.9								
		CHC	00010	04.42	32.190	26.01		1465.8								
		510	00020	03.42	32.63	25.98 •	00.041	1461.5								
		(185	00020	03.42	32.610	25.98	00 010	1461.5								
		310	000 30	01.47	32.820	25.29	00.060	1453.4								
		STD	00350	- 0.23	33.01	26.29	00.092	1453.4								
		085	00050	- 0.23	33.015	26.54	00.092	1446.3								
		STO	00075	- 1.03	33.15	25.08	00-128	1443.2								
		085	00075	- 1.03	33.150	26.68	00.150	1443.2								
		STO	00100	- 1.20	33.29	25.80	00.161	1443-0								
		785	00100	- 1.20	31.290	25.80		1443.0								
		510	00125	- 1.18	33.36	25.85	00.192	1443.6								
		OBS	00125	- 1-18	33. 160	26.95		1443.6								
		STO	00150	- 1.08	33.42	26.90	00.221	1444.5								
		085	00150	- 1.08	33.425	20.90		1444.6								
		OBS	00190	- 0.45	33.660	27.07		1448.5								
		510	00500	03.12	34.07	27.15	00.273									
		OBS	002 00	03.12	34.070	27.15		1465.1								
		OHS	00236	06.30	34.550	27.18		1479.6								
		c9s	00243	05.26	34.350	27.15 .		1475.2								
		510	00250	05.57	34.49	21.22	00.319	1476 -8								
		DAS	00257	05.57	34.490	21.27		1476.8								
		285	00281	05.63	34.610	27.31		1477.7								
		JAS	00299	03.87	34.350	27.30		1470.3								
		STO	00300	03.91	34.40	21.34	00.360	1470.6								
		085	00300	03.91	34.400	27.34	-0.,00	1470.6								
		095	00311	04.49	34.470	27.33		1473.3								
		nes	20325	03.25	34.330	27.35		1468.1								
		085	00341	04.05	34.520	21.42		1472.0								
		785	00365	03.32	34.440	27.43		1469.2								
		STO	00400	04.74	34.73	27.52	00.430	1476 -2								
		085	00400	04.74	34.735	21.57		1476.2								
		285	00419	04.85	34.800	27.56		1477.0								
		085	00459	04.71	34.840	27.60		1477.1								
		085	00465	04.58	34.835	27.61		1476 - 7								
		STD	00500	04.85	34.875	27.64	90.487	1478.1								
		085	00500	04.20	34.810	27.64	40.401	1475.7								
		185	00510	04.82	34.950	27.68		1478.6								
		085	00540	04.91	34.950	27.67		1479.5								
		STD	00400	04.79	34.96	27.69	90.537	1480.0								
		085	00600	04.79	34.965	21.69	40.731	1480.0								
		OBS	00673	04.77	34.990	27.72		1481 .2								
		STO	00700	04.69	34.98	21.72	00-584	1481.3								
		085	00700	04.69	34.985	27.72		1481 - 3								
		OAS	00721	04.53	34.960	27.72		1480 - 9								
		STD	00900	04-33	34.95	27.73	00.630	1481 .4								
		785	00900	04.33	34.950	21.73		1481 -4								
		STO	00900	04.23	34.93	21.13	00.676	1482.6								
		085	00900	04.23	34.935	27.73		1482 .6								
		nes	00953	04.22	34.935	27-73		1483.5								
		285	01300	04.15	34.94	27.74	00.722									
		.38.2	01000	04.15	34.940	27.74		1484.0								
						*****	*******									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG			MONT	1972 4 06 14 21.9	BOTOP 0156 SHIP EV DATA USE AREA O	1 BAPO		30		MIND-SIR NC-CVIN SHT ASW	05	TRACE		03.4	5 2	SQUARE SQUARE SQUARE	1 20
CAST	NUM/T	I ME	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	DYNOPTH	SND VEL	JXY G	P)4	TOT P	402	403	\$133	P4	
			STO	00000	05.57	32.79	25.88	00.000	1470.4								
	2	1.9	OBS	00000	05.57	32.790	25.88		1470.4								
			STD	00010	05.23	32.71	25.86	00.021	1469.1								
			OBS	00010	05.23	32.710	25.86		1469.1								
			STD	00020	03.67	32.71	26.02	00-042	1462.7								
			085	00020	03.67	32.710	26.02		1462 . 7								
			STO	00030	01.50	32.91	26.36	30.361									
			085	00030	01.50	32.910	26.36		1453.7								
			STD	00050	- 1.19	32.97	26.54	00.092				,					
			085	00050	- 1.19	32.970	26.54		1441.8								
			085	00060	- 1.24	33.150	26.68		1441.9								
			085	00062	- 1.21	33-160	26.69		1442.1								
			085	00070	- 1.25	33.190	26.72		1442 -1								
			STD	00075	- 1.21	33.24	26.76	00.127	1442.5								
			STD	00100	- 1.21	33.245	26.76		1442.5								
			085	00100	- 1.29	33.30	26.81	00-159	1442.6								
			STD	00125	- 1.20	33.38	26.81	00 100	1442.6								
			085	00125	- 1.20	33.35	26.87	00.189	1443.5								
			STD	00150	- 1.05	33.44	26.91	00.218									
			085	00150	- 1.05	33.440	26.91	00.210	1444.7								
			STD	00200	- 0.77	33.54	26.99	00.274									
			085	00200	- 0.77	33.545	26.99		1447.0			*					
			STO	00250	02.09	33.70	26.94 .	00.329									
			ORS	00279	03.67	34.030	27.07		1468.7								
			085	00288	04.15	34.170	27.13		1471-1								
			STO	00300	02.04	34.03	27.21	00.379									
			095	00300	02.04	34.030	27.21		1462.0								
			085	00319	00.49	33.910	27.22		1455 - 3								
			085	00325	00.44	33.970	27.27		1455 - 2								
			085	00333	00.64	33.995	27.28		1456 - 3								
			OBS	00356	00-66	34.130	27.39		1457.0								
			STD	00400	01.72	34.27	27.43	00.456	1462.6								
			085	00400	01.72	34.270	27.43		1462.6								
			085	00407	01.78	34.260	27.42		1463.0								
			085	00420	01.67	34.300	27-46		1462.6								
			STO	00500	03.59	34.75	27.65	00.514									
			STD	00500	03.59	34.755	27.65	00	1473.0								
			085	00600	03.90	34.840	27.69	00.562	1476.1								
			STD	00700	04.06	34.88	27.70	00.609	1476-1								
			085	00700	04.06	34.875	27.70	00.604	1478.5								
			STD	00800	04-10	34.91	27.73	00.656	1480.4								
			085	00800	04.10	34.910	27.73	00.036	1480 -4								
			STO	00900	04-10	34.91	27.73	00.703	1482.0								
			DBS	00900	04-10	34.910	27.73	0002	1482.0								
			STD	01000	04-10	34.92	27.73	00.749	1483.7								
			085	01000	04.10	34.920	27.73										
			085	01000			27.73		1483.7								

REFID CONSEC LAT LONG	42	8296 0153 33.57 06.58	DAY	1972 4 05 14 23.7	SHIP EV DATA USE AREA O	BAR	TEMP 07.2 BULB 06.7 DMETR 1030.8 JD T/A	31		WIND-DIR WIND-SPD WIND-FOR WEATHER	0+	TRACE		00.3	2	SOUAL SOUAL SOUAL	RE 1 RF 20
CAST	NUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	3XY G	P)4	101 P	NOS	NO3	5133	P4	
			STD	00000	05.79	32,72	25.80	00.000	1471.2								
		23.7	085	00000	05.79	32.720	25.80		1471.2								
			SID	00010	04.78	32.70	25.90	00.022	1467.2								
			OBS	00010	04.78	32,700	25.90		1467.2								
			510	00050	01.12	32.57	26.11	00.042	1451 .3								
			ORS	00020	01.12	32.570	25.11	00 000	1451 - 3								
			STD	00030	- 0.23	32.90	26.45	00.059	1445 .8								
			STO	00030	- 0.23	32.900	26.45	00.089	1445 -8								
			085	00050	- 1.16	33.150	26.68	00.007	1442.2								
			STD	00075	- 1.20	33.31	26.82	00.121									
			085	00075	- 1.20	33.315	26.82		1442.6								
			STO	00100	- 1.11	33,38	26.87	00.152	1443.5								
			085	00100	- 1.11	33,380	26.87		1443.5								
			STO	00125	- 1.05	33.43	26.90	00-181									
			285	00125	- 1.05	33,430	25.90		1444.3								
			STO	00150	- 0.85	33.50	26.96	00.209	1445-8								
			785	00150	- 0.85	33.505	26.96		1445.8								
			510	00200	- 0.58 - 0.58	33.60	27.03	00.265	1448.0								
			085		- 0.15	33.605	27.03	00.311	1443.0								
			385	00250	- 0.15	33.780	27.15	00.311	1451.0								
			085	00274	00.05	33.850	27.20		1452.4								
			STO	00300	03.67	34.37	27.34	00.353									
			085	00300	03.67	34.370	27.34		1469.5								
			985	00311	04.47	34.470	27.34		1473.2								
			385	00340	01.06	34.100	27.34		1458.5								
			TAS	89100	15.10	34.150	27.37		1457.7								
			STD	00400	01.65	34.25	27.42	00.426	1462.3								
			085	00400	01.65	34.250	27.42		1462 - 3								
			085	00415	01.74	34.270	27.43		1463.0								
			ORS	00425	01.50	34.275	27.45		1468.2								
			STO	00500	02-67	34.450	27.62	00.487									
			085	00500	04.96	34.900	27.62	00.407	1479.0								
			CBS	00520	05.28	34.985	27.65		1480.7								
			085	005 70	05.09	34.980	27.67		1480 . 7								
			085	00575	05.15	35,000	27.68		1481 -1								
			STD	00500	05.01	34.99	27.69	00.538	1480.9								
			OBS	00600	05.01	34.990	27.69		1480.9								
			STO	00700	04.69	34.97	27.71	00-586	1481.2								
			TAS	00700	04.69	34.970	27.71		1481.2								
			085	00753	04.44	34.955	27.72		1451-1								
			STD	00800	04.44	34.96	27.73	00.633									
			nes	00800	04-44	34.965	27.73		1481.6								
			085	00828	04.26	34.975	27.76		1482.1								
			ORS	00863	04.33	34.965	27.74		1482.5								
			STD	00900	04.34	34.96	27.74	00.679	1483.1								
			nas	00900	04.34	34.965	27.74		1483.1								
			STO	01000	04.22	34.96	27.75	00.724									
			ORS	01000	04.22	34.960	27.75		1484 - 3								
						34.955	27.75		1484.9								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 YEAR I CONSEC 0154 MONTH LAY 42 32-04 DAY LONG 050 17 M HOUR O	06	BOTOP 02118 SHIP EY DATA USE L AREA 05	AIR T WET 9 BAPOM CLOUD	ULB 97.8 ETR 1031.8	OLR HI 31 SEA CL/TR	T PER	ALND-DLR ALND-SPD WIND-FOR WEATHER	05	DURAT		07.3	2	N SQ I SQUARE SQUARE SQUARE	20
CASTNUM/TIME LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	3X4G	P34	TOT P	NDS	NO3	5133	P1	
STO	00000	06-06	32-73	25.78	00.000	1472.3								
02.0 095	00000	06.06	32.730	25.78		1472 -3								
STD	01000	04.07	32.77	26.03	00.021	1464.3								
	00015	32.72	32.770	26.15		1455.6								
STD	00020	02.52	32.82	26.21	00.040	1457.9								
085 STD	00020	01.22	32.820 32.71	26.21	00.058	1457.9								
085	000 30	01.22	32.715	26.22		1452.2								
STD	00050	00.27	32.97	26.40	00.093	1448.4								
085	00060	- 0.88	32.870	26.40		1443.6								
085	00764	- 1-13	33.155	26.68		1442.5								
08S STD	00072	- 1.13	33.230	26.75	00.130	1442 -8								
	00075	- 1.20	33-210	26.73	(10.130	1442.5								
085	00085	- 1.61	33.270	26.79		1440 .8								
OAS STD	00097	- 0.85	33.440	26.91	00.160	1444.8								
280	001 00	- 0.92	33.465	26.93		1444.6								
085	00102	- 0.86	33.465	26.93		1444.9								
STD	001 08	- 1.15	33.82	27.16	00.186	1443.6								
085	00125	00.22	33.820	27.16		1450 - 7								
STD 085	00150	04.30	34.20	27.14	00.209	1469.5								
OBS	00160	04.31	34-200	27.14		1469.7								
	00200	07.09	34.75	27.23	00.255	1482.4								
	00200	07.09	34.750	21.23		1482.4								
085	00220	06.78	34.710	21.24		1481.4								
	00230	06.83	34.750 34.58	27.27	00-298	1481 .8								
	00250	05.73	34.580	21.28	00.270	1477.5								
785	00265	03.24	34.250	27.29		1467-0								
985 STD	00290	03.45	34.365	27.36	00.337	1468.4								
OBS	00300	03.49	34.380	21.37		1469.8								
	00312	03.55	34.390	27.37		1469.3								
	00340	01.22	34.190	27.40		1459.3								
085	00347	01.22	34.230	27.43		1459.5								
STD	00380	02.06	34.470	27.56	00.402	1464.1								
985	00400	02.12	34.470	27.56		1464 - 7								
085 085	00410	02.54	34.580	27.60		1469.5								
	00450	03.71	34.680	27.58		1472.6								
09S 09S	00455	03.87	34-680	27.57		1473.4								
085	00462	03.16	34.690 34.750	27.64		1474.1								
STD	005 00	04.52	34.89	27.66	00.454	1477.1								
08S 08S	005 05	04.52	34.890	27.66		1477 -1								
nas	00520	04.57	34.910	21.67		1477 - 7								
08 S 08 S	00548	04.39	34.870	27.66		1477.2								
085	00558	04-30	34-865	27.67		1477 .1								
	00565	04.39	34.885	27.67		1477.6								
	005 70	04.24	34.855	27.65		1477.0								
085	00589	04.25	34.870	27.68		1477.4								
	006 00	04-02	34.85	27.69	00.503	1476.6								
085	00610	04-05	34.850	27.68		1476.9								
	00640	04.35	34.905	27.69		1478.8								
085	00660	04-17	34.900	27.71		1478.3								
	00670	04.14	34.900	27.71		1478.4								
	00690	04.37	34.970	27.74	00-549	1479.8								
085	00700	04.35	34.940	27.72		1479.8								
	00707	04-35	34.930	27.71		1479.9								
	00743	04-39	34.950	27.73		1480.6								
085	00752	04.29	34.925	27.72		1480.4								
	00778	04.32	34.920	27.74	00.595	1480.9								
085	00800	04.23	34.945	27.74		1481.0								
	00810	04.17	34.930	27.73		1480.9								
ORS	00850	04.15	34.930	27.74		1481 -4								
085	00890	04.17	34.940	27.74		1482-1								
STO	00200	04.22	34.75	27.74	00.640	1482 .6								
ORS	00900	04.22	34.950	27.74		1482.6								
OBS	01000	04.22	34.960 34.95	27.75	00+685	1483.3								
085	01000	04.11	34.950	27.76		1483 - 8								
nBs	01050	04.05	34.945	27.76		1484.4								

••••••

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID		8296		1977	BUTDP 03036	AIR 1			GT PER	alvo-ole					ECORDER		N 50 1	
CONSEC		0155		H 06	SHIP EV	WET) X	alvo-SPD	09			DIR	00 0		SQUARE	
LONG	42 S		DAY	00.9	AREA 05	CLOU	ETR 1023.4	SEA CL/TR		MEATHER	X2		RAT	IIP I	07.2		SQUARE	
LUNG	040	,0 #	HUUK	00.4	. 09	CLOO		CLITA		#E4 111E-	~ ~				••	•	340	20
CAST	NUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DANDELH	SND VEL	OXY G	P)4	101	P	402	NO3	\$133	P4	
			510	00000	11.78	33.44	25.44	00.000	1494.7									
		00.9	nas	00000	11.78	33.440	25.44	00	1494.7									
			085	00010	09.98	33.81	26.05	00.023	1489.0									
			\$10	00020	01.98	33.810	26.48	00.040	1455.9									
			785	00020	01.98	33.110	26.48	00.040	1455.9									
			STD	000 30	03.89	33.39	26.54	00.056	1464 - 7									
			510	00050	05.19	33.77	26.86	00.083	1471 .2									
			085	00050	05.18	33.970	26.86		1471 -2									
			510	00060	04-56 05-28	34.260	27.16	00.109	1469.7									
			085	00075	05.28	34. 365	27.16	03.104	1472.6									
			OBS	00090	05-41	34.395	27.17		1473.4									
			STO	00100	05.28	34.37	27.17	00.132	1473.0									
			OBS	00100	05.28	34.370	27.17		1473.3									
			385 STD	00120	05.58	34.46	27.18	00.154	1474.6									
			085	00125	05.13	34.460	21.25	00.154	1477.9									
			385	00130	05.38	34.460	21.24		1474.0									
			STO	00150	04.78	34.44	27.28	00-175	1471 .8									
			285	00150	04.78	34.440	27.28		1471 -8									
			OBS	00165	05.00	34.520	27.32		1473.1									
			510	00175	05.41	34.490	27.38	00.214	1472.1									
			URS	00200	05-41	34.660	27.38		1475.5									
			OBS	00207	05.41	34.685	27.40		1475.7									
			CBS	00211	05-86	34.780	27.42		1477.7									
			085	00220	06.11	34.870	27.46		1479.0									
			STD	00250	05.75	34.79	27.44	00.249	1477.9									
			OBS	00250	05.75	34.790	27.44		1477.9									
			STO	00100	05.51	34.88	27.54	00.281	1477.5									
			UBS	00300	05.51	34.990	27.54		1477.9									
			OBS	00311	05.42	34.990	27.58		1477.7									
			OBS	00328	05.46	34.730	27.59		1478.2									
			OBS	00350	05-15	34.910	27.61		1477.3									
			STD	00400	05.10	34.96	27.65	00.336	1478.0									
			085	00400	05.10 05.10	34.960	27.65		1478.0									
			085	00410	05.01	34.990	27.69		1478.3									
			STD	00500	04.78	34.98	27.71	00.384	1478.3									
			OBS	00500	04.78	34.980	27.71		1478.3									
			OBS	00530	04.73	34.975	27.71		1478.6									
			STD	00590	04.51	34.965	27.72	00.428	1478.7									
			085	00600	04.51	34.980	27.74	-0.420	1478.9									
			085	00606	04.48	34.960	27.72		1478 -8									
			085	00632	04-48	34.975	27.74		1479.3									
			OBS	00650	04.52	34.990	27.74		1479.7									
			STD	00700	04-52	34.95	21.74	00.472	1479.6									
			085	00700	04.29	34.950	27.74	00.412	1479.6									
			OBS	00743	04.29	34.965	27.75		1480.3									
			OBS	00750	04.21	34.450	27.75		1480.1									
			STO	00800	04.19	34.96	27.76	00.516	1480 .8									
			085	00800	04.19	34.960	27.76		1480.8									
			STD	00900	03.98	34.93	27.76	00-559	1481.6									
			OBS	00900	03.98	34.935	27.76		1481 .6									
			085	00905	03-98	34.935	27.76		1481.7									
			STD	01000	03.91	34.925	27.76	00.603	1481 - 6									
			285	01000	03.87	34.920	27.76	00.603	1482.8									
			085	01028	03.85	34.935	27.77		1483.2									

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 R296 CONSEC 0156 LAT 43 03.5N LONG 048 42.0W	MONT	1972 H 05 16 03-2	SHIP EV DATA USE 1 AREA 05	MET I BARDI CLOU	SULB 11.1		GT PER	WIND-SPD WIND-SPD WEATHER	09	DUR	SF D	IR	07.2	5 2	SQUAR SQUAR SQUAR SQUAR	£ 28
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	p)4	TOT	p	NOS	NO3	5133	РН	
	STD	00000	04.57	32.48	25.75	00.000	1465.9									
03.2	785	00000	04.57	32.479	25.75		1465.9									
	510	00010	02.48	32.56	26.01	00.021	1457.2									
	TAS	00010	02.48	32.560	26.01		1457.2									
	STD	00023	02.07	32.96	26.28	00.040	1456 .0									
	285	00020	02.07	32.860	26.28	00.057	1456 -0									
	085	00030	00.23	33.015	26.52	00.071	1448 -1									
	ORS	00040	00-15	33.240	26.70		1448.2									
	085	00045	00.92	33.360	26.76		1451.9									
	STO	00050	00.42	33.47	26.87	00.084	1449.9									
	095	00050	00.42	33.470	26.87		1449.9									
	085	00060	00.53	33.665	27.02		1450.8									
	STD	00066	00.11	33.640	27.03	00-111	1449.0									
	าธร	00075	00.38	33.750	27.10	00.111	1450.5									
	STD	00100	01.68	34.12	27.31	00-133	1457.3									
	OBS	00100	01.68	34.120	27.31		1457.3									
	285	00105	01 - 75	34.095	27.29		1457.6									
	STO	00125	04.45	34.58	27.43	00.151	1470.2									
	085	00141	04.95	34.630	27.41		1472 .6									
	085	00147	04.76	34.570	27.38 *		1471.9									
	STO	00150	04.93	34.66	27.44	00.167	1472.7									
	OBS	001 70	04.62	34.660	27.44		1471.7									
	085	00175	04.95	34.745	27.50		1473.3									
	STD	00200	04.73	34.70	27.49	00.200	1472.8									
	085	00200	04.73	34.700	27.49		1472 -8									
	085	00220	04.73	34.715	27.50		1473.1									
	08.5	00240	05.31	34.870	27.56		1476-1									
	510	00250	05-30	34.88	27.57	00.230	1476 .2									
	085	00250	05.30	34.880	27.57		1476.2									
	510	00300	05.20	34.93	27.62	00.257	1476.7									
	085	00300	05.20	34.930	27.62	0.0.	1476.7									
	OBS	00339	05.06	34.940	27.64		1476.7									
	STD	00400	03.48	34.75	27.67	00.306	1470.9									
	085	00400	03.48	34.755	27.67		1470.9									
	THS	00485	04.20	34.920	27-12		1475.6									
	985	005 00	04.18	34.89	27.70	00.352	1475.7									
	085	00510	04.08	34.890	27.71		1475.5									
	085	005 80	04.08	34.900	27.72		1476.6									
	STD	00600	04.13	34.92	27.73	00.397	1477 -2									
	085	00600	04.13	34.920	27.73		1477 -2									
	085	006 30	04.35	34.960	27.74		1478.7									
	CBS	00660	04.33	34.950	27.73		1479.1									
	510	00670	04.21	34.935	27.73	00.440	1478.7									
	085	00700	04.20	34.945	27.74	00.440	1479.2									
	085	00710	04.26	34.960	27.75		1479.6									
	510	00800	04.25	34.95	27.74	00.484	1481 .1									
	085	00900	04.25	34.950	27.74		1481 -1									
	STO	00900	04.15	34.95	27.75	00.529	1482 -3									
	OAS	00900	04-15	34.950	27.75		1482.3									
	STD	01000	04.02	34.93	27.75	00.573	1483 -4									
	085	01000	04-02	34.935	27.75		1483.4									
	003	01033	03.98	34.935	27.76		1403.0									

COAST GUARD WASHINGTON D C OCEANOGRAPHIC UNIT

OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND MARCH 19--ETC(U)

JUN 76 R W SCOBIE, R H SCHULTZ

USCG-373-70

NL AD-A035 402 UNCLASSIFIED NL 4 OF 4 ADA035402 END DATE FILMED 3 - 77




Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

	REFID 31		YEAR	1972	80 TOP 00836	AIR	TEMP 11.1		GT PER	4140-016		INST	STO REI			N 50 130	
	CONSEC 43	0157 15.5N		16	DATA USE 1	BARO	BULB 10.6	SEA	0 x	MIND-SPE		DURA	E DIR	00.2		SQUARF SQUARE 2	2
		23.5W	HOUR	07.4	AREA 05		0 T/4	CL/TR		WES THER	X	ORIG	119 11	1		SQUARE 3	
	CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXFG	P34	TOT P	NOS	103	5133	P4	
		07.4	085	00000	05.15	32.65	25.82	00.000	1468.5								
			STO	00010	01.98	32.61	26.08	00.021	1455.1								
			510	00010	01.96	32.610	26.08	00.039	1455-1								
			085	00020	- 0.67	32.70	26.30	00.034	1443.3								
			STO	00030	- 1.09	33.03	26.58	00.055	1442.0								
			085	000 30	- 1.09	33.030	26.58		1442.0								
			510	00050	- 1.55	33.27	26.79	00.082	1440.5								
			280	00050	- 1.55	33-270	26.79		1440.5								
			085	00060	- 1.51	33.270	26.79		1440.8								
			STO	00075	- 1.50	33.32	26.83	00-113	1441 -2								
			085	00075	- 1.50	33.320	26.83		1441.2								
			OBS	00100	- 1.25	33.41	26.89	00.143	1442.9								
			STD	00125	- 0.77	33-51	26.96	00.171	1445.7								
			STD	00125	- 0.77	33.515	26.96		1445.7								
			085	00150	- 0.39	33.63	27.04	00.198	1449.1								
			STD	00200	00.13	33.80	27.15	00.247	1451.5								
			085	00200	00.13	33.860	27.15		1451.5								
			STD	00250	00-55	33.96	27.26	00.290	1454.5								
			085	00250	00.55	33.965	27.26		1454.5								
			385	00300	00.74	34.070	27.34	00.329	1456.3								
			085	00312	01.64	34-130	27.32		1460.6								
			085	00333	01-33	34-190	27.39		1459.7								
			510	00360	02.37	34.490	27.56	00.395	1465.1								
			085	00400	03.01	34-560	27.56		1468.6								
			085	00425	03.24	34.630	27.59		1470.1								
			510	00500	03.31	34.685	27.63	00.449	1471.4								
			085	005 00	03.45	34.725	27.64		1472.4								
			STD	005 79	03.89	34.850	27.70	00.497	1475 - 7								
			085	00600	03.90	34.840	27.69		1476-1								
			STD	00615	03.90	34.845	27.69		1476.4								
			085	00700	04.01	34.88	27.71	00.543	1478.3								
			STD	00800	04.05	34.89	27.72	00.590	1480.1								
			085	00800	04.05	34.895	27.72		1480.1								
			503	00010	04.03	34.700	21.12		1400.3								
							*****	*******	•								
	EF10 31	8296	YEAR	1072	8010P 00240	AIR	TEMP 11.1	010 4	GT PER	WIND-DIR			STD REC	DRAFR	75.	52 130	
	ONSEC	0158	MONTH	06	SHIP EV	HET !	BULB 10.6		3 5	4140-SPO	03	TRACE	EDIS	3		STARE	2
		18.5N	DAY	16	DATA USE 1	BARO	METR 1028.4	SEA		WIND-FOR	1	DURA	TION	00.1	2 5	SQUARE 2	
'	ONG 049	29.5W	HOUR	09.4	AREA 05	CLOU	D 1/4	CL/TR		dEA THER	**	ORIG	11P 111		1 5	QUARE 3	9
	CASTNUM	TIME	LALIAD	DEPTH	TEMP	SAL	SIGNA-T	DANDETH	SND VEL	OXYG	P34	TOT P	NOZ	NO3	\$133	PH	
			STO	00000	04.32	32.63	25.89	00.000	1465.0								
		09.4	085 570	00000	04.32	32.625	25.99	00.021	1461-2								
			าอร	00010	03.38 03.38	32.62	25.98	00.021	1461.2								
			STD	00020	02.42	32.70	26.13	00.040	1457-3								
			510	00020	- 0.22	32.705	26.13	00.059	1445.5								
			ORS	000 30	- 0.22	32.660	26.25	00.027	1445.5								
			STD	00050	- 1.05	32.91	26.50	00.092	1442 .4								
			085 510	00050	- 1.05	32.930	26.50	00.129	1442.4								
			OBS	00075	- 1.47	33.055	26.61		1441.0								
			510	00085	- 1.56 - 1.58	33.125	26.67	00.163	1440.8								
			285	00100	- 1.58	33.225	26.75	00.103	1441 -1								
			DAS	00108	- 1.58	33.245	26.77		1441.3								
			OBS	00125	- 1.37	33.32	25.82	00.195	1442.6								
			STO	00150	- 1.19	33.36	26.85	00.225	1444.0								
			085	00150	- 1.19	33.360	26.85		1444.0								
			085	00161	00.08	33.395	27.08		1451.0								
			STO	00200	00.15	33.79	27.15	00.278	1451.7								
			CAS	00200	00.18	33.795	27.15		1451 - 7								
			085	00238	00.49	33.925	27.23		1454.0								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31-8296.—Continued

REFID 31 8296 CONSEC 0159 LAT 43 20.0N LONG 049 34.0M	MONTE	1972 4 06 16 10.1	SHIP EV DATA USE 1 AREA 05	BARD		10	GT PFR 0 2	ATAD-DIR MIND-SPD MIND-FOR AEATHER	05	TRACE		,	5	N SO 130 SQUARE SQUARE 2 SQUARE 3	2
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P)4	TOT P	NOZ	403	\$133	рн	
	STO	00000	06.80	32.81	25.74	00.000	1475-4								
10.1	nes	00000	06.80	32.810	25.74	00000	1475.4								
	385	20002	07.60	32.490	25.70 .		1478.7								
	385	00005	06.94	32.580	25.62 .		1475.8								
	STD	00010	06.85	32.81	25.74	00.023	1475.7								
	085	00010	06.85	32.810	25.74		1475.7								
	085	00017	05.53	32.760	25.86		1470.5								
	STO	00020	04.35	32.68	25.93	00.044	1465.5								
	085	00020	04.35	32.685	25.93		1465.5								
	385	00025	02.33	32.580	26.03		1450.8								
	STO	00030	01.40	32.78	26.26	00-064	1453.0								
	UBS	00030	01.40	32.780	26.26		1453.0								
	085	00035	00.79	32.955	26.44		1450.6								
	285	00040	00.03	32.900	26.43		1447 -2								
	ORS	00045	- 0.05	32.990	26.51		1447.0								
	STO	00050	- 0.24	33.09	26.60	00.096	1446 .4								
	785	00053	- 0.33	33-140	26.64		1446 .1								
	STO	00075	- 0.52	33.20	26.70	00.131	1445.6								
	785	00075	- 0.52	33.200	26.70		1445.6								
					•••••										

REFID CONSE LAT LONG	43	016 22.5 39.0	N DA	AR 1972 NTH 05 V 16 UR 10.8	SHIP EV DATA USE I	MET		00	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	05	PURAT		D	5	N SQ I SQUARE SQJAPE SQUARE	2 2 3
CAS	TNUM	/1146	LVLTY	- DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P74	TOT P	NO2	NO3	5133	P4	
			STD	02000	10.51	32.75	25.13	00.000	1489.4								
		10.9	085	00000	10-51	12.750	25.13		1489.4								
			STO	00010	08.48	32.74	25.45	150.00	1482.0								
			OBS	00010	08.48	32.740	25.45		1482.0								
			STO	00020	02.25	32.66	25.10	00.749	1456.5								
			085	00020	02.25	32.660	25.10		1456.5								
			STD	00030	01.73	32.90	26.34	00.067	1454.7								
			085	00030	01.73	32.905	26.34		1454.7								
			STO	00050	01.14	32.96	26.42	00.100	1452.5								
			085	00050	01.14	32.960	26.42		1452.5								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CUNSEC 0161 LAT 44 36.5N LONG 048 57.0m	MONTH	16	SHIP EV DATA USE 1 AREA 05	BARDME CLOUD	TR 1027.1	DIR HI 12 (SFA CL/TR	GT PFR 0 2	#IND-DIR WIND-SPD WIND-FOR WEATHER	25 15 K1	DURA	STO REC	00.1	2	N SQ I SQUARE SQUARE SQJARE	40
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OX7G	P14	101 9	405	403	\$133	-	
	STD	00000	06.05	32.71	25.77	00.000	1472.3								
18.0	240	00000	03.54	32.715	25.77	00.023	1472.3								
	OBS	00013	02.98	32.260	25.73	00.023	1459.0								
	510	00020	02.38	32.18	25.71	00.045	1450 -4								
	385	000 30	01.54	32.16	25.75	00.068	1452.8								
	STO	00050	- 0.93	12-82	26.41	00.107	1443.3								
	OBS	00070	- 1.74	33-175	26.72		1439.8								
	085	00075	- 1.74	33.21	26.75	00.143	1439.9								
	085	00088	- 1.69	33.295	26.81		1440.5								
	510	00095	- 1.71	33.310	26.83		1440.5								
	085	00100	- 1.55	33.38 33.380	26.88 26.88	00.174	1441.5								
	STO	00125	- 1.17	33.44	26.92	00.203	1443.8								
	085	001 25	- 1.17	31.440	26.92		1443.8								
	STO	00150	- 1.17	33.450	26.92	00.232	1444.5								
	nes	00150	- 1.10	33.465	26.93		1444.5								
	OBS	00161	- 0.90	33.510	26.96		1445.7								
					•••••										
REF1D 31 8290	YEAR	1972	6010P 01062	Ala TE		OIR H	GT PER	#IND-DIR	23	INST	STD REC	ORDER	Ţ	N SO I	306
CONSEC 3162	DAY	1 06	DATA USE 1	BARONE	TR 1027.0	SEA		WIND-FOR	Un	DURA	TION	07.2	2	SQUARE	48
LUNG 048 50.0	HOUR	19.7	AREA 05	CLOUD	1/4	CL/TR		WEA THE ?	KL	Ue 1C	119 111	1	1	SQUARE	48
CASTRUMITINE		DEPTH	TEMP		SIGMA-T	DANDLAH		TXYG	P14	TOT P	NO2	403	5133	P4	
18.7	385	00000	05-61	32.61	25.74	00.000	1470.3								
	STO	00010	03.14	32.37	25.80	00.022	1459.9								
	510	00020	00.98	32 - 36	25.95	00.044	1450.4								
	085 510	00030	- 0.84	32.360	25.95	00.063	1442.4								
	285	00032	- 1.20	32.640	26.27		1441.0								
	795 510	00053	- 1.04	32.720	26.65	00.096	1441 -8								
	280	00050	- 1.42	33.105	26.65	0000	1440.9								
	nas	00059	- 1-59	33.160	26.65		1440.3								
	STO	00069	- 1.36	33.360	26.83 .	00.129	1441 -8								
	IBS	00075	- 1.24	33.325	24-91		1447.4								
	286	00083	- 1.12	33,460	26.93		1443.3								
	085	00100	- 1.22	33.45	24.93	00-158	1443.1								
	STD	00125	- 0.69	33.55	26.99	00.186	1446.2								
	510	00125	- 0.69	33.550	27.02	09.212	1446 - 2								
	085	00150	- 0.59 - 0.07	33-590	27.02		1447.1								
	STO	00200	- 0.07	33.83	27.19	00.261	1450.6								
	510	00250	- 0.07	33-530	27.19	00.304	1452.5								
	085	00250	00.12	33.91 33.910	27.24		1452.5								
	985	00300	00.59	34.05	27-33	00-343	1455.6								
	085	00300	00.59	34.070	27.33		1455.6								
	STO	00400	02.18	34.50	27.58	00.408	1465.0								
	510	00400	02-19	34.500	27.69	00-458	1465.0								
	nes	00500	03-80	34.930	27.69	000130	1474.0								
	085	00550	03.98	34.870	27.71	00 505	1475-7								
	OBS	00500	03.97	34.88	21.72	00.503	1476.5								
	STO	00700	04.00	34.89	21.72	00.548	1478.3								
	STD	00700	04.00	34.890	27.72	00.593	1478.3								
	085	00900	04.05	34.91	21.73	00.775	1480.2								
	STO	00900	04.06	34.91	27.73	00-639	1481.9								
	385	00900	04.06	34.910	27.73	00.686	1481.9								
	085	01000	04.05	34.910	27.73		1483.5								
					•••••										

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

LONG		8296 0163 32.5N 39.5W	DAY	1972 1 06 16 20•2	SHIP EV DATA USE L AREA 05	BAPO	ULB 08.9	26	GT PER 2 2	#140-316 #140-520 #140-536 #E4 THER	21	TRAC	STO REC E DIR TION TIP III	03.3	2	SQUARI	48
CAS	TNUM	TIME	LAFLAD	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXAC	P74	TOT P	NO2	NO3	5133	P4	
			510	00000	03.56	32-30	25.71	00.000	1461.4								
		20.2	085	00000	03.56	32.305	25.71		1461.4								
			ORS	00005	03.59	32.300	25.70		1461.6								
			510	00010	03.15	32.31	25.75	00.023	1459.8								
			STO	00050	01.88	32.33	25.87	00.045	1454.4								
			510	00020	01.88	32.330	25-87		1454.4								
			085	00030	00.08	32.525	26.13	00.065	1446.7								
			085	00035	- 0.38	32.840	26.40		1445.1								
			085	00039	- 0.25	33.090	26.60		1446 -1								
			OBS	00040	- 0.64	33.070	26.60		1444.3								
			085	00046	- 0.34	33.060	76.58		1445 .8								
			STO	00050	- 0.92	33.18	26.70	00.097	1443.3								
			085	00050	- 0.92	33-180	26.70		1443.3								
			085	00056	- 1.03	33.275	26.78		1443.0								
			OBS	00060	- 0.90	33.320	26-81		1443.8								
			280	00065	- 1.08	33.280	26.78 *	00 120	1443.0								
			085	00075	- 0.82	33.43	26.90	00.129	1444.6								
			085	00078	- 0.89	33.450	26.91		1444.3								
			085	00083	- 0.86	33.485	26.94		1444.6								
			085	00089	- 0.92	33.500	26.96		1444.4								
			STD	00100	- 0.37	33-70	27.10	00.155	1447.4								
			280	00100	- 0.37	33.705	27.10		1447.4								
			510	00125	00.31	33.73	27.09	00.180	1451.0								
			085	00125	00.31	33.730	27.09		1451.0								
			STO	00150	- 0.28	33.84	27.21	00.203									
			STO	002 00	- 0.28	33.840	27.21		1448.9								
			nes	00200	00.41	34.070	27.36	00.243	1453-2								
			085	00218	00.45	34.095	27.37		1453.2								
			STO	00250	01.25	34.27	27.46	00.277	1458.1								
			085	00250	01.25	34.270	27.46		1458 .1								
			STO	00300	02.02	34.45	27.55	00.307									
			ORS	00300	02.07	34-450	27.55		1462.5								
			STO	00400	03.64	34.81	27.69	00.357	1471.7								
			085	004 00	03.64	34.810	27.69		1471.7								
			STD	00500	04.05	34-86	27.69	00.402									
			085	005 00	04.05	34.860	27.69		1475.1								
			085	00530	04.12	34.870	27.69		1475.9								
			295	00545	04.35	34.940	27.72		1477.2								
			STO	00600	04.28	34.93	27.72	00-448	1477.8								
			085	00600	04.28	34.930	21.12		1477.8								
			085	00690	04-16	34.930	27.74		1478.8								
			STO	00700	04.24	34.95	27.74	00.492									
			085	00700	04.24	34.950	27.74		1479.4								
			085	00758	04.27	34.950	27.74		1480 -4								
			085	00900	04.17	34.93	27.74	00.536	1480.7								
			085	00900	04.17	34.935	27-74		1480.7								
			STO	00900	04.04	34.90	27.72	00-582	1480.7								
			STD	01000	03.99	34.86	27.70	00-582	1483 - 2								
			085	01000	03.99	34.860	27.70	30-030	1483.2								
			085	01060	03.98	34.920	27.75		1484.2								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC	31	8296 0164 7.5%	MONT-		SHIP EV	WET	TEMP 10.0 BULB 09.4	26	GT PER	#140-DIR #140-570 #140-FOR		TRACE		00 DER	S SQUARE 2 2 SQUARE 46
		0.00	HOUP		AREA 05		D T/4	CL/TR		MEN THE ?	×1		11P 11		1 SQUARE 45
CASTN	U=/1	IME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDP1H	SND VEL	эхүс	P)4	TOT 9	NOZ	NO3	5133 P4
			510	00000	06.60	32,66	25.65	00.000	1474.4						
	2	2.5	DAS	00200	06.60	32.660	25.65		1474.4						
			510	00010	04.93	32.77	25.94	00.022	1467.9						
			085	00010	04.93	32.770	25.94		1467.9						
			STO	00720	03.23	32.96	26.26	00.041	1461 -2						
			380	00020	03-23	32.960	26.26	00.057	1461 .2						
			OBS	00030	01.87	33.240	26.59	00.097	1455.9						
			510	00050	00.64	33.46	26.85	00.084	1450.9						
			285	00050	00.64	33.460	26.85		1450.9						
			ORS	00068	00.42	33.835	27.17		1450.7						
			STO	00075	00.73	33.96	27.25	00.110	1452.4						
			ORS	00075	00.73	33.960	27.25		1452 .4						
			200	00089	01.17	34.100	27.33	00	1454.8						
			045	00100	00.96	34.110	27.35	07.129	1454 .1						
			085	001 10	00.96	34.240	27.45		1454.1						
			STO	00125	01.28	34.30	27.49	00.145	1456.2						
			085	00125	01.28	34.300	27.49		1456.2						
			STD	00150	02.40	34.44	27.51	00.161	1461 . 7						
			085	00150	02.40	34-440	27.51		1461.7						
			ORS	00170	03.45	34.620	27.56		1466 .8						
			OBS	00176	03.28	34.580	27.55	200	1466.1						
			950	00200	03.15	34.59	27.57	00-189	1466 - 0						
			085	00200	03.15	34.560	27.57		1466.0						
			DAS	00225	23.03	34.640	27.62		1466.0						
			STD	00250	03.78	34.77	27.65	00.215	1469.7						
			OBS	00250	03.78	34.775	27.65		1469.7						
			985	00290	04.75	34.940	27.68		1474.7						
			STD	00300	04.60	34.90	27.66	00.238	1474.2						
			095	00300	04.60	34.900	27.66		1474.2						
			285	00338	04.33	34.880	27.68		1473.6						
			URS	00356	04.37	34.910	27.70		1474 .1						
			085	00380	04.24	34.910	27.71		1474.0						
			STD	00400	04.23	34.89	27.70	00.284	1474.3						
			085	00400	04.23	34.895	27.70		1474 - 3						
			085	00450	04-18	34.900	27.71		1474.9						
			STO	00500	04.23	34.92	77.72	00.328	1476.0						
			085	00500	04.23	34.920	27.72		1476.0						
			OAS	00525	04.28	34.945	27.73		1476.6						
			STO	006 00	04.10	34.92	27.73	00.372	1477						
			085	00600	04.10	34.930	27.73		1477.8						
			085	00647	04.12	34.920	27.73		1477.9						
			085	00665	04.17	34.940	27.74		1478.5						
			STD	00700	04.14	34.94	27.75	09.415	1478.9						
			385	00700	04-14	34.940	27.75		1478.9						
			085	00760	04.08	34.930	27.74		1479.7						
			OB4	00782	04-12	34.940	27.75		1480.2						
			STO	00900	04-08	34.93	27.74	00.459	1480.3						
			ORS	00900	04.08	34.930	27.74	00.503	1480 . 3						
			985	00900	03.99	34.920	27.75	00.503	1481.6						
			STO	01000	03.98	34.92	27.75	00.548	1483.2						
			085	01000	03.99	34.925	27.75	00.,40	1483.2						
			285	01024	04.00	34.940	27.76		1483.7						

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSE	C	8296 0165 21.58		1977	SHIP EV DATA USE 1	MET BARO		22	GT PER	#140-01R #140-590 #140-53R		TRACE DUPAT		ORDER 07.3	5	SOUAPE SOUAPE	5
LUNG		54 W		01.2	AREA 05		1/A	CL/TR		HEA THE ?	XI		TP 111			SQUAPE	
CAS	FAUM	T THE	CALLAD	DEPTH	TEMP	SAL	SEGMA-T	DYMOPIH	SND AET	DAAC	P)4	TOT P	NOZ	NO3	5133	P4	
			Sto	00000	10-10	33.52	25.15	00,000	1489.9								
		01.2	285	00000	10.38	33.520	25.75		1489.9								
			510	00010	10.16	33.53	25.79	00.022	1489.3								
			005	00017	09. 13	11.960	26.21		1486.9								
			510	20020	08.80	34.25	26.59	00. 341	1485.3								
			280	00020	08.80	34.255	26.59		1485.3								
			085	04325	06.31	14.260	26.67		1483.6								
			510	000 10	08-54	34.46	26.78	00.054	1484.9								
			005	000 10	08.58	34.460	26.78		1484.9								
			785	00040	09.00	34. 730	24.93		1487.0								
			510	00050	09.48	34.72	27.00	00.978	1485 . 2								
			765	000 50	09.44	34.720	27.00		1485.2								
			085	00000	08.25	34-680	27.01		1484.4								
			780	00070	07.25	34.480	27.00	and water	1480.5								
			STO	00075	07.39	34.63	27.09	00.104	1481.3								
			085	00075	07.38	14.630	27.09		1481.3								
			ORS	00082	06.63	14.480	27.08		1478.3								
			ORS	00095	07.03	34.600	27.12		1480.2								
			510	00100	06.93	34.60	27.13	00.128	1479.9								
			ORS	00100	06.93	34.600	27.13		1479.9								
			280	00111	06.70	34.610	27.17		1479-2								
			STD	00125	06.91	34.66	27.19	00.151									
			395	00140	07.10	34.710	27.20		1481 -4								
			SYD	00150	07.18	34.73	27.20	00.174	1481 .9								
			085	001 50	07.18	34.730	27.20		1481.9								
			510	00200	06.48	34.74	27-31	00.217	1479.9								
			985	002 00	06.48	34.740	27.31	00.211	1479.9								
			510	00250	26.18	34.74	27.35	00.256	1479.6								
			385	00250	06.18	34.740	27.35	00.236	1479.6								
			ORS	00270	05.83	34. 745	27.39		1478.5								
			STO	00300	05.69	34.77	27.44	00.293									
			085	00300	05.69	34.775	27.44	*****	1478.5								
			365	00133	05.78	34.685	27.51		1479.5								
			285	00350	05.38	34.850	27.53		1478 -1								
			Sto	00400	05.47	34.93	27.59	00.356	1479.3								
			785	00400	05.43	34.930	27.59		1479.3								
			085	00429	05.41	34.975	27.63		1479.7								
			510	00500	05.05	34.97	27.67	00.409	1479.4								
			OBS	205 00	05.05	34-975	27-67		1479.4								
			STO	00603	04.71	34.97	21.71	00.456	1479.7								
			DAS	00600	04.71	34.970	27.71		1479.7								
			STO	00700	04.63	34.98	21.72	00.503	1461.0								
			995	00700	04.63	34.980	21.72		1481 .0								
			STO	00800	04.32	34.96	21.75	00.548	1481 -4								
			nas	00800	04.32	34.965	21.75		1481.4								
			STO	00900	04.15	34.94	27.75	00.593	1482 -3								
			ORS	30900	04.15	34.945	27.75		1482.3								
			STD	01000	04.16	34.96	27.76	00.637	1484.0								
			ORS	01200	04.16	34.960	27.76		1484 -0								
			ORS	01029	04-14	34.960	27.76		1484.4								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

ONSEC	31 45 46	0166 77 N	DAY	1972 1 05 17 07.9	SHIP EV DATA USE 1 AKFA 05	SARDI CLOU	ULB 10.6	SEA CL/TR		MIND-EDE MIND-EDE MIND-EDE	14	TR AC	STO REG E DIR TION TIP II	00.3	5	SQUARI SQUARI SQUARI	F 6
CASTN	JM/	114E	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DANDLAH	SAD AET	DXYG	P14	101 P	402	FOR	5133		
			STO	00000	08-90	33.22	25.77	00.000	1484.0								
		7.9	085	00000	08.90	33.225	25.77		1484 -0								
			STD	01000	07.73	33.42	26.09	10.021	1480.0								
			510	00010	07.73	33.420	26.46	00.038	1468.7								
			nes	00020	04.88	33.420	26.46	00.076	1468.7								
			285	00024	04.56	33.460	26.53		1467.5								
			STO	00030	04.78	33.56	26.59	00.054	1465.7								
			085	00030	04.78	33.565	26.59		1468-7								
			085	00031	04.75	33.620	26.63		1468.6								
			985	00048	03-55	33.560	25.71		1463.8								
			085	00050	03.88	33.64	26.74	00.081	1465.3								
			085	00050	04.60	33.640	26.74		1468.9								
			085	00060	04.36	33.480	26.88		1467.8								
			085	00065	04.18	33.930	26.94		1467.2								
			085	00070	03.19	33.915	27.02		1463.1								
			STO	00075	03.23	34.02	27.10	00-110	1463.5								
			085	00075	03.23	34.020	27.10		1463.5								
			510	00100	03.16	34.13	27.20	00.133	1463.8								
			nes	00100	03.16	34.130	27.20		1463-9								
			095	00115	02.58	34.130	27.25	00.154	1461.5								
			ORS	00125	02.83	34.240	27.32	00.154	1462.9								
			STD	00150	03.68	34.41	27.37	00.173	1467.2								
			085	00150	03.68	34.410	27.37		1467.2								
			085	00155	03.17	34.360	27.38		1465.0								
			085	00165	03.75	34-460	27.40		1467.8								
			085	00171	03.49	34.445	27.42		1466.8								
			STO	00200	04.38	34.68	27.51	00.206	1471.3								
			nes	00200	04.38	34.680	27.51		1471.3								
			STD	00219	04.26	34.690	27.53	00-235	1471.1								
			00-	00250	05.18	34.880	27.58	00.233	1475.7								
			085	00270	05-09	34.905	27.61		1475.7								
			285	00271	05.21	34.960	27.64		1476.3								
			STD	00300	05-09	34.95	27.65	00.261	1476.3								
			085	00300	05.09	34.950	27.65		1476.3								
			085	00310	05.14	34.945	27.64		1476.6								
			STD	00400	05-00	34-98	27.68	00,309	1477.6								
			085	00400	05.00	34.985	27.68	00.354	1477.6								
			085	00500	04.46	34.95	27.72	00.354	1477.0								
			085	00550	04.38	34.940	27.72		1477.4								
			STD	006 00	04.53	34.99	27.74	00- 198	1479.0								
			085	00600	04.53	34.990	27.74		1479.0								
			085	00640	04.61	35.000	27.74		1480.0								
			STD	00700	04.45	34.98	27.74	00.441	1480 -4								
			085	00700	04-48	34.985	27.74		1480.4								
			STD	00800	04.31	34.97	27.75	00.485	1481 - 3								
			OBS	00900	04.31	34.975	27.75	00.528	1482.7								
			085	00900	04.24	34.975	27.76	30.728	1482.7								
			STD	01000	04.04	34.95	27.77	00-572	1483.5								
			085	01000	04.04	34.955	27.77		1483.5								
			285	01022	04.03	34.955	27.77		1487.0								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296,—Continued

LAT	SEC	45	016 30 23	7 MONT	1972 H 06 17	SHIP EV DATA USE I AREA 05			24		MIND-SPD RC-CONIN RC-CONIN	2)	DURA	STO REC E DIR TION TIP 11	00.2	2	SOUARE SQUARE SQUARE	E 46
C	4511	NUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXY G	P)4	TOT P	402	NO3	5133	P4	
				510	00000	07.14	32.85	25.73	00.000	1476.8								
			11.6	085	00000	07-14	32.450	25.73		1476.8								
				085	00003	07.60	33.160	25.91		1479.0								
				510	00010	04.06	33.06	59.59	00.020	1464.7								
				185	00015	03.11	33.040	26.34	00.039	1460.7								
				STO	00020	03.48	33.06	26.32	00.035	1462.4								
				510	00020	03.27	33.11	26.38	00.054	1461.7								
				285	00030	04.49 P	33.61 P	26.650										
				JAS	00042	03.01	33.180	26.46 .		1460.9								
				URS	00046	03.37	33.560	26.73		1463.0								
				510	00050	02.98	33.61	26.80	00.084	1461.5								
				OBS	00050	02.98	33.660	26.80		1460.6								
				510	00075	03.96	34.09	27.09	00.112	1466.7								
				OAS	00075	03.96	34.090	27.09		1466.7								
				STO	00100	03.18	34.14	27.20	00.135	1463.9								
				085	00100	03.18	34.140	27.20		1463.9								
				08.5	001.04	03.61	34.200	27.21		1465.8								
				085	00112	03.19	34.200	27.25		1464.1								
				285	00125	02.23	34.16	27.30	00.156	1460.2								
				285	00134	02.23	34.215	27.35		1460.4								
				785	001 17	02.39	34.260	27.37		1461 .2								
				285	00141	02.30	34.220	27.35		1460.8								
				STD	00150	03.42	34.42	27.41	00.174	1466 -1								
				085	00172	04.85	34-690	21.47		1472.8								
				STD	00190	04.62	34.660	27.51	00 207	1472.1								
				OBS	20200	04.18	34.645	27.51	00.207	1470.4								
				285	00210	04.16	34.640	27.50		1470.5								
				CBS	00222	03.79	34.615	27.52		1469.1								
				STO	00250	04.52	34.76	27.56	00.236	1472 - 9								
				UBS	00250	04.52	34.760	27.56		1472.8								
				510	00300	04.89	34.91	27.64	00.263	1475.4								
				085	00300	04-89	34.915	27.65		1476.7								
				085	00362	05.03	34.970	27.66		1477.3								
				085	00374	04.92	34.940	27.66		1476.8								
				STO	00400	04.91	34.97	27.68	00.311	1477.2								
				280	00400	04.91	34.970	27.68		1477 .2								
				OBS	00427	05.01	35.015	27.71		1478.1								
				510	00500	04.68	34.48	27.12	00.356	1477.9								
				085	00500	04.68	34.950	27.71		1478.0								
				085	00544	04.73	35.010	21.74		1478.9								
				STO	00,00	04.56	34.98	27.73	00.400	1479 -1								
				285	00600	04-56	34.985	27.73		1479.1								
				STD	00700	04.42	34.98	27.75	00.444	1480.1								
				785	00700	04.42	34.980	27.75	00.487	1480 -1								
				085	00800	04.32	34.98	27.76	00.487	1481 .4								
				STD	00900	04.19	34.96	27.76	00-531	1482.5								
				085	00900	04.19	34.960	27.76		1482.5								
				STO	01000	04.07	34.96	27.77	00.575	1483.7								
				280	01000	04.07	34.965	27.77										
				nas	01030	04.04	34.960	27.77		1484-0								

•••••

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSEC LAT LONG	45	8296 0168 38.0N 35.5W	DAY	1972 1 06 17 13.4	HOTOP 02763 SHIP EV DATA USE 1 AREA 05	MET B BARON CLOUD	ULB 07.2 ETR 1028.8	DIR F		MIND-DIR MEND-SPD RENTHER	19	TRAC	STO RE	00.3	5 2	SOUARE SOUARE SOUARE 4
LUNO	041	33.30	MOJA		AKEA 05	CLOO	.,,	CETT		act inc.	AL	(IR I G	111 22			SUJAKE 3
CAS	TNUM	/1146	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P)4	ror o	SCA	NO3	5133	P4
			510	00000	04.35	32.32	25.65	00.000	1464 . 7							
		13.4	085	00000	04.35	32,325	25.65		1464 . 7							
			510	01000	04.35	32.320	25.65		1464.9							
			085	00010	04.06	32.420	25.75	00.023	1463.8							
			510	00020	02.98	32.86	26.20	00 043	1459.9							
			095	00020	02.98	32.860	26.20	00.545	1459.9							
			510	00030	02.63	33-34	26.65	00.060	1459.3							
			nes	00030	02.63	33.380	26.65		1459.3							
			085	00034	01.27	33.360	26.73		1453.3							
			085	00038	01.60	33.500	26.92		1455.1							
			085	00042	00.65 P	33,90 P	27.200									
			TAS	00045	00.81	33.460	25.84 .		1451 .6							
			09.2	20049	00.59	33.430	25.83		1450-6							
			510	00050	00.99	33.44	25.97	00.086	1452.4							
			285	00050	00.98	33.440	26.82		1452 -4							
			ORS	00069	00-52	33.600	26.97		1450.9							
			STD	20275	00.24	33.84	27.18	00.113								
			085	00078	00.18	33.900	21.23		1449.9							
			DAS	00094	00-24	33.900	27.23		1450.2							
			085	00090	00.15	33.915	21.24		1450.0							
			STD	00100	00.49	34.11	27.38	00.133	1451.9							
			510	00100	00.49	34.16	27.39	00.150	1451.9							
			085	00125	00.79	34.160	27.41	00.150	1453.7							
			510	00150	01.13	34.24	27.45	00 147	1455.8							
			085	00150	01-13	34.240	27.45		1455.8							
			012	00200	01.93	34.42	27.53	00-197	1467.7							
			DAS	00200	01.91	34.420	27.53		1460.7							
			OBS	00242	04.51	34.880	27.66		1472.8							
			510	00250	04.31	34.88	27.68	00.223	1472.1							
			UBS	00283	03.65	34.760	27.65 .		1469.7							
			DBS	00290	03.55	34.715	27.63		1469.3							
			SID	00300	03.91	34.79	27.65	00.246	1471.1							
			OBS	00334	04.64	34.940	27.69		1474.9							
			STD	004 00	03.93	34.93	27.68	00.293	1472.9							
			385	00400	03.93	34.835	27.68		1472.9							
			285	00452	04.23	34.920	21.72		1475 - 2							
			285	00463	04.15	34.895	27.71		1475.0							
			085	00500	04.20	34.90	27.71	00.339	1475 . 8							
			085	00525	04.20	34.890	27.71		1475.8							
			085	00542	04.15	34.920	27.73		1476.3							
			ORS	00590	04.09	34.910	27.73		1476.8							
			510	00.00	04.16	34.93	27.74	00.382	1477.3							
			085	00500	04.15	34.930	27.74	00. 102	1477.3							
			510	00700	04.07	34.92	27.74	00.426	1470.6							
			085	00700	04.07	34.920	27.74		1478.6							
			STO	00800	04.04	34.92	27.74	00-470	1480.1							
			085	00900	04.04	34.920	27.74	-	1480 -1							
			SID	00900	03.98	34.92	21.75	00.514	1481.6							
			085	00900	03.98	34.925	27.75		1481 -6							
			510	01000	03.92	34.92	27.76	00.558								
			095	01000	03.92	34.925	21.76		1483.0							
			085	01030	03.89	34.920	21.76		1483.3							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID CONSE LAT LONG	45	8296 0169 35.5N 46.0W	DAY	1972 4 06 17 15.2	BOTOP 01315 SHIP EV DATA USE 1 AREA 05	BARO4	ULB 07.2 ETR 1028.8			#14D-01# #14D-520 #14D-536	1 16	TRACE DURAT		03.2	5	N SO I SOUARE SOUARE SOUAPE	46
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SISMA-T	DYNDPTH	SNO VEL	DXYG	P14	101 P	SCN	VO3	5133	P4	
			STO	00000	04.36	32.27	25.60	00-000	1464.7								
		15.2	085	00000	04.36	32.270	25.60		1464 - 7								
			STD	00010	03.38	32.66	26.01	00.022	1461.2								
			085	00010	03.38	32.660	26.01		1461 -2								
			STO	00020	01.38	32.86	26.33	00.041	1452 -9								
			OBS	00020	01.39	32.860	26.33		1452.9								
			510	00030	00.75	33.34	26.75	00.056	1450.9								
			OBS	000 30	00.75	33.340	26.75		1450.9								
			510	00050	00.18	33.75	27.11	00.078	1449.2								
			085	00050	00.18	33.755	27.11		1449.2								
			085	00072	00.42	33.950	27-26		\$450.9								
			STO	00075	00.50	34.08	27.36	00.099	1451.5								
			OBS	00075	00.50	34.080	27.36		1451.5								
			STO	00100	01.18	34.23	27.44	711-00	1455.2								
			085	001 00	01.18	34.230	27.44		1455.2								
			570	00125	01.47	34.32	27.49	00.132	1457-1								
			085	00125	01.47	34.325	27.49		1457.1								
			STO	00150	01-77	34.39	27.53	00.147	1458.9								
			065	00150	01.77	34.395	27.53		1458.9								
			STD	00200	02.68	34.62	27.63	00.173	1464.0								
			085	00200	02.68	34-620	27.63		1464.0								
			510	00250	03.33	34.74	27.67	00.197	1467.8								
			085	00250	03.33	34.740	27.67		1467.8								
			STD	00300	03.72	34.81	27.69	00,219	1470.4								
			085	00300	03.72	34.810	27.69		1470.4								
			280	00325	03.84	34.845	27.70		1471.3								
			280	00341	03.80	34.840	27.70		1471.4								
			STD	00400	03.98	34.89	21.12	00.243	1473.2								
			085	00400	03.98	34.890	27.72		1473-2								
			STD	00500	04.03	34.90	27.73	00.305	1475 .1								
			085	00500	04.03	34.900	21.13		1475-1								
			STD	00600	04-02	34.91	27.74	00. 348	1476.7								
			085	00600	04.02	34.915	27.74		1476-7								
			STO	00700	03.97	34.92	27.75	00.390	1478 -2								
			085	00700	03.97	34.920	27.75		1478.2								
			STO	00800	03.95	34.92	27.75	00.433									
			085	00800	03.95	34.920	27.75		1479.8								
			STD	00900	03.92	34.92	27.75	00.477	1461.3								
			085	00900	03.92	34.920	27.75		1481.3								
			STO	01000	03.91	34.92	27.75	00.521									
			085	01000	03.91	34.920	27,75		1482.9								
			085	01025	03.90	34.920	27.75		1483.3								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

CONSEC 4	01 70 01 70 15 49.5N 17 55.0W	DAY	1972 05 17 16.8	SHIP EY DATA USE 1			SEA CL/TR	GT PER	MEND-OF R MEND-SPD MEND-FOR MENTHER	15	DURAT	STD REC	00.3	2	SQUARE 44 SQUARE 57
CASTNU	M/T 14F	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DAMDOLH	SND VEL	DXYG	P34	101 P	NOZ	NO3	5123	P4
		***	00300	03.12	32,23	25.69	00.000	1459.4							
	16.8	385	00000	03.12	32.230	25.69	00.000	1459.4							
	10	510	00010	02.99	32,22	25.69	00.023	1459.0							
		DAS	00010	02.99	32.220	25.69		1459.0							
		STD	00020	02.78	32,25	25.74	00.046	1450.3							
		785	00020	02-78	32,255	25.74		1458.3							
		510	000 30	- 0.27	32.86	26.41	00-065	1445.6							
		285	00030	- 0-27	32.860	26.41		1445.6							
		785	00032	- 0.58	32.940	26.49		1444.3							
		785	000 36	- 0.44	32.950	26.49		1445.0							
		STO	00050	- 1.34	33.18	26-71	00.095	1441.4							
		DAS	00050	- 1.34	33,180	26.71		1441.4							
		DAS	00052	- 1.29	33.280	26.79		1441.8							
		STD	00075	01.08	33.40	26.78	00-128	1453-2							
		185	00075	01.09	33.400	26.78		1453.2							
		785	00094	- 0.25	33.560	26.98		1447.7							
		510	00100	- 0.14	33.61	27.01	00-157	1448-4							
		385	001 04	- 0.06	33-660	27.05		1448.9							
		085	00117	02.08	33.920	27.12		1459.1							
		085	00120	01-77	33.960	27.18	22 3 20	1457.8							
		510	00125	01.88	33.99	27.20	00.181	1458.4							
		085	00125	01.88	33.995	27.20		1458.4							
		OBS	00144	01.49	33.990	21-22		1456.9							
		STD	00150	01.28	34.02	27.26	00-202	1456.2							
		nes	00161	01.13	34.100	27.34		1455.8							
		985	80100	01.17	34.160	27.38		1456 - 2							
		STD	00178	00.92	34.140	27.45	00.239	1455.2							
		385	00200	01-21	34.245	27.45	00.234	1457.0							
		510	00250	02-26	34.44	27.54	00.269	1461 .9							
		085	00250	02.06	34.440	27.54	00.207	1461.9							
		STD	00300	02.78	34.61	27.62	00.296	1466 .1							
		085	00300	02-78	34.610	27.62		1466 .1							
		STO	00400	03.65	34.82	27.70	00.343	1471.7							
		OAS	00400	03-65	34.820	27.70		1471 .7							
		510	00500	03.98	34.88	27.71	00.387	1474.9							
		985	00500	03.98	34.880	27.71		1474.9							
		785	00561	04.03	34.900	27.73		1476.1							
		STO	00600	04.00	34.89	27.72	00.431	1476.6							
		ORS	006 00	04.00	34.895	27.72		1476.6							
		570	00700	04.01	34.90	27.73	00-475	1478.3							
		085	00700	04.01	34.905	27.73		1478.3							
		STO	00800	04.00	34.90	21.73	00.520	1479.9							
		nes	00800	04.00	34,900	27.73		1479.9							
		STO	00900	03.96	34.90	27.73	00.565	1481 -4							
		385	00900	03.96	34.900	27.73		1481 -4							
		STD	01000	03.96	34.90	27.73	00,612	1483.1							
		285	01000	03.96	34.900	27.73		1483-1							
		ORS	01029	03.96	34.900	27.73		1483.6							

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 829A CHNSEC 0171 LAT 45 55 N LONG 048 04.0W	MONT	1972 - 04 17 18.5	SHIP EV DATA USE 1 AREA 05		ULA 06.7			MIND-DIR MIND-SPD MIND-FOR MEATHER	23	TRACE	DIR	0R DE R 00 . 1	5 2	SOUARE SOUARE SOUARE
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	DX4.C	P 14	TOT P	432	NO3	5133	P-4
	510	00000	24.61	32.71	25.93	00.000	1466.3							
18.6	085	00000	04.61	32.710	25.93		1466.3							
	STO	00010	01.04	32.48	26.05	00.020	1450 - 7							
	510	00020	- 1.02	32.26	25.96 .	00.040	1441.1							
	085	00020	- 1.02	32.260	25.96		1441 -1							
	510	00030	- 1.58	32.98	26.56	00.058	1439.6							
	DAS	000 30	- 1.58	32.980	25.56		1439.6							
	510	00050	- 1.70	33.13	26.68	00.087	1439.6							
	OBS	00050	- 1.70	33-125	26.68		1439.6							
	nes	00000	- 1.71	33.175	26.72		1439.8							
	SID	00075	- 1.69	33.22	26.75	00.120	1440.2							
	085	00075	- 1.69	33.220	26.75		1440.2							
	STD	00100	- 1.67	33.27	26.79	00.152	1440 . R							
	OBS	00100	- 1.67	33.270	26.79		1440.8							
	OAS	00115	- 1.67	33.320	26.83		1441 .1							
	510	00125	- 1.42	33.42	26.91	00.182	1442.6							
	280	00125	- 1.42	33.425	26.91		1442 - 6							
	085	00137	- 1.09	33.510	26.97		1444.4							
	STD	00150	- 0.14	33.67	27.06	00.209	1449.3							
	085	00150	- 0.14	33.670	27.06		1449.3							
	nes	00170	- 0.14	33.680	27.07		1449.6							
	385	00148	00.06	33.760	27.12		1450.9							
	STO	00200	00.09	33.78	27.14	00.257	1451.3							
	ORS	002 20	00.08	33.780	27.14		1451 - 3							
	nes	00210	00.33	33.860	27.19		1452 . 7							
	CBS	00236	00.49	33.945	27.25		1453 . 9							
	STD	00250	00.48	33.97	21.27	00.301	1454.2							
	085	00250	00.48	33.970	27.27		1454.2							
	085	00261	00.48	33.960	27.26		1454.3							
	OBS	00264	00.41	33.935	27.25		1454.0							
	nas	00294	00-52	34-030	27.32		1455.2							
	STO	00300	00.72	34.11	27.37	00.339	1456.3							
	OBS	00300	00.72	34-110	27.37		1456.3							
	085	00338	01.57	34.345	27.50		1461.0							

REFID		8296		1972	SHIP EV		TEMP 09.4 BULB 07.8		GT PER	#140-018			STO RE			N 52 130	
LAT		7.04	DAY	17	DATA USE 1		METR 1028.8		2 3	MIND-FOR	.,	DUPA		20.		SQUARE 4	
	04R 0			19.5	APEA 05		0 1/4	SEA		WEATHER	-1		11P 11	07-1		SOJARE 5	
LUNG	046 0		HOOK	14.5	APEA 05	CLUU	, 1/-	CL/TR		MENTHES	X.	0416	110 11		,	SOJANE S	8
CAST	NUM/T	IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	DXYG	P)4	TOT P	SCA	403	5173	P+	
			510	00000	05.13	32.71	25.87	00.000	1468.5								
	1	9.5	085	00000	05.13	32.710	25.87		1468.5								
			STD	00010	04.63	32.68	25.90	00.921	1466.5								
			085	00010	04.63	32.630	25.90		1466-5								
			085	00015	04.29	32.620	25.89		1465.1								
			STD	00020	01.98	32.63	26.10	00.041	1455.3								
			STO	00030	- 0.92	32.72	26.33	00.060	1447 .4								
			nes	00030	- 0.92	32.720	26.33		1442.4								
			OBS	00035	- 1.52	32.900	26.41		1439.7								
			OBS	00039	- 1.48	33.080	26.63		1440 -4								
			085	00047	- 1.69	33.080	25.64		1439.5								
			STD	00050	- 1.66	33.15	26.69	00.090	1439.8								
			785	00050	- 1.66	33.150	76.69		1439.8								
			085	00051	- 1.63	33.160	26.70		1440.0								
			OBS	00053	- 1-72	33-165	26.71		1439.6								
			nes	00060	- 1.72	33-165	26.71		1439.7								
			OBS	00062	- 1.70	33.170	26.71		1439.8								
			nes	00068	- 1.75	33.200	26.74		1439.7								
			Des	00073	- 1.66	33.290	26 - 81		1440.4								
			STO	00075	- 1.70	33.26	26.78 .	00.123	1443.2								
			085	00075	- 1.70	33.260	26.78		1440.2								
			085	00083	- 1.71	33.280	26.80		1440.3								
			085	00090	- 1.67	33.290	26.81		1440 -6								
			STO	00100	- 1.66	33.30	26.82	00.154	1440.8								
			085	00100	- 1.66	33.305	26.92		1440.8								
			085	00115	- 1.33	33.410	26.90		1442.8								
			STO	00125	- 1.28	33.40	25.89	00.184	1443.2								
			085	00125	- 1.28	33.400	26.89		1443.2								
			085	00145	- 1-25	33-400	26.89		1443.7								
			STO	00150	- 1.16	33.43	26.91	00.213	1444 .2								
			085	00150	- 1-16	33.430	26.91		1444.2								

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

DAY	14 04.0	DATA USE 1 AREA 05		HETR 1027.4		2 5	MIND-SPD MIND-FOR MEATHER		DUPA	FOR FION FIP 11	1 00.2	5	SQUAR SQUAR SQUAR	E 66
LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SND VEL	OXIG	P74	101 P	405	NO3	\$133	PH	
510	00000	03.29	32.14	25.60	00.000	1459.9								
			32.140	25.60		1459.9								
			32.13	25.66	00.024	1456.6								
OBS	00010	02.48	32.125	25.66		1456 - 6								
510	00020	00.18	32.96	26.47	00.043	1447.6								
085	00020	90.18	32.960	25.47		1447.6								
085	00025	00.47	33.330	26.76		1449.5								
STO	00030	- 0.21	33.28	26.75	00.058	1446.4								
085	00030		33.285											
					00. 381									
					00.104									
STD					00.124									
					00.141									
					00.157									
					00-185									
					00.212									
					00.238									
					00.282									
					00 224									
					00. 326									
					00 340									
					00.369									
					00 412									
					00.412									
					00.454									
					000436									
					00.501									
					30.301									
003	00116					. 702 . 7								
	LVLTYP STD DBS STD OBS OBS OBS OBS OBS OBS OBS OB	\$10 00000 985 00000 \$17 00010 985 00010 985 00010 985 00020 985 00030 985 00030 985 00030 985 00030 985 00030 985 00050 \$10 00050 \$10 00050 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00150 \$10 00250 \$10 00500	STD	\$10 00000 03.28 32.14 \$10 00000 03.28 32.14 \$10 00010 03.28 32.14 \$10 00010 02.49 32.13 \$10 00010 02.49 32.13 \$10 00010 02.49 32.13 \$10 0020 00.18 32.96 \$10 00020 00.18 32.96 \$10 00030 -0.21 33.28 \$10 00030 -0.21 33.28 \$10 00030 -0.21 33.28 \$10 00030 -0.21 33.28 \$10 00030 -0.21 33.28 \$10 00030 -0.21 33.28 \$10 00050 -0.77 33.38 \$10 00050 -0.77 33.59 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.70 34.07 \$10 0000 00.00 34.89 \$10 0000 00.00 34.89 \$10 0000 00.00 34.91 \$10 0000 00.00 34.91 \$10 0000 00.00 34.91 \$10 0000 00.00 34.91 \$10 0000 00.00 34.91 \$10 0000 00.00 34.91	\$10 00000 03.28 32.14 25.60 03.5 00000 03.28 32.14 25.60 03.5 00000 03.28 32.14 25.60 03.5 00000 03.28 32.14 25.60 03.5 00000 03.28 32.13 25.66 03.5 00000 02.48 32.13 25.66 03.5 00000 03.68 32.13 25.66 03.5 00000 03.68 32.16 25.66 03.7 00000 03.6 03.2 00.6	STD	STD	STD	STD	STD	STID ODO OD OD OD OD OD OD	STD	STD ODD ODD	STD ODD ODD

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REF 10 CONSE LAT LONG	47	8296 0174 02.0N 58.5W	TANT	1972 H 06 18 05-8	BOTOP OLLTO SHIP EV DATA USE AREA O	MET BARD	TEMP 06-1 BULB 06-1 METR 1026-1 D T/A	21		MIND-DIR NCS-DVIM NCS-DVIM SHTASW	1)	DURA		00.2	5 520	50 1306 UARF 4 UARE 66 UARE 76
CAS	TNUM/	1 I ME	LYLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXY6	P14	TOT P	402	403	51)3	-1
			STD	00000	02.83	32.02	25.55	00.000	1457.8							
		05.8	285	00000	02.83	32-020	25.55		1457.8							
			STD	00010	02.68	32.02	25.56	00.024	1457.3							
			085	01000	02.68	32.025	25.56		1457.3							
			STO	00020	01.65	33.10	26.50	00-044	1454.4							
			OBS	00020	01.65	33.100	26.50		1454.4							
			510	00030	00.99	33.22	26.63	00.059	1451.8							
			CAS	000 37	00.38	33.260	26.71		1449.2							
			095	00040	00-0A	33.270	26.73		1447.9							
			ORS	00042	00.22	33.465	26.88		1448.9							
			510	00050	- 0.09	33-42	26.86	00.085	1447.5							
			CBS	00050	- 0.09	33.420	26.86	00 111	1447.5							
			ST0 085	20075	- 0.64	33.66	27.08	00.113	1445.7							
			510	00100	- 0.29	33.84	27.21	00.136								
			385	00100	- 0.28	33.840	27.21	00.136	1448.0							
			STO	00125	- 0.17	33.97	27.31	00.156	1449.2							
			CBS	00125	- 0.17	33.975	27.31		1449.2							
			STD	20150	00.63	34.19	27.44	00.174								
			085	00150	00.63	34.190	27.44		1453.5							
			STD	00200	01.40	34.30	27.48	00.206	1457.9							
			OBS	00200	01-40	34.300	27.48		1457.9							
			SID	00250	02.05	34.44	27.55	00.236	1461.8							
			085	00250	02.05	34.445	27.55		1461 -8							
			STD	00300	02-42	34.57	21.67	00.265	1464.5							
			085	00300	02.42	34.575	27.62		1464.5							
			STD	004 00	03-49	34-77	27.68	00.310	1470.9							
			085	00400	03.48	34.775	27.68		1470.9							
			STD	00500	03.77	34.85	27.71	00.354								
			085	005 00	03.77	34.850	27-71		1473.9							
			510	00565	04.03	34.90	27.73	00,398	1475.4							
			085	00600	04.03	34.905	27.73	00.378	1476.8							
			STD	00700	04.00	34.88	27.77	00.442	1478.3							
			085	00700	04.00	34.885	21.12		1478.3							
			STO	00800	04-03	34.91	21.74	00.488	1480.1							
			ORS	008 00	04-03	34.915	27.74		1480.1							
			STD	00900	04.01	34.92	21.74	00.532	1481.7							
			OBS	00900	04.01	34.920	27.74		1481 - 7							
			STO	01000	03.97	34.92	27.75	00.578	1483.2							
			OBS	01000	03.97	34.920	27.75		1483.7							
			STD	01100	03.86	34.92	27.76	00.623	1494.4							
			nes	01100	03.86	34.920	27.76		1484.4							
								********	•							

TABLE XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0175 LAT 47 01.0N LONG 047 08.0M	DAY	1972 H 06 18	BOTOP OLLOO SHIP EV DATA USE 1 AREA 05	BARO	TEMP 05-0 BULB 05-0 METR 1025-7 D T/A	26	GT PER 0 2	WIND-DIR WIND-SPD WIND-FUR WEATHER	1)	DURA	STD REI	00.2	5 2	N SQ 1306 SQUARE 66 SQUARE 71	:
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	3×4 C	P)4	101 P	ND2	NO3	5173	P4	
	STD 085	00000	02.59	32.07	25.61	00.000	1456.6								
07.5	STD	00000	02.59	32.16	25.61	00.023	1456.8								
	STD	00010	01.98	32-165	25.70	00.046	1454.6								
	085	00020	01.98	32.160	25.72		1454.6								
	ORS	00030	00.13	33.06 33.060	26.56	00.065	1447.7								
	OBS	00040	- 1.11	33.200	26.72	00-092	1442.3								
	ORS	00050	- 1.19	33,395	26.88		1442.4								
	OBS	00075	- 0.91 - 0.91	33.52	26.97	00.120	1444.3								
	OBS	00100	- 0.70 - 0.70	33.57	27.00	00.147	1445.7								
	STD	00125	- 0.20	34.00	27.33	00.170	1449.0								
	STD	00150	00.20	34.09	27.39	00.188	1451.4								
	085 STD	00150	00.20	34.095	27.49	00.220	1451.4								
	085 STD	00200	01.51	34.330	27.49	00.249	1458-5								
	085	00250	02.13	34.480	27.57		1462 -2								
	OBS	00300	02.86	34.63	27.62	00.275	1466.4								
	STD	00360	03.93	34.800	27.66	00.323	1472.2								
	085	00400	03.60	34-790	27.68		1471.5								
	STD	00500	04.08	34.865	27.69	00.367	1474.7								
	085	005 00	04.00	34.885	27.72		1474.9								
	STD 085	00600	04.05	34.90	27.72	00.411	1476.8								
	STD	00700	04.03	34.90	27.73	00.456	1478.4								
	STD	00700	04.03	34.900	27.73	00.501	1478.4								
	SID	00800	04.03	34.910 34.91	27.73	00,546	1480-1								
	085	00900	04-01	34.910	27.74		1481 .7								
	STD 085	01000	03.89	34.91	27.75	00.591	1482 -8								
	OBS	01025	03.60	34-920	27.76		1482.9								
RFF10 31 8246	VFA2	1972	BOTOP 00783	410	***** TEMP 05-6		· · ·	41VD-DIR	,,	INST	STO SEC	ORDER	TF	N S2 1306	
REF10 31 8296 CUNSEC 0176	MONT	1972 H 06	BOTOP 00783 SHIP EV	AIR WET I	TEMP 05.6	DIR H	GT PER	AIND-DIR	12	TRACI	STD REC	0	5	N SO 1306 SQUARE 4	
	DAY			BARO	TEMP 05.6	DIR H	GT PER		12	DURA	DIR	00.4	5		
CONSEC 0176 LAT 47 01.0N LONG 047 15.0W	MONTI DAY HOUR	06 19 00-9	SHIP EV DATA USE I AREA 05	BARO CL OU	TEMP 05.6 BULB 05.6 METR 1025.7	DIR H 26 SFA CL/TR	GT PER	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CURSEC 0176	MONTI DAY HOUR	H 06 19 08-9	SHIP EV DATA USE I AREA 05	BARD CL DU	TEMP 05-6 BULB 05-6 METR 1025-7 D T/A	DIR H 26 SFA CL/TR	GT PER 2 3	WIND-SPD WIND-FOR	15	DURA	E DIR	00.4	5	SQUARE 66	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTI DAY HOUR LYLTYP	06 19 00-9	SHIP EV DATA USE I AREA 05	BARO CL OU	TEMP 05.6 BULB 05.6 METR 1025.7	DIR H 26 SFA CL/TR DYNOPTH 00-900	GT PER 2 3 SND VEL	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.0N LONG 047 15.0W	MONTO DAY HOUR LVLTYP STO 185 STO	DEPTH 00000 00010	SHIP EV DATA USE 1 AREA 05	SAL 32.32 32.320 32.36	TEMP 05-6 BULB 05-6 METR 1025-7 D T/A SIGMA-T 25-85 25-89	DIR H 26 SFA CL/TR	SND VEL 1454-8 1454-8 1454-5	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTI DAY HOUR LYLTYP STO OBS STD OBS STD	06 19 08-9 DEPTH 00000 00000 00010 00010 00020	SMIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93	SAL 32.32 32.320 32.360 32.360	TEMP 05-6 BULB 05-6 METR 1025-7 D T/A SIGMA-T 25-85 25-85 25-89 25-89	DIR H 26 SFA CL/TR DYNOPTH 00-900	GT PER 2 3 SND VEL 1454.8 1454.8 1454.5 1455.0	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTO DAY HOUR LYLTYP STD OBS STD OBS STD OBS STD	DEPTH 00000 00010 00010 00010 00020 00020 00030	SMIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 02.05 01.93 01.93 01.99 01.99 01.82	MET 1 8ARO: CL DUI SAL 32-32 32-36 32-36 32-36 32-36 32-38 32-38	TEMP 05.6 BULB 05.6 WETR 1025.7) T/A SIGMA-T 25.85 25.85 25.89 25.89 25.90 25.90	DIR H 26 SFA CL/TR DYNOPTH 00-900 00-021	GT PER 2 3 SND VEL 1454.8 1454.8 1454.5 1454.5	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTO DAY HOUR LYLTYP STD OBS STD OBS STD OBS	DEPTH 00000 00010 00010 00020 00020 00030 00030	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.93 01.99 01.92 01.82	SAL 32.32 32.320 32.360 32.360 32.360 32.363 32.363 32.363	TEMP 05.6 BULB 05.6 METR 1025-7) T/A SISMA-T 25.85 25.85 25.89 25.89 25.89 25.90 25.90 25.91	DIR H 26 SFA CL/TR DYNDPTH 00-900 00-021	GT PER 2 3 SNO VEL 1454.8 1454.5 1455.0 1455.0 1456.4 1454.4	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTO DAY HOUR LYLTYP STO OBS	06 14 06 14 08 4 14 00 00 00 00 00 10 00 10 00 20 00 30 00 30 00 30 00 50 50 50 50 50 50 50 50 50 50 50 50	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.82 00.48 - 1.02	MET 1 BARO' CL DUI SAL 32-32 32-36 32-36 32-36 32-38 32-385 32-380 32-380 32-340 32-340	TEMP 05-6 BULB 05-6 METR 1025-7 7 T/A SISMA-T 25-85 25-85 25-89 25-89 25-89 25-90 25-91 25-91 25-91 25-91 25-91 25-91	DIR H 26 SFA CL/TR DYNDPTH 00-900 00-021	GT PER 2 3 SND VEL 1454.8 1454.5 1455.0 1455.0 1454.4 1448.5 1454.4 1448.5	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTO DAY HOUR STO OBS STO OBS STO OBS STO OBS OBS OBS OBS OBS	06 19 08 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.82 01.82 01.82 01.82 - 1.02 - 1.07	MET (BARDY CL (100) SAL 32-32-36-32-36-32-36-32-36-32-38-3	TEMP 05-6 BULB 05-6 METR 1025-7 D T/A SIGNA-T 25-85 25-89 25-89 25-90 25-90 25-91 25-91 25-91 25-92 25	DIR H 26 SFA CL/TR DYNOPTH 00-900 00-021 00-043 00-064	GT PER 2 3 SND VEL 1454.8 1454.8 1455.0 1455.0 1455.4 1456.4 1448.5 1448.6 1448	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	HONTI DAY HOUR HOUR STD OBS STD OBS OBS OBS STD	06 19 06 19 00 00 00 00 00 00 00 00 00 00 00 00 00	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 02.05 01.93 01.99 01.82 01.82 01.82 00.48 - 1.02 - 1.07 - 1.50 - 1.40	MET 1 BARD CL DUI SAL 32-32 32-36 32-36 32-36 32-36 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38 32-38	TEMP 05-6 BULB 05-6 METP 1025-7 D T/A SISMA-T 25-85 25-85 25-89 25-90 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91	DIR H 76 SFA CL/TR DYNDPTH 00-900 00-021 00-043	GT PER 2 3 SND VEL 1454.8 1454.5 1455.0 1455.0 1456.4 1448.5 1448.5 1442.6	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTH DAY HOUR LYLTYP STD 785	DEPTH 00000 00000 00010 00010 00010 00020 00020 00020 00030 00040 00050 00050 00057 00057	SHIP EV DATA USE 1 AREA 05 TFMP 02.05 02.05 01.93 01.93 01.99 01.82 00.48 -1.02 -1.07 -1.40 -1.40 -1.40 -0.88	MET 1 BARO'CL (MU SAL 32-32 32-36 32-36 32-36 32-38 32	TEMP 05-6 BULB 05-6 METP 1025-7 O T/A SISMA-T 25-85 25-85 25-89 25-89 25-89 25-90 25-91 25-91 25-91 25-92 26-87 26-87 26-87 27-04	DIR H 26 SFA CL/TR DYNOPTH 00-900 00-021 00-043 00-064	GT PER 2 3 SND VEL 1454.8 1454.5 1455.0 1455.0 1455.4 1455.0 1454.4 1464.8 1441.8 1441.8 1441.8 1441.8 1444.8	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR LYLTYP STD TAS STD	DEPTH 00000 00010 00010 00010 00010 00010 00020 00020 00030 00040 00050 00050 00050 00050 00050 00100 00110	SHIP EV DATA USE 1 AREA 05 TFMP 02.05 02.05 01.93 01.93 01.99 01.82 00.48 -1.02 -1.02 -1.02 -1.40 -1.40 -0.88 -0.87	MET 10 BARO 10	TEMP 05-6 BULB 05-6 METP 1025-7 O T/A SISMA-T 25-85 25-85 25-89 25-89 25-89 25-90 25-91 25-91 25-91 25-92 26-87 26-87 26-87 27-04 27-04 27-04	DIR H 26 5FA CL/TR DYNOPTH 00.700 00.021 00.043 00.364 00.134	GT PER 2 3 SNO VEL 1454.8 1454.5 1455.0 1456.4 1456.4 1466.5 1462.6 1461.8 1461.8 1461.8 1461.8 1464.9 1464.9 1464.9	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR HOUR STD OBS ST	DEPTH 00000 00010 00010 00020 00010 00020 00020 00030 00040 00050 00050 00050 00060 001050 001050 001050 001050 001050 001050 001050	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.82 00.48 - 1.02 - 1.02 - 1.50 - 1.40 - 0.88 - 0.87 - 0.37 - 0.37 - 0.47	WET 1 BARD CL DU SAL 32-32 32-36 32-36 32-38 32-	TEMP 05-6 BULB 05-6 METP 1025-7 D T/A SISMA-T 25-85 25-85 25-89 25-89 25-90 25-90 25-91 25-91 25-92 26-52 26-52 26-87 27-04 27-04 27-11 27-11 27-11	DIR H 26 55A CL/TR DYNOPTH 00-700 00-021 00-043 00-064 00-134 00-161	GT PER 2 3 SNO VEL 1454.8 1454.0 1454.5 1455.0 1455.4 1448.5 1448.6 1444.8 1444.8 1444.8 1444.9 1447	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR LYLTYP STO 785	DEPTH 00000 00010 00010 00010 00020 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.99 01.82 01.82 00.48 - 1.02 - 1.50 - 1.40 - 0.88 - 0.88 - 0.87 - 0.37 - 0.47	SAL 32.32.32.32.36.32.36.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.33.38.39.39.39.39.39.39.39.39.39.39.39.39.39.	TEMP 05-6 BULB 05-6 METP 1025-7 D T/A SISMA-T 25-85 25-85 25-89 25-90 25-91 25	DIR H 26 55A CL/TR DYNOPTH 00-700 00-021 00-043 00-064 00-134 00-161	GT PER 2 3 SND VEL 1454.8 1454.8 1454.5 1455.0 1455.0 1455.0 1456.4 1441.8 144	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR HOUR STO 185 ST	DEPTH OGO 00 000 10 000 10 000 20 000 10 000 20	TEMP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.82 01.82 01.82 00.48 - 1.02 - 1.02 - 1.40 - 1.40 - 0.68 - 0.37 - 0.37 - 0.47 00.23 00.23	SAL 32.32.32.36.32.36.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.33.39.33.39.33.39.33.38.33.39.39	TEMP 05-6 BULB 05-6 METP 1025-7 D T/A SISMA-T 25-85 25-85 25-89 25-89 25-90 25-91 25-91 25-92 26-52 26-87 26-87 26-87 27-04 27-11 27-11 27-11 27-11 27-11 27-11 27-12 27-20 27-20 27-20	DIR H 26 55A CL/TR DYNOPTH 00-700 00-021 00-043 00-064 00-134 00-161	GT PER 2 3 SND VEL 1454.8 1454.5 1455.0 1455.0 1455.0 1442.6 1441.8 1441.8 1441.8 1441.9 1447.9 1447.9 1447.9 1447.9 1447.9 1447.5 1455.0 145	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR HOUR STO 185 STO 085 ST	DEPTH OGOOD OOO10 OOO20 OOO10 OOO20 OOO00 OOO000 OOO00 OOO000 OOO0000 OOO000 OOO0000 OOO000 OOO000 OOO0000 OOO0000 OOO0000 OOO0000 OOO00000 OOO0000 OOO0000 OOO0000 OOO0000 OOO0000 OOO0000 OOO00000 OOO0000 OOO00000 OOO000000	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.82 01.82 01.82 00.48 - 1.02 - 1.02 - 1.50 - 1.40 - 1.40 - 0.68 - 0.67 - 0.77 - 0.77 - 0.77 - 0.77 - 0.77 - 0.047 00.04 00.23 00.06 - 0.35	SAL 32.32.32.36.32.36.32.36.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.32.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.33.86.33.38.38.38.38.38.38.38.38.38.38.38.38.	TEMP 05-6 BULB 05-6 METP 1025-7 O T/A SISMA-T 25-85 25-85 25-89 25-89 25-90 25-91 25-91 25-91 25-92 26-87 26-87 26-87 27-04 27-11 27-13 27-20 27	DIR H 26 SFA CL/TR D YNOPTH 00-700 00-021 00-043 00-100 00-134 00-161 00-186	GT PER 2 3 SND VEL 1454.8 1454.5 1455.0 1455.0 1455.0 1462.6 1461.1 1462.6 1461.8 1464.9 1464.9 1464.9 1464.9 1467.9 1467.9 1467.9 1450.5 145	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR HOUR STD OBS	DEPTH 000000 00010 00010 00010 00020 00010 00020 00020 00030 00040 00050 00050 00050 00060 00100 00100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100 001100	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.93 01.99 01.82 00.48 -1.02 -1.02 -1.02 -1.40 -0.48 -0.37 -0.47 00.04	SAL 32-32-32-32-36-32-36-32-36-33-36-33-37-33-38-38	TEMP 05.6 BULB 05.6 RETP 10.25.7 D 7/A SISMA-T 25.85 25.87 25.89 25.90 25.91 25.91 25.91 25.91 25.92 26.87 26.87 26.87 27.04 27.04 27.11 27.11 27.12 27.20 27.20 27.20 27.20 27.20 27.20 27.20 27.20 27.20 27.20 27.20 27.20	DIR H 26 SFA CL/TR D YNOPTH 00-700 00-021 00-043 00-100 00-134 00-161 00-186	GT PER 2 3 SND VEL 1454.8 1454.5 1455.0 1455.0 1455.0 1456.4 1455.0 1456.4 1461.8 1441.8 1441.8 1441.8 1441.9 1447.9 1447.9 1450.5 1450.5 1450.5 1450.5	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI MONTI DAY HOUR HOUR STD OBS STD	DEPTH OGCOO	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.99 01.82 00.48 -1.02 -1.02 -1.50 -1.40 -0.68 -0.87 -0.37 -0.47 00.04 00.23 00.06 -0.37 -0.47 00.04	WET 16 ARROY CLINU SALL SALL SALL SALL SALL SALL SALL SAL	TEMP 05-6 BULB 05-6 RETP 10 75-7 T 70 7/A S134A-T 25-85 25-89 25-89 25-90 25-90 25-91 25	DIR H 26 SFA CL/TR O	GT PER 2 3 SNO VEL 1454-8 1454-8 1454-9 1455-0 1454-4 1464-9 1447-9 1447-9 1447-9 1447-9 1447-5 1450-1 1450-1 1450-5 1450	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR HOUR STD OBS STD	DEPTH OGOOD OOO10 OOO20 OOO10 OOO20	SHIP EV DATA USE 1 AREA 05 TEMP 02.05 02.05 01.93 01.99 01.99 01.99 01.82 01.82 01.82 00.48 - 1.02 - 1.50 - 1.40 - 0.68 - 0.87 - 0.37 - 0.47 00.04 00.23 00.26 00.06 00.06 00.06 01.51	WET 1 BARY CLINU SAL 22-32-32-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-33-30-33-36-36	TEMP 05-6 BULB 05-6 RETR 10 25-7 D 7/A S134A-T 25-85 25-89 25-89 25-90 25-91	DIR H 26 SFA CL/TR O NOPTH 00-900 00-021 00-043 00-064 00-100 00-134 00-166 00-209 00-248 00-281	GT PER 2 3 SNO WEL 1454-R 1454-R 1454-R 1455-0 1455-0 1455-0 1455-0 1455-1455-0 1456-R 1466-R 1456-R 1456-R 1456-R 1456-R 1456-R 1456-R 1456-R 1456-R 1466-R 1456-R	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTH MONTH PARTY	DEPTH OGO 00 000 10 000 10 000 10 000 20 000 10 000 20 000 10 000 20 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 001 10 002 10 002 10 003 10	SHIP EV DATA USE 1 AREA 05 IFMP 02.05 02.05 01.93 01.93 01.99 01.82 01.82 00.48 -1.02 -1.62 00.48 -1.07 -1.50 -0.88 -0.37 -0.47 00.04 00.23 00.06 00.06 00.35 -0.49 00.66	SAL 32-32-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-33-36-36	TEMP 05-6 BULB 05-6 ETP 1025-7 D 7/A S134A-T 25-85 25-89 25-90 25-90 25-91 25-91 25-91 25-91 25-92 26-52 26-52 26-87 27-04 27-11 27-12 27-20	DIR H 26 SFA CL/TR Ov.700 00.021 00.043 00.100 00.134 00.161 00.186 00.209 00.248 00.281 00.309	SNO VEL 1454.8 1454.8 1454.5 1455.0 1455.0 1455.4 1455.6 1456.4 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1459.3	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LUNG 047 15.0M	MONTI DAY HOUR HOUR HOUR HOUR TYPE TYPE TYPE TYPE TYPE TYPE TYPE TYPE	DEPTH 00000 00010 00010 00010 00020 00010 00020 00010 00027 00030 00010 00125 00105 00105 00105 00105 00105 00105 00105 00105 00105 00105 00105 00105 00105	SHIP EV DATA USE 1 AREA 05 I FMP 02.05 02.05 01.93 01.99 01.82 00.48 -1.02 -1.02 -1.40 -1.40 -1.40 -0.88 -0.87 -0.37 -0.47 00.04 00.23 00.06 -0.35 -0.49 00.64 00.64 00.64 00.64 00.65	SAL 32 32-320 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 33-36 33-36 33-36 33-372 33-720 33-66 33-720 33-72	TEMP 05.6 BULB 05.6 RETP 1025.7 D 7/A S134A-T 25.85 25.87 25.89 25.90 25.90 25.91 25.91 25.91 25.91 25.92 26.52 26.87 27.96 27.04 27.11 27.13 27.20 27.20 27.20 27.20 27.20 27.20 27.27 27.58 27.58 27.58 27.58 27.58 27.58	DIR H 26 SFA CL/TR O NOPTH 00-900 00-021 00-043 00-064 00-100 00-134 00-166 00-209 00-248 00-281	SNO VEL 1454-8 1454-8 1454-8 1455-0 1455-0 1455-0 1455-4 1461-8 1461-8 1441-8 1441-9 1447-9 1448-5 1459-3 1459-3 1459-3 1459-3	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTI DAY HOUR HOUR HOUR HOUR HOUR HOUR HOUR HOUR	DEPTH 00000 00010 00010 00020 00010 00020 00010 00020 00010 00020 00010 00020 00010 00050 00010 00050 00155 00155 00155 00150 00159	SHIP EV DATA USE 1 AREA 05 IFMP 02.05 02.05 01.93 01.93 01.99 01.82 00.48 - 1.02 - 1.40 - 1.40 - 1.40 - 1.40 - 0.88 - 0.87 - 0.37 - 0.47 00.04 00.23 00.06 - 0.35 - 0.49 00.64 00.64 00.65 01.51 01.51 01.51 01.51 01.51 01.51	SAL 32 32-320 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 32-36 33-30 33-36 33-37 33-3	TEMP 05-6 BULB 05-6 RETP 10 75-7 TO 1/A SIGNA-T 25-85 25-85 25-89 25-90 25-90 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-92 26-52 26-87 27-04 27-04 27-11 27-13 27-20 27-2	DIR H 26 SFA CL/TR Ov.700 00.021 00.043 00.100 00.134 00.161 00.186 00.209 00.248 00.281 00.309	GT PER 2 3 SNO VEL 1454.8 1454.0 1454.5 1455.0 1455.0 1455.4 1448.5 1455.0 1454.4 1448.5 1447.8 1447.9	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTH MONTH MAN	DEPTH 000000 000110 00020 000110 00020 00010 00020 00010 00020 00010 00020 00010 00020 00010 00020 00010 00050 00010 00050 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00150 00160	SHIP EV DATA USE I AREA 05 TFMP 02.05 02.05 01.93 01.99 01.82 00.48 - 1.02 - 1.02 - 1.40 - 1.40 - 1.40 - 0.88 - 0.87 - 0.37 - 0.47 00.04 00.23 00.06 - 0.35 - 0.49 00.64 00.64 00.65 00.75 00.65 00.37 00.75 00.	SAL 32-32-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-32-36-33-36-36	TEMP 05-6 BULB 05-6 RETP 10 75-7 S134A-T 25-85 25-85 25-89 25-89 25-90 25-90 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-91 25-92 26-52 26-87 27-04 27-04 27-04 27-11 27-12 27-20 27-37 27-52 27-58 27-59 27-57 27-57 27-77 27-77 27-77 27-77 27-77	DIR H 26 SFA CL/TR O NOPTH 00-700 00-021 00-043 00-100 00-134 00-161 00-186 00-209 00-281 00-359	GT PER 2 3 SMO VEL 1454.8 1454.0 1454.5 1455.0 1455.0 1455.4 1448.5 1448.6 1441.8 1441.8 1441.8 1441.9 1447.9 1448.9	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTH MANAGEMENT OF THE MANAGE	DEPTH OOO 00 00110 00020 00010 00020 00010 00020 00010 00020 00010 00020 00010 00020 00010 00010 00010 000100 00100	SHIP EV DATA USE I AREA 05 TEMP 02.05 02.05 01.93 01.99 01.99 01.82 01.82 00.48 - 1.02 - 1.40 - 1.40 - 1.40 - 1.40 - 0.88 - 0.87 - 0.37 - 0.47 00.04 00.23 00.06 - 0.35 - 0.49 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.64 00.69	SAL 32-32-32-32-33-32-34-0 32-34-34-34-34-34-34-34-34-34-34-34-34-34-	TEMP 05-6 BULB 05-6 ETP 1075-7 T/A SIGNA-T 25-85 25-89 25-89 25-90 25-91 25-91 25-91 25-91 25-92 26-87 27-04 27-11 27-11 27-12 27-20 27	DIR H 26 SFA CL/TR SFA CL/TR O NOPTH 00.700 00.021 00.043 00.161 00.186 00.209 00.281 00.359 00.404 00.448	SND VEL 1454.8 1454.8 1454.5 1455.0 1455.0 1455.4 1455.0 1456.4 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1459.3 1459.3 1459.3 1459.3 1459.3	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTH MONTH PART PART PART PART PART PART PART PART	DEPTH OOO 00 00110 00020 00010 00020 00010 00020 00010 00020 00010 00020 00010 00010 00010 00010 00010 00010 00100	SHIP EV DATA USE I AREA 05 I FMP 02.05 02.05 01.93 01.99 01.82 01.82 01.82 00.48 - 1.02 - 1.40 - 1.40 - 1.40 - 1.40 - 0.88 - 0.87 - 0.37 - 0.37 - 0.47 00.04 00.23 00.06 00.05 - 0.49 00.23 00.06 00.35 - 0.49 00.64 00.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.51 01.71 0	SAL 32-32-32-32-33-32-34-0 32-34-34-34-34-34-34-34-34-34-38-34-88-	TEMP 05.6 BULB 05.6 RETP 1025.7 O T/A SISMA-T 25.85 25.87 25.89 25.90 25.91 25.91 25.91 25.91 25.91 25.91 25.91 27.92 27.92 27.92 27.92 27.92 27.93 27.93 27.93 27.93 27.93 27.94 27.95 27.96 27.97 27.97 27.97 27.97 27.97	DIR H 26 SFA CL/TR CL/TR OvnOPTH 00-700 00-021 00-043 00-100 00-134 00-161 00-186 00-209 00-281 00-359 00-359 00-404	SNO VEL 1454.8 1454.8 1454.5 1455.0 1455.0 1455.4 1455.0 1456.4 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1459.3 1459.3 1459.3 1459.3 1459.3 1459.3	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	
CONSEC 0176 LAT 47 01.3N LÜNG 047 15.0M CASTNUM/TIME	MONTH MONTH MAN	DEPTH OGO OGO OGO 10 OGO 20 OGO 10 O	SHIP EV DATA USE I AREA 05 TEMP 02.05 02.05 01.93 01.99 01.82 00.48 -1.02 -1.02 -1.40 -1.40 -1.40 -0.48 -0.37 -0.47 00.04 00.23 00.96 -0.37 -0.47 00.04 00.64 01.51 02.29 02.29 02.36 03.36 03.36 03.36 03.80 03.80 03.89	SAL 32-32-32-33-32-34-33-32-34-33-33-33-33-33-33-33-33-33-33-33-33-	TEMP 05.6 BULB 05.6 RETP 1025-7 D 7/A SISMA-T 25.85 25.87 25.89 25.90 25.91 25.91 25.91 25.91 25.91 25.92 26.87 26.87 27.04 27.04 27.04 27.11 27.13 27.20 27.20 27.20 27.20 27.20 27.27 27.58 27.58 27.58 27.58 27.57 27.57 27.57 27.57 27.57 27.57 27.77	DIR H 26 SFA CL/TR SFA CL/TR O NOPTH 00.700 00.021 00.043 00.161 00.186 00.209 00.281 00.359 00.404 00.448	SNO VEL 1454.8 1454.8 1454.5 1455.0 1455.0 1455.4 1455.0 1456.4 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1441.8 1450.5 1450.1 1460.1 1470.1 1470.1 1470.1 1470.1 1470.1	WIND-SPD WIND-FOR WEATHER	X.	DURA! OR IG	E DIR TION TIP LLI	00.4	1	SQUARE 66 SQUARE 77	

Table XIII.—Observed and Interpolated Oceanographic Data from Stations Occupied by USCGC EVERGREEN, 7 April 1972–18 June 1972, Prepared from NODC Listing No. 31–8296.—Continued

REFID 31 8296 CONSEC 0177 LAT 47 03.5N LONG 047 22.00	MUNT	1972 - 06 13 10.2	SHIP EV DATA USE AREA O	BARD		SEA CL/TR	GT PFR	dind-dir mind-spd dind-for med ther	13	DUPAT		02.1	3	SQUARE 66 SQUARE 66 SQUARE 77
CASTNUM/TINE	LVLTYP	DEPTH	TEMP	SAL	STORA-T	DYNDPTH	SND VEL	3x≠G	P)4	101 P	402	403	5133	**
	STD	00000	02.56	32.23	25.74	00.000	1456.9							
10.2	OBS	00000	02.56	32.235	25.74		1456.9							
	510	00010	02.52	32.22	25.74	00.023	1456 - 9							
	nes	00010	02.52	32.225	25.74		1456.9							
	STD	00020	02.30	32.22	25.75	00.045	1456 -1							
	nB s	00020	02-30	32.220	25,75		1456.1							
	STD	00030	- 1.13	32.79	26.39	00.065	1441 -5							
	085	00330	- 1.13	32.795	26.39		1441.5							
	085	00034	- 1.46	32.945	26.52		1441.2							
	510	00050	- 1.72	33.140	26.69	00.095	1439.5							
	STO	00075	- 1.70	33.28	26.69	00.127	1440.2							
	DBS	00075	- 1.70	33.280	26.80	00.127	1440.2							
	085	20002	- 1.59	33.310	26.82		1441.1							
	STD	00100	- 1.43	33.45	26.93	00.157	1447.1							
	185	00100	- 1.43	33.450	26.93		1442 -1							
	OBS	00106	- 0.84	33.580	27.02		1445.2							
	STO	00125	- 0-57	33.57	27.08	00.183	1446.9							
	085	00125	- 0.57	33.670	27.08		1446.9							
	085	00140	- 0.17	33.785	27.16		1449.1							
	085	00146	- 0.02	33.845	27.20		1450.0							
	STD	00150	00.04	33.86	21.20	105.00	1450-4							
	085	0015R	00-19	33.880	27.21		1451 .2							
	085	90100	00.47	33.900	27.22		1452.7							
	ORS	00180	00.25	33-970	27.70		1451.8							
	085	00191	00.36	33.990	21.29		1452.5							
	DBS	00194	00.78	34.010	21.29		1454.7							
	STD	00500	90.81	34.02	27.29	00.249	1454.9							
	085	00200	00.81	34.020	21.29		1454.9							
	ORS	00515	00.85	34.060	21.32		1455.3							
	085	00245	00.79	34.090	27.35		1455 - 7							
	STO	00250	01-10	34.17	27.39	00.286	1457.3							
	UBS	00257	01.40	34.245	27.43		1458.9							
	nes	00275	01.41	34.275	27.46	44 11-	1459.2							
	STD	00300	01.81	34.18	27.52	00.318	1461 -5							
	785 085	00300	01-01	34.385	27.52		1461.5							
	085	00355	02.33	34.525	27.59		1465.0							
	06.2	00177	02.34	34.230	6,004		1403.0							

REFID 31 8296 CONSEC 0178 LAT 47 00.0N LONG 047 30.0M	MONTH 05		BOTOP GOLGE SHIP EV DATA USE I AREA OS	WET BARD	AIR TEMP 05.6 WET BULS 05.6 BARDMETR 1024.0 CLOUD T/A		26 2 2		27 13	INST STO RECORDER THACE DIR DURATION 00+ ORIG IIP III		00-1	S STUARE 4	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXY G	P)4	TCT P	NOZ	NO3	5133	P4
	STD	00000	03-10	32.29	25.74	00.000	1459.4							
11.2	nes	00000	03-10	32.290	25.74		1459.4							
	STO	00010	02.92	32.31	25.77	90.022	1458.8							
	185	00010	02.92	32.310	25.77		1458.8							
	STO	00020	02.73	32.33	25.80	00.045	1458.1							
	085	00020	02.73	32.330	25.80		1458.1							
	STO	00030	- 1.09	32.83	26.42	00.064	1441.7							
	DBS	00030	- 1.09	32.830	26.47		1441.7							
	STO	00050	- 1.73	33-14	26.69	00.094	1439.5							
	085	00050	- 1.73	33-140	26.69		1439.5							
	570	00075	- 1.72	33.22	26.75	00-127	1443.0							
	085	00075	- 1.72	33.220	26.75		1440.0							
	STO	00100	- 1.64	31.36	26.86	00-158	1441-0							
	nes	00100	- 1-64	33.360	26.86		1441.0							
	STD	00125	- 1.09	33.45	26.92	00.187	1444-1							
	085	00125	- 1.09	33-450	26.92		1444.1							
	085	00144	- 0.88	33.510	26.96		1445.5							
	STO	00150	- 0.95	33.53	26.98	00.214	1445.3							
	065	00150	- 0.95	33.530	25.98		1445.3							
	085	00163	- 0.77	34-610	27.85		1447.9							
	A STATE OF THE STA	200000000000000000000000000000000000000												
